



Arboviral Surveillance Results

Start Date: 3/1/2012 End Date: 10/1/2012

Franklin County Public Health

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Bexley Test Results								
Bexley	5/14/2012	Gravid Trap	5/15/2012	BE-20-1.1	<i>Culex spp.</i>	24	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	BE-21-1.1	<i>Culex spp.</i>	10	Negative	RT-PCR
	5/29/2012	Gravid Trap	5/30/2012	BE-22-1.1	<i>Culex spp.</i>	22	Negative	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	BE-23-1.1	<i>Culex spp.</i>	43	Negative	RT-PCR
	6/11/2012	Gravid Trap	6/12/2012	BE-24-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BE-24-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		BE-24-3.3	<i>Culex spp.</i>	18	Negative	RT-PCR
	6/18/2012	Gravid Trap	6/19/2012	BE-25-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BE-25-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		BE-25-3.3	<i>Culex spp.</i>	6	Negative	RT-PCR
	6/25/2012	Gravid Trap	6/26/2012	BE-26-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	7/2/2012	Gravid Trap	7/3/2012	BE-27-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	7/9/2012	Gravid Trap	7/10/2012	BE-28-1.1	<i>Culex spp.</i>	19	Negative	RAMP
	7/16/2012	Gravid Trap	7/17/2012	BE-29-1.1	<i>Culex spp.</i>	32	WNV+	RAMP
	7/23/2012	Gravid Trap	7/24/2012	BE-30-1.1	<i>Culex spp.</i>	48	WNV+	RAMP
	7/27/2012	Post Spray	7/28/2012	BEPS-30-1.1	<i>Culex spp.</i>	17	Negative	RT-PCR
	7/30/2012	Gravid Trap	7/31/2012	BE-31-1.1	<i>Culex spp.</i>	5	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay			
Bexley	8/13/2012	Gravid Trap	8/14/2012	BE-33-1.1	<i>Culex spp.</i>	30	Negative	RAMP			
	8/20/2012	Gravid Trap	8/21/2012	BE-34-1.1	<i>Culex spp.</i>	19	Negative	RAMP			
	8/27/2012	Gravid Trap	8/28/2012	BE-35-1.1	<i>Culex spp.</i>	11	Negative	RAMP			
	9/4/2012	Gravid Trap	9/5/2012	BX-36-1.1	<i>Culex spp.</i>	50	WNV+	RAMP			
	9/13/2012	Post Spray	9/14/2012	BEPS-37-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR			
Total Pools Tested:	22	Total Mosquitoes Tested:	571	Total Pending:	0	Total RAMP Tests:	11	Total Negative:	19	Total Positive:	3
Total Pools Tested:	22	Total Mosquitoes Tested:	571	Total Pending:	0	Total RAMP Tests:	11	Total Negative:	19	Total Positive:	3

Brown Test Results

Brown	6/11/2012	Gravid Trap	6/12/2012	BR-24-1.1	<i>Culex spp.</i>	11	Negative	RT-PCR
	6/18/2012	Gravid Trap	6/19/2012	BR-25-1.1	<i>Culex spp.</i>	8	Negative	RAMP
	6/25/2012	Gravid Trap	6/26/2012	BR-26-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	7/2/2012	Gravid Trap	7/3/2012	BR-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-27-2.2	<i>Culex spp.</i>	45	Negative	RAMP
	7/9/2012	Gravid Trap	7/10/2012	BR-28-1.1	<i>Culex spp.</i>	26	Negative	RAMP
	7/16/2012	Gravid Trap	7/17/2012	BR-29-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	7/24/2012	Gravid Trap	7/25/2012	BR-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-30-2.2	<i>Culex spp.</i>	44	WNV+	RT-PCR
	7/30/2012	Gravid Trap	7/31/2012	BR-31-1.1	<i>Culex spp.</i>	6	Negative	RT-PCR
	8/6/2012	Gravid Trap	8/7/2012	BR-32-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR
	8/9/2012	Post Spray	8/10/2012	BRPS-32-1.1	<i>Culex spp.</i>	3	Negative	RT-PCR
	8/13/2012	Gravid Trap	8/14/2012	BR-33-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	8/20/2012	Gravid Trap	8/21/2012	BR-34-1.1	<i>Culex spp.</i>	23	Negative	RAMP
	8/27/2012	Gravid Trap	8/28/2012	BR-35-1.1	<i>Culex spp.</i>	25	WNV+	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Brown	9/4/2012	Gravid Trap	9/5/2012	BR-36-1.1	<i>Culex spp.</i>	26	Negative	RAMP
	9/17/2012	Gravid Trap	9/18/2012	BR-38-1.1	<i>Culex spp.</i>	3	Negative	RAMP
Total Pools Tested: 17		Total Mosquitoes Tested: 349		Total Pending: 0	Total RAMP Tests: 12	Total Negative: 15	Total Positive: 2	
Total Pools Tested: 17		Total Mosquitoes Tested: 349		Total Pending: 0	Total RAMP Tests: 12	Total Negative: 15	Total Positive: 2	

Canal Winchester Test Results

Canal Winchester	5/14/2012	Gravid Trap	5/15/2012	CW-20-1.2	<i>Culex spp.</i>	20	Negative	RT-PCR
		Gravid Trap		CW-20-2.2	<i>Culex spp.</i>	17	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	CW-21-1.1	<i>Culex spp.</i>	11	Negative	RT-PCR
	5/29/2012	Gravid Trap	5/30/2012	CW-22-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		CW-22-2.2	<i>Culex spp.</i>	23	Negative	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	CW-23-1.1	<i>Culex spp.</i>	21	Negative	RT-PCR
	6/11/2012	Gravid Trap	6/12/2012	CW-24-1.1	<i>Culex spp.</i>	30	Negative	RT-PCR
	6/18/2012	Gravid Trap	6/19/2012	CW-25-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CW-25-2.4	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		CW-25-3.4	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		CW-25-4.4	<i>Culex spp.</i>	23	Negative	RT-PCR
	6/25/2012	Gravid Trap	6/26/2012	CW-26-1.1	<i>Culex spp.</i>	29	Negative	RAMP
	7/2/2012	Gravid Trap	7/3/2012	CW-27-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CW-27-2.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CW-27-3.3	<i>Culex spp.</i>	12	Negative	RT-PCR
	7/9/2012	Gravid Trap	7/10/2012	CW-28-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	7/16/2012	Gravid Trap	7/17/2012	CW-29-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CW-29-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Canal Winchester	7/16/2012	Gravid Trap	7/17/2012	CW-29-3.3	<i>Culex spp.</i>	24	Negative	RT-PCR
	7/23/2012	Gravid Trap	7/24/2012	CW-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CW-30-2.2	<i>Culex spp.</i>	12	Negative	RT-PCR
	7/30/2012	Gravid Trap	7/31/2012	CW-31-1.1	<i>Culex spp.</i>	42	Negative	RAMP
	8/6/2012	Gravid Trap	8/7/2012	CW-32-1.1	<i>Culex spp.</i>	3	Negative	RT-PCR
	8/13/2012	Gravid Trap	8/14/2012	CW-33-1.1	<i>Culex spp.</i>	34	Negative	RAMP
	8/20/2012	Gravid Trap	8/21/2012	CW-34-1.1	<i>Culex spp.</i>	27	Negative	RAMP
	8/27/2012	Gravid Trap	8/28/2012	CW-35-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		CW-35-2.2	<i>Culex spp.</i>	13	Negative	RAMP
	9/4/2012	Gravid Trap	9/5/2012	CW-36-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	9/6/2012	Post Spray	9/7/2012	CWPS-36-1.1	<i>Culex spp.</i>	3	Negative	RT-PCR
	9/10/2012	Gravid Trap	9/11/2012	CW-37-1.1	<i>Culex spp.</i>	14	Negative	RAMP
	9/17/2012	Gravid Trap	9/18/2012	CW-38-1.1	<i>Culex spp.</i>	4	Negative	RAMP
Total Pools Tested: 31		Total Mosquitoes Tested: 923		Total Pending: 0	Total RAMP Tests: 15	Total Negative: 30	Total Positive: 1	
Total Pools Tested: 31		Total Mosquitoes Tested: 923		Total Pending: 0	Total RAMP Tests: 15	Total Negative: 30	Total Positive: 1	

Clinton Test Results

Clinton	5/14/2012	Gravid Trap	5/15/2012	CT-20-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	CT-21-1.1	<i>Culex spp.</i>	3	Negative	RT-PCR
	5/29/2012	Gravid Trap	5/30/2012	CT-22-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-22-2.4	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		CT-22-3.4	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		CT-22-4.4	<i>Culex spp.</i>	45	Negative	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	CT-23-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Clinton	6/4/2012	Gravid Trap	6/5/2012	CT-23-2.2	<i>Culex spp.</i>	13	Negative	RT-PCR
	6/11/2012	Gravid Trap	6/12/2012	CT-24-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		CT-24-2.2	<i>Culex spp.</i>	10	Negative	RT-PCR
	6/18/2012	Gravid Trap	6/19/2012	CT-25-1.2	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		CT-25-2.2	<i>Culex spp.</i>	12	Negative	RT-PCR
	6/25/2012	Gravid Trap	6/26/2012	CT-26-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	7/2/2012	Gravid Trap	7/3/2012	CT-27-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-27-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		CT-27-3.3	<i>Culex spp.</i>	41	WNV+	RT-PCR
	7/9/2012	Gravid Trap	7/10/2012	CT-28-1.1	<i>Culex spp.</i>	16	Negative	RT-PCR
	7/12/2012	Post Spray	7/13/2012	CTPS-28-1.1	<i>Culex spp.</i>	5	WNV+	RT-PCR
	7/16/2012	Gravid Trap	7/17/2012	CT-29-1.1	<i>Culex spp.</i>	28	WNV+	RAMP
	7/23/2012	Gravid Trap	7/24/2012	CT-30-1.1	<i>Culex spp.</i>	49	WNV+	RAMP
	7/30/2012	Gravid Trap	7/31/2012	CT-31-1.1	<i>Culex spp.</i>	9	WNV+	RT-PCR
	8/1/2012	Post Spray	8/2/2012	CTPS-31-1.1	<i>Culex spp.</i>	13	Negative	RT-PCR
	8/6/2012	Gravid Trap	8/7/2012	CT-32-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	8/13/2012	Gravid Trap	8/14/2012	CT-33-1.1	<i>Culex spp.</i>	40	WNV+	RAMP
	8/16/2012	Post Spray	8/17/2012	CTPS-33-1.1	<i>Culex spp.</i>	16	Negative	RT-PCR
	8/20/2012	Gravid Trap	8/21/2012	CT-34-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	8/27/2012	Gravid Trap	8/28/2012	CT-35-1.1	<i>Culex spp.</i>	30	Negative	RAMP
9/4/2012	Gravid Trap	9/5/2012	CT-36-1.1	<i>Culex spp.</i>	7	Negative	RAMP	
9/10/2012	Gravid Trap	9/11/2012	CT-37-1.1	<i>Culex spp.</i>	9	Negative	RAMP	
9/17/2012	Gravid Trap	9/18/2012	CT-38-1.1	<i>Culex spp.</i>	6	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Clinton	9/24/2012	Gravid Trap	9/25/2012	CT-39-1.1	<i>Culex spp.</i>	3	Negative	RAMP
	Total Pools Tested: 31	Total Mosquitoes Tested: 789		Total Pending: 0	Total RAMP Tests: 14	Total Negative: 23	Total Positive: 8	
	Total Pools Tested: 31	Total Mosquitoes Tested: 789		Total Pending: 0	Total RAMP Tests: 14	Total Negative: 23	Total Positive: 8	

Dublin Test Results

Dublin Central	5/14/2012	Gravid Trap	5/15/2012	DC-20-1.1	<i>Culex spp.</i>	42	Negative	RAMP
	5/21/2012	Gravid Trap	5/22/2012	DC-21-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	5/29/2012	Gravid Trap	5/30/2012	DC-22-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	6/4/2012	Gravid Trap	6/5/2012	DC-23-1.1	<i>Culex spp.</i>	29	Negative	RAMP
	6/11/2012	Gravid Trap	6/12/2012	DC-24-1.1	<i>Culex spp.</i>	23	Negative	RAMP
	6/19/2012	Gravid Trap	6/20/2012	DC-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DC-25-2.2	<i>Culex spp.</i>	19	Negative	RAMP
	7/2/2012	Gravid Trap	7/3/2012	DC-27-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	7/9/2012	Gravid Trap	7/10/2012	DC-28-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	7/16/2012	Gravid Trap	7/17/2012	DC-29-1.1	<i>Culex spp.</i>	45	WNV+	RAMP
	7/23/2012	Gravid Trap	7/24/2012	DC-30-1.1	<i>Culex spp.</i>	41	Negative	RAMP
	7/26/2012	Post Spray	7/27/2012	DCPS-30-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	7/31/2012	Gravid Trap	8/1/2012	DC-31-1.1	<i>Culex spp.</i>	31	Negative	RAMP
	8/6/2012	Gravid Trap	8/7/2012	DC-32-1.1	<i>Culex spp.</i>	22	Negative	RAMP
	8/13/2012	Gravid Trap	8/14/2012	DC-33-1.1	<i>Culex spp.</i>	37	Negative	RAMP
	8/20/2012	Gravid Trap	8/21/2012	DC-34-1.1	<i>Culex spp.</i>	39	Negative	RAMP
	8/27/2012	Gravid Trap	8/28/2012	DC-35-1.1	<i>Culex spp.</i>	23	Negative	RAMP
	9/4/2012	Gravid Trap	9/5/2012	DC-36-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	9/10/2012	Gravid Trap	9/11/2012	DC-37-1.1	<i>Culex spp.</i>	40	WNV+	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Dublin Central	9/17/2012	Gravid Trap	9/18/2012	DC-38-1.1	<i>Culex spp.</i>	2	Negative	RAMP	
	9/24/2012	Gravid Trap	9/25/2012	DC-39-1.1	<i>Culex spp.</i>	1	Negative	RAMP	
Total Pools Tested: 21		Total Mosquitoes Tested: 521		Total Pending: 0	Total RAMP Tests: 21	Total Negative: 19	Total Positive: 2		
Dublin East	5/14/2012	Gravid Trap	5/15/2012	DE-20-1.1	<i>Culex spp.</i>	7	Negative	RAMP	
	5/21/2012	Gravid Trap	5/22/2012	DE-21-1.1	<i>Culex spp.</i>	7	Negative	RAMP	
	5/29/2012	Gravid Trap	5/30/2012	DE-22-1.1	<i>Culex spp.</i>	25	Negative	RAMP	
	6/4/2012	Gravid Trap	6/5/2012	DE-23-1.1	<i>Culex spp.</i>	3	Negative	RAMP	
	6/11/2012	Gravid Trap	6/12/2012	DE-24-1.1	<i>Culex spp.</i>	14	Negative	RAMP	
	6/18/2012	Gravid Trap	6/19/2012	DE-25-1.1	<i>Culex spp.</i>	30	Negative	RAMP	
	6/25/2012	Gravid Trap	6/26/2012	DE-26-1.1	<i>Culex spp.</i>	11	Negative	RAMP	
	7/2/2012	Gravid Trap	7/3/2012	DE-27-1.1	<i>Culex spp.</i>	23	Negative	RAMP	
	7/9/2012	Gravid Trap	7/10/2012	DE-28-1.1	<i>Culex spp.</i>	23	Negative	RAMP	
	7/16/2012	Gravid Trap	7/17/2012	DE-29-1.5	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		DE-29-2.5	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		DE-29-3.5	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		DE-29-4.5	<i>Culex spp.</i>	50	WNV+	RAMP
			Gravid Trap		DE-29-5.5	<i>Culex spp.</i>	30	Negative	RAMP
	7/19/2012	Post Spray	7/20/2012	DEPS-29-1.1	<i>Culex spp.</i>	10	Negative	RAMP	
	7/23/2012	Gravid Trap	7/24/2012	DE-30-1.1	<i>Culex spp.</i>	21	Negative	RAMP	
	7/30/2012	Gravid Trap	7/31/2012	DE-31-1.1	<i>Culex spp.</i>	35	Negative	RAMP	
	8/6/2012	Gravid Trap	8/7/2012	DE-32-1.1	<i>Culex spp.</i>	4	Negative	RAMP	
	8/13/2012	Gravid Trap	8/14/2012	DE-33-1.1	<i>Culex spp.</i>	32	Negative	RAMP	
8/20/2012	Gravid Trap	8/21/2012	DE-34-1.2	<i>Culex spp.</i>	50	WNV+	RAMP		

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin East	8/20/2012	Gravid Trap	8/21/2012	DE-34-2.2	<i>Culex spp.</i>	4	Negative	RAMP
	8/27/2012	Gravid Trap	8/28/2012	DE-35-1.1	<i>Culex spp.</i>	44	Negative	RAMP
	8/29/2012	Post Spray	8/30/2012	DEPS-35-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	9/10/2012	Gravid Trap	9/11/2012	DE-37-1.1	<i>Culex spp.</i>	14	Negative	RAMP
Total Pools Tested: 24		Total Mosquitoes Tested: 594		Total Pending: 0	Total RAMP Tests: 24	Total Negative: 22	Total Positive: 2	
Dublin North	5/14/2012	Gravid Trap	5/15/2012	DN-20-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-20-2.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-20-3.3	<i>Culex spp.</i>	31	Negative	RAMP
	5/21/2012	Gravid Trap	5/22/2012	DN-21-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-21-2.2	<i>Culex spp.</i>	2	Negative	RAMP
	5/29/2012	Gravid Trap	5/30/2012	DN-22-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-22-2.2	<i>Culex spp.</i>	29	Negative	RAMP
	6/4/2012	Gravid Trap	6/5/2012	DN-23-1.1	<i>Culex spp.</i>	37	Negative	RAMP
	6/11/2012	Gravid Trap	6/12/2012	DN-24-1.1	<i>Culex spp.</i>	17	Negative	RAMP
	6/18/2012	Gravid Trap	6/19/2012	DN-25-1.1	<i>Culex spp.</i>	48	Negative	RAMP
	6/25/2012	Gravid Trap	6/26/2012	DN-26-1.1	<i>Culex spp.</i>	31	Negative	RAMP
	7/2/2012	Gravid Trap	7/3/2012	DN-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-27-2.2	<i>Culex spp.</i>	8	Negative	RAMP
	7/9/2012	Gravid Trap	7/10/2012	DN-28-1.1	<i>Culex spp.</i>	22	Negative	RAMP
	7/16/2012	Gravid Trap	7/17/2012	DN-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-29-2.2	<i>Culex spp.</i>	49	WNV+	RAMP
7/23/2012	Gravid Trap	7/24/2012	DN-30-1.4	<i>Culex spp.</i>	50	Negative	RAMP	
	Gravid Trap		DN-30-2.4	<i>Culex spp.</i>	50	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin North	7/23/2012	Gravid Trap	7/24/2012	DN-30-3.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-30-4.4	<i>Culex spp.</i>	20	Negative	RAMP
	7/25/2012	Post Spray	7/26/2012	DNPS-30-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	7/30/2012	Gravid Trap	7/31/2012	DN-31-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	8/6/2012	Gravid Trap	8/7/2012	DN-32-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	8/13/2012	Gravid Trap	8/14/2012	DN-33-1.1	<i>Culex spp.</i>	44	WNV+	RAMP
	8/20/2012	Gravid Trap	8/21/2012	DN-34-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		DN-34-2.2	<i>Culex spp.</i>	11	Negative	RAMP
	8/27/2012	Gravid Trap	8/28/2012	DN-35-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		DN-35-2.2	<i>Culex spp.</i>	47	Negative	RAMP
	8/29/2012	Post Spray	8/30/2012	DNPS-35-1.1	<i>Culex spp.</i>	39	WNV+	RAMP
	9/4/2012	Gravid Trap	9/5/2012	DN-36-1.1	<i>Culex spp.</i>	13	Negative	RAMP
	9/10/2012	Gravid Trap	9/11/2012	DN-37-1.1	<i>Culex spp.</i>	9	WNV+	RAMP
	9/17/2012	Gravid Trap	9/18/2012	DN-38-1.1	<i>Culex spp.</i>	10	WNV+	RAMP
Total Pools Tested: 32		Total Mosquitoes Tested: 1055		Total Pending: 0	Total RAMP Tests: 32	Total Negative: 25	Total Positive: 7	
Dublin Northeast	5/14/2012	Gravid Trap	5/15/2012	DNE-20-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	5/21/2012	Gravid Trap	5/22/2012	DNE-21-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-21-2.2	<i>Culex spp.</i>	37	Negative	RAMP
	5/29/2012	Gravid Trap	5/30/2012	DNE-22-1.1	<i>Culex spp.</i>	28	Negative	RAMP
	6/4/2012	Gravid Trap	6/5/2012	DNE-23-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-23-2.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-23-3.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-23-4.4	<i>Culex spp.</i>	8	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin Northeast	6/11/2012	Gravid Trap	6/12/2012	DNE-24-1.1	<i>Culex spp.</i>	29	Negative	RAMP
	6/18/2012	Gravid Trap	6/19/2012	DNE-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-25-2.2	<i>Culex spp.</i>	11	Negative	RAMP
	6/25/2012	Gravid Trap	6/26/2012	DNE-26-1.1	<i>Culex spp.</i>	32	Negative	RAMP
	7/2/2012	Gravid Trap	7/3/2012	DNE-27-1.3	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		DNE-27-2.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-27-3.3	<i>Culex spp.</i>	27	Negative	RAMP
	7/9/2012	Gravid Trap	7/10/2012	DNE-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-28-2.2	<i>Culex spp.</i>	48	Negative	RAMP
	7/12/2012	Post Spray	7/13/2012	DNEPS-28-1.1	<i>Culex spp.</i>	23	WNV+	RAMP
	7/16/2012	Gravid Trap	7/17/2012	DNE-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-29-2.2	<i>Culex spp.</i>	50	WNV+	RAMP
	7/23/2012	Gravid Trap	7/24/2012	DNE-30-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		DNE-30-2.2	<i>Culex spp.</i>	25	WNV+	RAMP
	7/25/2012	Post Spray	7/26/2012	DNEPS-30-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	7/30/2012	Gravid Trap	7/31/2012	DNE-31-1.1	<i>Culex spp.</i>	35	Negative	RAMP
	8/6/2012	Gravid Trap	8/7/2012	DNE-32-1.1	<i>Culex spp.</i>	19	Negative	RAMP
	8/13/2012	Gravid Trap	8/14/2012	DNE-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-33-2.2	<i>Culex spp.</i>	50	WNV+	RAMP
	8/20/2012	Gravid Trap	8/21/2012	DNE-34-1.1	<i>Culex spp.</i>	50	WNV+	RAMP
	8/27/2012	Gravid Trap	8/28/2012	DNE-35-1.1	<i>Culex spp.</i>	40	WNV+	RAMP
	9/5/2012	Post Spray	9/6/2012	DNEPS-36-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Post Spray		DNEPS-36-2.2	<i>Culex spp.</i>	49	WNV+	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin Northeast	9/10/2012	Gravid Trap	9/11/2012	DNE-37-1.1	<i>Culex spp.</i>	22	WNV+	RAMP
Total Pools Tested: 32		Total Mosquitoes Tested: 1195		Total Pending: 0	Total RAMP Tests: 32	Total Negative: 22	Total Positive: 10	
Dublin West	5/14/2012	Gravid Trap	5/15/2012	DW-20-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	5/21/2012	Gravid Trap	5/22/2012	DW-21-1.1	<i>Culex spp.</i>	13	Negative	RAMP
	5/29/2012	Gravid Trap	5/30/2012	DW-22-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	6/4/2012	Gravid Trap	6/5/2012	DW-23-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	6/11/2012	Gravid Trap	6/12/2012	DW-24-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	6/18/2012	Gravid Trap	6/19/2012	DW-25-1.1	<i>Culex spp.</i>	8	Negative	RAMP
	6/25/2012	Gravid Trap	6/26/2012	DW-26-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	7/2/2012	Gravid Trap	7/3/2012	DW-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-27-2.2	<i>Culex spp.</i>	30	Negative	RAMP
	7/9/2012	Gravid Trap	7/10/2012	DW-28-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	7/16/2012	Gravid Trap	7/17/2012	DW-29-1.1	<i>Culex spp.</i>	27	Negative	RAMP
	7/23/2012	Gravid Trap	7/24/2012	DW-30-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	7/30/2012	Gravid Trap	7/31/2012	DW-31-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	8/6/2012	Gravid Trap	8/7/2012	DW-32-1.1	<i>Culex spp.</i>	3	Negative	RAMP
	8/13/2012	Gravid Trap	8/14/2012	DW-33-1.1	<i>Culex spp.</i>	22	WNV+	RAMP
	8/20/2012	Gravid Trap	8/21/2012	DW-34-1.1	<i>Culex spp.</i>	26	Negative	RAMP
	8/22/2012	Post Spray	8/23/2012	DWPS-34-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	8/27/2012	Gravid Trap	8/28/2012	DW-35-1.1	<i>Culex spp.</i>	11	WNV+	RAMP
	9/10/2012	Gravid Trap	9/11/2012	DW-37-1.1	<i>Culex spp.</i>	43	WNV+	RAMP
Total Pools Tested: 19		Total Mosquitoes Tested: 304		Total Pending: 0	Total RAMP Tests: 19	Total Negative: 16	Total Positive: 3	
Total Pools Tested: 128		Total Mosquitoes Tested: 3669		Total Pending: 0	Total RAMP Tests: 128	Total Negative: 104	Total Positive: 24	

Franklin Test Results

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Franklin North	5/14/2012	Gravid Trap	5/15/2012	FN-20-1.1	<i>Culex spp.</i>	30	Negative	RT-PCR	
	5/21/2012	Gravid Trap	5/22/2012	FN-21-1.1	<i>Culex spp.</i>	32	Negative	RT-PCR	
	5/30/2012	Gravid Trap	5/31/2012	FN-22-1.1	<i>Culex spp.</i>	18	Negative	RT-PCR	
	6/11/2012	Gravid Trap	6/12/2012	FN-24-1.1	<i>Culex spp.</i>	37	Negative	RT-PCR	
	6/19/2012	Gravid Trap	6/20/2012	FN-25-1.1	<i>Culex spp.</i>	47	WNV+	RT-PCR	
	6/25/2012	Gravid Trap	6/26/2012	FN-26-1.1	<i>Culex spp.</i>	11	Negative	RAMP	
	7/3/2012	Gravid Trap	7/4/2012	FN-27-1.1	<i>Culex spp.</i>	29	Negative	RT-PCR	
	7/10/2012	Post Spray	7/11/2012	FNPS-28-1.1	<i>Culex spp.</i>	8	Negative	RT-PCR	
	7/16/2012	Gravid Trap	7/17/2012	FN-29-1.1	<i>Culex spp.</i>	28	WNV+	RAMP	
	7/23/2012	Gravid Trap		7/24/2012	FN-30-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
					FN-30-2.2	<i>Culex spp.</i>	10	Negative	RT-PCR
	7/30/2012	Gravid Trap	7/31/2012	FN-31-1.1	<i>Culex spp.</i>	21	WNV+	RT-PCR	
	8/2/2012	Post Spray	8/3/2012	FNPS-31-1.1	<i>Culex spp.</i>	13	Negative	RT-PCR	
	8/6/2012	Gravid Trap	8/7/2012	FN-32-1.1	<i>Culex spp.</i>	14	Negative	RAMP	
	8/13/2012	Gravid Trap	8/14/2012	FN-33-1.1	<i>Culex spp.</i>	49	WNV+	RAMP	
	8/16/2012	Post Spray	8/17/2012	FNPS-33-1.1	<i>Culex spp.</i>	26	Negative	RAMP	
	8/20/2012	Gravid Trap	8/21/2012	FN-34-1.1	<i>Culex spp.</i>	16	Negative	RAMP	
	8/27/2012	Gravid Trap	8/28/2012	FN-35-1.1	<i>Culex spp.</i>	17	Negative	RAMP	
	9/4/2012	Gravid Trap	9/5/2012	FN-36-1.1	<i>Culex spp.</i>	25	Negative	RAMP	
	9/10/2012	Gravid Trap	9/11/2012	FN-37-1.1	<i>Culex spp.</i>	6	Negative	RAMP	
	9/13/2012	Post Spray	9/14/2012	FNPS-37-1.1	<i>Culex spp.</i>	11	Negative	RT-PCR	
	9/17/2012	Gravid Trap	9/18/2012	FN-38-1.1	<i>Culex spp.</i>	28	WNV+	RAMP	
Total Pools Tested: 22		Total Mosquitoes Tested: 526		Total Pending: 0	Total RAMP Tests: 11	Total Negative: 16	Total Positive: 6		

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Franklin South	5/14/2012	Gravid Trap	5/15/2012	FS-20-1.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		FS-20-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		FS-20-3.3	<i>Culex spp.</i>	2	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	FS-21-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FS-21-2.2	<i>Culex spp.</i>	26	Negative	RT-PCR
	5/29/2012	Gravid Trap	5/30/2012	FS-22-1.1	<i>Culex spp.</i>	47	WNV+	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	FS-23-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FS-23-2.2	<i>Culex spp.</i>	11	WNV+	RT-PCR
	6/18/2012	Gravid Trap	6/19/2012	FS-25-1.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FS-25-2.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FS-25-3.6	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		FS-25-4.6	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		FS-25-5.6	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		FS-25-6.6	<i>Culex spp.</i>	32	Negative	RT-PCR
	6/25/2012	Gravid Trap	6/26/2012	FS-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FS-26-2.2	<i>Culex spp.</i>	1	Negative	RT-PCR
	6/27/2012	Post Spray	6/28/2012	FSPS-26-1.1	<i>Culex spp.</i>	2	Negative	RT-PCR
	7/2/2012	Gravid Trap	7/3/2012	FS-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FS-27-2.2	<i>Culex spp.</i>	12	Negative	RT-PCR
	7/9/2012	Gravid Trap	7/10/2012	FS-28-1.1	<i>Culex spp.</i>	39	WNV+	RT-PCR
	7/16/2012	Gravid Trap	7/17/2012	FS-29-1.1	<i>Culex spp.</i>	24	WNV+	RAMP
	7/18/2012	Post Spray	7/19/2012	FSPS-29-1.1	<i>Culex spp.</i>	6	Negative	RT-PCR
	7/23/2012	Gravid Trap	7/24/2012	FS-30-1.1	<i>Culex spp.</i>	32	WNV+	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Franklin South	7/30/2012	Gravid Trap	7/31/2012	FS-31-1.1	<i>Culex spp.</i>	14	WNV+	RT-PCR
	8/2/2012	Post Spray	8/3/2012	FSPS-31-1.1	<i>Culex spp.</i>	6	Negative	RT-PCR
	8/6/2012	Gravid Trap	8/7/2012	FS-32-1.1	<i>Culex spp.</i>	6	Negative	RAMP
	8/14/2012	Post Spray	8/15/2012	FSPS-33-1.1	<i>Culex spp.</i>	29	Negative	RT-PCR
	8/20/2012	Gravid Trap	8/21/2012	FS-34-1.1	<i>Culex spp.</i>	40	WNV+	RAMP
	8/27/2012	Gravid Trap	8/28/2012	FS-35-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	8/31/2012	Post Spray	9/1/2012	FSPS-35-1.1	<i>Culex spp.</i>	8	Negative	RT-PCR
	9/4/2012	Gravid Trap	9/5/2012	FS-36-1.1	<i>Culex spp.</i>	32	Negative	RAMP
	9/10/2012	Gravid Trap	9/11/2012	FS-37-1.1	<i>Culex spp.</i>	14	WNV+	RAMP
	9/17/2012	Gravid Trap	9/18/2012	FS-38-1.1	<i>Culex spp.</i>	36	Negative	RAMP
	9/24/2012	Gravid Trap	9/25/2012	FS-39-1.1	<i>Culex spp.</i>	2	Negative	RAMP
Total Pools Tested: 34	Total Mosquitoes Tested: 983	Total Pending: 0	Total RAMP Tests: 15	Total Negative: 25	Total Positive: 9			
Total Pools Tested: 56	Total Mosquitoes Tested: 1509	Total Pending: 0	Total RAMP Tests: 26	Total Negative: 41	Total Positive: 15			

Gahanna Test Results

Gahanna North	5/14/2012	Gravid Trap	5/15/2012	GN-20-1.1	<i>Culex spp.</i>	44	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	GN-21-1.1	<i>Culex spp.</i>	3	Negative	RT-PCR
	5/29/2012	Gravid Trap	5/30/2012	GN-22-1.1	<i>Culex spp.</i>	49	Negative	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	GN-23-1.1	<i>Culex spp.</i>	2	Negative	RT-PCR
	6/11/2012	Gravid Trap	6/12/2012	GN-24-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR
	6/18/2012	Gravid Trap	6/19/2012	GN-25-1.1	<i>Culex spp.</i>	35	Negative	RAMP
	6/25/2012	Gravid Trap	6/26/2012	GN-26-1.1	<i>Culex spp.</i>	8	Negative	RAMP
	7/2/2012	Gravid Trap	7/3/2012	GN-27-1.1	<i>Culex spp.</i>	24	Negative	RAMP
	7/9/2012	Gravid Trap	7/10/2012	GN-28-1.1	<i>Culex spp.</i>	15	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Gahanna North	7/16/2012	Gravid Trap	7/17/2012	GN-29-1.1	<i>Culex spp.</i>	45	Negative	RAMP
	7/23/2012	Gravid Trap	7/24/2012	GN-30-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR
	7/30/2012	Gravid Trap	7/31/2012	GN-31-1.1	<i>Culex spp.</i>	2	Negative	RT-PCR
	8/6/2012	Gravid Trap	8/7/2012	GN-32-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	8/13/2012	Gravid Trap	8/14/2012	GN-33-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		GN-33-2.2	<i>Culex spp.</i>	16	WNV+	RAMP
	8/20/2012	Gravid Trap	8/21/2012	GN-34-1.1	<i>Culex spp.</i>	22	WNV+	RAMP
	8/28/2012	Post Spray	8/29/2012	GNPS-35-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	9/4/2012	Gravid Trap	9/5/2012	GN-36-1.1	<i>Culex spp.</i>	19	Negative	RAMP
	9/10/2012	Gravid Trap	9/11/2012	GN-37-1.1	<i>Culex spp.</i>	11	WNV+	RAMP
	9/17/2012	Gravid Trap	9/18/2012	GN-38-1.1	<i>Culex spp.</i>	6	Negative	RAMP
Total Pools Tested: 20		Total Mosquitoes Tested: 362		Total Pending: 0	Total RAMP Tests: 13	Total Negative: 16	Total Positive: 4	
Gahanna South	5/14/2012	Gravid Trap	5/15/2012	GS-20-1.1	<i>Culex spp.</i>	18	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	GS-21-1.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GS-21-2.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GS-21-3.3	<i>Culex spp.</i>	20	Negative	RT-PCR
	5/29/2012	Gravid Trap	5/30/2012	GS-22-1.1	<i>Culex spp.</i>	15	Negative	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	GS-23-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR
	6/11/2012	Gravid Trap	6/12/2012	GS-24-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	6/18/2012	Gravid Trap	6/19/2012	GS-25-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	6/25/2012	Gravid Trap	6/26/2012	GS-26-1.1	<i>Culex spp.</i>	14	Negative	RAMP
	7/2/2012	Gravid Trap	7/3/2012	GS-27-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	7/9/2012	Gravid Trap	7/10/2012	GS-28-1.1	<i>Culex spp.</i>	2	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Gahanna South	7/16/2012	Gravid Trap	7/17/2012	GS-29-1.1	<i>Culex spp.</i>	28	Negative	RAMP
	7/23/2012	Gravid Trap	7/24/2012	GS-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GS-30-2.2	<i>Culex spp.</i>	1	Negative	RT-PCR
	7/30/2012	Gravid Trap	7/31/2012	GS-31-1.1	<i>Culex spp.</i>	15	WNV+	RAMP
	8/6/2012	Gravid Trap	8/7/2012	GS-32-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	8/8/2012	Post Spray	8/9/2012	GSPS-32-1.1	<i>Culex spp.</i>	3	Negative	RT-PCR
	8/13/2012	Gravid Trap	8/14/2012	GS-33-1.1	<i>Culex spp.</i>	33	WNV+	RAMP
	8/20/2012	Gravid Trap	8/21/2012	GS-34-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	8/28/2012	Post Spray	8/29/2012	GSPS-35-1.1	<i>Culex spp.</i>	8	Negative	RAMP
	9/10/2012	Gravid Trap	9/11/2012	GS-37-1.1	<i>Culex spp.</i>	8	Negative	RAMP
9/17/2012	Gravid Trap	9/18/2012	GS-38-1.1	<i>Culex spp.</i>	1	Negative	RAMP	
Total Pools Tested: 22		Total Mosquitoes Tested: 377		Total Pending: 0	Total RAMP Tests: 15	Total Negative: 20	Total Positive: 2	
Gahanna West	5/14/2012	Gravid Trap	5/15/2012	GW-20-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GW-20-2.2	<i>Culex spp.</i>	39	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	GW-21-1.1	<i>Culex spp.</i>	33	Negative	RT-PCR
	5/29/2012	Gravid Trap	5/30/2012	GW-22-1.1	<i>Culex spp.</i>	33	Negative	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	GW-23-1.1	<i>Culex spp.</i>	2	Negative	RT-PCR
	6/11/2012	Gravid Trap	6/12/2012	GW-24-1.1	<i>Culex spp.</i>	11	Negative	RT-PCR
	6/18/2012	Gravid Trap	6/19/2012	GW-25-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	6/25/2012	Gravid Trap	6/26/2012	GW-26-1.1	<i>Culex spp.</i>	13	Negative	RAMP
	7/2/2012	Gravid Trap	7/3/2012	GW-27-1.1	<i>Culex spp.</i>	2	Negative	RT-PCR
	7/9/2012	Gravid Trap	7/10/2012	GW-28-1.1	<i>Culex spp.</i>	18	Negative	RAMP
7/16/2012	Gravid Trap	7/17/2012	GW-29-1.1	<i>Culex spp.</i>	50	WNV+	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Gahanna West	7/23/2012	Gravid Trap	7/24/2012	GW-30-1.1	<i>Culex spp.</i>	17	Negative	RAMP
	7/30/2012	Gravid Trap	7/31/2012	GW-31-1.1	<i>Culex spp.</i>	40	Negative	RAMP
	8/6/2012	Gravid Trap	8/7/2012	GW-32-1.1	<i>Culex spp.</i>	20	WNV+	RAMP
	8/8/2012	Post Spray	8/9/2012	GWPS-32-1.1	<i>Culex spp.</i>	2	Negative	RT-PCR
	8/13/2012	Gravid Trap	8/14/2012	GW-33-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	8/20/2012	Gravid Trap	8/21/2012	GW-34-1.1	<i>Culex spp.</i>	40	WNV+	RAMP
	8/27/2012	Gravid Trap	8/28/2012	GW-35-1.1	<i>Culex spp.</i>	45	Negative	RAMP
	9/4/2012	Gravid Trap	9/5/2012	GW-36-1.1	<i>Culex spp.</i>	28	Negative	RAMP
	9/10/2012	Gravid Trap	9/11/2012	GW-37-1.1	<i>Culex spp.</i>	27	Negative	RAMP
	9/17/2012	Gravid Trap	9/18/2012	GW-38-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	9/24/2012	Gravid Trap	9/25/2012	GW-39-1.1	<i>Culex spp.</i>	7	Negative	RAMP
Total Pools Tested: 22	Total Mosquitoes Tested: 522	Total Pending: 0	Total RAMP Tests: 14	Total Negative: 19	Total Positive: 3			
Total Pools Tested: 64	Total Mosquitoes Tested: 1261	Total Pending: 0	Total RAMP Tests: 42	Total Negative: 55	Total Positive: 9			

Grandview Test Results

Grandview	5/14/2012	Gravid Trap	5/15/2012	GV-20-1.1	<i>Culex spp.</i>	34	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	GV-21-1.1	<i>Culex spp.</i>	17	Negative	RAMP
	5/29/2012	Gravid Trap	5/30/2012	GV-22-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GV-22-2.2	<i>Culex spp.</i>	13	Negative	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	GV-23-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	6/11/2012	Gravid Trap	6/12/2012	GV-24-1.1	<i>Culex spp.</i>	11	Negative	RT-PCR
	6/18/2012	Gravid Trap	6/19/2012	GV-25-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GV-25-2.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GV-25-3.3	<i>Culex spp.</i>	3	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay				
Grandview	6/25/2012	Gravid Trap	6/26/2012	GV-26-1.1	<i>Culex spp.</i>	6	Negative	RAMP				
	7/2/2012	Gravid Trap	7/3/2012	GV-27-1.1	<i>Culex spp.</i>	4	Negative	RAMP				
	7/9/2012	Gravid Trap	7/10/2012	GV-28-1.1	<i>Culex spp.</i>	43	Negative	RAMP				
	7/16/2012	Gravid Trap	7/17/2012	GV-29-1.1	<i>Culex spp.</i>	38	Negative	RAMP				
	7/23/2012	Gravid Trap		7/24/2012	GV-30-1.4	<i>Culex spp.</i>	50	Negative	RAMP			
					GV-30-2.4	<i>Culex spp.</i>	50	WNV+	RAMP			
					GV-30-3.4	<i>Culex spp.</i>	50	Negative	RAMP			
					GV-30-4.4	<i>Culex spp.</i>	11	Negative	RAMP			
	7/31/2012	Post Spray		8/1/2012	GVPS-31-1.2	<i>Culex spp.</i>	50	WNV+	RAMP			
					GVPS-31-2.2	<i>Culex spp.</i>	5	Negative	RT-PCR			
	8/6/2012	Gravid Trap		8/7/2012	GV-32-1.1	<i>Culex spp.</i>	29	Negative	RAMP			
	8/14/2012	Post Spray		8/15/2012	GVPS-33-1.1	<i>Culex spp.</i>	33	Negative	RAMP			
	8/15/2012	Gravid Trap		8/16/2012	GV-33-1.1	<i>Culex spp.</i>	46	WNV+	RAMP			
	8/20/2012	Gravid Trap		8/21/2012	GV-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP			
					GV-34-2.2	<i>Culex spp.</i>	4	Negative	RAMP			
	8/27/2012	Gravid Trap		8/28/2012	GV-35-1.1	<i>Culex spp.</i>	39	WNV+	RAMP			
	9/5/2012	Post Spray		9/6/2012	GVPS-36-1.1	<i>Culex spp.</i>	24	Negative	RAMP			
	9/10/2012	Gravid Trap		9/11/2012	GV-37-1.1	<i>Culex spp.</i>	22	Negative	RAMP			
	9/17/2012	Gravid Trap		9/18/2012	GV-38-1.1	<i>Culex spp.</i>	4	Negative	RAMP			
	9/24/2012	Gravid Trap		9/25/2012	GV-39-1.1	<i>Culex spp.</i>	2	Negative	RAMP			
	Total Pools Tested:	29	Total Mosquitoes Tested:	790	Total Pending:	0	Total RAMP Tests:	24	Total Negative:	25	Total Positive:	4
	Total Pools Tested:	29	Total Mosquitoes Tested:	790	Total Pending:	0	Total RAMP Tests:	24	Total Negative:	25	Total Positive:	4

Grove City Test Results

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City North	5/14/2012	Gravid Trap	5/15/2012	GCN-20-1.1	<i>Culex spp.</i>	35	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	GCN-21-1.1	<i>Culex spp.</i>	14	Negative	RT-PCR
	5/29/2012	Gravid Trap	5/30/2012	GCN-22-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GCN-22-2.2	<i>Culex spp.</i>	2	Negative	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	GCN-23-1.1	<i>Culex spp.</i>	2	Negative	RT-PCR
	6/11/2012	Gravid Trap	6/12/2012	GCN-24-1.1	<i>Culex spp.</i>	2	Negative	RT-PCR
	6/18/2012	Gravid Trap	6/19/2012	GCN-25-1.1	<i>Culex spp.</i>	7	Negative	RT-PCR
	6/25/2012	Gravid Trap	6/26/2012	GCN-26-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	7/2/2012	Gravid Trap	7/3/2012	GCN-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GCN-27-2.2	<i>Culex spp.</i>	44	Negative	RAMP
	7/9/2012	Gravid Trap	7/10/2012	GCN-28-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	7/16/2012	Gravid Trap	7/17/2012	GCN-29-1.1	<i>Culex spp.</i>	8	Negative	RAMP
	7/23/2012	Gravid Trap	7/24/2012	GCN-30-1.1	<i>Culex spp.</i>	50	WNV+	RAMP
	7/30/2012	Gravid Trap	7/31/2012	GCN-31-1.1	<i>Culex spp.</i>	8	Negative	RAMP
	8/6/2012	Gravid Trap	8/7/2012	GCN-32-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR
	8/13/2012	Gravid Trap	8/14/2012	GCN-33-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	8/27/2012	Gravid Trap	8/28/2012	GCN-35-1.1	<i>Culex spp.</i>	3	Negative	RAMP
	9/4/2012	Gravid Trap	9/5/2012	GCN-36-1.1	<i>Culex spp.</i>	26	WNV+	RAMP
	9/17/2012	Gravid Trap	9/18/2012	GCN-38-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	9/24/2012	Gravid Trap	9/25/2012	GCN-39-1.1	<i>Culex spp.</i>	4	Negative	RAMP
Total Pools Tested: 20		Total Mosquitoes Tested: 361		Total Pending: 0	Total RAMP Tests: 12	Total Negative: 18	Total Positive: 2	
Grove City South	5/14/2012	Gravid Trap	5/15/2012	GCS-20-1.1	<i>Culex spp.</i>	31	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	GCS-21-1.1	<i>Culex spp.</i>	18	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City South	5/29/2012	Gravid Trap	5/30/2012	GCS-22-1.1	<i>Culex spp.</i>	37	Negative	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	GCS-23-1.1	<i>Culex spp.</i>	42	Negative	RT-PCR
	6/11/2012	Gravid Trap	6/12/2012	GCS-24-1.1	<i>Culex spp.</i>	17	Negative	RT-PCR
	6/18/2012	Gravid Trap	6/19/2012	GCS-25-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GCS-25-2.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GCS-25-3.4	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GCS-25-4.4	<i>Culex spp.</i>	23	Negative	RT-PCR
	6/25/2012	Gravid Trap	6/26/2012	GCS-26-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	7/2/2012	Gravid Trap	7/3/2012	GCS-27-1.1	<i>Culex spp.</i>	43	Negative	RAMP
	7/9/2012	Gravid Trap	7/10/2012	GCS-28-1.1	<i>Culex spp.</i>	50	WNV+	RAMP
	7/17/2012	Post Spray	7/18/2012	GCS-29-1.1	<i>Culex spp.</i>	43	Negative	RT-PCR
	7/23/2012	Gravid Trap	7/24/2012	GCS-30-1.1	<i>Culex spp.</i>	43	Negative	RAMP
	7/30/2012	Gravid Trap	7/31/2012	GCS-31-1.1	<i>Culex spp.</i>	6	Negative	RT-PCR
	8/6/2012	Gravid Trap	8/7/2012	GCS-32-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	8/13/2012	Gravid Trap	8/14/2012	GCS-33-1.1	<i>Culex spp.</i>	30	WNV+	RAMP
	8/20/2012	Gravid Trap	8/21/2012	GCS-34-1.1	<i>Culex spp.</i>	25	WNV+	RAMP
	8/23/2012	Post Spray	8/24/2012	GCS-34-1.1	<i>Culex spp.</i>	9	WNV+	RT-PCR
	8/27/2012	Gravid Trap	8/28/2012	GCS-35-1.1	<i>Culex spp.</i>	25	Negative	RAMP
	9/4/2012	Gravid Trap	9/5/2012	GCS-36-1.1	<i>Culex spp.</i>	14	Negative	RAMP
	9/10/2012	Gravid Trap	9/11/2012	GCS-37-1.1	<i>Culex spp.</i>	11	Negative	RAMP
9/17/2012	Gravid Trap	9/18/2012	GCS-38-1.1	<i>Culex spp.</i>	8	Negative	RAMP	
9/24/2012	Gravid Trap	9/25/2012	GCS-39-1.1	<i>Culex spp.</i>	6	Negative	RAMP	
Total Pools Tested: 24		Total Mosquitoes Tested: 647		Total Pending: 0	Total RAMP Tests: 14	Total Negative: 20	Total Positive: 4	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay			
Grove City West	5/14/2012	Gravid Trap	5/15/2012	GCW-20-1.1	<i>Culex spp.</i>	39	Negative	RT-PCR			
	5/21/2012	Gravid Trap	5/22/2012	GCW-21-1.1	<i>Culex spp.</i>	21	Negative	RT-PCR			
	5/29/2012	Gravid Trap	5/30/2012	GCW-22-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR			
		Gravid Trap		GCW-22-2.2	<i>Culex spp.</i>	3	Negative	RT-PCR			
	6/4/2012	Gravid Trap	6/5/2012	GCW-23-1.1	<i>Culex spp.</i>	8	Negative	RT-PCR			
	6/11/2012	Gravid Trap	6/12/2012	GCW-24-1.1	<i>Culex spp.</i>	20	Negative	RAMP			
	6/18/2012	Gravid Trap	6/19/2012	GCW-25-1.1	<i>Culex spp.</i>	16	Negative	RAMP			
	6/25/2012	Gravid Trap	6/26/2012	GCW-26-1.1	<i>Culex spp.</i>	10	Negative	RAMP			
	7/2/2012	Gravid Trap	7/3/2012	GCW-27-1.1	<i>Culex spp.</i>	32	Negative	RAMP			
	7/9/2012	Gravid Trap	7/10/2012	GCW-28-1.1	<i>Culex spp.</i>	7	Negative	RT-PCR			
	7/16/2012	Gravid Trap	7/17/2012	GCW-29-1.1	<i>Culex spp.</i>	22	WNV+	RAMP			
	7/23/2012	Gravid Trap	7/24/2012	GCW-30-1.1	<i>Culex spp.</i>	41	Negative	RAMP			
	7/30/2012	Gravid Trap	7/31/2012	GCW-31-1.1	<i>Culex spp.</i>	23	Negative	RAMP			
	8/6/2012	Gravid Trap	8/7/2012	GCW-32-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR			
	8/13/2012	Gravid Trap	8/14/2012	GCW-33-1.1	<i>Culex spp.</i>	19	Negative	RAMP			
	8/20/2012	Gravid Trap	8/21/2012	GCW-34-1.1	<i>Culex spp.</i>	47	Negative	RAMP			
	8/27/2012	Gravid Trap	8/28/2012	GCW-35-1.1	<i>Culex spp.</i>	36	Negative	RAMP			
	9/4/2012	Gravid Trap	9/5/2012	GCW-36-1.1	<i>Culex spp.</i>	49	Negative	RAMP			
	9/10/2012	Gravid Trap	9/11/2012	GCW-37-1.1	<i>Culex spp.</i>	5	Negative	RAMP			
	9/17/2012	Gravid Trap	9/18/2012	GCW-38-1.1	<i>Culex spp.</i>	32	WNV+	RAMP			
	9/24/2012	Gravid Trap	9/25/2012	GCW-39-1.1	<i>Culex spp.</i>	14	WNV+	RAMP			
Total Pools Tested:	21	Total Mosquitoes Tested:	495	Total Pending:	0	Total RAMP Tests:	14	Total Negative:	18	Total Positive:	3
Total Pools Tested:	65	Total Mosquitoes Tested:	1503	Total Pending:	0	Total RAMP Tests:	40	Total Negative:	56	Total Positive:	9

Hamilton Test Results

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hamilton	5/14/2012	Gravid Trap	5/15/2012	HA-20-1.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HA-20-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HA-20-3.3	<i>Culex spp.</i>	42	Negative	RT-PCR
	5/29/2012	Gravid Trap	5/30/2012	HA-22-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HA-22-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HA-22-3.3	<i>Culex spp.</i>	10	Negative	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	HA-23-1.1	<i>Culex spp.</i>	43	Negative	RT-PCR
	6/11/2012	Gravid Trap	6/12/2012	HA-24-1.1	<i>Culex spp.</i>	38	Negative	RT-PCR
	6/18/2012	Gravid Trap	6/19/2012	HA-25-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HA-25-2.5	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HA-25-3.5	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HA-25-4.5	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HA-25-5.5	<i>Culex spp.</i>	13	Negative	RT-PCR
	6/25/2012	Gravid Trap	6/26/2012	HA-26-1.1	<i>Culex spp.</i>	19	Negative	RAMP
	7/3/2012	Gravid Trap	7/4/2012	HA-27-1.1	<i>Culex spp.</i>	9	Negative	RT-PCR
	7/9/2012	Gravid Trap	7/10/2012	HA-28-1.1	<i>Culex spp.</i>	32	Negative	RAMP
	7/16/2012	Gravid Trap	7/17/2012	HA-29-1.1	<i>Culex spp.</i>	34	Negative	RAMP
	7/23/2012	Gravid Trap	7/24/2012	HA-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HA-30-2.2	<i>Culex spp.</i>	6	Negative	RT-PCR
	7/30/2012	Gravid Trap	7/31/2012	HA-31-1.1	<i>Culex spp.</i>	9	Negative	RT-PCR
	8/6/2012	Gravid Trap	8/7/2012	HA-32-1.1	<i>Culex spp.</i>	2	Negative	RT-PCR
	8/13/2012	Gravid Trap	8/14/2012	HA-33-1.1	<i>Culex spp.</i>	41	WNV+	RAMP
	8/20/2012	Gravid Trap	8/21/2012	HA-34-1.1	<i>Culex spp.</i>	26	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hamilton	8/23/2012	Post Spray	8/24/2012	HAPS-34-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post Spray		HAPS-34-2.2	<i>Culex spp.</i>	4	Negative	RT-PCR
	8/27/2012	Gravid Trap	8/28/2012	HA-35-1.1	<i>Culex spp.</i>	20	WNV+	RAMP
	9/4/2012	Gravid Trap	9/5/2012	HA-36-1.1	<i>Culex spp.</i>	50	WNV+	RAMP
	9/10/2012	Gravid Trap	9/11/2012	HA-37-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	9/14/2012	Post Spray	9/15/2012	HAPS-37-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR
	9/17/2012	Gravid Trap	9/18/2012	HA-38-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	9/24/2012	Gravid Trap	9/25/2012	HA-39-1.1	<i>Culex spp.</i>	9	Negative	RAMP
Total Pools Tested: 31	Total Mosquitoes Tested: 959	Total Pending: 0	Total RAMP Tests: 13	Total Negative: 28	Total Positive: 3			
Total Pools Tested: 31	Total Mosquitoes Tested: 959	Total Pending: 0	Total RAMP Tests: 13	Total Negative: 28	Total Positive: 3			

Hilliard Test Results

Hilliard Central	5/14/2012	Gravid Trap	5/15/2012	HC-20-1.1	<i>Culex spp.</i>	28	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	HC-21-1.1	<i>Culex spp.</i>	17	Negative	RT-PCR
	5/29/2012	Gravid Trap	5/30/2012	HC-22-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HC-22-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HC-22-3.3	<i>Culex spp.</i>	40	Negative	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	HC-23-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HC-23-2.2	<i>Culex spp.</i>	11	Negative	RT-PCR
	6/11/2012	Gravid Trap	6/12/2012	HC-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HC-24-2.2	<i>Culex spp.</i>	7	Negative	RT-PCR
	6/18/2012	Gravid Trap	6/19/2012	HC-25-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HC-25-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HC-25-3.3	<i>Culex spp.</i>	24	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay			
Hilliard Central	6/25/2012	Gravid Trap	6/26/2012	HC-26-1.1	<i>Culex spp.</i>	49	Negative	RAMP			
	7/2/2012	Gravid Trap	7/3/2012	HC-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP			
		Gravid Trap		HC-27-2.2	<i>Culex spp.</i>	32	Negative	RT-PCR			
	7/9/2012	Gravid Trap	7/10/2012	HC-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP			
		Gravid Trap		HC-28-2.2	<i>Culex spp.</i>	20	Negative	RT-PCR			
	7/16/2012	Gravid Trap	7/17/2012	HC-29-1.1	<i>Culex spp.</i>	46	Negative	RAMP			
	7/23/2012	Gravid Trap	7/24/2012	HC-30-1.1	<i>Culex spp.</i>	27	Negative	RAMP			
	7/30/2012	Gravid Trap	7/31/2012	HC-31-1.1	<i>Culex spp.</i>	14	Negative	RT-PCR			
	8/6/2012	Gravid Trap	8/7/2012	HC-32-1.1	<i>Culex spp.</i>	10	Negative	RAMP			
	8/14/2012	Post Spray	8/15/2012	HCPS-33-1.1	<i>Culex spp.</i>	19	Negative	RT-PCR			
	8/20/2012	Gravid Trap	8/21/2012	HC-34-1.1	<i>Culex spp.</i>	31	Negative	RAMP			
	8/27/2012	Gravid Trap	8/28/2012	HC-35-1.1	<i>Culex spp.</i>	40	WNV+	RAMP			
	9/4/2012	Gravid Trap	9/5/2012	HC-36-1.1	<i>Culex spp.</i>	10	Negative	RAMP			
	9/17/2012	Gravid Trap	9/18/2012	HC-38-1.1	<i>Culex spp.</i>	6	Negative	RAMP			
Total Pools Tested:	26	Total Mosquitoes Tested:	831	Total Pending:	0	Total RAMP Tests:	13	Total Negative:	25	Total Positive:	1
Hilliard North	5/14/2012	Gravid Trap	5/15/2012	HN-20-1.1	<i>Culex spp.</i>	25	Negative	RT-PCR			
	5/21/2012	Gravid Trap	5/22/2012	HN-21-1.1	<i>Culex spp.</i>	4	Negative	RT-PCR			
	5/29/2012	Gravid Trap	5/30/2012	HN-22-1.1	<i>Culex spp.</i>	43	Negative	RT-PCR			
	6/4/2012	Gravid Trap	6/5/2012	HN-23-1.1	<i>Culex spp.</i>	4	Negative	RT-PCR			
	6/11/2012	Gravid Trap	6/12/2012	HN-24-1.1	<i>Culex spp.</i>	15	Negative	RT-PCR			
	6/18/2012	Gravid Trap	6/19/2012	HN-25-1.3	<i>Culex spp.</i>	50	Negative	RAMP			
		Gravid Trap		HN-25-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR			
		Gravid Trap		HN-25-3.3	<i>Culex spp.</i>	7	Negative	RT-PCR			

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay				
Hilliard North	6/25/2012	Gravid Trap	6/26/2012	HN-26-1.1	<i>Culex spp.</i>	24	Negative	RAMP				
	7/2/2012	Gravid Trap	7/3/2012	HN-27-1.3	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		HN-27-2.3	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		HN-27-3.3	<i>Culex spp.</i>	17	Negative	RT-PCR				
	7/9/2012	Gravid Trap	7/10/2012	HN-28-1.1	<i>Culex spp.</i>	50	Negative	RAMP				
	7/16/2012	Gravid Trap	7/17/2012	HN-29-1.1	<i>Culex spp.</i>	11	Negative	RAMP				
	7/18/2012	Post Spray	7/19/2012	HNPS-29-1.1	<i>Culex spp.</i>	18	Negative	RT-PCR				
	7/23/2012	Gravid Trap	7/24/2012	HN-30-1.2	<i>Culex spp.</i>	50	WNV+	RAMP				
		Gravid Trap		HN-30-2.2	<i>Culex spp.</i>	29	WNV+	RT-PCR				
	7/31/2012	Post Spray	8/1/2012	HNPS-31-1.1	<i>Culex spp.</i>	11	Negative	RT-PCR				
	8/6/2012	Gravid Trap	8/7/2012	HN-32-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR				
	8/13/2012	Gravid Trap	8/14/2012	HN-33-1.3	<i>Culex spp.</i>	50	WNV+	RAMP				
		Gravid Trap		HN-33-2.3	<i>Culex spp.</i>	50	WNV+	RAMP				
		Gravid Trap		HN-33-3.3	<i>Culex spp.</i>	1	WNV+	RT-PCR				
	8/21/2012	Post Spray	8/22/2012	HNPS-34-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR				
	9/4/2012	Gravid Trap	9/5/2012	HN-36-1.1	<i>Culex spp.</i>	10	WNV+	RAMP				
	9/10/2012	Gravid Trap	9/11/2012	HN-37-1.1	<i>Culex spp.</i>	8	Negative	RAMP				
	Total Pools Tested:	25	Total Mosquitoes Tested:	629	Total Pending:	0	Total RAMP Tests:	11	Total Negative:	19	Total Positive:	6
	Hilliard South	5/14/2012	Gravid Trap	5/15/2012	HS-20-1.1	<i>Culex spp.</i>	50	Negative	RT-PCR			
5/21/2012		Gravid Trap	5/22/2012	HS-21-1.1	<i>Culex spp.</i>	14	Negative	RT-PCR				
5/29/2012		Gravid Trap	5/30/2012	HS-22-1.1	<i>Culex spp.</i>	6	Negative	RT-PCR				
6/4/2012		Gravid Trap	6/5/2012	HS-23-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR				
6/11/2012		Gravid Trap	6/12/2012	HS-24-1.1	<i>Culex spp.</i>	9	Negative	RT-PCR				

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay		
Hilliard South	6/18/2012	Gravid Trap	6/19/2012	HS-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		HS-25-2.2	<i>Culex spp.</i>	6	Negative	RT-PCR		
	6/25/2012	Gravid Trap	6/26/2012	HS-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		HS-26-2.2	<i>Culex spp.</i>	5	Negative	RT-PCR		
	7/2/2012	Gravid Trap	7/3/2012	HS-27-1.8	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		HS-27-2.8	<i>Culex spp.</i>	50	WNV+	RAMP		
		Gravid Trap		HS-27-3.8	<i>Culex spp.</i>	50	WNV+	RAMP		
		Gravid Trap		HS-27-4.8	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		HS-27-5.8	<i>Culex spp.</i>	50	Negative	RT-PCR		
		Gravid Trap		HS-27-6.8	<i>Culex spp.</i>	50	WNV+	RT-PCR		
		Gravid Trap		HS-27-7.8	<i>Culex spp.</i>	50	WNV+	RT-PCR		
		Gravid Trap		HS-27-8.8	<i>Culex spp.</i>	26	Negative	RT-PCR		
		Gravid Trap		7/9/2012	7/10/2012	HS-28-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap			HS-28-2.2	<i>Culex spp.</i>	32	Negative	RT-PCR	
	7/11/2012	Post Spray	7/12/2012	HSPS-28-1.1	<i>Culex spp.</i>	10	Negative	RT-PCR		
	7/16/2012	Gravid Trap	7/17/2012	HS-29-1.2	<i>Culex spp.</i>	50	WNV+	RAMP		
		Gravid Trap		HS-29-2.2	<i>Culex spp.</i>	48	Negative	RT-PCR		
	7/24/2012	Post Spray	7/25/2012	HSPS-30-1.2	<i>Culex spp.</i>	50	WNV+	RT-PCR		
		Post Spray		HSPS-30-2.2	<i>Culex spp.</i>	37	Negative	RT-PCR		
	7/30/2012	Gravid Trap	7/31/2012	HS-31-1.1	<i>Culex spp.</i>	13	Negative	RT-PCR		
	8/6/2012	Gravid Trap	8/7/2012	HS-32-1.1	<i>Culex spp.</i>	2	Negative	RT-PCR		
	8/13/2012	Gravid Trap	8/14/2012	HS-33-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR		
		Gravid Trap		HS-33-2.2	<i>Culex spp.</i>	40	Negative	RT-PCR		

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hilliard South	8/20/2012	Gravid Trap	8/21/2012	HS-34-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		HS-34-2.2	<i>Culex spp.</i>	3	Negative	RT-PCR
	8/27/2012	Gravid Trap	8/28/2012	HS-35-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HS-35-2.2	<i>Culex spp.</i>	6	Negative	RAMP
	9/4/2012	Gravid Trap	9/5/2012	HS-36-1.1	<i>Culex spp.</i>	46	WNV+	RAMP
	9/10/2012	Gravid Trap	9/11/2012	HS-37-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	9/12/2012	Gravid Trap	9/13/2012	HSPS-37-1.1	<i>Culex spp.</i>	9	Negative	RT-PCR
	9/17/2012	Gravid Trap	9/18/2012	HS-38-1.1	<i>Culex spp.</i>	6	Negative	RAMP
Total Pools Tested: 36	Total Mosquitoes Tested: 1121	Total Pending: 0	Total RAMP Tests: 13	Total Negative: 28	Total Positive: 8			
Total Pools Tested: 87	Total Mosquitoes Tested: 2581	Total Pending: 0	Total RAMP Tests: 37	Total Negative: 72	Total Positive: 15			

Madison Test Results

Madison	5/14/2012	Gravid Trap	5/15/2012	MA-20-1.1	<i>Culex spp.</i>	21	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	MA-21-1.1	<i>Culex spp.</i>	32	Negative	RT-PCR
	5/29/2012	Gravid Trap	5/30/2012	MA-22-1.1	<i>Culex spp.</i>	20	Negative	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	MA-23-1.1	<i>Culex spp.</i>	30	Negative	RT-PCR
	6/18/2012	Gravid Trap	6/19/2012	MA-25-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	7/3/2012	Gravid Trap	7/4/2012	MA-27-1.15	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		MA-27-10.15	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MA-27-11.15	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		MA-27-12.15	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		MA-27-13.15	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MA-27-14.15	<i>Culex spp.</i>	50	Negative	RT-PCR
	Gravid Trap		MA-27-15.15	<i>Culex spp.</i>	47	WNV+	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Madison	7/3/2012	Gravid Trap	7/4/2012	MA-27-2.15	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MA-27-3.15	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		MA-27-4.15	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MA-27-5.15	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		MA-27-6.15	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MA-27-7.15	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MA-27-8.15	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		MA-27-9.15	<i>Culex spp.</i>	50	Negative	RT-PCR
	7/10/2012	Post Spray	7/11/2012	MAPS-28-1.1	<i>Culex spp.</i>	3	WNV+	RT-PCR
	7/16/2012	Gravid Trap	7/17/2012	MA-29-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		MA-29-2.2	<i>Culex spp.</i>	11	WNV+	RT-PCR
	7/23/2012	Gravid Trap	7/24/2012	MA-30-1.1	<i>Culex spp.</i>	42	WNV+	RAMP
	7/27/2012	Post Spray	7/28/2012	MAPS-30-1.1	<i>Culex spp.</i>	15	Negative	RT-PCR
	7/30/2012	Gravid Trap	7/31/2012	MA-31-1.1	<i>Culex spp.</i>	22	Negative	RAMP
	8/6/2012	Gravid Trap	8/7/2012	MA-32-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	8/13/2012	Gravid Trap	8/14/2012	MA-33-1.1	<i>Culex spp.</i>	49	WNV+	RAMP
	8/20/2012	Gravid Trap	8/21/2012	MA-34-1.1	<i>Culex spp.</i>	27	WNV+	RAMP
	8/23/2012	Post Spray	8/24/2012	MAPS-34-1.2	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post Spray		MAPS-34-2.2	<i>Culex spp.</i>	18	Negative	RT-PCR
	8/27/2012	Gravid Trap	8/28/2012	MA-35-1.1	<i>Culex spp.</i>	18	Negative	RAMP
9/4/2012	Gravid Trap	9/5/2012	MA-36-1.1	<i>Culex spp.</i>	12	Negative	RAMP	
9/10/2012	Gravid Trap	9/11/2012	MA-37-1.1	<i>Culex spp.</i>	12	Negative	RAMP	
9/17/2012	Gravid Trap	9/18/2012	MA-38-1.1	<i>Culex spp.</i>	11	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Madison	9/24/2012	Gravid Trap	9/25/2012	MA-39-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	Total Pools Tested: 36	Total Mosquitoes Tested: 1235		Total Pending: 0	Total RAMP Tests: 14	Total Negative: 22	Total Positive: 14	
	Total Pools Tested: 36	Total Mosquitoes Tested: 1235		Total Pending: 0	Total RAMP Tests: 14	Total Negative: 22	Total Positive: 14	

Mifflin Test Results

Mifflin	5/14/2012	Gravid Trap	5/15/2012	MI-20-1.1	<i>Culex spp.</i>	50	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	MI-21-1.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-21-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-21-3.3	<i>Culex spp.</i>	19	Negative	RT-PCR
	5/29/2012	Gravid Trap	5/30/2012	MI-22-1.1	<i>Culex spp.</i>	46	Negative	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	MI-23-1.1	<i>Culex spp.</i>	39	Negative	RT-PCR
	6/11/2012	Gravid Trap	6/12/2012	MI-24-1.1	<i>Culex spp.</i>	46	Negative	RAMP
	6/18/2012	Gravid Trap	6/19/2012	MI-25-1.1	<i>Culex spp.</i>	34	Negative	RT-PCR
	6/25/2012	Gravid Trap	6/26/2012	MI-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MI-26-2.2	<i>Culex spp.</i>	28	Negative	RT-PCR
	7/2/2012	Gravid Trap	7/3/2012	MI-27-1.1	<i>Culex spp.</i>	23	Negative	RAMP
	7/9/2012	Gravid Trap	7/10/2012	MI-28-1.1	<i>Culex spp.</i>	34	Negative	RAMP
	7/17/2012	Gravid Trap	7/18/2012	MI-29-1.1	<i>Culex spp.</i>	13	WNV+	RAMP
	7/23/2012	Gravid Trap	7/24/2012	MI-30-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	7/30/2012	Gravid Trap	7/31/2012	MI-31-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	8/6/2012	Gravid Trap	8/7/2012	MI-32-1.1	<i>Culex spp.</i>	8	Negative	RAMP
	8/13/2012	Gravid Trap	8/14/2012	MI-33-1.1	<i>Culex spp.</i>	44	WNV+	RAMP
	8/20/2012	Gravid Trap	8/21/2012	MI-34-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		MI-34-2.2	<i>Culex spp.</i>	15	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Mifflin	8/27/2012	Gravid Trap	8/28/2012	MI-35-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		MI-35-2.2	<i>Culex spp.</i>	9	Negative	RAMP
	8/30/2012	Post Spray	8/31/2012	MIPS-35-1.1	<i>Culex spp.</i>	8	Negative	RT-PCR
	9/24/2012	Gravid Trap	9/25/2012	MI-39-1.1	<i>Culex spp.</i>	8	Negative	RAMP
Total Pools Tested: 23		Total Mosquitoes Tested: 713		Total Pending: 0	Total RAMP Tests: 13	Total Negative: 19	Total Positive: 4	
Total Pools Tested: 23		Total Mosquitoes Tested: 713		Total Pending: 0	Total RAMP Tests: 13	Total Negative: 19	Total Positive: 4	

New Albany Test Results

New Albany	5/14/2012	Gravid Trap	5/15/2012	NA-20-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		NA-20-2.2	<i>Culex spp.</i>	8	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	NA-21-1.1	<i>Culex spp.</i>	23	Negative	RAMP
	6/4/2012	Gravid Trap	6/5/2012	NA-23-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	6/11/2012	Gravid Trap	6/12/2012	NA-24-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR
	6/18/2012	Gravid Trap	6/19/2012	NA-25-1.1	<i>Culex spp.</i>	19	Negative	RAMP
	7/2/2012	Gravid Trap	7/3/2012	NA-27-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	7/9/2012	Gravid Trap	7/10/2012	NA-28-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	7/17/2012	Gravid Trap	7/18/2012	NA-29-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	7/23/2012	Gravid Trap	7/24/2012	NA-30-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	7/30/2012	Gravid Trap	7/31/2012	NA-31-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	8/6/2012	Gravid Trap	8/7/2012	NA-32-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	8/13/2012	Gravid Trap	8/14/2012	NA-33-1.1	<i>Culex spp.</i>	24	Negative	RAMP
	8/20/2012	Gravid Trap	8/21/2012	NA-34-1.1	<i>Culex spp.</i>	25	WNV+	RAMP
	8/27/2012	Gravid Trap	8/28/2012	NA-35-1.1	<i>Culex spp.</i>	38	WNV+	RAMP
	9/4/2012	Gravid Trap	9/5/2012	NA-36-1.1	<i>Culex spp.</i>	39	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
New Albany	9/10/2012	Gravid Trap	9/11/2012	NA-37-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	Total Pools Tested: 17	Total Mosquitoes Tested: 320		Total Pending: 0	Total RAMP Tests: 14	Total Negative: 15	Total Positive: 2	
	Total Pools Tested: 17	Total Mosquitoes Tested: 320		Total Pending: 0	Total RAMP Tests: 14	Total Negative: 15	Total Positive: 2	

Norwich Test Results

Norwich	5/14/2012	Gravid Trap	5/15/2012	NO-20-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		NO-20-2.2	<i>Culex spp.</i>	18	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	NO-21-1.1	<i>Culex spp.</i>	23	Negative	RT-PCR
	5/29/2012	Gravid Trap	5/30/2012	NO-22-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NO-22-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		NO-22-3.3	<i>Culex spp.</i>	25	Negative	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	NO-23-1.1	<i>Culex spp.</i>	4	Negative	RT-PCR
	6/11/2012	Gravid Trap	6/12/2012	NO-24-1.1	<i>Culex spp.</i>	22	Negative	RT-PCR
	6/18/2012	Gravid Trap	6/19/2012	NO-25-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NO-25-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		NO-25-3.3	<i>Culex spp.</i>	26	Negative	RT-PCR
	6/25/2012	Gravid Trap	6/26/2012	NO-26-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	7/2/2012	Gravid Trap	7/3/2012	NO-27-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NO-27-2.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NO-27-3.4	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		NO-27-4.4	<i>Culex spp.</i>	50	Negative	RT-PCR
	7/9/2012	Gravid Trap	7/10/2012	NO-28-1.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		NO-28-2.3	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		NO-28-3.3	<i>Culex spp.</i>	18	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Norwich	7/11/2012	Post Spray	7/12/2012	NOPS-28-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR	
	7/16/2012	Gravid Trap	7/17/2012	NO-29-1.4	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		NO-29-2.4	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		NO-29-3.4	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		NO-29-4.4	<i>Culex spp.</i>	20	Negative	RT-PCR	
	7/24/2012	Post Spray	7/25/2012	NOPS-30-1.3	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Post Spray		NOPS-30-2.3	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Post Spray		NOPS-30-3.3	<i>Culex spp.</i>	27	WNV+	RT-PCR	
	7/30/2012	Gravid Trap	7/31/2012	NO-31-1.1	<i>Culex spp.</i>	22	Negative	RAMP	
	8/6/2012	Gravid Trap	8/7/2012	NO-32-1.1	<i>Culex spp.</i>	24	Negative	RAMP	
	8/13/2012	Gravid Trap		8/14/2012	NO-33-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
					NO-33-2.2	<i>Culex spp.</i>	34	WNV+	RAMP
	8/21/2012	Post Spray		8/22/2012	NOPS-34-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR
	8/27/2012	Gravid Trap			NO-35-1.2	<i>Culex spp.</i>	50	Negative	RAMP
					NO-35-2.2	<i>Culex spp.</i>	3	Negative	RAMP
	9/4/2012	Gravid Trap		9/5/2012	NO-36-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	9/10/2012	Gravid Trap		9/11/2012	NO-37-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	9/17/2012	Gravid Trap		9/18/2012	NO-38-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	Total Pools Tested: 37		Total Mosquitoes Tested: 1218		Total Pending: 0	Total RAMP Tests: 15	Total Negative: 30	Total Positive: 7	
	Total Pools Tested: 37		Total Mosquitoes Tested: 1218		Total Pending: 0	Total RAMP Tests: 15	Total Negative: 30	Total Positive: 7	

Perry Test Results

Perry	5/14/2012	Gravid Trap	5/15/2012	PE-20-1.4	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PE-20-2.4	<i>Culex spp.</i>		50	WNV+

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Perry	5/14/2012	Gravid Trap	5/15/2012	PE-20-3.4	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PE-20-4.4	<i>Culex spp.</i>	24	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	PE-21-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PE-21-2.2	<i>Culex spp.</i>	9	Negative	RT-PCR
	5/29/2012	Gravid Trap	5/30/2012	PE-22-1.1	<i>Culex spp.</i>	13	Negative	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	PE-23-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-23-2.2	<i>Culex spp.</i>	2	Negative	RT-PCR
	6/11/2012	Gravid Trap	6/12/2012	PE-24-1.1	<i>Culex spp.</i>	20	Negative	RT-PCR
	6/18/2012	Gravid Trap	6/19/2012	PE-25-1.1	<i>Culex spp.</i>	18	Negative	RT-PCR
	6/25/2012	Gravid Trap	6/26/2012	PE-26-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	7/2/2012	Gravid Trap	7/3/2012	PE-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-27-2.2	<i>Culex spp.</i>	14	Negative	RT-PCR
	7/9/2012	Gravid Trap	7/10/2012	PE-28-1.1	<i>Culex spp.</i>	48	WNV+	RAMP
	7/17/2012	Post Spray	7/18/2012	PEPS-29-1.1	<i>Culex spp.</i>	23	Negative	RT-PCR
	7/23/2012	Gravid Trap	7/24/2012	PE-30-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		PE-30-2.2	<i>Culex spp.</i>	8	Negative	RT-PCR
	7/30/2012	Gravid Trap	7/31/2012	PE-31-1.1	<i>Culex spp.</i>	3	Negative	RT-PCR
	8/6/2012	Gravid Trap	8/7/2012	PE-32-1.1	<i>Culex spp.</i>	6	Negative	RAMP
	8/9/2012	Post Spray	8/10/2012	PEPS-32-1.1	<i>Culex spp.</i>	2	Negative	RT-PCR
	8/13/2012	Gravid Trap	8/14/2012	PE-33-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	8/20/2012	Gravid Trap	8/21/2012	PE-34-1.1	<i>Culex spp.</i>	26	Negative	RAMP
	8/27/2012	Gravid Trap	8/28/2012	PE-35-1.1	<i>Culex spp.</i>	44	WNV+	RAMP
	9/5/2012	Post Spray	9/6/2012	PEPS-36-1.1	<i>Culex spp.</i>	2	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Perry	9/10/2012	Gravid Trap	9/11/2012	PE-37-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	9/24/2012	Gravid Trap	9/25/2012	PE-39-1.1	<i>Culex spp.</i>	5	Negative	RAMP
Total Pools Tested: 27		Total Mosquitoes Tested: 665		Total Pending: 0	Total RAMP Tests: 11	Total Negative: 23	Total Positive: 4	
Total Pools Tested: 27		Total Mosquitoes Tested: 665		Total Pending: 0	Total RAMP Tests: 11	Total Negative: 23	Total Positive: 4	

Pleasant Test Results

Pleasant North	5/14/2012	Gravid Trap	5/15/2012	PN-20-1.1	<i>Culex spp.</i>	16	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	PN-21-1.1	<i>Culex spp.</i>	6	Negative	RT-PCR
	5/29/2012	Gravid Trap	5/30/2012	PN-22-1.1	<i>Culex spp.</i>	24	Negative	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	PN-23-1.1	<i>Culex spp.</i>	6	Negative	RT-PCR
	6/11/2012	Gravid Trap	6/12/2012	PN-24-1.1	<i>Culex spp.</i>	4	Negative	RT-PCR
	6/18/2012	Gravid Trap	6/19/2012	PN-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PN-25-2.2	<i>Culex spp.</i>	18	Negative	RT-PCR
	6/25/2012	Gravid Trap	6/26/2012	PN-26-1.1	<i>Culex spp.</i>	2	Negative	RT-PCR
	7/2/2012	Gravid Trap	7/3/2012	PN-27-1.1	<i>Culex spp.</i>	25	Negative	RAMP
	7/9/2012	Gravid Trap	7/10/2012	PN-28-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	7/16/2012	Gravid Trap	7/17/2012	PN-29-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	7/23/2012	Gravid Trap	7/24/2012	PN-30-1.1	<i>Culex spp.</i>	36	Negative	RAMP
	7/30/2012	Gravid Trap	7/31/2012	PN-31-1.1	<i>Culex spp.</i>	2	Negative	RT-PCR
	8/20/2012	Gravid Trap	8/21/2012	PN-34-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	8/27/2012	Gravid Trap	8/28/2012	PN-35-1.1	<i>Culex spp.</i>	13	Negative	RAMP
	9/4/2012	Gravid Trap	9/5/2012	PN-36-1.1	<i>Culex spp.</i>	13	Negative	RAMP
	9/17/2012	Gravid Trap	9/18/2012	PN-38-1.1	<i>Culex spp.</i>	28	WNV+	RAMP
	9/24/2012	Gravid Trap	9/25/2012	PN-39-1.1	<i>Culex spp.</i>	2	Negative	RAMP
Total Pools Tested: 18		Total Mosquitoes Tested: 281		Total Pending: 0	Total RAMP Tests: 10	Total Negative: 17	Total Positive: 1	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay			
Pleasant South	5/14/2012	Gravid Trap	5/15/2012	PS-20-1.1	<i>Culex spp.</i>	37	Negative	RT-PCR			
	5/21/2012	Gravid Trap	5/22/2012	PS-21-1.1	<i>Culex spp.</i>	11	Negative	RT-PCR			
	5/29/2012	Gravid Trap	5/30/2012	PS-22-1.1	<i>Culex spp.</i>	32	Negative	RT-PCR			
	6/4/2012	Gravid Trap	6/5/2012	PS-23-1.1	<i>Culex spp.</i>	15	Negative	RT-PCR			
	6/11/2012	Gravid Trap	6/12/2012	PS-24-1.1	<i>Culex spp.</i>	11	Negative	RAMP			
	6/18/2012	Gravid Trap	6/19/2012	PS-25-1.1	<i>Culex spp.</i>	19	Negative	RAMP			
	6/25/2012	Gravid Trap	6/26/2012	PS-26-1.1	<i>Culex spp.</i>	16	Negative	RAMP			
	7/2/2012	Gravid Trap	7/3/2012	PS-27-1.1	<i>Culex spp.</i>	15	Negative	RAMP			
	7/9/2012	Gravid Trap	7/10/2012	PS-28-1.1	<i>Culex spp.</i>	11	Negative	RAMP			
	7/16/2012	Gravid Trap	7/17/2012	PS-29-1.1	<i>Culex spp.</i>	42	Negative	RAMP			
	7/23/2012	Gravid Trap	7/24/2012	PS-30-1.1	<i>Culex spp.</i>	19	Negative	RAMP			
	7/30/2012	Gravid Trap	7/31/2012	PS-31-1.1	<i>Culex spp.</i>	2	Negative	RT-PCR			
	8/13/2012	Gravid Trap	8/14/2012	PS-33-1.1	<i>Culex spp.</i>	12	Negative	RAMP			
	8/20/2012	Gravid Trap	8/21/2012	PS-34-1.1	<i>Culex spp.</i>	24	WNV+	RAMP			
	8/27/2012	Gravid Trap	8/28/2012	PS-35-1.1	<i>Culex spp.</i>	39	Negative	RAMP			
	8/31/2012	Post Spray	9/1/2012	PSPS-35-1.1	<i>Culex spp.</i>	3	Negative	RT-PCR			
	9/4/2012	Gravid Trap	9/5/2012	PS-36-1.1	<i>Culex spp.</i>	15	Negative	RAMP			
	9/10/2012	Gravid Trap	9/11/2012	PS-37-1.1	<i>Culex spp.</i>	18	Negative	RAMP			
	9/17/2012	Gravid Trap	9/18/2012	PS-38-1.1	<i>Culex spp.</i>	4	Negative	RAMP			
	9/24/2012	Gravid Trap	9/25/2012	PS-39-1.1	<i>Culex spp.</i>	6	Negative	RAMP			
Total Pools Tested:	20	Total Mosquitoes Tested:	351	Total Pending:	0	Total RAMP Tests:	14	Total Negative:	19	Total Positive:	1
Total Pools Tested:	38	Total Mosquitoes Tested:	632	Total Pending:	0	Total RAMP Tests:	24	Total Negative:	36	Total Positive:	2

Prairie Test Results

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie North	5/14/2012	Gravid Trap	5/15/2012	PRN-20-1.1	<i>Culex spp.</i>	37	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	PRN-21-1.1	<i>Culex spp.</i>	21	Negative	RT-PCR
	5/29/2012	Gravid Trap	5/30/2012	PRN-22-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-22-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PRN-22-3.3	<i>Culex spp.</i>	11	Negative	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	PRN-23-1.1	<i>Culex spp.</i>	4	Negative	RT-PCR
	6/11/2012	Gravid Trap	6/12/2012	PRN-24-1.1	<i>Culex spp.</i>	7	Negative	RT-PCR
	6/19/2012	Gravid Trap	6/20/2012	PRN-25-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-25-2.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-25-3.5	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PRN-25-4.5	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PRN-25-5.5	<i>Culex spp.</i>	15	Negative	RT-PCR
	6/25/2012	Gravid Trap	6/26/2012	PRN-26-1.1	<i>Culex spp.</i>	42	Negative	RAMP
	7/2/2012	Gravid Trap	7/3/2012	PRN-27-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-27-2.3	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		PRN-27-3.3	<i>Culex spp.</i>	40	Negative	RT-PCR
	7/10/2012	Post Spray	7/11/2012	PRNPS-28-1.1	<i>Culex spp.</i>	3	WNV+	RT-PCR
	7/16/2012	Gravid Trap	7/17/2012	PRN-29-1.3	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		PRN-29-2.3	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		PRN-29-3.3	<i>Culex spp.</i>	12	Negative	RT-PCR
	7/23/2012	Gravid Trap	7/24/2012	PRN-30-1.4	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		PRN-30-2.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-30-3.4	<i>Culex spp.</i>	50	WNV+	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Prairie North	7/23/2012	Gravid Trap	7/24/2012	PRN-30-4.4	<i>Culex spp.</i>	6	Negative	RT-PCR	
	7/30/2012	Gravid Trap	7/31/2012	PRN-31-1.1	<i>Culex spp.</i>	45	Negative	RAMP	
	8/2/2012	Post Spray	8/3/2012	PRNPS-31-1.1	<i>Culex spp.</i>	32	WNV+	RT-PCR	
	8/6/2012	Gravid Trap	8/7/2012	PRN-32-1.1	<i>Culex spp.</i>	19	Negative	RAMP	
	8/14/2012	Gravid Trap		8/15/2012	PRN-33-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR
					PRN-33-2.2	<i>Culex spp.</i>	21	WNV+	RT-PCR
	8/20/2012	Gravid Trap	8/21/2012	PRN-34-1.1	<i>Culex spp.</i>	31	WNV+	RAMP	
	8/27/2012	Gravid Trap		8/28/2012	PRN-35-1.3	<i>Culex spp.</i>	50	Negative	RAMP
					PRN-35-2.3	<i>Culex spp.</i>	50	Negative	RAMP
					PRN-35-3.3	<i>Culex spp.</i>	4	Negative	RT-PCR
	8/31/2012	Post Spray	9/1/2012	PRNPS-35-1.1	<i>Culex spp.</i>	6	Negative	RT-PCR	
	9/4/2012	Gravid Trap	9/5/2012	PRN-36-1.1	<i>Culex spp.</i>	32	Negative	RAMP	
	9/10/2012	Gravid Trap	9/11/2012	PRN-37-1.1	<i>Culex spp.</i>	11	Negative	RAMP	
	9/17/2012	Gravid Trap	9/18/2012	PRN-38-1.1	<i>Culex spp.</i>	27	Negative	RAMP	
	9/24/2012	Gravid Trap	9/25/2012	PRN-39-1.1	<i>Culex spp.</i>	1	Negative	RAMP	
Total Pools Tested: 38		Total Mosquitoes Tested: 1227		Total Pending: 0	Total RAMP Tests: 18	Total Negative: 29	Total Positive: 9		
Prairie South	5/14/2012	Gravid Trap	5/15/2012	PRS-20-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		PRS-20-2.2	<i>Culex spp.</i>	18	Negative	RT-PCR	
	5/21/2012	Gravid Trap	5/22/2012	PRS-21-1.1	<i>Culex spp.</i>	24	Negative	RT-PCR	
	5/29/2012	Gravid Trap	5/30/2012	PRS-22-1.1	<i>Culex spp.</i>	20	Negative	RT-PCR	
	6/4/2012	Gravid Trap	6/5/2012	PRS-23-1.1	<i>Culex spp.</i>	10	Negative	RT-PCR	
	6/11/2012	Gravid Trap	6/12/2012	PRS-24-1.1	<i>Culex spp.</i>	8	Negative	RT-PCR	
	6/18/2012	Gravid Trap	6/19/2012	PRS-25-1.1	<i>Culex spp.</i>	15	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay			
Prairie South	6/25/2012	Gravid Trap	6/26/2012	PRS-26-1.1	<i>Culex spp.</i>	14	Negative	RAMP			
	7/2/2012	Gravid Trap	7/3/2012	PRS-27-1.3	<i>Culex spp.</i>	50	Negative	RAMP			
		Gravid Trap		PRS-27-2.3	<i>Culex spp.</i>	50	Negative	RAMP			
		Gravid Trap		PRS-27-3.3	<i>Culex spp.</i>	6	Negative	RT-PCR			
	7/9/2012	Gravid Trap	7/10/2012	PRS-28-1.2	<i>Culex spp.</i>	50	WNV+	RAMP			
		Gravid Trap		PRS-28-2.2	<i>Culex spp.</i>	1	Negative	RT-PCR			
	7/17/2012	Post Spray	7/18/2012	PRSPS-29-1.1	<i>Culex spp.</i>	12	Negative	RT-PCR			
	7/23/2012	Gravid Trap	7/24/2012	PRS-30-1.1	<i>Culex spp.</i>	18	Negative	RAMP			
	7/30/2012	Gravid Trap	7/31/2012	PRS-31-1.1	<i>Culex spp.</i>	8	Negative	RT-PCR			
	8/6/2012	Gravid Trap	8/7/2012	PRS-32-1.1	<i>Culex spp.</i>	3	WNV+	RT-PCR			
	8/13/2012	Gravid Trap	8/14/2012	PRS-33-1.1	<i>Culex spp.</i>	34	Negative	RAMP			
	8/20/2012	Gravid Trap	8/21/2012	PRS-34-1.1	<i>Culex spp.</i>	30	Negative	RAMP			
	8/27/2012	Gravid Trap	8/28/2012	PRS-35-1.1	<i>Culex spp.</i>	30	WNV+	RAMP			
	9/6/2012	Post Spray	9/7/2012	PRSPS-36-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR			
	9/10/2012	Gravid Trap	9/11/2012	PRS-37-1.1	<i>Culex spp.</i>	4	Negative	RAMP			
9/17/2012	Gravid Trap	9/18/2012	PRS-38-1.1	<i>Culex spp.</i>	1	Negative	RAMP				
Total Pools Tested:	23	Total Mosquitoes Tested:	457	Total Pending:	0	Total RAMP Tests:	11	Total Negative:	20	Total Positive:	3
Prairie West	5/14/2012	Gravid Trap	5/15/2012	PRW-20-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR			
		Gravid Trap		PRW-20-2.2	<i>Culex spp.</i>	14	Negative	RT-PCR			
	5/21/2012	Gravid Trap	5/22/2012	PRW-21-1.1	<i>Culex spp.</i>	5	Negative	RT-PCR			
	5/29/2012	Gravid Trap	5/30/2012	PRW-22-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR			
	6/4/2012	Gravid Trap	6/5/2012	PRW-23-1.1	<i>Culex spp.</i>	6	Negative	RT-PCR			
	6/11/2012	Gravid Trap	6/12/2012	PRW-24-1.1	<i>Culex spp.</i>	15	Negative	RT-PCR			

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie West	6/18/2012	Gravid Trap	6/19/2012	PRW-25-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	6/25/2012	Gravid Trap	6/26/2012	PRW-26-1.1	<i>Culex spp.</i>	6	Negative	RAMP
	7/2/2012	Gravid Trap	7/3/2012	PRW-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRW-27-2.2	<i>Culex spp.</i>	40	Negative	RAMP
	7/9/2012	Gravid Trap	7/10/2012	PRW-28-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	7/16/2012	Gravid Trap	7/17/2012	PRW-29-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR
	7/23/2012	Gravid Trap	7/24/2012	PRW-30-1.1	<i>Culex spp.</i>	29	WNV+	RAMP
	7/30/2012	Gravid Trap	7/31/2012	PRW-31-1.1	<i>Culex spp.</i>	31	Negative	RAMP
	8/2/2012	Post Spray	8/3/2012	PRWPS-31-1.1	<i>Culex spp.</i>	11	Negative	RT-PCR
	8/6/2012	Gravid Trap	8/7/2012	PRW-32-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	8/13/2012	Gravid Trap	8/14/2012	PRW-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRW-33-2.2	<i>Culex spp.</i>	49	Negative	RAMP
	8/20/2012	Gravid Trap	8/21/2012	PRW-34-1.1	<i>Culex spp.</i>	25	Negative	RAMP
	8/27/2012	Gravid Trap	8/28/2012	PRW-35-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		PRW-35-2.2	<i>Culex spp.</i>	31	WNV+	RAMP
	9/4/2012	Gravid Trap	9/5/2012	PRW-36-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		PRW-36-2.2	<i>Culex spp.</i>	16	Negative	RAMP
	9/6/2012	Post Spray	9/7/2012	PRWPS-36-1.1	<i>Culex spp.</i>	10	Negative	RT-PCR
	9/10/2012	Gravid Trap	9/11/2012	PRW-37-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	9/17/2012	Gravid Trap	9/18/2012	PRW-38-1.1	<i>Culex spp.</i>	36	Negative	RAMP
Total Pools Tested: 26		Total Mosquitoes Tested: 621		Total Pending: 0	Total RAMP Tests: 17	Total Negative: 22	Total Positive: 4	
Total Pools Tested: 87		Total Mosquitoes Tested: 2305		Total Pending: 0	Total RAMP Tests: 46	Total Negative: 71	Total Positive: 16	

Reynoldsburg Test Results

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg East	5/14/2012	Gravid Trap	5/15/2012	RE-20-1.1	<i>Culex spp.</i>	16	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	RE-21-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RE-21-2.2	<i>Culex spp.</i>	30	Negative	RT-PCR
	5/29/2012	Gravid Trap	5/30/2012	RE-22-1.1	<i>Culex spp.</i>	23	Negative	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	RE-23-1.1	<i>Culex spp.</i>	11	Negative	RT-PCR
	6/11/2012	Gravid Trap	6/12/2012	RE-24-1.1	<i>Culex spp.</i>	3	Negative	RT-PCR
	6/18/2012	Gravid Trap	6/19/2012	RE-25-1.1	<i>Culex spp.</i>	26	Negative	RAMP
	6/25/2012	Gravid Trap	6/26/2012	RE-26-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	7/2/2012	Gravid Trap	7/3/2012	RE-27-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	7/9/2012	Gravid Trap	7/10/2012	RE-28-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	7/16/2012	Gravid Trap	7/17/2012	RE-29-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	7/23/2012	Gravid Trap	7/24/2012	RE-30-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	7/30/2012	Gravid Trap	7/31/2012	RE-31-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	8/13/2012	Gravid Trap	8/14/2012	RE-33-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	8/20/2012	Gravid Trap	8/21/2012	RE-34-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	8/27/2012	Gravid Trap	8/28/2012	RE-35-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	9/4/2012	Gravid Trap	9/5/2012	RE-36-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	9/10/2012	Gravid Trap	9/11/2012	RE-37-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	9/17/2012	Gravid Trap	9/18/2012	RE-38-1.1	<i>Culex spp.</i>	5	Negative	RAMP
Total Pools Tested: 19		Total Mosquitoes Tested: 314		Total Pending: 0	Total RAMP Tests: 13	Total Negative: 19	Total Positive: 0	
Reynoldsburg South	5/14/2012	Gravid Trap	5/15/2012	RS-20-1.1	<i>Culex spp.</i>	2	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	RS-21-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RS-21-2.2	<i>Culex spp.</i>	46	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay			
Reynoldsburg South	5/29/2012	Gravid Trap	5/30/2012	RS-22-1.1	<i>Culex spp.</i>	32	Negative	RT-PCR			
	6/4/2012	Gravid Trap	6/5/2012	RS-23-1.1	<i>Culex spp.</i>	36	Negative	RT-PCR			
	6/11/2012	Gravid Trap	6/12/2012	RS-24-1.1	<i>Culex spp.</i>	18	Negative	RT-PCR			
	6/18/2012	Gravid Trap	6/19/2012	RS-25-1.2	<i>Culex spp.</i>	50	WNV+	RAMP			
		Gravid Trap		RS-25-2.2	<i>Culex spp.</i>	15	Negative	RT-PCR			
	6/25/2012	Gravid Trap	6/26/2012	RS-26-1.1	<i>Culex spp.</i>	23	Negative	RAMP			
	7/2/2012	Gravid Trap	7/3/2012	RS-27-1.1	<i>Culex spp.</i>	13	Negative	RAMP			
	7/9/2012	Gravid Trap	7/10/2012	RS-28-1.1	<i>Culex spp.</i>	6	Negative	RAMP			
	7/16/2012	Gravid Trap	7/17/2012	RS-29-1.1	<i>Culex spp.</i>	13	WNV+	RAMP			
	7/23/2012	Gravid Trap	7/24/2012	RS-30-1.1	<i>Culex spp.</i>	6	WNV+	RAMP			
	7/30/2012	Gravid Trap	7/31/2012	RS-31-1.1	<i>Culex spp.</i>	28	WNV+	RAMP			
	8/3/2012	Post Spray	8/4/2012	RSPS-31-1.1	<i>Culex spp.</i>	4	Negative	RT-PCR			
	8/6/2012	Gravid Trap	8/7/2012	RS-32-1.1	<i>Culex spp.</i>	9	Negative	RAMP			
	8/13/2012	Gravid Trap	8/14/2012	RS-33-1.1	<i>Culex spp.</i>	4	Negative	RAMP			
	8/20/2012	Gravid Trap	8/21/2012	RS-34-1.1	<i>Culex spp.</i>	40	WNV+	RAMP			
	8/27/2012	Gravid Trap	8/28/2012	RS-35-1.1	<i>Culex spp.</i>	42	Negative	RAMP			
	9/4/2012	Gravid Trap	9/5/2012	RS-36-1.1	<i>Culex spp.</i>	19	Negative	RAMP			
	9/10/2012	Gravid Trap	9/11/2012	RS-37-1.1	<i>Culex spp.</i>	13	Negative	RAMP			
Total Pools Tested:	21	Total Mosquitoes Tested:	469	Total Pending:	0	Total RAMP Tests:	13	Total Negative:	16	Total Positive:	5
Reynoldsburg West	5/14/2012	Gravid Trap	5/15/2012	RW-20-1.1	<i>Culex spp.</i>	23	Negative	RT-PCR			
	5/21/2012	Gravid Trap	5/22/2012	RW-21-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR			
	5/29/2012	Gravid Trap	5/30/2012	RW-22-1.1	<i>Culex spp.</i>	13	Negative	RT-PCR			
	6/4/2012	Gravid Trap	6/5/2012	RW-23-1.1	<i>Culex spp.</i>	25	Negative	RT-PCR			

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay				
Reynoldsburg West	6/18/2012	Gravid Trap	6/19/2012	RW-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		RW-25-2.2	<i>Culex spp.</i>	9	Negative	RT-PCR				
	6/25/2012	Gravid Trap	6/26/2012	RW-26-1.1	<i>Culex spp.</i>	20	Negative	RAMP				
		Gravid Trap		7/4/2012	RW-27-1.1	<i>Culex spp.</i>	27	Negative	RT-PCR			
	7/9/2012	Gravid Trap	7/10/2012	RW-28-1.1	<i>Culex spp.</i>	45	Negative	RAMP				
	7/16/2012	Gravid Trap	7/17/2012	RW-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		RW-29-2.2	<i>Culex spp.</i>	3	Negative	RT-PCR				
	7/23/2012	Gravid Trap	7/24/2012	RW-30-1.1	<i>Culex spp.</i>	24	Negative	RAMP				
	7/31/2012	Gravid Trap	8/1/2012	RW-31-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR				
	8/6/2012	Gravid Trap	8/7/2012	RW-32-1.1	<i>Culex spp.</i>	16	WNV+	RAMP				
	8/13/2012	Gravid Trap	8/14/2012	RW-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		RW-33-2.2	<i>Culex spp.</i>	8	Negative	RAMP				
	8/20/2012	Gravid Trap	8/21/2012	RW-34-1.1	<i>Culex spp.</i>	41	WNV+	RAMP				
	8/27/2012	Gravid Trap	8/28/2012	RW-35-1.1	<i>Culex spp.</i>	23	Negative	RAMP				
	8/30/2012	Post Spray	8/31/2012	RWPS-35-1.1	<i>Culex spp.</i>	9	Negative	RT-PCR				
	9/10/2012	Gravid Trap	9/11/2012	RW-37-1.1	<i>Culex spp.</i>	9	Negative	RAMP				
	9/17/2012	Gravid Trap	9/18/2012	RW-38-1.1	<i>Culex spp.</i>	15	Negative	RAMP				
	9/24/2012	Gravid Trap	9/25/2012	RW-39-1.1	<i>Culex spp.</i>	4	Negative	RAMP				
	Total Pools Tested:	22	Total Mosquitoes Tested:	466	Total Pending:	0	Total RAMP Tests:	13	Total Negative:	20	Total Positive:	2
	Total Pools Tested:	62	Total Mosquitoes Tested:	1249	Total Pending:	0	Total RAMP Tests:	39	Total Negative:	55	Total Positive:	7

Sharon Test Results

Sharon North	5/14/2012	Gravid Trap	5/15/2012	SN-20-1.1	<i>Culex spp.</i>	17	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	SN-21-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Sharon North	5/21/2012	Gravid Trap	5/22/2012	SN-21-2.2	<i>Culex spp.</i>	23	Negative	RT-PCR	
	5/29/2012	Gravid Trap	5/30/2012	SN-22-1.1	<i>Culex spp.</i>	35	Negative	RT-PCR	
	6/4/2012	Gravid Trap	6/5/2012	SN-23-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR	
	6/11/2012	Gravid Trap	6/12/2012	SN-24-1.1	<i>Culex spp.</i>	15	Negative	RT-PCR	
	6/19/2012	Gravid Trap	6/20/2012	SN-25-1.1	<i>Culex spp.</i>	10	Negative	RT-PCR	
	6/25/2012	Gravid Trap	6/26/2012	SN-26-1.1	<i>Culex spp.</i>	1	Negative	RAMP	
	7/2/2012	Gravid Trap	7/3/2012	SN-27-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		SN-27-2.3	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		SN-27-3.3	<i>Culex spp.</i>	5	Negative	RT-PCR
	7/9/2012	Gravid Trap	7/10/2012	SN-28-1.1	<i>Culex spp.</i>	21	Negative	RAMP	
	7/16/2012	Gravid Trap	7/17/2012	SN-29-1.1	<i>Culex spp.</i>	20	Negative	RAMP	
	7/23/2012	Gravid Trap	7/24/2012	SN-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		SN-30-2.2	<i>Culex spp.</i>	13	Negative	RT-PCR
	7/30/2012	Gravid Trap	7/31/2012	SN-31-1.1	<i>Culex spp.</i>	17	Negative	RT-PCR	
	8/6/2012	Gravid Trap	8/7/2012	SN-32-1.1	<i>Culex spp.</i>	10	WNV+	RT-PCR	
	8/13/2012	Gravid Trap	8/14/2012	SN-33-1.2	<i>Culex spp.</i>	50	WNV+	RAMP	
			Gravid Trap		SN-33-2.2	<i>Culex spp.</i>	9	WNV+	RT-PCR
	8/20/2012	Gravid Trap	8/21/2012	SN-34-1.1	<i>Culex spp.</i>	44	WNV+	RAMP	
	8/27/2012	Gravid Trap	8/28/2012	SN-35-1.1	<i>Culex spp.</i>	6	Negative	RAMP	
	8/31/2012	Post Spray	9/1/2012	SNPS-35-1.1	<i>Culex spp.</i>	5	Negative	RT-PCR	
	9/4/2012	Gravid Trap	9/5/2012	SN-36-1.1	<i>Culex spp.</i>	3	Negative	RAMP	
	9/10/2012	Gravid Trap	9/11/2012	SN-37-1.1	<i>Culex spp.</i>	16	Negative	RAMP	
	9/24/2012	Gravid Trap	9/25/2012	SN-39-1.1	<i>Culex spp.</i>	1	Negative	RAMP	
	Total Pools Tested: 25		Total Mosquitoes Tested: 522		Total Pending: 0	Total RAMP Tests: 12	Total Negative: 21	Total Positive: 4	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Sharon South	5/14/2012	Gravid Trap	5/15/2012	SS-20-1.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		SS-20-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		SS-20-3.3	<i>Culex spp.</i>	24	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	SS-21-1.1	<i>Culex spp.</i>	25	Negative	RT-PCR
	5/29/2012	Gravid Trap	5/30/2012	SS-22-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		SS-22-2.2	<i>Culex spp.</i>	13	Negative	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	SS-23-1.1	<i>Culex spp.</i>	19	WNV+	RT-PCR
	6/11/2012	Gravid Trap	6/12/2012	SS-24-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-24-2.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-24-3.5	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		SS-24-4.5	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		SS-24-5.5	<i>Culex spp.</i>	8	Negative	RT-PCR
	6/18/2012	Gravid Trap	6/19/2012	SS-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-25-2.2	<i>Culex spp.</i>	15	Negative	RT-PCR
	6/25/2012	Gravid Trap	6/26/2012	SS-26-1.1	<i>Culex spp.</i>	3	Negative	RAMP
	6/28/2012	Post Spray	6/29/2012	SSPS-26-1.1	<i>Culex spp.</i>	42	Negative	RT-PCR
	7/2/2012	Gravid Trap	7/3/2012	SS-27-1.6	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		SS-27-2.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-27-3.6	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		SS-27-4.6	<i>Culex spp.</i>	50	Negative	RT-PCR
Gravid Trap		SS-27-5.6		<i>Culex spp.</i>	50	Negative	RT-PCR	
Gravid Trap		SS-27-6.6		<i>Culex spp.</i>	3	Negative	RT-PCR	
Gravid Trap		SS-27-6.6		<i>Culex spp.</i>	3	Negative	RT-PCR	
7/9/2012	Gravid Trap	7/10/2012	SS-28-1.1	<i>Culex spp.</i>	33	Negative	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay				
Sharon South	7/12/2012	Post Spray	7/13/2012	SSPS-28-1.1	<i>Culex spp.</i>	28	Negative	RT-PCR				
	7/16/2012	Gravid Trap	7/17/2012	SS-29-1.2	<i>Culex spp.</i>	50	WNV+	RAMP				
		Gravid Trap		SS-29-2.2	<i>Culex spp.</i>	47	WNV+	RT-PCR				
	7/23/2012	Gravid Trap	7/24/2012	SS-30-1.3	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		SS-30-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR				
		Gravid Trap		SS-30-3.3	<i>Culex spp.</i>	25	Negative	RT-PCR				
	7/27/2012	Post Spray	7/28/2012	SSPS-30-1.1	<i>Culex spp.</i>	25	WNV+	RT-PCR				
	7/30/2012	Gravid Trap	7/31/2012	SS-31-1.1	<i>Culex spp.</i>	27	Negative	RAMP				
	8/6/2012	Gravid Trap	8/7/2012	SS-32-1.1	<i>Culex spp.</i>	6	Negative	RT-PCR				
	8/8/2012	Post Spray	8/9/2012	SSPS-32-1.1	<i>Culex spp.</i>	10	WNV+	RT-PCR				
	8/13/2012	Gravid Trap	8/14/2012	SS-33-1.3	<i>Culex spp.</i>	50	WNV+	RAMP				
		Gravid Trap		SS-33-2.3	<i>Culex spp.</i>	50	WNV+	RAMP				
		Gravid Trap		SS-33-3.3	<i>Culex spp.</i>	16	Negative	RT-PCR				
	8/21/2012	Post Spray	8/22/2012	SSPS-34-1.1	<i>Culex spp.</i>	5	Negative	RT-PCR				
	8/27/2012	Gravid Trap	8/28/2012	SS-35-1.1	<i>Culex spp.</i>	44	Negative	RAMP				
	9/4/2012	Gravid Trap	9/5/2012	SS-36-1.1	<i>Culex spp.</i>	4	Negative	RAMP				
	9/10/2012	Gravid Trap	9/11/2012	SS-37-1.1	<i>Culex spp.</i>	26	Negative	RAMP				
	Total Pools Tested:	40	Total Mosquitoes Tested:	1348	Total Pending:	0	Total RAMP Tests:	14	Total Negative:	31	Total Positive:	9
	Total Pools Tested:	65	Total Mosquitoes Tested:	1870	Total Pending:	0	Total RAMP Tests:	26	Total Negative:	52	Total Positive:	13

Upper Arlington Test Results

Upper Arlington North	5/14/2012	Gravid Trap	5/15/2012	UAN-20-1.1	<i>Culex spp.</i>	3	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	UAN-21-1.1	<i>Culex spp.</i>	2	Negative	RT-PCR
	5/29/2012	Gravid Trap	5/30/2012	UAN-22-1.1	<i>Culex spp.</i>	30	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Upper Arlington North	6/4/2012	Gravid Trap	6/5/2012	UAN-23-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR
	6/11/2012	Gravid Trap	6/12/2012	UAN-24-1.1	<i>Culex spp.</i>	5	Negative	RT-PCR
	6/18/2012	Gravid Trap	6/19/2012	UAN-25-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	6/25/2012	Gravid Trap	6/26/2012	UAN-26-1.1	<i>Culex spp.</i>	14	Negative	RAMP
	7/2/2012	Gravid Trap	7/3/2012	UAN-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UAN-27-2.2	<i>Culex spp.</i>	33	Negative	RAMP
	7/9/2012	Gravid Trap	7/10/2012	UAN-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UAN-28-2.2	<i>Culex spp.</i>	7	Negative	RT-PCR
	7/16/2012	Gravid Trap	7/17/2012	UAN-29-1.1	<i>Culex spp.</i>	23	Negative	RT-PCR
	7/24/2012	Gravid Trap	7/25/2012	UAN-30-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	7/30/2012	Gravid Trap	7/31/2012	UAN-31-1.1	<i>Culex spp.</i>	10	Negative	RT-PCR
	8/13/2012	Gravid Trap	8/14/2012	UAN-33-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	8/20/2012	Gravid Trap	8/21/2012	UAN-34-1.1	<i>Culex spp.</i>	9	WNV+	RAMP
	8/27/2012	Gravid Trap	8/28/2012	UAN-35-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	9/10/2012	Gravid Trap	9/11/2012	UAN-37-1.1	<i>Culex spp.</i>	13	WNV+	RAMP
9/17/2012	Gravid Trap	9/18/2012	UAN-38-1.1	<i>Culex spp.</i>	7	Negative	RAMP	
Total Pools Tested: 19		Total Mosquitoes Tested: 294		Total Pending: 0	Total RAMP Tests: 11	Total Negative: 17	Total Positive: 2	
Upper Arlington South	5/14/2012	Gravid Trap	5/15/2012	UAS-20-1.1	<i>Culex spp.</i>	26	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	UAS-21-1.1	<i>Culex spp.</i>	18	Negative	RT-PCR
	5/29/2012	Gravid Trap	5/30/2012	UAS-22-1.1	<i>Culex spp.</i>	36	Negative	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	UAS-23-1.1	<i>Culex spp.</i>	16	Negative	RT-PCR
	6/11/2012	Gravid Trap	6/12/2012	UAS-24-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	6/18/2012	Gravid Trap	6/19/2012	UAS-25-1.1	<i>Culex spp.</i>	26	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay				
Upper Arlington South	6/25/2012	Gravid Trap	6/26/2012	UAS-26-1.1	<i>Culex spp.</i>	46	Negative	RAMP				
	7/2/2012	Gravid Trap	7/3/2012	UAS-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		UAS-27-2.2	<i>Culex spp.</i>	37	Negative	RAMP				
	7/9/2012	Gravid Trap	7/10/2012	UAS-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		UAS-28-2.2	<i>Culex spp.</i>	4	Negative	RT-PCR				
	7/16/2012	Gravid Trap	7/17/2012	UAS-29-1.1	<i>Culex spp.</i>	30	WNV+	RAMP				
	7/23/2012	Gravid Trap	7/24/2012	UAS-30-1.1	<i>Culex spp.</i>	20	WNV+	RAMP				
	7/24/2012	Gravid Trap	7/25/2012	JO-30-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR				
		Gravid Trap		JO-30-2.2	<i>Culex spp.</i>	9	WNV+	RT-PCR				
	7/30/2012	Gravid Trap	7/31/2012	UAS-31-1.1	<i>Culex spp.</i>	20	WNV+	RT-PCR				
	8/1/2012	Post Spray	8/2/2012	UASPS-31-1.1	<i>Culex spp.</i>	9	Negative	RT-PCR				
	8/13/2012	Gravid Trap	8/14/2012	UAS-33-1.1	<i>Culex spp.</i>	8	Negative	RAMP				
	8/20/2012	Gravid Trap	8/21/2012	UAS-34-1.1	<i>Culex spp.</i>	2	Negative	RAMP				
	8/27/2012	Gravid Trap	8/28/2012	UAS-35-1.1	<i>Culex spp.</i>	27	Negative	RAMP				
	9/4/2012	Gravid Trap	9/5/2012	UAS-36-1.1	<i>Culex spp.</i>	12	Negative	RAMP				
	9/10/2012	Gravid Trap	9/11/2012	UAS-37-1.1	<i>Culex spp.</i>	2	Negative	RAMP				
	9/17/2012	Gravid Trap	9/18/2012	UAS-38-1.1	<i>Culex spp.</i>	13	Negative	RAMP				
	9/24/2012	Gravid Trap	9/25/2012	UAS-39-1.1	<i>Culex spp.</i>	4	Negative	RAMP				
	Total Pools Tested:	24	Total Mosquitoes Tested:	522	Total Pending:	0	Total RAMP Tests:	15	Total Negative:	20	Total Positive:	4
	Total Pools Tested:	43	Total Mosquitoes Tested:	816	Total Pending:	0	Total RAMP Tests:	26	Total Negative:	37	Total Positive:	6

Urbancrest Test Results

Urbancrest	5/14/2012	Gravid Trap	5/15/2012	UR-20-1.1	<i>Culex spp.</i>	28	Negative	RT-PCR
	5/21/2012	Gravid Trap	5/22/2012	UR-21-1.1	<i>Culex spp.</i>	31	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Urbancrest	5/29/2012	Gravid Trap	5/30/2012	UR-22-1.1	<i>Culex spp.</i>	25	Negative	RT-PCR
	6/4/2012	Gravid Trap	6/5/2012	UR-23-1.1	<i>Culex spp.</i>	50	Negative	RT-PCR
	6/11/2012	Gravid Trap	6/12/2012	UR-24-1.1	<i>Culex spp.</i>	37	Negative	RAMP
	6/18/2012	Gravid Trap	6/19/2012	UR-25-1.3	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		UR-25-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		UR-25-3.3	<i>Culex spp.</i>	41	Negative	RT-PCR
	6/25/2012	Gravid Trap	6/26/2012	UR-26-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	7/2/2012	Gravid Trap	7/3/2012	UR-27-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	7/9/2012	Gravid Trap	7/10/2012	UR-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-28-2.2	<i>Culex spp.</i>	10	Negative	RT-PCR
	7/16/2012	Gravid Trap	7/17/2012	UR-29-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-29-2.5	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		UR-29-3.5	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		UR-29-4.5	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		UR-29-5.5	<i>Culex spp.</i>	2	WNV+	RT-PCR
	7/23/2012	Gravid Trap	7/24/2012	UR-30-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		UR-30-2.2	<i>Culex spp.</i>	3	Negative	RT-PCR
	8/6/2012	Gravid Trap	8/7/2012	UR-32-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	8/13/2012	Gravid Trap	8/14/2012	UR-33-1.1	<i>Culex spp.</i>	35	WNV+	RAMP
	8/20/2012	Gravid Trap	8/21/2012	UR-34-1.1	<i>Culex spp.</i>	21	WNV+	RAMP
	8/24/2012	Post Spray	8/25/2012	URPS-34-1.1	<i>Culex spp.</i>	3	Negative	RT-PCR
	8/27/2012	Gravid Trap	8/28/2012	UR-35-1.1	<i>Culex spp.</i>	3	Negative	RAMP
	9/4/2012	Gravid Trap	9/5/2012	UR-36-1.2	<i>Culex spp.</i>	50	WNV+	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay			
Urbancrest	9/4/2012	Gravid Trap	9/5/2012	UR-36-2.2	<i>Culex spp.</i>	13	Negative	RAMP			
	9/17/2012	Gravid Trap	9/18/2012	UR-38-1.1	<i>Culex spp.</i>	1	Negative	RAMP			
	9/24/2012	Gravid Trap	9/25/2012	UR-39-1.1	<i>Culex spp.</i>	5	Negative	RAMP			
Total Pools Tested:	28	Total Mosquitoes Tested:	787	Total Pending:	0	Total RAMP Tests:	15	Total Negative:	19	Total Positive:	9
Total Pools Tested:	28	Total Mosquitoes Tested:	787	Total Pending:	0	Total RAMP Tests:	15	Total Negative:	19	Total Positive:	9
Total Pools Tested: 1024		Total Mosquitoes Tested: 26714		Total Pending: 0		Total RAMP Tests: 605		Total Negative: 847		Total Positive: 177	