



Arboviral Surveillance Results

Start Date:

End Date:

Franklin County Public Health

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Bexley Test Results								
Bexley	6/10/2013	Gravid Trap	6/11/2013	BE-24-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	6/17/2013	Gravid Trap	6/18/2013	BE-25-1.6	<i>Culex spp.</i>	50	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	BE-26-1.1	<i>Culex spp.</i>	32	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	BE-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/8/2013	Gravid Trap	7/9/2013	BE-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	BE-29-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	BE-30-1.10	<i>Culex spp.</i>	50	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	BE-31-1.1	<i>Culex spp.</i>	23	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	BE-32-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BE-32-2.5	<i>Culex spp.</i>	50	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	BE-33-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	BE-34-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
	9/3/2013	Gravid Trap	9/4/2013	BE-36-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	BE-37-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	9/16/2013	Gravid Trap	9/17/2013	BE-38-1.1	<i>Culex spp.</i>	5	Negative	RAMP
Total Pools Tested: 15		Total Mosquitoes Tested: 502		Total Pending: 0		Total RAMP: 15	Total Negative: 14	Total Positive: 1
Total Pools Tested: 15		Total Mosquitoes Tested: 502		Total Pending: 0		Total RAMP: 15	Total Negative: 14	Total Positive: 1

Brown Test Results

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Brown	5/28/2013	Gravid Trap	5/29/2013	BR-22-1.7	<i>Culex spp.</i>	50	Negative	RAMP	
	6/10/2013	Gravid Trap	6/11/2013	BR-24-1.1	<i>Culex spp.</i>	31	Negative	RAMP	
	6/24/2013	Gravid Trap	6/25/2013	BR-26-1.1	<i>Culex spp.</i>	32	Negative	RAMP	
	7/1/2013	Gravid Trap	7/2/2013	BR-27-1.4	<i>Culex spp.</i>	50	Negative	RAMP	
	7/8/2013	Gravid Trap	7/9/2013	BR-28-1.1	<i>Culex spp.</i>	48	Negative	RAMP	
	7/15/2013	Gravid Trap	7/16/2013	BR-29-1.7	<i>Culex spp.</i>	50	Negative	RAMP	
	7/22/2013	Gravid Trap	7/23/2013	BR-30-1.4	<i>Culex spp.</i>	50	Negative	RAMP	
	8/5/2013	Gravid Trap			BR-32-1.9	<i>Culex spp.</i>	50	Negative	RAMP
					BR-32-2.9	<i>Culex spp.</i>	50	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	BR-34-1.1	<i>Culex spp.</i>	17	Negative	RAMP	
	8/26/2013	Gravid Trap	8/27/2013	BR-35-1.1	<i>Culex spp.</i>	5	Negative	RAMP	
	9/3/2013	Gravid Trap	9/4/2013	BR-36-1.1	<i>Culex spp.</i>	3	Negative	RAMP	
	9/9/2013	Gravid Trap	9/10/2013	BR-37-1.1	<i>Culex spp.</i>	9	Negative	RAMP	
	9/16/2013	Gravid Trap	9/17/2013	BR-38-1.1	<i>Culex spp.</i>	1	Negative	RAMP	
Total Pools Tested: 14		Total Mosquitoes Tested: 446		Total Pending: 0	Total RAMP: 14	Total Negative: 14	Total Positive: 0		
Total Pools Tested: 14		Total Mosquitoes Tested: 446		Total Pending: 0	Total RAMP: 14	Total Negative: 14	Total Positive: 0		

Canal Winchester Test Results

Canal Winchester	6/10/2013	Gravid Trap	6/11/2013	CW-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	CW-26-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	CW-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/8/2013	Gravid Trap	7/9/2013	CW-28-1.1	<i>Culex spp.</i>	26	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	CW-29-1.1	<i>Culex spp.</i>	25	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	CW-31-1.1	<i>Culex spp.</i>	25	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	CW-32-1.1	<i>Culex spp.</i>	44	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	CW-34-1.1	<i>Culex spp.</i>	14	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay			
Canal Winchester	8/26/2013	Gravid Trap	8/27/2013	CW-35-1.1	<i>Culex spp.</i>	6	Negative	RAMP			
	9/3/2013	Gravid Trap	9/4/2013	CW-36-1.1	<i>Culex spp.</i>	4	Negative	RAMP			
	9/9/2013	Gravid Trap	9/10/2013	CW-37-1.1	<i>Culex spp.</i>	9	Negative	RAMP			
Total Pools Tested:	11	Total Mosquitoes Tested:	269	Total Pending:	0	Total RAMP:	11	Total Negative:	11	Total Positive:	0
Total Pools Tested:	11	Total Mosquitoes Tested:	269	Total Pending:	0	Total RAMP:	11	Total Negative:	11	Total Positive:	0

Clinton Test Results

Clinton	5/28/2013	Gravid Trap	5/29/2013	CT-22-1.3	<i>Culex spp.</i>	50	Negative	RAMP			
	6/10/2013	Gravid Trap	6/11/2013	CT-24-1.4	<i>Culex spp.</i>	50	Negative	RAMP			
	6/24/2013	Gravid Trap	6/25/2013	CT-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP			
	7/1/2013	Gravid Trap	7/2/2013	CT-27-1.5	<i>Culex spp.</i>	50	Negative	RAMP			
	7/8/2013	Gravid Trap	7/9/2013	CT-28-1.1	<i>Culex spp.</i>	49	Negative	RAMP			
	7/15/2013	Gravid Trap	7/16/2013	CT-29-1.16	<i>Culex spp.</i>	50	Negative	RAMP			
	7/22/2013	Gravid Trap	7/23/2013	CT-30-1.7	<i>Culex spp.</i>	50	Negative	RAMP			
	7/29/2013	Gravid Trap	7/30/2013	CT-31-1.1	<i>Culex spp.</i>	15	Negative	RAMP			
	8/5/2013	Gravid Trap	8/6/2013	CT-32-1.5	<i>Culex spp.</i>	50	Negative	RAMP			
			Gravid Trap		CT-32-2.5	<i>Culex spp.</i>	50	Negative	RAMP		
	8/12/2013	Gravid Trap	8/13/2013	CT-33-1.1	<i>Culex spp.</i>	35	WNV+	RAMP			
	8/19/2013	Gravid Trap	8/20/2013	CT-34-1.2	<i>Culex spp.</i>	50	WNV+	RAMP			
	8/26/2013	Gravid Trap	8/27/2013	CT-35-1.1	<i>Culex spp.</i>	20	Negative	RAMP			
	9/3/2013	Gravid Trap	9/4/2013	CT-36-1.1	<i>Culex spp.</i>	13	Negative	RAMP			
	9/9/2013	Gravid Trap	9/10/2013	CT-37-1.1	<i>Culex spp.</i>	21	Negative	RAMP			
Total Pools Tested:	15	Total Mosquitoes Tested:	603	Total Pending:	0	Total RAMP:	15	Total Negative:	13	Total Positive:	2
Total Pools Tested:	15	Total Mosquitoes Tested:	603	Total Pending:	0	Total RAMP:	15	Total Negative:	13	Total Positive:	2

Dublin Test Results

Dublin Central	5/13/2013	Gravid Trap	5/14/2013	DC-20-1.1	<i>Culex spp.</i>	1	Negative	RAMP
----------------	-----------	-------------	-----------	-----------	-------------------	---	----------	------

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin Central	5/28/2013	Gravid Trap	5/29/2013	DC-22-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DC-22-2.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DC-22-3.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DC-22-4.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DC-22-5.5	<i>Culex spp.</i>	39	Negative	RAMP
	6/3/2013	Gravid Trap	6/4/2013	DC-23-1.1	<i>Culex spp.</i>	17	Negative	RAMP
	6/10/2013	Gravid Trap	6/11/2013	DC-24-1.1	<i>Culex spp.</i>	45	Negative	RAMP
	6/17/2013	Gravid Trap	6/18/2013	DC-25-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	DC-26-1.1	<i>Culex spp.</i>	38	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	DC-27-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	7/8/2013	Gravid Trap	7/9/2013	DC-28-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	DC-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DC-29-2.2	<i>Culex spp.</i>	27	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	DC-30-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	DC-31-1.1	<i>Culex spp.</i>	35	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	DC-32-1.1	<i>Culex spp.</i>	34	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	DC-33-1.1	<i>Culex spp.</i>	14	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	DC-34-1.1	<i>Culex spp.</i>	23	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	DC-35-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	DC-37-1.1	<i>Culex spp.</i>	8	WNV+	RAMP
	Total Pools Tested: 21		Total Mosquitoes Tested: 626		Total Pending: 0	Total RAMP: 21	Total Negative: 20	Total Positive: 1
Dublin East	5/28/2013	Gravid Trap	5/29/2013	DE-22-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	6/3/2013	Gravid Trap	6/4/2013	DE-23-1.1	<i>Culex spp.</i>	19	Negative	RAMP
	6/10/2013	Gravid Trap	6/11/2013	DE-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Dublin East	6/10/2013	Gravid Trap	6/11/2013	DE-24-2.2	<i>Culex spp.</i>	8	Negative	RAMP	
	6/24/2013	Gravid Trap	6/25/2013	DE-26-1.1	<i>Culex spp.</i>	38	Negative	RAMP	
	7/1/2013	Gravid Trap	7/2/2013	DE-27-1.1	<i>Culex spp.</i>	31	Negative	RAMP	
	7/8/2013	Gravid Trap		7/9/2013	DE-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP
					DE-28-2.2	<i>Culex spp.</i>	33	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	DE-29-1.1	<i>Culex spp.</i>	1	Negative	RAMP	
	7/22/2013	Gravid Trap		7/23/2013	DE-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
					DE-30-2.2	<i>Culex spp.</i>	45	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	DE-31-1.1	<i>Culex spp.</i>	14	Negative	RAMP	
	8/5/2013	Gravid Trap		8/6/2013	DE-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP
					DE-32-2.2	<i>Culex spp.</i>	50	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	DE-33-1.1	<i>Culex spp.</i>	20	Negative	RAMP	
	8/19/2013	Gravid Trap		8/20/2013	DE-34-1.1	<i>Culex spp.</i>	33	Negative	RAMP
					DN-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	DE-35-1.1	<i>Culex spp.</i>	16	Negative	RAMP	
	9/3/2013	Gravid Trap	9/4/2013	DE-36-1.1	<i>Culex spp.</i>	8	Negative	RAMP	
	9/9/2013	Gravid Trap	9/10/2013	DE-37-1.1	<i>Culex spp.</i>	13	Negative	RAMP	
Total Pools Tested: 20		Total Mosquitoes Tested: 583		Total Pending: 0	Total RAMP: 20	Total Negative: 20	Total Positive: 0		
Dublin North	5/20/2013	Gravid Trap	5/21/2013	DN-21-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DN-21-2.3	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DN-21-3.3	<i>Culex spp.</i>	26	Negative	RAMP	
	5/28/2013	Gravid Trap	5/29/2013	DN-22-1.5	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DN-22-2.5	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DN-22-3.5	<i>Culex spp.</i>	50	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin North	5/28/2013	Gravid Trap	5/29/2013	DN-22-4.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-22-5.5	<i>Culex spp.</i>	8	Negative	RAMP
	6/3/2013	Gravid Trap	6/4/2013	DN-23-1.1	<i>Culex spp.</i>	49	Negative	RAMP
	6/10/2013	Gravid Trap	6/11/2013	DN-24-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-24-2.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-24-3.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/17/2013	Gravid Trap	6/18/2013	DN-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-25-2.2	<i>Culex spp.</i>	9	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	DN-26-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-26-2.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-26-3.3	<i>Culex spp.</i>	7	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	DN-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-27-2.2	<i>Culex spp.</i>	6	Negative	RAMP
	7/8/2013	Gravid Trap	7/9/2013	DN-28-1.1	<i>Culex spp.</i>	48	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	DN-29-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-29-2.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-29-3.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-29-4.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-29-5.5	<i>Culex spp.</i>	25	Negative	RAMP
	7/19/2013	Post Spray	7/20/2013	DNPS-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Post Spray		DNPS-29-2.2	<i>Culex spp.</i>	40	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	DN-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-30-2.2	<i>Culex spp.</i>	49	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	DN-31-1.1	<i>Culex spp.</i>	23	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	DN-32-1.4	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin North	8/5/2013	Gravid Trap	8/6/2013	DN-32-2.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-32-3.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-32-4.4	<i>Culex spp.</i>	50	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	DN-33-1.1	<i>Culex spp.</i>	43	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	DN-34-2.2	<i>Culex spp.</i>	34	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	DN-35-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	DN-36-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	DN-37-1.1	<i>Culex spp.</i>	18	Negative	RAMP
Total Pools Tested: 39		Total Mosquitoes Tested: 1552		Total Pending: 0	Total RAMP: 39	Total Negative: 39	Total Positive: 0	
Dublin Northeast	5/20/2013	Gravid Trap	5/21/2013	DNE-21-1.1	<i>Culex spp.</i>	41	Negative	RAMP
	5/28/2013	Gravid Trap	5/29/2013	DNE-22-1.1	<i>Culex spp.</i>	31	Negative	RAMP
	6/3/2013	Gravid Trap	6/4/2013	DNE-23-1.1	<i>Culex spp.</i>	24	Negative	RAMP
	6/10/2013	Gravid Trap	6/11/2013	DNE-24-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-24-2.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-24-3.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-24-4.4	<i>Culex spp.</i>	5	Negative	RAMP
	6/17/2013	Gravid Trap	6/18/2013	DNE-25-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-25-2.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-25-3.3	<i>Culex spp.</i>	31	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	DNE-26-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-26-2.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-26-3.3	<i>Culex spp.</i>	16	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	DNE-27-1.1	<i>Culex spp.</i>	47	Negative	RAMP
	7/8/2013	Gravid Trap	7/9/2013	DNE-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin Northeast	7/8/2013	Gravid Trap	7/9/2013	DNE-28-2.2	<i>Culex spp.</i>	49	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	DNE-29-1.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-29-2.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-29-3.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-29-4.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-29-5.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-29-6.6	<i>Culex spp.</i>	6	Negative	RAMP
	7/19/2013	Post Spray	7/20/2013	DNEPS-29-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Post Spray		DNEPS-29-2.5	<i>Culex spp.</i>	50	Negative	RAMP
		Post Spray		DNEPS-29-3.5	<i>Culex spp.</i>	50	Negative	RAMP
		Post Spray		DNEPS-29-4.5	<i>Culex spp.</i>	50	Negative	RAMP
		Post Spray		DNEPS-5.5	<i>Culex spp.</i>	30	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	DNE-30-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-30-2.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-30-3.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-30-4.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-30-5.5	<i>Culex spp.</i>	40	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	DNE-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-31-2.2	<i>Culex spp.</i>	12	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	DNE-32-1.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-32-2.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-32-3.6	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		DNE-32-4.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-32-5.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-32-6.6	<i>Culex spp.</i>	33	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin Northeast	8/12/2013	Gravid Trap	8/13/2013	DNE-33-1.1	<i>Culex spp.</i>	47	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	DNE-34-1.2	<i>Culex spp.</i>	46	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	DNE-35-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	DNE-36-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	DNE-37-1.1	<i>Culex spp.</i>	18	Negative	RAMP
Total Pools Tested: 45		Total Mosquitoes Tested: 1842		Total Pending: 0	Total RAMP: 45	Total Negative: 44	Total Positive: 1	
Dublin West	5/20/2013	Gravid Trap	5/21/2013	DW-21-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	5/28/2013	Gravid Trap	5/29/2013	DW-22-1.1	<i>Culex spp.</i>	31	Negative	RAMP
	6/10/2013	Gravid Trap	6/11/2013	DW-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-24-2.2	<i>Culex spp.</i>	19	Negative	RAMP
	6/17/2013	Gravid Trap	6/18/2013	DW-25-1.1	<i>Culex spp.</i>	43	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	DW-26-1.1	<i>Culex spp.</i>	23	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	DW-27-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	7/8/2013	Gravid Trap	7/9/2013	DW-28-1.1	<i>Culex spp.</i>	31	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	DW-29-1.14	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-29-10.14	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-29-11.14	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-29-12.14	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-29-13.14	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		DW-29-14.14	<i>Culex spp.</i>	30	Negative	RAMP
		Gravid Trap		DW-29-2.14	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-29-3.14	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-29-4.14	<i>Culex spp.</i>	50	Negative	RAMP
Gravid Trap	DW-29-5.14	<i>Culex spp.</i>	50	Negative	RAMP			

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay		
Dublin West	7/15/2013	Gravid Trap	7/16/2013	DW-29-6.14	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		DW-29-7.14	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		DW-29-8.14	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		DW-29-9.14	<i>Culex spp.</i>	50	Negative	RAMP		
	7/19/2013	Post Spray	7/20/2013	DWPS-29-1.7	<i>Culex spp.</i>	50	Negative	RAMP		
		Post Spray		DWPS-29-2.7	<i>Culex spp.</i>	50	WNV+	RAMP		
		Post Spray		DWPS-29-3.7	<i>Culex spp.</i>	50	Negative	RAMP		
		Post Spray		DWPS-29-4.7	<i>Culex spp.</i>	50	WNV+	RAMP		
		Post Spray		DWPS-29-5.7	<i>Culex spp.</i>	50	Negative	RAMP		
		Post Spray		DWPS-29-6.7	<i>Culex spp.</i>	50	Negative	RAMP		
		Post Spray		DWPS-29-7.7	<i>Culex spp.</i>	26	Negative	RAMP		
		7/23/2013		Gravid Trap	7/24/2013	DW-30-1.4	<i>Culex spp.</i>	50	Negative	RAMP
				Gravid Trap		DW-30-2.4	<i>Culex spp.</i>	50	Negative	RAMP
				Gravid Trap		DW-30-3.4	<i>Culex spp.</i>	50	Negative	RAMP
	Gravid Trap		DW-30-4.4	<i>Culex spp.</i>		50	Negative	RAMP		
	7/30/2013	Post Spray	7/31/2013	DWPS-31-1.6	<i>Culex spp.</i>	50	WNV+	RAMP		
		Post Spray		DWPS-31-2.6	<i>Culex spp.</i>	50	Negative	RAMP		
		Post Spray		DWPS-31-3.6	<i>Culex spp.</i>	50	Negative	RAMP		
		Post Spray		DWPS-31-4.6	<i>Culex spp.</i>	50	Negative	RAMP		
		Post Spray		DWPS-31-5.6	<i>Culex spp.</i>	50	Negative	RAMP		
Post Spray		DWPS-31-6.6		<i>Culex spp.</i>	49	Negative	RAMP			
8/5/2013	Gravid Trap	8/6/2013	DW-32-1.9	<i>Culex spp.</i>	50	Negative	RAMP			
	Gravid Trap		DW-32-2.9	<i>Culex spp.</i>	50	Negative	RAMP			
	Gravid Trap		DW-32-3.9	<i>Culex spp.</i>	50	Negative	RAMP			
	Gravid Trap		DW-32-4.9	<i>Culex spp.</i>	50	Negative	RAMP			

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Dublin West	8/5/2013	Gravid Trap	8/6/2013	DW-32-5.9	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DW-32-6.9	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DW-32-7.9	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DW-32-8.9	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DW-32-9.9	<i>Culex spp.</i>	20	Negative	RAMP	
	8/12/2013	Gravid Trap	8/13/2013	DW-33-1.1	<i>Culex spp.</i>	20	Negative	RAMP	
	8/19/2013	Gravid Trap	8/20/2013	DW-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DW-34-2.2	<i>Culex spp.</i>	28	Negative	RAMP	
	8/26/2013	Gravid Trap	8/27/2013	DW-35-1.1	<i>Culex spp.</i>	11	Negative	RAMP	
	9/3/2013	Gravid Trap	9/4/2013	DW-36-1.1	<i>Culex spp.</i>	3	Negative	RAMP	
	9/9/2013	Gravid Trap	9/10/2013	DW-37-1.1	<i>Culex spp.</i>	2	Negative	RAMP	
	Total Pools Tested: 54		Total Mosquitoes Tested: 2287		Total Pending: 0	Total RAMP: 54	Total Negative: 50	Total Positive: 4	
	Total Pools Tested: 179		Total Mosquitoes Tested: 6890		Total Pending: 0	Total RAMP: 179	Total Negative: 173	Total Positive: 6	

Franklin Test Results

Franklin North	5/20/2013	Gravid Trap	5/21/2013	FN-21-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	5/28/2013	Gravid Trap	5/29/2013	FN-22-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/10/2013	Gravid Trap	6/11/2013	FN-24-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	6/17/2013	Gravid Trap	6/18/2013	FN-25-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	FN-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	FN-27-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	7/8/2013	Gravid Trap	7/9/2013	FN-28-1.1	<i>Culex spp.</i>	45	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	FN-29-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	FN-30-1.6	<i>Culex spp.</i>	50	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	FN-32-1.7	<i>Culex spp.</i>	50	Negative	RAMP
Gravid Trap		FN-32-2.7		<i>Culex spp.</i>	50	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Franklin North	8/5/2013	Gravid Trap	8/6/2013	FN-32-3.7	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-32-4.7	<i>Culex spp.</i>	50	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	FN-33-1.1	<i>Culex spp.</i>	25	WNV+	RAMP
	8/19/2013	Gravid Trap	8/20/2013	FN-34-1.1	<i>Culex spp.</i>	33	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	FN-35-1.1	<i>Culex spp.</i>	24	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	FN-36-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	FN-37-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-37-2.2	<i>Culex spp.</i>	8	Negative	RAMP
Total Pools Tested: 19		Total Mosquitoes Tested: 789		Total Pending: 0	Total RAMP: 19	Total Negative: 18	Total Positive: 1	
Franklin South	6/10/2013	Gravid Trap	6/11/2013	FS-24-1.1	<i>Culex spp.</i>	25	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	FS-26-1.1	<i>Culex spp.</i>	17	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	FS-27-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/9/2013	Gravid Trap	7/10/2013	FS-28-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	FS-30-1.2	<i>Culex spp.</i>	46	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	FS-31-1.1	<i>Culex spp.</i>	22	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	FS-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	FS-33-1.1	<i>Culex spp.</i>	42	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	FS-34-1.1	<i>Culex spp.</i>	31	WNV+	RAMP
	9/3/2013	Gravid Trap	9/4/2013	FS-36-1.1	<i>Culex spp.</i>	14	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	FS-37-1.1	<i>Culex spp.</i>	9	Negative	RAMP
Total Pools Tested: 11		Total Mosquitoes Tested: 356		Total Pending: 0	Total RAMP: 11	Total Negative: 10	Total Positive: 1	
Total Pools Tested: 30		Total Mosquitoes Tested: 1145		Total Pending: 0	Total RAMP: 30	Total Negative: 28	Total Positive: 2	

Gahanna Test Results

Gahanna North	6/10/2013	Gravid Trap	6/11/2013	GN-24-1.1	<i>Culex spp.</i>	31	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	GN-26-1.1	<i>Culex spp.</i>	26	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Gahanna North	7/1/2013	Gravid Trap	7/2/2013	GN-27-1.1	<i>Culex spp.</i>	41	Negative	RAMP	
	7/8/2013	Gravid Trap	7/9/2013	GN-28-1.1	<i>Culex spp.</i>	19	Negative	RAMP	
	7/15/2013	Gravid Trap	7/16/2013	GN-29-1.1	<i>Culex spp.</i>	45	Negative	RAMP	
	7/22/2013	Gravid Trap	7/23/2013	GN-30-1.4	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GN-30-2.4	<i>Culex spp.</i>	50	Negative	RAMP	
	7/29/2013	Gravid Trap	7/30/2013	GN-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	8/5/2013	Gravid Trap	8/6/2013	GN-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GN-32-2.2	<i>Culex spp.</i>	44	Negative	RAMP	
	8/12/2013	Gravid Trap	8/13/2013	GN-33-1.1	<i>Culex spp.</i>	50	Negative	RAMP	
	8/19/2013	Gravid Trap	8/20/2013	GN-34-1.1	<i>Culex spp.</i>	9	Negative	RAMP	
	8/26/2013	Gravid Trap	8/27/2013	GN-35-1.1	<i>Culex spp.</i>	8	Negative	RAMP	
	9/3/2013	Gravid Trap	9/4/2013	GN-36-1.1	<i>Culex spp.</i>	3	Negative	RAMP	
	9/9/2013	Gravid Trap	9/10/2013	GN-37-1.1	<i>Culex spp.</i>	4	Negative	RAMP	
Total Pools Tested: 15		Total Mosquitoes Tested: 480		Total Pending: 0		Total RAMP: 15		Total Negative: 15 Total Positive: 0	
Gahanna South	5/20/2013	Gravid Trap	5/21/2013	GS-21-1.1	<i>Culex spp.</i>	25	Negative	RAMP	
	6/10/2013	Gravid Trap	6/11/2013	GS-24-1.1	<i>Culex spp.</i>	27	Negative	RAMP	
	6/24/2013	Gravid Trap	6/25/2013	GS-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	7/1/2013	Gravid Trap	7/2/2013	GS-27-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
	7/15/2013	Gravid Trap	7/16/2013	GS-29-1.4	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GS-29-2.4	<i>Culex spp.</i>	50	Negative	RAMP	
	7/29/2013	Gravid Trap	7/30/2013	GS-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GS-31-2.2	<i>Culex spp.</i>	45	Negative	RAMP	
	8/12/2013	Gravid Trap	8/13/2013	GS-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GS-33-2.2	<i>Culex spp.</i>	50	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Gahanna South	8/19/2013	Gravid Trap	8/20/2013	GS-34-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	GS-35-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	GS-36-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	GS-37-1.1	<i>Culex spp.</i>	3	Negative	RAMP
	9/16/2013	Gravid Trap	9/17/2013	GS-38-1.1	<i>Culex spp.</i>	3	Negative	RAMP
Total Pools Tested: 15		Total Mosquitoes Tested: 498		Total Pending: 0		Total RAMP: 15	Total Negative: 15	Total Positive: 0
Gahanna West	6/10/2013	Gravid Trap	6/11/2013	GW-24-1.1	<i>Culex spp.</i>	41	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	GW-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	GW-29-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GW-29-2.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	GW-30-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	GW-31-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GW-31-2.3	<i>Culex spp.</i>	50	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	GW-31-3.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GW-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	GW-32-2.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GW-34-1.1	<i>Culex spp.</i>	26	WNV+	RAMP
Total Pools Tested: 11		Total Mosquitoes Tested: 517		Total Pending: 0		Total RAMP: 11	Total Negative: 10	Total Positive: 1
Total Pools Tested: 41		Total Mosquitoes Tested: 1495		Total Pending: 0		Total RAMP: 41	Total Negative: 40	Total Positive: 1

Grandview Test Results

Grandview	5/20/2013	Gravid Trap	5/21/2013	GV-21-1.1	<i>Culex spp.</i>	37	Negative	RAMP
	6/10/2013	Gravid Trap	6/11/2013	GV-24-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GV-24-2.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/17/2013	Gravid Trap	6/18/2013	GV-25-1.1	<i>Culex spp.</i>	38	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	GV-26-1.1	<i>Culex spp.</i>	30	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Grandview	7/1/2013	Gravid Trap	7/2/2013	GV-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GV-27-2.2	<i>Culex spp.</i>	48	Negative	RAMP	
	7/8/2013	Gravid Trap	7/9/2013	GV-28-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GV-28-2.3	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GV-28-3.3	<i>Culex spp.</i>	43	Negative	RAMP	
	7/15/2013	Gravid Trap	7/16/2013	GV-29-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GV-29-2.3	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GV-29-3.3	<i>Culex spp.</i>	30	Negative	RAMP	
	7/22/2013	Gravid Trap	7/23/2013	GV-30-1.6	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GV-30-2.6	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GV-30-3.6	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GV-30-4.6	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GV-30-5.6	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GV-30-6.6	<i>Culex spp.</i>	17	Negative	RAMP	
	7/29/2013	Gravid Trap	7/30/2013	GV-31-1.1	<i>Culex spp.</i>	14	Negative	RAMP	
	8/5/2013	Gravid Trap	8/6/2013	GV-32-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GV-32-2.3	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GV-32-3.3	<i>Culex spp.</i>	50	Negative	RAMP	
	8/12/2013	Gravid Trap	8/13/2013	GV-33-1.1	<i>Culex spp.</i>	50	Negative	RAMP	
	8/19/2013	Gravid Trap	8/20/2013	GV-34-1.1	<i>Culex spp.</i>	43	Negative	RAMP	
	8/26/2013	Gravid Trap	8/27/2013	GV-35-1.1	<i>Culex spp.</i>	6	Negative	RAMP	
	9/3/2013	Gravid Trap	9/4/2013	GV-36-1.1	<i>Culex spp.</i>	5	Negative	RAMP	
	9/9/2013	Gravid Trap	9/10/2013	GV-37-1.1	<i>Culex spp.</i>	14	WNV+	RAMP	
	Total Pools Tested: 28		Total Mosquitoes Tested: 1125		Total Pending: 0	Total RAMP: 28	Total Negative: 27	Total Positive: 1	
	Total Pools Tested: 28		Total Mosquitoes Tested: 1125		Total Pending: 0	Total RAMP: 28	Total Negative: 27	Total Positive: 1	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City Test Results								
Grove City North	6/10/2013	Gravid Trap	6/11/2013	GCN-24-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	GCN-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/8/2013	Gravid Trap	7/9/2013	GCN-28-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	GCN-29-1.1	<i>Culex spp.</i>	19	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	GCN-30-1.1	<i>Culex spp.</i>	48	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	GCN-31-1.1	<i>Culex spp.</i>	32	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	GCN-32-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	GCN-33-1.1	<i>Culex spp.</i>	35	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	GCN-34-1.1	<i>Culex spp.</i>	41	WNV+	RAMP
	8/26/2013	Gravid Trap	8/27/2013	GCN-35-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	GCN-36-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	GCN-37-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	Total Pools Tested: 12	Total Mosquitoes Tested: 299	Total Pending: 0	Total RAMP: 12	Total Negative: 11	Total Positive: 1		
Grove City South	5/20/2013	Gravid Trap	5/21/2013	GCS-21-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/10/2013	Gravid Trap	6/11/2013	GCS-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	GCS-26-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	GCS-27-1.1	<i>Culex spp.</i>	43	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	GCS-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	GCS-30-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GCS-30-2.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	GCS-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GCS-31-2.2	<i>Culex spp.</i>	45	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	GCS-33-1.1	<i>Culex spp.</i>	45	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	GCS-34-1.3	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City South	8/19/2013	Gravid Trap	8/20/2013	GCS-34-2.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GCS-34-3.3	<i>Culex spp.</i>	25	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	GCS-35-1.1	<i>Culex spp.</i>	35	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	GCS-36-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	GCS-37-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	9/16/2013	Gravid Trap	9/17/2013	GCS-38-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	Total Pools Tested: 17		Total Mosquitoes Tested: 635		Total Pending: 0	Total RAMP: 17	Total Negative: 17	Total Positive: 0
Grove City West	6/10/2013	Gravid Trap	6/11/2013	GCW-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/17/2013	Gravid Trap	6/18/2013	GCW-25-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	GCW-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/8/2013	Gravid Trap	7/9/2013	GCW-28-1.1	<i>Culex spp.</i>	28	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	GCW-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	GCW-30-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GCW-30-2.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	GCW-31-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GCW-31-2.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GCW-31-3.4	<i>Culex spp.</i>	50	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	GCW-33-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		GCW-33-2.2	<i>Culex spp.</i>	50	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	GCW-34-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		GCW-34-2.2	<i>Culex spp.</i>	33	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	GCW-35-1.1	<i>Culex spp.</i>	34	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	GCW-36-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	Total Pools Tested: 16		Total Mosquitoes Tested: 697		Total Pending: 0	Total RAMP: 16	Total Negative: 14	Total Positive: 2
Total Pools Tested: 45		Total Mosquitoes Tested: 1631		Total Pending: 0	Total RAMP: 45	Total Negative: 42	Total Positive: 3	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Groveport Test Results								
Groveport	5/28/2013	Gravid Trap	5/29/2013	GP-22-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	6/10/2013	Gravid Trap	6/11/2013	GP-24-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	6/17/2013	Gravid Trap	6/18/2013	GP-25-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	GP-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	GP-27-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	GP-29-1.1	<i>Culex spp.</i>	44	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	GP-30-1.1	<i>Culex spp.</i>	33	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	GP-31-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	GP-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GP-32-2.2	<i>Culex spp.</i>	42	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	GP-33-1.1	<i>Culex spp.</i>	28	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	GP-34-1.1	<i>Culex spp.</i>	6	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	GP-35-1.1	<i>Culex spp.</i>	13	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	GP-36-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	GP-37-1.1	<i>Culex spp.</i>	16	WNV+	RAMP
	Total Pools Tested: 15	Total Mosquitoes Tested: 508		Total Pending: 0	Total RAMP: 15	Total Negative: 14	Total Positive: 1	
	Total Pools Tested: 15	Total Mosquitoes Tested: 508		Total Pending: 0	Total RAMP: 15	Total Negative: 14	Total Positive: 1	

Hamilton Test Results								
Hamilton	6/10/2013	Gravid Trap	6/11/2013	HA-24-1.1	<i>Culex spp.</i>	33	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	HA-26-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	HA-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/8/2013	Gravid Trap	7/9/2013	HA-28-1.1	<i>Culex spp.</i>	33	WNV+	RAMP
	7/15/2013	Gravid Trap	7/16/2013	HA-29-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	HA-30-1.6	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hamilton	7/22/2013	Gravid Trap	7/23/2013	HA-30-2.6	<i>Culex spp.</i>	50	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	HA-31-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HA-31-2.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HA-31-3.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HA-31-4.4	<i>Culex spp.</i>	38	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	HA-33-1.3	<i>Culex spp.</i>	50	WNV+	RAMP
	8/19/2013	Gravid Trap	8/20/2013	HA-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HA-34-2.2	<i>Culex spp.</i>	49	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	HA-35-1.1	<i>Culex spp.</i>	23	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	HA-36-1.1	<i>Culex spp.</i>	12	Negative	RAMP
Total Pools Tested: 16		Total Mosquitoes Tested: 610		Total Pending: 0		Total RAMP: 16	Total Negative: 14	Total Positive: 2
Total Pools Tested: 16		Total Mosquitoes Tested: 610		Total Pending: 0		Total RAMP: 16	Total Negative: 14	Total Positive: 2

Hilliard Test Results

Hilliard Central	5/28/2013	Gravid Trap	5/29/2013	HC-22-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/10/2013	Gravid Trap	6/11/2013	HC-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	HC-26-1.1	<i>Culex spp.</i>	42	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	HC-27-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	7/8/2013	Gravid Trap	7/9/2013	HC-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	HC-29-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	HC-30-1.8	<i>Culex spp.</i>	50	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	HC-31-1.1	<i>Culex spp.</i>	49	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	HC-32-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HC-32-2.4	<i>Culex spp.</i>	50	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	HC-33-1.1	<i>Culex spp.</i>	25	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	HC-34-1.1	<i>Culex spp.</i>	45	WNV+	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hilliard Central	8/26/2013	Gravid Trap	8/27/2013	HC-35-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	HC-36-1.1	<i>Culex spp.</i>	3	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	HC-37-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	Total Pools Tested: 15		Total Mosquitoes Tested: 590		Total Pending: 0	Total RAMP: 15	Total Negative: 14	Total Positive: 1
Hilliard North	6/10/2013	Gravid Trap	6/11/2013	HN-24-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	HN-26-1.1	<i>Culex spp.</i>	34	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	HN-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/8/2013	Gravid Trap	7/9/2013	HN-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	HN-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	HN-30-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	HN-31-1.1	<i>Culex spp.</i>	27	WNV+	RAMP
	8/12/2013	Gravid Trap	8/13/2013	HN-33-1.1	<i>Culex spp.</i>	38	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	HN-34-1.1	<i>Culex spp.</i>	29	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	HN-35-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	HN-36-1.1	<i>Culex spp.</i>	6	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	HN-37-1.1	<i>Culex spp.</i>	23	WNV+	RAMP
	9/16/2013	Gravid Trap	9/17/2013	HN-38-1.1	<i>Culex spp.</i>	4	Negative	RAMP
Total Pools Tested: 13		Total Mosquitoes Tested: 431		Total Pending: 0	Total RAMP: 13	Total Negative: 11	Total Positive: 2	
Hilliard South	5/20/2013	Gravid Trap	5/21/2013	HS-21-1.1	<i>Culex spp.</i>	45	Negative	RAMP
	5/28/2013	Gravid Trap	5/29/2013	HS-22-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/10/2013	Gravid Trap	6/11/2013	HS-24-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	HS-27-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	HS-29-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	HS-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hilliard South	7/29/2013	Gravid Trap	7/30/2013	HS-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	HS-32-1.8	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HS-32-2.8	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HS-32-3.8	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HS-32-4.8	<i>Culex spp.</i>	50	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	HS-33-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	HS-34-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	HS-35-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	HS-36-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	HS-37-1.1	<i>Culex spp.</i>	19	WNV+	RAMP
Total Pools Tested: 16	Total Mosquitoes Tested: 619	Total Pending: 0	Total RAMP: 16	Total Negative: 15	Total Positive: 1			
Total Pools Tested: 44	Total Mosquitoes Tested: 1640	Total Pending: 0	Total RAMP: 44	Total Negative: 40	Total Positive: 4			

Madison Test Results

Madison	6/10/2013	Gravid Trap	6/11/2013	MA-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/17/2013	Gravid Trap	6/18/2013	MA-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	MA-26-1.1	<i>Culex spp.</i>	44	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	MA-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/8/2013	Gravid Trap	7/9/2013	MA-28-1.1	<i>Culex spp.</i>	46	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	MA-29-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/23/2013	Gravid Trap	7/24/2013	MA-30-1.5	<i>Culex spp.</i>	50	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	MA-31-1.1	<i>Culex spp.</i>	13	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	MA-32-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
	8/26/2013	Gravid Trap	8/27/2013	MA-35-1.1	<i>Culex spp.</i>	14	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	MA-36-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	MA-37-1.1	<i>Culex spp.</i>	14	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Total Pools Tested:		12	Total Mosquitoes Tested: 436		Total Pending: 0	Total RAMP: 12	Total Negative: 11	Total Positive: 1
Total Pools Tested: 12		Total Mosquitoes Tested: 436		Total Pending: 0	Total RAMP: 12	Total Negative: 11	Total Positive: 1	

Mifflin Test Results

Mifflin	5/28/2013	Gravid Trap	5/29/2013	MI-22-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/10/2013	Gravid Trap	6/11/2013	MI-24-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/17/2013	Gravid Trap	6/18/2013	MI-25-1.5	<i>Culex spp.</i>	50	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	MI-26-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	MI-27-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	MI-30-1.18	<i>Culex spp.</i>	50	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	MI-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MI-31-2.2	<i>Culex spp.</i>	25	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	MI-32-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MI-32-2.3	<i>Culex spp.</i>	50	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	MI-33-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	MI-34-1.1	<i>Culex spp.</i>	23	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	MI-35-1.1	<i>Culex spp.</i>	50	WNV+	RAMP
	9/3/2013	Gravid Trap	9/4/2013	MI-36-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	MI-37-1.1	<i>Culex spp.</i>	1	Negative	RAMP
Total Pools Tested:		15	Total Mosquitoes Tested: 606		Total Pending: 0	Total RAMP: 15	Total Negative: 14	Total Positive: 1
Total Pools Tested: 15		Total Mosquitoes Tested: 606		Total Pending: 0	Total RAMP: 15	Total Negative: 14	Total Positive: 1	

New Albany Test Results

New Albany	5/20/2013	Gravid Trap	5/21/2013	NA-21-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	6/10/2013	Gravid Trap	6/11/2013	NA-24-1.1	<i>Culex spp.</i>	38	Negative	RAMP
	6/17/2013	Gravid Trap	6/18/2013	NA-25-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	NA-26-1.1	<i>Culex spp.</i>	36	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
New Albany	7/1/2013	Gravid Trap	7/2/2013	NA-27-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		NA-27-2.3	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		NA-27-3.3	<i>Culex spp.</i>	34	Negative	RAMP	
	7/8/2013	Gravid Trap	7/9/2013	NA-28-1.1	<i>Culex spp.</i>	9	Negative	RAMP	
	7/15/2013	Gravid Trap	7/16/2013	NA-29-1.4	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		NA-29-2.4	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		NA-29-3.4	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		NA-29-4.4	<i>Culex spp.</i>	47	Negative	RAMP	
	7/22/2013	Gravid Trap	7/23/2013	NA-30-1.1	<i>Culex spp.</i>	8	Negative	RAMP	
	7/29/2013	Gravid Trap	7/30/2013	NA-31-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		NA-31-2.3	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		NA-31-3.3	<i>Culex spp.</i>	35	Negative	RAMP	
	8/5/2013	Gravid Trap	8/6/2013	NA-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		NA-32-2.2	<i>Culex spp.</i>	44	Negative	RAMP	
	8/12/2013	Gravid Trap	8/13/2013	NA-33-1.1	<i>Culex spp.</i>	26	Negative	RAMP	
	8/19/2013	Gravid Trap	8/20/2013	NA-34-1.1	<i>Culex spp.</i>	16	Negative	RAMP	
	8/26/2013	Gravid Trap	8/27/2013	NA-35-1.1	<i>Culex spp.</i>	1	Negative	RAMP	
	9/3/2013	Gravid Trap	9/4/2013	NA-36-1.1	<i>Culex spp.</i>	14	Negative	RAMP	
	9/16/2013	Gravid Trap	9/17/2013	NA-38-1.1	<i>Culex spp.</i>	1	Negative	RAMP	
	Total Pools Tested: 23		Total Mosquitoes Tested: 726		Total Pending: 0	Total RAMP: 23	Total Negative: 23	Total Positive: 0	
	Total Pools Tested: 23		Total Mosquitoes Tested: 726		Total Pending: 0	Total RAMP: 23	Total Negative: 23	Total Positive: 0	

Norwich Test Results

Norwich	5/28/2013	Gravid Trap	5/29/2013	NO-22-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/10/2013	Gravid Trap	6/11/2013	NO-24-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	NO-27-1.1	<i>Culex spp.</i>	24	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Norwich	7/8/2013	Gravid Trap	7/9/2013	NO-28-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	NO-29-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NO-29-2.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	NO-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	NO-31-1.1	<i>Culex spp.</i>	45	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	NO-32-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	NO-33-1.1	<i>Culex spp.</i>	14	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	NO-34-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	NO-35-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	NO-36-1.1	<i>Culex spp.</i>	3	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	NO-37-1.1	<i>Culex spp.</i>	9	Negative	RAMP
9/16/2013	Gravid Trap	9/17/2013	NO-38-1.1	<i>Culex spp.</i>	2	Negative	RAMP	
Total Pools Tested: 15		Total Mosquitoes Tested: 415		Total Pending: 0	Total RAMP: 15	Total Negative: 15	Total Positive: 0	
Total Pools Tested: 15		Total Mosquitoes Tested: 415		Total Pending: 0	Total RAMP: 15	Total Negative: 15	Total Positive: 0	

Perry Test Results

Perry	5/28/2013	Gravid Trap	5/29/2013	PE-22-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/10/2013	Gravid Trap	6/11/2013	PE-24-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	PE-26-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	PE-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/8/2013	Gravid Trap	7/9/2013	PE-28-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	PE-29-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	PE-30-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	PE-31-1.1	<i>Culex spp.</i>	40	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	PE-32-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-32-2.3	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Perry	8/12/2013	Gravid Trap	8/13/2013	PE-33-1.1	<i>Culex spp.</i>	48	WNV+	RAMP
	8/19/2013	Gravid Trap	8/20/2013	PE-34-1.1	<i>Culex spp.</i>	45	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	PE-35-1.1	<i>Culex spp.</i>	40	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	PE-36-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	PE-37-1.1	<i>Culex spp.</i>	10	Negative	RAMP
Total Pools Tested: 15		Total Mosquitoes Tested: 635		Total Pending: 0	Total RAMP: 15	Total Negative: 14	Total Positive: 1	
Total Pools Tested: 15		Total Mosquitoes Tested: 635		Total Pending: 0	Total RAMP: 15	Total Negative: 14	Total Positive: 1	

Pleasant Test Results

Pleasant North	6/10/2013	Gravid Trap	6/11/2013	PN-24-1.1	<i>Culex spp.</i>	33	Negative	RAMP
	6/17/2013	Gravid Trap	6/18/2013	PN-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	PN-26-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	PN-27-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	PN-29-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	PN-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PN-30-2.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	PN-31-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PN-31-2.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PN-31-3.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PN-31-4.5	<i>Culex spp.</i>	50	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	PN-31-5.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PN-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	PN-32-2.2	<i>Culex spp.</i>	47	Negative	RAMP
		Gravid Trap		PN-33-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	PN-34-1.3	<i>Culex spp.</i>	50	Negative	RAMP
Gravid Trap		PN-34-2.3		<i>Culex spp.</i>	50	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Pleasant North	8/19/2013	Gravid Trap	8/20/2013	PN-34-3.3	<i>Culex spp.</i>	22	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	PN-35-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	Total Pools Tested: 19		Total Mosquitoes Tested: 759		Total Pending: 0	Total RAMP: 19	Total Negative: 19	Total Positive: 0
Pleasant South	5/20/2013	Gravid Trap	5/21/2013	PS-21-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/10/2013	Gravid Trap	6/11/2013	PS-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	PS-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	PS-29-1.1	<i>Culex spp.</i>	35	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	PS-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	PS-31-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PS-31-2.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PS-31-3.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PS-31-4.5	<i>Culex spp.</i>	50	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	PS-33-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	PS-34-1.1	<i>Culex spp.</i>	42	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	PS-35-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	Total Pools Tested: 12		Total Mosquitoes Tested: 537		Total Pending: 0	Total RAMP: 12	Total Negative: 12	Total Positive: 0
	Total Pools Tested: 31		Total Mosquitoes Tested: 1296		Total Pending: 0	Total RAMP: 31	Total Negative: 31	Total Positive: 0

Prairie Test Results

Prairie North	6/10/2013	Gravid Trap	6/11/2013	PRN-24-1.6	<i>Culex spp.</i>	50	Negative	RAMP
	6/17/2013	Gravid Trap	6/18/2013	PRN-25-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	PRN-26-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	PRN-27-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/8/2013	Gravid Trap	7/9/2013	PRN-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	PRN-29-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	PRN-30-1.4	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Prairie North	7/29/2013	Gravid Trap	7/30/2013	PRN-31-1.5	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		PRN-31-2.5	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		PRN-31-3.5	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		PRN-31-4.5	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		PRN-31-5.5	<i>Culex spp.</i>	48	Negative	RAMP	
	8/5/2013	Gravid Trap	8/6/2013	PRN-32-1.1	<i>Culex spp.</i>	28	Negative	RAMP	
	8/12/2013	Gravid Trap	8/13/2013	PRN-33-1.2	<i>Culiseta spp.</i>	50	Negative	RAMP	
		Gravid Trap		PRN-33-2.2	<i>Culiseta spp.</i>	42	Negative	RAMP	
	8/19/2013	Gravid Trap	8/20/2013	PRN-34-1.1	<i>Culex spp.</i>	18	Negative	RAMP	
	8/26/2013	Gravid Trap	8/27/2013	PRN-35-1.1	<i>Culex spp.</i>	50	WNV+	RAMP	
	9/3/2013	Gravid Trap	9/4/2013	PRN-36-1.1	<i>Culex spp.</i>	4	Negative	RAMP	
	Total Pools Tested: 18		Total Mosquitoes Tested: 790		Total Pending: 0	Total RAMP: 18	Total Negative: 17	Total Positive: 1	
	Prairie South	5/20/2013	Gravid Trap	5/21/2013	PRS-21-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		6/10/2013	Gravid Trap	6/11/2013	PRS-24-1.3	<i>Culex spp.</i>	50	Negative	RAMP
6/24/2013		Gravid Trap	6/25/2013	PRS-26-1.1	<i>Culex spp.</i>	31	Negative	RAMP	
7/8/2013		Gravid Trap	7/9/2013	PRS-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
7/15/2013		Gravid Trap	7/16/2013	PRS-29-1.1	<i>Culex spp.</i>	33	Negative	RAMP	
7/22/2013		Gravid Trap	7/23/2013	PRS-30-1.4	<i>Culex spp.</i>	50	Negative	RAMP	
7/29/2013		Gravid Trap	7/30/2013	PRS-31-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		PRS-31-2.3	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		PRS-31-3.3	<i>Culex spp.</i>	47	Negative	RAMP	
8/5/2013		Gravid Trap	8/6/2013	PRS-32-1.1	<i>Culex spp.</i>	45	Negative	RAMP	
8/12/2013		Gravid Trap	8/13/2013	PRS-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
8/19/2013		Gravid Trap	8/20/2013	PRS-34-1.3	<i>Culex spp.</i>	50	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie South	8/19/2013	Gravid Trap	8/20/2013	PRS-34-2.3	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		PRS-34-3.3	<i>Culex spp.</i>	14	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	PRS-35-1.1	<i>Culex spp.</i>	26	Negative	RAMP
	Total Pools Tested: 15	Total Mosquitoes Tested: 646	Total Pending: 0	Total RAMP: 15	Total Negative: 14	Total Positive: 1		
Prairie West	5/20/2013	Gravid Trap	5/21/2013	PRW-21-1.1	<i>Culex spp.</i>	47	Negative	RAMP
	6/10/2013	Gravid Trap	6/11/2013	PRW-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/17/2013	Gravid Trap	6/18/2013	PRW-25-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	PRW-27-1.1	<i>Culex spp.</i>	39	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	PRW-29-1.1	<i>Culex spp.</i>	25	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	PRW-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	PRW-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRW-31-2.2	<i>Culex spp.</i>	48	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	PRW-33-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	PRW-34-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	PRW-35-1.1	<i>Culex spp.</i>	12	WNV+	RAMP
	9/3/2013	Gravid Trap	9/4/2013	PRW-36-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	Total Pools Tested: 12	Total Mosquitoes Tested: 413	Total Pending: 0	Total RAMP: 12	Total Negative: 11	Total Positive: 1		
Total Pools Tested: 45	Total Mosquitoes Tested: 1849	Total Pending: 0	Total RAMP: 45	Total Negative: 42	Total Positive: 3			

Reynoldsburg Test Results

Reynoldsburg East	6/10/2013	Gravid Trap	6/11/2013	RE-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/17/2013	Gravid Trap	6/18/2013	RE-25-1.5	<i>Culex spp.</i>	50	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	RE-26-1.1	<i>Culex spp.</i>	32	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	RE-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	RE-29-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RE-29-2.5	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg East	7/22/2013	Gravid Trap	7/23/2013	RE-30-1.5	<i>Culex spp.</i>	50	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	RE-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	RE-33-1.1	<i>Culiseta spp.</i>	12	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	RE-34-1.1	<i>Culex spp.</i>	13	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	RE-35-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	RE-36-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	RE-37-1.1	<i>Culex spp.</i>	8	Negative	RAMP
	9/16/2013	Gravid Trap	9/17/2013	RE-38-1.1	<i>Culex spp.</i>	9	Negative	RAMP
Total Pools Tested: 14		Total Mosquitoes Tested: 456		Total Pending: 0	Total RAMP: 14	Total Negative: 14	Total Positive: 0	
Reynoldsburg South	6/10/2013	Gravid Trap	6/11/2013	RS-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	RS-26-1.1	<i>Culex spp.</i>	44	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	RS-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/8/2013	Gravid Trap	7/9/2013	RS-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	RS-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	RS-30-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	RS-31-1.1	<i>Culex spp.</i>	42	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	RS-32-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RS-32-2.3	<i>Culex spp.</i>	50	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	RS-33-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	RS-34-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	RS-35-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	RS-36-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	RS-37-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	9/16/2013	Gravid Trap	9/17/2013	RS-38-1.1	<i>Culex spp.</i>	2	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Total Pools Tested:		15	Total Mosquitoes Tested: 560		Total Pending: 0	Total RAMP: 15	Total Negative: 15	Total Positive: 0
Reynoldsburg West	6/10/2013	Gravid Trap	6/11/2013	RW-24-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	RW-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	RW-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	RW-29-1.7	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-29-2.7	<i>Culex spp.</i>	50	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	RW-30-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	RW-32-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-32-2.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-32-3.4	<i>Culex spp.</i>	50	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	RW-33-1.1	<i>Culex spp.</i>	36	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	RW-34-1.1	<i>Culex spp.</i>	32	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	RW-35-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	RW-36-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	RW-37-1.1	<i>Culex spp.</i>	20	Negative	RAMP
Total Pools Tested:		14	Total Mosquitoes Tested: 549		Total Pending: 0	Total RAMP: 14	Total Negative: 14	Total Positive: 0
Total Pools Tested:		43	Total Mosquitoes Tested: 1565		Total Pending: 0	Total RAMP: 43	Total Negative: 43	Total Positive: 0

Sharon Test Results

Sharon North	5/28/2013	Gravid Trap	5/29/2013	SN-22-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/10/2013	Gravid Trap	6/11/2013	SN-24-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	SN-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/8/2013	Gravid Trap	7/9/2013	SN-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	SN-29-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	SN-31-1.1	<i>Culex spp.</i>	27	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	SN-32-1.3	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Sharon North	8/5/2013	Gravid Trap	8/6/2013	SN-32-2.3	<i>Culex spp.</i>	50	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	SN-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SN-33-2.2	<i>Culex spp.</i>	26	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	SN-34-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
	8/26/2013	Gravid Trap	8/27/2013	SN-35-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	SN-37-1.1	<i>Culex spp.</i>	8	Negative	RAMP
Total Pools Tested: 13		Total Mosquitoes Tested: 532		Total Pending: 0	Total RAMP: 13	Total Negative: 12	Total Positive: 1	
Sharon South	5/28/2013	Gravid Trap	5/29/2013	SS-22-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	6/10/2013	Gravid Trap	6/11/2013	SS-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/17/2013	Gravid Trap	6/18/2013	SS-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	SS-26-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	SS-27-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	SS-29-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-29-2.4	<i>Culex spp.</i>	50	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	SS-30-1.8	<i>Culex spp.</i>	50	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	SS-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-31-2.2	<i>Culex spp.</i>	32	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	SS-32-1.4	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		SS-32-2.4	<i>Culex spp.</i>	50	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	SS-34-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	SS-35-1.1	<i>Culex spp.</i>	35	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	SS-36-1.1	<i>Culex spp.</i>	8	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	SS-37-1.1	<i>Culex spp.</i>	20	Negative	RAMP
Total Pools Tested: 16		Total Mosquitoes Tested: 695		Total Pending: 0	Total RAMP: 16	Total Negative: 15	Total Positive: 1	
Total Pools Tested: 29		Total Mosquitoes Tested: 1227		Total Pending: 0	Total RAMP: 29	Total Negative: 27	Total Positive: 2	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Upper Arlington Test Results									
Upper Arlington North	6/10/2013	Gravid Trap	6/11/2013	UAN-24-1.1	<i>Culex spp.</i>	17	Negative	RAMP	
	6/17/2013	Gravid Trap	6/18/2013	UAN-25-1.1	<i>Culex spp.</i>	9	Negative	RAMP	
	6/24/2013	Gravid Trap	6/25/2013	UAN-26-1.1	<i>Culex spp.</i>	25	Negative	RAMP	
	7/1/2013	Gravid Trap	7/2/2013	UAN-27-1.1	<i>Culex spp.</i>	39	Negative	RAMP	
	7/15/2013	Gravid Trap	7/16/2013	UAN-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	7/22/2013	Gravid Trap	7/23/2013	UAN-30-1.1	<i>Culex spp.</i>	37	Negative	RAMP	
	7/29/2013	Gravid Trap	7/30/2013	UAN-31-1.1	<i>Culex spp.</i>	19	Negative	RAMP	
	8/5/2013	Gravid Trap	8/6/2013	UAN-32-1.1	<i>Culex territans</i>	27	Negative	RAMP	
	8/12/2013	Gravid Trap	8/13/2013	UAN-33-1.1	<i>Culex spp.</i>	20	Negative	RAMP	
	8/19/2013	Gravid Trap	8/20/2013	UAN-34-1.1	<i>Culex spp.</i>	35	Negative	RAMP	
	8/26/2013	Gravid Trap	8/27/2013	UAN-35-1.1	<i>Culex spp.</i>	2	Negative	RAMP	
	9/3/2013	Gravid Trap	9/4/2013	UAN-36-1.1	<i>Culex spp.</i>	1	Negative	RAMP	
	9/9/2013	Gravid Trap	9/10/2013	UAN-37-1.1	<i>Culex spp.</i>	4	Negative	RAMP	
Total Pools Tested: 13		Total Mosquitoes Tested: 285		Total Pending: 0		Total RAMP: 13		Total Negative: 13 Total Positive: 0	
Upper Arlington South	6/10/2013	Gravid Trap	6/11/2013	UAS-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	6/17/2013	Gravid Trap	6/18/2013	UAS-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	6/24/2013	Gravid Trap	6/25/2013	UAS-26-1.1	<i>Culex spp.</i>	26	Negative	RAMP	
	7/1/2013	Gravid Trap	7/2/2013	UAS-27-1.1	<i>Culex spp.</i>	42	Negative	RAMP	
	7/8/2013	Gravid Trap	7/9/2013	UAS-28-1.1	<i>Culex spp.</i>	46	Negative	RAMP	
	7/15/2013	Gravid Trap	7/16/2013	UAS-29-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		UAS-29-2.3	<i>Culex spp.</i>	50	Negative	RAMP	
	7/22/2013	Gravid Trap	7/23/2013	UAS-30-1.1	<i>Culex spp.</i>	48	Negative	RAMP	
	7/29/2013	Gravid Trap	7/30/2013	UAS-31-1.1	<i>Culex spp.</i>	16	Negative	RAMP	
	8/5/2013	Gravid Trap	8/6/2013	UAS-32-1.2	<i>Culex spp.</i>	50	WNV+	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Upper Arlington South	8/5/2013	Gravid Trap	8/6/2013	UAS-32-2.2	<i>Culex spp.</i>	39	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	UAS-34-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	UAS-36-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	UAS-37-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	9/16/2013	Gravid Trap	9/17/2013	UAS-38-1.1	<i>Culex spp.</i>	1	Negative	RAMP
Total Pools Tested: 15		Total Mosquitoes Tested: 477		Total Pending: 0	Total RAMP: 15	Total Negative: 14	Total Positive: 1	
Total Pools Tested: 28		Total Mosquitoes Tested: 762		Total Pending: 0	Total RAMP: 28	Total Negative: 27	Total Positive: 1	

Urbancrest Test Results

Urbancrest	6/10/2013	Gravid Trap	6/11/2013	UR-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	6/24/2013	Gravid Trap	6/25/2013	UR-26-1.1	<i>Culex spp.</i>	29	Negative	RAMP	
	7/1/2013	Gravid Trap	7/2/2013	UR-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	7/9/2013	Gravid Trap	7/10/2013	UR-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	7/15/2013	Gravid Trap	7/16/2013	UR-29-1.1	<i>Culex spp.</i>	7	Negative	RAMP	
	7/22/2013	Gravid Trap	7/23/2013	UR-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	7/29/2013	Gravid Trap			UR-31-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
					UR-31-2.2	<i>Culex spp.</i>	31	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	UR-32-1.1	<i>Culex spp.</i>	10	Negative	RAMP	
	8/12/2013	Gravid Trap			UR-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
					UR-33-2.2	<i>Culex spp.</i>	50	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	UR-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	8/26/2013	Gravid Trap	8/27/2013	UR-35-1.1	<i>Culex spp.</i>	50	WNV+	RAMP	
	9/3/2013	Gravid Trap	9/4/2013	UR-36-1.1	<i>Culex spp.</i>	7	Negative	RAMP	
	9/9/2013	Gravid Trap	9/10/2013	UR-37-1.1	<i>Culex spp.</i>	12	Negative	RAMP	
Total Pools Tested: 15		Total Mosquitoes Tested: 546		Total Pending: 0	Total RAMP: 15	Total Negative: 13	Total Positive: 2		
Total Pools Tested: 15		Total Mosquitoes Tested: 546		Total Pending: 0	Total RAMP: 15	Total Negative: 13	Total Positive: 2		

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Westerville Test Results									
Westerville East	5/28/2013	Gravid Trap	5/29/2013	WE-22-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
	6/10/2013	Gravid Trap	6/11/2013	WE-24-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
	6/17/2013	Gravid Trap	6/18/2013	WE-25-1.1	<i>Culex spp.</i>	50	Negative	RAMP	
	6/24/2013	Gravid Trap	6/25/2013	WE-26-1.4	<i>Culex spp.</i>	50	Negative	RAMP	
	7/1/2013	Gravid Trap	7/2/2013	WE-27-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
	7/8/2013	Gravid Trap	7/9/2013	WE-28-1.1	<i>Culex spp.</i>	26	Negative	RAMP	
	7/15/2013	Gravid Trap	7/16/2013	WE-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	7/22/2013	Gravid Trap	7/23/2013	WE-30-1.4	<i>Culex spp.</i>	50	Negative	RAMP	
	7/29/2013	Gravid Trap	7/30/2013	WE-31-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		WE-31-2.3	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		WE-31-3.3	<i>Culex spp.</i>	50	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	WE-33-1.2	<i>Culex spp.</i>	50	WNV+	RAMP	
			Gravid Trap		WE-33-2.2	<i>Culex spp.</i>	34	Negative	RAMP
	8/13/2013	Gravid Trap	8/20/2013	WE-34-1.1	<i>Culex spp.</i>	21	Negative	RAMP	
	8/26/2013	Gravid Trap	8/27/2013	WE-35-1.1	<i>Culex spp.</i>	16	Negative	RAMP	
	9/3/2013	Gravid Trap	9/4/2013	WE-36-1.1	<i>Culex spp.</i>	5	Negative	RAMP	
	9/9/2013	Gravid Trap	9/10/2013	WE-37-1.1	<i>Culex spp.</i>	5	Negative	RAMP	
Total Pools Tested: 17		Total Mosquitoes Tested: 657		Total Pending: 0		Total RAMP: 17		Total Negative: 16 Total Positive: 1	
Westerville North	6/10/2013	Gravid Trap	6/11/2013	WN-24-1.1	<i>Culex spp.</i>	30	Negative	RAMP	
	6/17/2013	Gravid Trap	6/18/2013	WN-25-1.1	<i>Culex spp.</i>	47	Negative	RAMP	
	6/24/2013	Gravid Trap	6/25/2013	WN-26-1.1	<i>Culex spp.</i>	44	Negative	RAMP	
	7/1/2013	Gravid Trap	7/2/2013	WN-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	7/15/2013	Gravid Trap	7/16/2013	WN-29-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
	7/22/2013	Gravid Trap	7/23/2013	WN-30-1.5	<i>Culex spp.</i>	50	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville North	7/29/2013	Gravid Trap	7/30/2013	WN-31-1.1	<i>Culex spp.</i>	31	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	WN-32-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WN-32-2.3	<i>Culex spp.</i>	50	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	WN-33-1.1	<i>Culex spp.</i>	38	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	WN-34-1.1	<i>Culex spp.</i>	19	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	WN-35-1.1	<i>Culex spp.</i>	3	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	WN-37-1.1	<i>Culex spp.</i>	6	Negative	RAMP
Total Pools Tested: 13		Total Mosquitoes Tested: 468		Total Pending: 0		Total RAMP: 13	Total Negative: 13	Total Positive: 0
Westerville South	5/20/2013	Gravid Trap	5/21/2013	WS-21-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-21-2.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/10/2013	Gravid Trap	6/11/2013	WS-24-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	WS-26-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	WS-27-1.1	<i>Culex spp.</i>	45	Negative	RAMP
	7/8/2013	Gravid Trap	7/9/2013	WS-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	WS-29-1.1	<i>Culex spp.</i>	37	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	WS-30-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	WS-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	WS-32-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-32-2.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-32-3.3	<i>Culex spp.</i>	50	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	WS-33-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		WS-33-2.2	<i>Culex spp.</i>	20	Negative	RAMP
	8/13/2013	Gravid Trap	8/21/2013	WS-34-1.1	<i>Culex spp.</i>	7	Negative	RAMP
8/26/2013	Gravid Trap	8/27/2013	WS-35-1.1	<i>Culex spp.</i>	20	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville South	9/9/2013	Gravid Trap	9/10/2013	WS-37-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	9/16/2013	Gravid Trap	9/17/2013	WS-38-1.1	<i>Culex spp.</i>	3	Negative	RAMP
	Total Pools Tested: 18		Total Mosquitoes Tested: 686		Total Pending: 0	Total RAMP: 18	Total Negative: 17	Total Positive: 1
Westerville West	6/10/2013	Gravid Trap	6/11/2013	WW-24-1.1	<i>Culex spp.</i>	25	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	WW-27-1.1	<i>Culex spp.</i>	42	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	WW-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	WW-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	WW-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	WW-33-1.1	<i>Culex spp.</i>	14	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	WW-34-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	WW-36-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	WW-37-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	9/16/2013	Gravid Trap	9/17/2013	WW-38-1.1	<i>Culex spp.</i>	3	Negative	RAMP
Total Pools Tested: 10		Total Mosquitoes Tested: 255		Total Pending: 0	Total RAMP: 10	Total Negative: 10	Total Positive: 0	
Total Pools Tested: 58		Total Mosquitoes Tested: 2066		Total Pending: 0	Total RAMP: 58	Total Negative: 56	Total Positive: 2	

Whitehall Test Results

Whitehall East	6/10/2013	Gravid Trap	6/11/2013	WHE-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	WHE-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	WHE-27-1.1	<i>Culex spp.</i>	32	Negative	RAMP
	7/8/2013	Gravid Trap	7/9/2013	WHE-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	WHE-29-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	WHE-30-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	WHE-31-1.1	<i>Culex spp.</i>	33	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	WHE-32-1.3	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		WHE-32-2.3	<i>Culex spp.</i>	50	Negative

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Whitehall East	8/12/2013	Gravid Trap	8/13/2013	WHE-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WHE-33-2.2	<i>Culex spp.</i>	36	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	WHE-34-1.1	<i>Culex spp.</i>	34	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	WHE-35-1.1	<i>Culex spp.</i>	45	Negative	RAMP
	9/3/2013	Gravid Trap	9/4/2013	WHE-36-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	WHE-37-1.1	<i>Culex spp.</i>	21	WNV+	RAMP
	Total Pools Tested: 15		Total Mosquitoes Tested: 605		Total Pending: 0	Total RAMP: 15	Total Negative: 14	Total Positive: 1
Whitehall West	6/10/2013	Gravid Trap	6/11/2013	WHW-24-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	6/17/2013	Gravid Trap	6/18/2013	WHW-25-1.7	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WHW-25-2.7	<i>Culex spp.</i>	50	Negative	RAMP
	6/24/2013	Gravid Trap	6/25/2013	WHW-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/1/2013	Gravid Trap	7/2/2013	WHW-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/8/2013	Gravid Trap	7/9/2013	WHW-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2013	Gravid Trap	7/16/2013	WHW-29-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/22/2013	Gravid Trap	7/23/2013	WHW-30-1.6	<i>Culex spp.</i>	50	Negative	RAMP
	7/29/2013	Gravid Trap	7/30/2013	WHW-31-1.1	<i>Culex spp.</i>	48	Negative	RAMP
	8/5/2013	Gravid Trap	8/6/2013	WHW-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	8/12/2013	Gravid Trap	8/13/2013	WHW-33-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	8/19/2013	Gravid Trap	8/20/2013	WHW-34-1.1	<i>Culex spp.</i>	38	Negative	RAMP
	8/26/2013	Gravid Trap	8/27/2013	WHW-35-1.1	<i>Culex spp.</i>	49	WNV+	RAMP
	9/3/2013	Gravid Trap	9/4/2013	WHW-36-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	9/9/2013	Gravid Trap	9/10/2013	WHW-37-1.1	<i>Culex spp.</i>	28	Negative	RAMP
Total Pools Tested: 15		Total Mosquitoes Tested: 634		Total Pending: 0	Total RAMP: 15	Total Negative: 14	Total Positive: 1	
Total Pools Tested: 30		Total Mosquitoes Tested: 1239		Total Pending: 0	Total RAMP: 30	Total Negative: 28	Total Positive: 2	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
---------------	-----------	-----------	-------------	----------	------------------	-----------	---------	-------

Total Pools Tested: 812 Total Mosquitoes Tested: 30232 Total Pending: 0 Total RAMP: 812 Total Negative: 774 Total Positive: 38