



Arboviral Surveillance Results

Start Date: 5/1/2014 End Date: 10/6/2014

Franklin County Public Health

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Bexley Test Results								
Bexley	6/2/2014	Gravid Trap	6/3/2014	BE-23-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/9/2014	Gravid Trap	6/10/2014	BE-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	BE-26-1.1	<i>Culex spp.</i>	48	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	BE-27-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	BE-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BE-29-2.2	<i>Culex spp.</i>	35	Negative	PCR
	7/21/2014	Gravid Trap	7/22/2014	BE-30-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap	7/16/2014	BE-30-2.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BE-30-3.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BE-30-4.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BE-30-5.5	<i>Culex spp.</i>	50	Negative	PCR
		7/28/2014	Gravid Trap	7/29/2014	BE-31-1.2	<i>Culex spp.</i>	50	Negative
		Gravid Trap		BE-31-2.2	<i>Culex spp.</i>	10	Negative	PCR
	8/4/2014	Gravid Trap	8/5/2014	BE-32-1.1	<i>Culex spp.</i>	29	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	BE-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BE-33-2.2	<i>Culex spp.</i>	22	Negative	PCR
	8/18/2014	Gravid Trap	8/19/2014	BE-34-1.1	<i>Culex spp.</i>	45	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Bexley	8/25/2014	Gravid Trap	8/26/2014	BE-35-1.1	<i>Culex spp.</i>	29	Negative	RAMP
	9/2/2014	Gravid Trap	9/3/2014	BE-36-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	BE-37-1.1	<i>Culex spp.</i>	33	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	BE-38-1.1	<i>Culex spp.</i>	22	Negative	RAMP
	9/22/2014	Gravid Trap	9/23/2014	BE-39-1.1	<i>Culex spp.</i>	12	Negative	RAMP
Total Pools Tested: 22		Total Mosquitoes Tested: 840		Total Pending: 0	Total RAMP: 15	Total Negative: 22	Total Positive: 0	
Grandon Avenue	8/26/2014	Gravid Trap	8/27/2014	BEGR-35-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BEGR-35-2.2	<i>Culex spp.</i>	15	Negative	PCR
Total Pools Tested: 2		Total Mosquitoes Tested: 65		Total Pending: 0	Total RAMP: 0	Total Negative: 2	Total Positive: 0	
Roosevelt Avenue	8/26/2014	Gravid Trap	8/27/2014	BERO-35-1.1	<i>Culex spp.</i>	22	WNV+	PCR
South Remington Road	8/26/2014	Gravid Trap	8/27/2014	BERE-35-1.1	<i>Culex spp.</i>	8	Negative	PCR
Total Pools Tested: 26		Total Mosquitoes Tested: 935		Total Pending: 0	Total RAMP: 15	Total Negative: 25	Total Positive: 1	

Brown Test Results

Brown	5/27/2014	Gravid Trap	5/28/2014	BR-22-1.5	<i>Culex spp.</i>	50	Negative	RAMP
	6/2/2014	Gravid Trap	6/3/2014	BR-23-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/9/2014	Gravid Trap	6/10/2014	BR-24-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	BR-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	BR-29-1.5	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Brown	7/15/2014	Gravid Trap	7/16/2014	BR-29-2.5	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		BR-29-3.5	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		BR-29-4.5	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		BR-29-5.5	<i>Culex spp.</i>	16	Negative	PCR	
	7/21/2014	Gravid Trap	7/22/2014	BR-30-1.10	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap	7/16/2014	BR-30-10.10	<i>Culex spp.</i>	28	Negative	PCR	
		Gravid Trap		BR-30-2.10	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		BR-30-3.10	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		BR-30-4.10	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		BR-30-5.10	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		BR-30-6.10	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		BR-30-7.10	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		BR-30-8.10	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		BR-30-9.10	<i>Culex spp.</i>	50	Negative	PCR	
		7/25/2014	Post Spray	7/26/2014	BRPS-30-1.3	<i>Culex spp.</i>	50	Negative	PCR
			Post Spray		BRPS-30-2.3	<i>Culex spp.</i>	50	Negative	PCR
	Post Spray		BRPS-30-3.3		<i>Culex spp.</i>	16	Negative	PCR	
	7/28/2014	Gravid Trap	7/29/2014	BR-31-1.1	<i>Culex spp.</i>	38	Negative	PCR	
	8/4/2014	Gravid Trap	8/5/2014	BR-32-1.1	<i>Culex spp.</i>	12	Negative	RAMP	
	8/11/2014	Gravid Trap	8/12/2014	BR-33-1.1	<i>Culex spp.</i>	28	Negative	RAMP	
8/18/2014	Gravid Trap	8/19/2014	BR-34-1.1	<i>Culex spp.</i>	28	WNV+	RAMP		
8/22/2014	Post Spray	8/23/2014	BRPS-34-1.2	<i>Culex spp.</i>	50	Negative	PCR		
	Post Spray		BRPS-34-2.2	<i>Culex spp.</i>	41	Negative	PCR		
8/25/2014	Gravid Trap	8/26/2014	BR-35-1.1	<i>Culex spp.</i>	28	Negative	RAMP		
9/2/2014	Gravid Trap	9/3/2014	BR-36-1.1	<i>Culex spp.</i>	8	Negative	RAMP		

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Brown	9/8/2014	Gravid Trap	9/9/2014	BR-37-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	BR-38-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	9/22/2014	Gravid Trap	9/23/2014	BR-39-1.1	<i>Culex spp.</i>	13	Negative	RAMP
Total Pools Tested: 33		Total Mosquitoes Tested: 1284		Total Pending: 0	Total RAMP: 14	Total Negative: 32	Total Positive: 1	
Total Pools Tested: 33		Total Mosquitoes Tested: 1284		Total Pending: 0	Total RAMP: 14	Total Negative: 32	Total Positive: 1	

Canal Winchester Test Results

Canal Winchester	6/2/2014	Gravid Trap	6/3/2014	CW-23-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	6/9/2014	Gravid Trap	6/10/2014	CW-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	CW-26-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	7/7/2014	Gravid Trap	7/8/2014	CW-28-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	CW-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	CW-30-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	7/28/2014	Gravid Trap	7/29/2014	CW-31-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	8/4/2014	Gravid Trap	8/5/2014	CW-32-1.1	<i>Culex spp.</i>	6	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	CW-33-1.1	<i>Culex spp.</i>	40	Negative	RAMP
	8/18/2014	Gravid Trap	8/19/2014	CW-34-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	8/25/2014	Gravid Trap	8/26/2014	CW-35-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	9/2/2014	Gravid Trap	9/3/2014	CW-36-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	CW-37-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	CW-38-1.1	<i>Culex spp.</i>	46	WNV+	RAMP
	9/22/2014	Gravid Trap	9/23/2014	CW-39-1.1	<i>Culex spp.</i>	8	Negative	RAMP
Total Pools Tested: 15		Total Mosquitoes Tested: 297		Total Pending: 0	Total RAMP: 15	Total Negative: 14	Total Positive: 1	
Total Pools Tested: 15		Total Mosquitoes Tested: 297		Total Pending: 0	Total RAMP: 15	Total Negative: 14	Total Positive: 1	

Clinton Test Results

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Clinton	6/2/2014	Gravid Trap	6/3/2014	CT-23-1.1	<i>Culex spp.</i>	22	Negative	RAMP	
	6/9/2014	Gravid Trap	6/10/2014	CT-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	6/16/2014	Gravid Trap	6/17/2014	CT-25-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
	6/23/2014	Gravid Trap	6/24/2014	CT-26-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
	6/27/2014	Post Spray	7/16/2014	CTPS-26-1.1	<i>Culex spp.</i>	19	Negative	PCR	
	6/30/2014	Gravid Trap	7/1/2014	CT-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	7/15/2014	Gravid Trap		7/16/2014	CT-29-1.4	<i>Culex spp.</i>	50	Negative	RAMP
					CT-29-4.4	<i>Culex spp.</i>	10	Negative	PCR
					CT-30-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/21/2014	Gravid Trap		7/22/2014	CT-30-2.3	<i>Culex spp.</i>	50	Negative	PCR
					CT-30-3.3	<i>Culex spp.</i>	9	Negative	PCR
					CT-31-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	7/28/2014	Gravid Trap		7/29/2014	CT-31-2.4	<i>Culex spp.</i>	50	Negative	PCR
					CT-31-3.4	<i>Culex spp.</i>	50	Negative	PCR
					CT-31-4.4	<i>Culex spp.</i>	13	Negative	PCR
					CTPS-31-1.2	<i>Culex spp.</i>	50	Negative	PCR
	7/31/2014	Post Spray		8/1/2014	CTPS-31-2.2	<i>Culex spp.</i>	39	WNV+	PCR
					8/4/2014	Gravid Trap	8/5/2014	CT-32-1.2	<i>Culex spp.</i>
		CT-32-2.2	<i>Culex spp.</i>	1	Negative			PCR	
	8/7/2014	Post Spray		8/8/2014	CTPS-32-1.2	<i>Culex spp.</i>	50	WNV+	PCR
					8/5/2014	CTPS-32-2.2	<i>Culex spp.</i>	13	Negative
	8/11/2014	Gravid Trap		8/12/2014	CT-33-1.4	<i>Culex spp.</i>	50	Negative	RAMP
					CT-33-2.4	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Clinton	8/11/2014	Gravid Trap	8/12/2014	CT-33-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-33-4.4	<i>Culex spp.</i>	8	Negative	PCR
	8/18/2014	Gravid Trap	8/19/2014	CT-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-34-2.2	<i>Culex spp.</i>	9	Negative	PCR
	8/20/2014	Post Spray	8/21/2014	CTPS-34-1.2	<i>Culex spp.</i>	50	WNV+	PCR
		Post Spray		CTPS-34-2.2	<i>Culex spp.</i>	2	Negative	PCR
	8/25/2014	Gravid Trap	8/26/2014	CT-35-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		CT-35-2.2	<i>Culex spp.</i>	12	Negative	PCR
	9/2/2014	Gravid Trap	9/3/2014	CT-36-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	9/4/2014	Post Spray	9/5/2014	CTPS-36-1.1	<i>Culex spp.</i>	41	Negative	PCR
	9/8/2014	Gravid Trap	9/9/2014	CT-37-1.1	<i>Culex spp.</i>	35	WNV+	RAMP
	9/14/2014	Pre Spray	9/16/2014	CTPRE-38-1.1	<i>Culex spp.</i>	14	Negative	RAMP
	9/16/2014	Post Spray	9/17/2014	CTPS-38-1.1	<i>Culex spp.</i>	11	Negative	PCR
	9/22/2014	Gravid Trap	9/23/2014	CT-39-1.1	<i>Culex spp.</i>	12	Negative	PCR
	Total Pools Tested: 37		Total Mosquitoes Tested: 1230		Total Pending: 0	Total RAMP: 15	Total Negative: 31	Total Positive: 6
Total Pools Tested: 37		Total Mosquitoes Tested: 1230		Total Pending: 0	Total RAMP: 15	Total Negative: 31	Total Positive: 6	

Dublin Test Results

Dublin Central	5/12/2014	Gravid Trap	5/20/2014	DC-20-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DC-20-2.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DC-20-3.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DC-20-4.4	<i>Culex spp.</i>	4	Negative	RAMP
	5/19/2014	Gravid Trap	DC-21-1.1	<i>Culex spp.</i>	7	Negative	RAMP	
	5/27/2014	Gravid Trap	5/28/2014	DC-22-1.1	<i>Culex spp.</i>	25	Negative	RAMP
	6/2/2014	Gravid Trap	6/3/2014	DC-23-1.1	<i>Culex spp.</i>	33	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin Central	6/9/2014	Gravid Trap	6/10/2014	DC-24-1.1	<i>Culex spp.</i>	37	Negative	RAMP
	6/16/2014	Gravid Trap	6/17/2014	DC-25-1.1	<i>Culex spp.</i>	3	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	DC-26-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	DC-27-1.1	<i>Culex spp.</i>	25	Negative	RAMP
	7/7/2014	Gravid Trap	7/8/2014	DC-28-1.1	<i>Culex spp.</i>	8	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	DC-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DC-30-2.2	<i>Culex spp.</i>	23	Negative	RAMP
	7/28/2014	Gravid Trap	7/29/2014	DC-31-1.1	<i>Culex spp.</i>	23	Negative	RAMP
	8/4/2014	Gravid Trap	8/5/2014	DC-32-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	DC-33-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	8/18/2014	Gravid Trap	8/19/2014	DC-34-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	8/25/2014	Gravid Trap	8/26/2014	DC-35-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	9/2/2014	Gravid Trap	9/3/2014	DC-36-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	DC-37-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	DC-38-1.1	<i>Culex spp.</i>	6	Negative	RAMP
9/22/2014	Gravid Trap	9/23/2014	DC-39-1.1	<i>Culex spp.</i>	4	Negative	RAMP	
Total Pools Tested: 23		Total Mosquitoes Tested: 487		Total Pending: 0	Total RAMP: 23	Total Negative: 23	Total Positive: 0	
Dublin East	5/12/2014	Gravid Trap	5/20/2014	DE-20-1.1	<i>Culex spp.</i>	25	Negative	RAMP
	5/19/2014	Gravid Trap		DE-21-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-21-2.2	<i>Culex spp.</i>	46	Negative	RAMP
	5/27/2014	Gravid Trap	5/28/2014	DE-22-1.7	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-22-2.7	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-22-3.7	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin East	5/27/2014	Gravid Trap	5/28/2014	DE-22-4.7	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-22-5.7	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-22-6.7	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-22-7.7	<i>Culex spp.</i>	46	Negative	RAMP
	6/2/2014	Gravid Trap	6/3/2014	DE-23-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-23-2.2	<i>Culex spp.</i>	17	Negative	RAMP
	6/9/2014	Gravid Trap	6/10/2014	DE-24-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	6/16/2014	Gravid Trap	6/17/2014	DE-25-1.1	<i>Culex spp.</i>	39	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	DE-26-1.1	<i>Culex spp.</i>	27	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	DE-27-1.1	<i>Culex spp.</i>	25	Negative	RAMP
	7/7/2014	Gravid Trap	7/8/2014	DE-28-1.1	<i>Culex spp.</i>	13	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	DE-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-29-2.2	<i>Culex spp.</i>	10	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	DE-30-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-30-2.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-30-3.3	<i>Culex spp.</i>	23	Negative	RAMP
	7/28/2014	Gravid Trap	7/29/2014	DE-31-1.1	<i>Culex spp.</i>	45	Negative	RAMP
	8/4/2014	Gravid Trap	8/5/2014	DE-32-1.1	<i>Culex spp.</i>	46	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	DE-33-1.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-33-2.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-33-3.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-33-4.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-33-5.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-33-6.6	<i>Culex spp.</i>	9	Negative	RAMP
	8/15/2014	Post Spray	8/27/2014	DEPS-33-1.1	<i>Culex spp.</i>	40	WNV+	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin East	8/18/2014	Gravid Trap	8/19/2014	DE-34-1.1	<i>Culex spp.</i>	6	Negative	RAMP
	8/25/2014	Gravid Trap	8/26/2014	DE-35-1.1	<i>Culex spp.</i>	23	Negative	RAMP
	9/2/2014	Gravid Trap	9/3/2014	DE-36-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	DE-37-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	DE-38-1.1	<i>Culex spp.</i>	29	Negative	RAMP
	9/22/2014	Gravid Trap	9/23/2014	DE-39-1.1	<i>Culex spp.</i>	5	Negative	RAMP
Total Pools Tested: 37		Total Mosquitoes Tested: 1302		Total Pending: 0	Total RAMP: 37	Total Negative: 36	Total Positive: 1	
Dublin North	5/12/2014	Gravid Trap	5/20/2014	DN-20-1.1	<i>Culex spp.</i>	23	Negative	RAMP
	5/19/2014	Gravid Trap		DN-21-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-21-2.2	<i>Culex spp.</i>	47	Negative	RAMP
	5/27/2014	Gravid Trap	5/28/2014	DN-22-1.1	<i>Culex spp.</i>	13	Negative	RAMP
	6/2/2014	Gravid Trap	6/3/2014	DN-23-1.1	<i>Culex spp.</i>	42	Negative	RAMP
	6/9/2014	Gravid Trap	6/10/2014	DN-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-24-2.2	<i>Culex spp.</i>	4	Negative	RAMP
	6/16/2014	Gravid Trap	6/17/2014	DN-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-25-2.2	<i>Culex spp.</i>	18	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	DN-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-26-2.2	<i>Culex spp.</i>	44	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	DN-27-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	7/7/2014	Gravid Trap	7/8/2014	DN-28-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	DN-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-29-2.2	<i>Culex spp.</i>	34	Negative	RAMP
7/21/2014	Gravid Trap	7/22/2014	DN-30-1.9	<i>Culex spp.</i>	50	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Dublin North	7/21/2014	Gravid Trap	7/22/2014	DN-30-2.9	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DN-30-3.9	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DN-30-4.9	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DN-30-5.9	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DN-30-6.9	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DN-30-7.9	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DN-30-8.9	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		DN-30-9.9	<i>Culex spp.</i>	26	Negative	RAMP
		7/25/2014	Post Spray	7/26/2014	DNPS-30-1.1	<i>Culex spp.</i>	29	Negative	RAMP
		7/28/2014	Gravid Trap	7/29/2014	DN-31-1.1	<i>Culex spp.</i>	28	Negative	RAMP
		8/4/2014	Gravid Trap	8/5/2014	DN-32-1.1	<i>Culex spp.</i>	49	Negative	RAMP
		8/11/2014	Gravid Trap	8/12/2014	DN-33-1.3	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		DN-33-2.3	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		DN-33-3.3	<i>Culex spp.</i>	41	Negative	RAMP
		8/18/2014	Gravid Trap	8/19/2014	DN-34-1.1	<i>Culex spp.</i>	40	Negative	RAMP
		8/25/2014	Gravid Trap	8/26/2014	DN-35-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
			Gravid Trap		DN-35-2.2	<i>Culex spp.</i>	50	Negative	RAMP
		9/3/2014	Post Spray	9/4/2014	DNPS-36-1.1	<i>Culex spp.</i>	5	Negative	RAMP
		9/8/2014	Gravid Trap	9/9/2014	DN-37-1.1	<i>Culex spp.</i>	42	Negative	RAMP
		9/15/2014	Gravid Trap	9/16/2014	DN-38-1.1	<i>Culex spp.</i>	38	Negative	RAMP
		9/22/2014	Gravid Trap	9/23/2014	DN-39-1.1	<i>Culex spp.</i>	17	Negative	RAMP
		Total Pools Tested: 37		Total Mosquitoes Tested: 1399		Total Pending: 0	Total RAMP: 37	Total Negative: 36	Total Positive: 1
	Dublin Northeast	5/12/2014	Gravid Trap	5/20/2014	DNE-20-1.2	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Dublin Northeast	5/12/2014	Gravid Trap	5/20/2014	DNE-20-2.2	<i>Culex spp.</i>	38	Negative	RAMP	
	5/19/2014	Gravid Trap		DNE-21-1.1	<i>Culex spp.</i>	1	Negative	RAMP	
	5/27/2014	Gravid Trap	5/28/2014	DNE-22-1.1	<i>Culex spp.</i>	3	Negative	RAMP	
	6/2/2014	Gravid Trap	6/3/2014	DNE-23-1.1	<i>Culex spp.</i>	2	Negative	RAMP	
	6/9/2014	Gravid Trap	6/10/2014	DNE-24-1.1	<i>Culex spp.</i>	20	Negative	RAMP	
	6/16/2014	Gravid Trap	6/17/2014	DNE-25-1.1	<i>Culex spp.</i>	6	Negative	RAMP	
	6/23/2014	Gravid Trap	6/24/2014	DNE-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		DNE-26-2.2	<i>Culex spp.</i>	5	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	DNE-27-1.1	<i>Culex spp.</i>	34	Negative	RAMP	
	7/21/2014	Gravid Trap	7/22/2014	DNE-30-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		DNE-30-2.3	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		DNE-30-3.3	<i>Culex spp.</i>	21	Negative	RAMP
	7/28/2014	Gravid Trap	7/29/2014	DNE-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		DNE-31-2.2	<i>Culex spp.</i>	17	Negative	RAMP
	8/4/2014	Gravid Trap	8/5/2014	DNE-32-1.1	<i>Culex spp.</i>	28	Negative	RAMP	
	8/11/2014	Gravid Trap	8/12/2014	DNE-33-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		DNE-33-2.3	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		DNE-33-3.3	<i>Culex spp.</i>	20	Negative	RAMP
	8/18/2014	Gravid Trap	8/19/2014	DNE-34-1.1	<i>Culex spp.</i>	44	Negative	RAMP	
	8/25/2014	Gravid Trap	8/26/2014	DNE-35-1.1	<i>Culex spp.</i>	44	Negative	RAMP	
	9/2/2014	Gravid Trap	9/3/2014	DNE-36-1.1	<i>Culex spp.</i>	22	Negative	RAMP	
	9/8/2014	Gravid Trap	9/9/2014	DNE-37-1.1	<i>Culex spp.</i>	14	Negative	RAMP	
	9/15/2014	Gravid Trap	9/16/2014	DNE-38-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		DNE-38-2.2	<i>Culex spp.</i>	26	WNV+	RAMP
	9/22/2014	Gravid Trap	9/23/2014	DNE-39-1.1	<i>Culex spp.</i>	18	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Total Pools Tested: 26		Total Mosquitoes Tested: 763		Total Pending: 0	Total RAMP: 26	Total Negative: 25	Total Positive: 1	
Dublin West	5/12/2014	Gravid Trap	5/20/2014	DW-20-1.1	<i>Culex spp.</i>	8	Negative	RAMP
	5/19/2014	Gravid Trap		DW-21-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	5/27/2014	Gravid Trap	5/28/2014	DW-22-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	6/9/2014	Gravid Trap	6/10/2014	DW-24-1.1	<i>Culex spp.</i>	25	Negative	RAMP
	6/16/2014	Gravid Trap	6/17/2014	DW-25-1.1	<i>Culex spp.</i>	46	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	DW-27-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	7/7/2014	Gravid Trap	7/8/2014	DW-28-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	DW-29-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	DW-30-1.1	<i>Culex spp.</i>	37	Negative	RAMP
	7/28/2014	Gravid Trap	7/29/2014	DW-31-1.1	<i>Culex spp.</i>	19	WNV+	RAMP
	8/1/2014	Post Spray	8/5/2014	DWPS-31-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	8/4/2014	Gravid Trap		DW-32-1.1	<i>Culex spp.</i>	6	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	DW-33-1.1	<i>Culex spp.</i>	27	Negative	RAMP
	8/18/2014	Gravid Trap	8/19/2014	DW-34-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	8/25/2014	Gravid Trap	8/26/2014	DW-35-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	DW-37-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	DW-38-1.1	<i>Culex spp.</i>	6	Negative	RAMP
	9/22/2014	Gravid Trap	9/23/2014	DW-39-1.1	<i>Culex spp.</i>	3	Negative	RAMP
Total Pools Tested: 18		Total Mosquitoes Tested: 270		Total Pending: 0	Total RAMP: 18	Total Negative: 17	Total Positive: 1	
Irish Fest North	7/29/2014	Gravid Trap	7/30/2014	IFN-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap	8/5/2014	IFN-31-2.2	<i>Culex spp.</i>	30	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Irish Fest North	7/31/2014	Post Spray	8/5/2014	IFNPS-31-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Post Spray		IFNPS-31-2.2	<i>Culex spp.</i>	9	Negative	RAMP
Total Pools Tested: 4		Total Mosquitoes Tested: 139		Total Pending: 0	Total RAMP: 4	Total Negative: 3	Total Positive: 1	
Irish Fest South	7/29/2014	Gravid Trap	7/30/2014	IFS-31-1.1	<i>Culex spp.</i>	49	Negative	RAMP
	7/31/2014	Post Spray	8/5/2014	IFSPS-31-1.1	<i>Culex spp.</i>	35	Negative	RAMP
Total Pools Tested: 2		Total Mosquitoes Tested: 84		Total Pending: 0	Total RAMP: 2	Total Negative: 2	Total Positive: 0	
Total Pools Tested: 147		Total Mosquitoes Tested: 4444		Total Pending: 0	Total RAMP: 147	Total Negative: 142	Total Positive: 5	

Franklin Test Results

Franklin North	6/2/2014	Gravid Trap	6/3/2014	FN-23-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
	6/16/2014	Gravid Trap	6/17/2014	FN-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	6/23/2014	Gravid Trap	6/24/2014	FN-26-1.1	<i>Culex spp.</i>	50	Negative	RAMP	
	7/15/2014	Gravid Trap	7/16/2014	FN-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	7/21/2014	Gravid Trap		7/22/2014	FN-30-1.6	<i>Culex spp.</i>	50	Negative	RAMP
					FN-30-2.6	<i>Culex spp.</i>	50	Negative	PCR
					FN-30-3.6	<i>Culex spp.</i>	50	Negative	PCR
					FN-30-4.6	<i>Culex spp.</i>	50	Negative	PCR
					FN-30-5.6	<i>Culex spp.</i>	50	Negative	PCR
	7/29/2014	Post Spray		7/30/2014	FN-30-6.6	<i>Culex spp.</i>	31	Negative	PCR
					FNPS-31-1.1	<i>Culex spp.</i>	47	Negative	PCR
					FN-32-1.1	<i>Culex spp.</i>	10	Negative	RAMP
					FN-33-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	8/18/2014	Gravid Trap		8/19/2014	FN-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP
FN-34-2.2	<i>Culex spp.</i>				9	Negative	PCR		

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Franklin North	8/25/2014	Gravid Trap	8/26/2014	FN-35-1.1	<i>Culex spp.</i>	37	Negative	RAMP	
	9/2/2014	Gravid Trap	9/3/2014	FN-36-1.1	<i>Culex spp.</i>	19	Negative	RAMP	
	9/8/2014	Gravid Trap	9/9/2014	FN-37-1.1	<i>Culex spp.</i>	11	Negative	RAMP	
	9/15/2014	Gravid Trap	9/16/2014	FN-38-1.1	<i>Culex spp.</i>	9	Negative	RAMP	
	9/22/2014	Gravid Trap	9/23/2014	FN-39-1.1	<i>Culex spp.</i>	5	Negative	PCR	
Total Pools Tested: 20		Total Mosquitoes Tested: 708		Total Pending: 0	Total RAMP: 12	Total Negative: 20	Total Positive: 0		
Franklin South	6/2/2014	Gravid Trap	6/3/2014	FS-23-1.1	<i>Culex spp.</i>	33	Negative	RAMP	
	6/16/2014	Gravid Trap	6/17/2014	FS-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	6/23/2014	Gravid Trap	6/24/2014	FS-26-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
	6/30/2014	Gravid Trap	7/1/2014	FS-27-1.1	<i>Culex spp.</i>	21	Negative	RAMP	
	7/7/2014	Gravid Trap	7/8/2014	FS-28-1.1	<i>Culex spp.</i>	8	Negative	RAMP	
	7/15/2014	Gravid Trap	7/16/2014	FS-29-1.1	<i>Culex spp.</i>	38	Negative	RAMP	
	7/21/2014	Gravid Trap		7/22/2014	FS-30-1.5	<i>Culex spp.</i>	50	Negative	RAMP
					FS-30-2.5	<i>Culex spp.</i>	50	Negative	PCR
					FS-30-3.5	<i>Culex spp.</i>	50	Negative	PCR
					FS-30-4.5	<i>Culex spp.</i>	50	WNV+	PCR
					FS-30-5.5	<i>Culex spp.</i>	40	Negative	PCR
	7/29/2014	Post Spray	7/30/2014	FSPS-31-1.1	<i>Culex spp.</i>	11	Negative	PCR	
	8/4/2014	Gravid Trap	8/5/2014	FS-32-1.1	<i>Culex spp.</i>	17	Negative	RAMP	
	8/11/2014	Gravid Trap		8/12/2014	FS-33-1.4	<i>Culex spp.</i>	50	Negative	RAMP
					FS-33-2.4	<i>Culex spp.</i>	50	WNV+	PCR
					FS-33-3.4	<i>Culex spp.</i>	50	WNV+	PCR
FS-33-4.4					<i>Culex spp.</i>	10	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Franklin South	8/18/2014	Gravid Trap	8/19/2014	FS-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FS-34-2.2	<i>Culex spp.</i>	8	Negative	PCR
	8/20/2014	Post Spray	8/21/2014	FSPS-34-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		FSPS-34-2.2	<i>Culex spp.</i>	16	Negative	PCR
	8/25/2014	Gravid Trap	8/26/2014	FS-35-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	9/2/2014	Gravid Trap	9/3/2014	FS-36-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	FS-37-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	FS-38-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	9/22/2014	Gravid Trap	9/23/2014	FS-39-1.1	<i>Culex spp.</i>	45	Negative	PCR
	Total Pools Tested: 26		Total Mosquitoes Tested: 833		Total Pending: 0	Total RAMP: 14	Total Negative: 23	Total Positive: 3
Total Pools Tested: 46		Total Mosquitoes Tested: 1541		Total Pending: 0	Total RAMP: 26	Total Negative: 43	Total Positive: 3	

Gahanna Test Results

Gahanna North	6/30/2014	Gravid Trap	7/1/2014	GN-27-1.1	<i>Culex spp.</i>	22	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	GN-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	GN-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GN-30-2.2	<i>Culex spp.</i>	6	Negative	PCR
	7/28/2014	Gravid Trap	7/29/2014	GN-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GN-31-2.2	<i>Culex spp.</i>	20	Negative	PCR
	8/4/2014	Gravid Trap	8/5/2014	GN-32-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	GN-33-1.1	<i>Culex spp.</i>	3	Negative	RAMP
	8/18/2014	Gravid Trap	8/19/2014	GN-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GN-34-2.2	<i>Culex spp.</i>	5	Negative	PCR
	8/25/2014	Gravid Trap	8/26/2014	GN-35-1.1	<i>Culex spp.</i>	37	Negative	RAMP
	9/2/2014	Gravid Trap	9/3/2014	GN-36-1.1	<i>Culex spp.</i>	9	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Gahanna North	9/8/2014	Gravid Trap	9/9/2014	GN-37-1.1	<i>Culex spp.</i>	41	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	GN-38-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		GN-38-2.2	<i>Culex spp.</i>	42	WNV+	RAMP
	9/22/2014	Gravid Trap	9/23/2014	GN-39-1.1	<i>Culex spp.</i>	11	WNV+	RAMP
Total Pools Tested: 16		Total Mosquitoes Tested: 476		Total Pending: 0	Total RAMP: 13	Total Negative: 13	Total Positive: 3	
Gahanna South	6/2/2014	Gravid Trap	6/3/2014	GS-23-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	6/9/2014	Gravid Trap	6/10/2014	GS-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	GS-26-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	GS-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	GS-29-1.1	<i>Culex spp.</i>	33	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	GS-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GS-30-2.2	<i>Culex spp.</i>	39	Negative	PCR
	7/28/2014	Gravid Trap	7/29/2014	GS-31-1.1	<i>Culex spp.</i>	43	Negative	RAMP
	8/4/2014	Gravid Trap	8/5/2014	GS-32-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	GS-33-1.1	<i>Culex spp.</i>	24	Negative	RAMP
	8/18/2014	Gravid Trap	8/19/2014	GS-34-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	8/25/2014	Gravid Trap	8/26/2014	GS-35-1.1	<i>Culex spp.</i>	38	Negative	RAMP
	9/2/2014	Gravid Trap	9/3/2014	GS-36-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	GS-37-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	GS-38-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	9/22/2014	Gravid Trap	9/23/2014	GS-39-1.1	<i>Culex spp.</i>	7	Negative	RAMP
Total Pools Tested: 16		Total Mosquitoes Tested: 453		Total Pending: 0	Total RAMP: 15	Total Negative: 16	Total Positive: 0	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Gahanna West	6/2/2014	Gravid Trap	6/3/2014	GW-23-1.1	<i>Culex spp.</i>	20	Negative	RAMP	
	6/9/2014	Gravid Trap	6/10/2014	GW-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	6/16/2014	Gravid Trap	6/17/2014	GW-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	6/23/2014	Gravid Trap	6/24/2014	GW-26-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
	6/30/2014	Gravid Trap	7/1/2014	GW-27-1.1	<i>Culex spp.</i>	33	Negative	RAMP	
	7/7/2014	Gravid Trap	7/8/2014	GW-28-1.1	<i>Culex spp.</i>	25	Negative	RAMP	
	7/15/2014	Gravid Trap	7/16/2014	GW-29-1.1	<i>Culex spp.</i>	31	Negative	RAMP	
	7/21/2014	Gravid Trap		7/22/2014	GW-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
					GW-30-2.2	<i>Culex spp.</i>	41	Negative	PCR
	7/28/2014	Gravid Trap		7/29/2014	GW-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP
					GW-31-2.2	<i>Culex spp.</i>	22	Negative	PCR
	8/4/2014	Gravid Trap		8/5/2014	GW-32-1.1	<i>Culex spp.</i>	33	Negative	RAMP
	8/11/2014	Gravid Trap		8/12/2014	GW-33-1.4	<i>Culex spp.</i>	50	Negative	RAMP
					GW-33-2.4	<i>Culex spp.</i>	50	Negative	PCR
					GW-33-3.4	<i>Culex spp.</i>	50	Negative	PCR
					GW-33-4.4	<i>Culex spp.</i>	30	Negative	PCR
	8/18/2014	Gravid Trap		8/19/2014	GW-34-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	8/25/2014	Gravid Trap		8/26/2014	GW-35-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
					GW-35-2.2	<i>Culex spp.</i>	3	Negative	PCR
	8/29/2014	Post Spray		8/30/2014	GWPS-35-1.1	<i>Culex spp.</i>	33	Negative	PCR
	9/2/2014	Gravid Trap		9/3/2014	GW-36-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	9/8/2014	Gravid Trap		9/9/2014	GW-37-1.1	<i>Culex spp.</i>	47	Negative	RAMP
	9/15/2014	Gravid Trap		9/16/2014	GW-38-1.1	<i>Culex spp.</i>	19	Negative	RAMP
	9/22/2014	Gravid Trap		9/23/2014	GW-39-1.1	<i>Culex spp.</i>	4	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Total Pools Tested: 24		Total Mosquitoes Tested: 830		Total Pending: 0	Total RAMP: 17	Total Negative: 23	Total Positive: 1	
Total Pools Tested: 56		Total Mosquitoes Tested: 1759		Total Pending: 0	Total RAMP: 45	Total Negative: 52	Total Positive: 4	

Grandview Heights Test Results

Grandview	5/12/2014	Gravid Trap	5/20/2014	GV-20-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	5/27/2014	Gravid Trap	5/28/2014	GV-22-1.1	<i>Culex spp.</i>	29	Negative	RAMP
	6/2/2014	Gravid Trap	6/3/2014	GV-23-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/9/2014	Gravid Trap	6/10/2014	GV-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/16/2014	Gravid Trap	6/17/2014	GV-25-1.1	<i>Culex spp.</i>	29	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	GV-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	GV-27-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	GV-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GV-29-2.2	<i>Culex spp.</i>	36	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	GV-30-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GV-30-2.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GV-30-3.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GV-30-4.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GV-30-5.5	<i>Culex spp.</i>	13	Negative	PCR
	7/28/2014	Gravid Trap	7/29/2014	GV-31-1.1	<i>Culex spp.</i>	29	Negative	RAMP
	8/4/2014	Gravid Trap	8/5/2014	GV-32-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	GV-33-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	8/18/2014	Gravid Trap	8/19/2014	GV-34-1.1	<i>Culex spp.</i>	34	Negative	RAMP
	8/25/2014	Gravid Trap	8/26/2014	GV-35-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		GV-35-2.2	<i>Culex spp.</i>	8	Negative	PCR
	9/2/2014	Gravid Trap	9/3/2014	GV-36-1.1	<i>Culex spp.</i>	10	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grandview	9/4/2014	Post Spray	9/5/2014	GVPS-36-1.1	<i>Culex spp.</i>	6	Negative	PCR
	9/8/2014	Gravid Trap	9/9/2014	GV-37-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	GV-38-1.1	<i>Culex spp.</i>	20	WNV+	RAMP
Total Pools Tested: 24		Total Mosquitoes Tested: 739		Total Pending: 0	Total RAMP: 19	Total Negative: 22	Total Positive: 2	
Total Pools Tested: 24		Total Mosquitoes Tested: 739		Total Pending: 0	Total RAMP: 19	Total Negative: 22	Total Positive: 2	

Grove City Test Results

Grove City North	6/2/2014	Gravid Trap	6/3/2014	GCN-23-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	GCN-27-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	7/7/2014	Gravid Trap	7/8/2014	GCN-28-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	GCN-29-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	GCN-30-1.1	<i>Culex spp.</i>	24	Negative	RAMP
	7/28/2014	Gravid Trap	7/29/2014	GCN-31-1.1	<i>Culex spp.</i>	2	Negative	PCR
	8/4/2014	Gravid Trap	8/5/2014	GCN-32-1.1	<i>Culex spp.</i>	6	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	GCN-33-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	8/18/2014	Gravid Trap	8/19/2014	GCN-34-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	8/25/2014	Gravid Trap	8/26/2014	GCN-35-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	9/2/2014	Gravid Trap	9/3/2014	GCN-36-1.1	<i>Culex spp.</i>	9	WNV+	RAMP
	9/7/2014	Pre Spray	9/8/2014	CNPRE-37-1.	<i>Culex spp.</i>	33	Negative	PCR
	9/9/2014	Post Spray	9/16/2014	3CNPS-37-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	9/15/2014	Gravid Trap		GCN-38-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	9/22/2014	Gravid Trap	9/23/2014	GCN-39-1.1	<i>Culex spp.</i>	2	Negative	RAMP
Total Pools Tested: 15		Total Mosquitoes Tested: 138		Total Pending: 0	Total RAMP: 13	Total Negative: 14	Total Positive: 1	

Grove City South	6/2/2014	Gravid Trap	6/3/2014	GCS-23-1.1	<i>Culex spp.</i>	2	Negative	RAMP
------------------	----------	-------------	----------	------------	-------------------	---	----------	------

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City South	7/15/2014	Gravid Trap	7/16/2014	GCS-29-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	GCS-30-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GCS-30-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GCS-30-3.3	<i>Culex spp.</i>	14	Negative	PCR
	7/28/2014	Gravid Trap	7/29/2014	GCS-31-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	8/4/2014	Gravid Trap	8/5/2014	GCS-32-1.1	<i>Culex spp.</i>	39	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	GCS-33-1.1	<i>Culex spp.</i>	46	Negative	RAMP
	8/18/2014	Gravid Trap	8/19/2014	GCS-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GCS-34-2.2	<i>Culex spp.</i>	8	Negative	PCR
	8/25/2014	Gravid Trap	8/26/2014	GCS-35-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	9/2/2014	Gravid Trap	9/3/2014	GCS-36-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	GCS-37-1.1	<i>Culex spp.</i>	25	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	GCS-38-1.1	<i>Culex spp.</i>	32	Negative	RAMP
	9/22/2014	Gravid Trap	9/23/2014	GCS-39-1.1	<i>Culex spp.</i>	13	Negative	RAMP
	Total Pools Tested: 15		Total Mosquitoes Tested: 365		Total Pending: 0		Total RAMP: 12	Total Negative: 15
Grove City West	6/23/2014	Gravid Trap	6/24/2014	GCW-26-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	GCW-27-1.1	<i>Culex spp.</i>	13	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	GCW-29-1.1	<i>Culex spp.</i>	3	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	GCW-30-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GCW-30-2.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GCW-30-3.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GCW-30-4.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GCW-30-5.5	<i>Culex spp.</i>	25	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City West	7/28/2014	Gravid Trap	7/29/2014	GCW-31-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	8/4/2014	Gravid Trap	8/5/2014	GCW-32-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GCW-32-2.2	<i>Culex spp.</i>	23	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	GCW-33-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GCW-33-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GCW-33-3.3	<i>Culex spp.</i>	17	Negative	PCR
	8/18/2014	Gravid Trap	8/19/2014	GCW-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GCW-34-2.2	<i>Culex spp.</i>	50	Negative	RAMP
	8/25/2014	Gravid Trap	8/26/2014	GCW-35-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	9/2/2014	Gravid Trap	9/3/2014	GCW-36-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	GCW-37-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	GCW-38-1.1	<i>Culex spp.</i>	24	Negative	RAMP
	9/22/2014	Gravid Trap	9/23/2014	GCW-39-1.1	<i>Culex spp.</i>	17	Negative	RAMP
	Total Pools Tested: 21		Total Mosquitoes Tested: 644		Total Pending: 0	Total RAMP: 14	Total Negative: 21	Total Positive: 0
Total Pools Tested: 51		Total Mosquitoes Tested: 1147		Total Pending: 0	Total RAMP: 39	Total Negative: 50	Total Positive: 1	

Groveport Test Results

Groveport	5/27/2014	Gravid Trap	5/28/2014	GP-22-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	6/2/2014	Gravid Trap	6/3/2014	GP-23-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/9/2014	Gravid Trap	6/10/2014	GP-24-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/16/2014	Gravid Trap	6/17/2014	GP-25-1.1	<i>Culex spp.</i>	26	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	GP-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	GP-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	GP-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GP-30-2.2	<i>Culex spp.</i>	10	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay				
Groveport	7/28/2014	Gravid Trap	7/29/2014	GP-31-1.1	<i>Culex spp.</i>	31	Negative	PCR				
	8/4/2014	Gravid Trap	8/5/2014	GP-32-1.1	<i>Culex spp.</i>	10	Negative	PCR				
	8/11/2014	Gravid Trap	8/12/2014	GP-33-1.2	<i>Culex spp.</i>	50	WNV+	RAMP				
		Gravid Trap		GP-33-2.2	<i>Culex spp.</i>	40	Negative	PCR				
	8/15/2014	Post Spray	8/15/2014	GPPS-33-1.1	<i>Culex spp.</i>	17	Negative	PCR				
	8/18/2014	Gravid Trap	8/19/2014	GP-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		GP-34-2.2	<i>Culex spp.</i>	27	Negative	PCR				
	8/25/2014	Gravid Trap	8/26/2014	GP-35-1.1	<i>Culex spp.</i>	38	Negative	RAMP				
	9/2/2014	Gravid Trap	9/3/2014	GP-36-1.1	<i>Culex spp.</i>	21	Negative	RAMP				
	9/8/2014	Gravid Trap	9/9/2014	GP-37-1.2	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		GP-37-2.2	<i>Culex spp.</i>	18	Negative	RAMP				
	9/15/2014	Gravid Trap	9/16/2014	GP-38-1.1	<i>Culex spp.</i>	20	WNV+	RAMP				
	9/22/2014	Gravid Trap	9/23/2014	GP-39-1.1	<i>Culex spp.</i>	20	Negative	RAMP				
	Total Pools Tested:	21	Total Mosquitoes Tested:	728	Total Pending:	0	Total RAMP:	15	Total Negative:	19	Total Positive:	2
	Total Pools Tested:	21	Total Mosquitoes Tested:	728	Total Pending:	0	Total RAMP:	15	Total Negative:	19	Total Positive:	2

Hamilton Test Results

Hamilton	6/30/2014	Gravid Trap	7/1/2014	HA-27-1.1	<i>Culex spp.</i>	6	Negative	RAMP
	7/7/2014	Gravid Trap	7/8/2014	HA-28-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	HA-29-1.1	<i>Culex spp.</i>	3	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	HA-30-1.1	<i>Culex spp.</i>	31	Negative	RAMP
	7/28/2014	Gravid Trap	7/29/2014	HA-31-1.1	<i>Culex spp.</i>	30	Negative	PCR
	8/4/2014	Gravid Trap	8/5/2014	HA-32-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	HA-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HA-33-2.2	<i>Culex spp.</i>	19	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hamilton	8/25/2014	Gravid Trap	8/26/2014	HA-35-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HA-35-2.2	<i>Culex spp.</i>	4	Negative	PCR
	9/2/2014	Gravid Trap	9/3/2014	HA-36-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	HA-37-1.1	<i>Culex spp.</i>	26	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	HA-38-1.1	<i>Culex spp.</i>	24	Negative	RAMP
	9/22/2014	Gravid Trap	9/23/2014	HA-39-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	Total Pools Tested: 14		Total Mosquitoes Tested: 275		Total Pending: 0	Total RAMP: 11	Total Negative: 14	Total Positive: 0
Total Pools Tested: 14		Total Mosquitoes Tested: 275		Total Pending: 0	Total RAMP: 11	Total Negative: 14	Total Positive: 0	

Hilliard Test Results

Hilliard Central	6/2/2014	Gravid Trap	6/3/2014	HC-23-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/9/2014	Gravid Trap	6/10/2014	HC-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/16/2014	Gravid Trap	6/17/2014	HC-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	HC-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	HC-27-1.1	<i>Culex spp.</i>	6	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	HC-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	HC-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HC-30-2.2	<i>Culex spp.</i>	3	Negative	PCR
	7/28/2014	Gravid Trap	7/29/2014	HC-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HC-31-2.2	<i>Culex spp.</i>	2	Negative	PCR
	8/4/2014	Gravid Trap	8/5/2014	HC-32-1.1	<i>Culex spp.</i>	8	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	HC-33-1.1	<i>Culex spp.</i>	32	Negative	RAMP
	8/18/2014	Gravid Trap	8/19/2014	HC-34-1.1	<i>Culex spp.</i>	25	Negative	RAMP
	8/25/2014	Gravid Trap	8/26/2014	HC-35-1.1	<i>Culex spp.</i>	17	WNV+	RAMP
	9/4/2014	Post Spray	9/5/2014	HCPS-36-1.2	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hilliard Central	9/4/2014	Post Spray	9/5/2014	HCPS-36-2.2	<i>Culex spp.</i>	18	Negative	PCR
	9/8/2014	Gravid Trap	9/9/2014	HC-37-1.1	<i>Culex spp.</i>	6	WNV+	RAMP
	9/14/2014	Pre Spray	9/16/2014	HCPRE-38-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	9/16/2014	Post Spray	9/17/2014	HCPS-38-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	9/22/2014	Gravid Trap	9/23/2014	HC-39-1.1	<i>No Mosquitoes</i>	10	Negative	PCR
Total Pools Tested: 20		Total Mosquitoes Tested: 540		Total Pending: 0	Total RAMP: 15	Total Negative: 18	Total Positive: 2	
Hilliard North	6/2/2014	Gravid Trap	6/3/2014	HN-23-1.1	<i>Culex spp.</i>	29	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	HN-26-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	HN-27-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	HN-29-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	HN-30-1.5	<i>Culex spp.</i>	50	Negative	RAMP
				HN-30-2.5	<i>Culex spp.</i>	50	Negative	PCR
				HN-30-3.5	<i>Culex spp.</i>	50	Negative	PCR
				HN-30-4.5	<i>Culex spp.</i>	50	Negative	PCR
	7/28/2014	Gravid Trap	7/29/2014	HN-30-5.5	<i>Culex spp.</i>	30	Negative	PCR
				HN-31-1.1	<i>Culex spp.</i>	30	Negative	PCR
	8/4/2014	Gravid Trap	8/5/2014	HN-32-1.1	<i>Culex spp.</i>	14	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	HN-33-1.1	<i>Culex spp.</i>	9	Negative	PCR
	8/18/2014	Gravid Trap	8/19/2014	HN-34-1.1	<i>Culex spp.</i>	37	Negative	RAMP
	8/25/2014	Gravid Trap	8/26/2014	HN-35-1.1	<i>Culex spp.</i>	28	Negative	RAMP
	9/2/2014	Gravid Trap	9/3/2014	HN-36-1.1	<i>Culex spp.</i>	3	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	HN-37-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	HN-38-1.1	<i>Culex spp.</i>	14	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay			
Total Pools Tested: 17		Total Mosquitoes Tested: 426		Total Pending: 0		Total RAMP: 11		Total Negative: 17		Total Positive: 0	
Hilliard South	6/2/2014	Gravid Trap	6/3/2014	HS-23-1.2	<i>Culex spp.</i>	50	Negative	RAMP			
	6/16/2014	Gravid Trap	6/17/2014	HS-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP			
	6/23/2014	Gravid Trap	6/24/2014	HS-26-1.1	<i>Culex spp.</i>	3	Negative	RAMP			
	7/7/2014	Gravid Trap	7/8/2014	HS-28-1.1	<i>Culex spp.</i>	21	Negative	RAMP			
	7/15/2014	Gravid Trap	7/16/2014	HS-29-1.1	<i>Culex spp.</i>	50	Negative	RAMP			
	7/21/2014	Gravid Trap	7/22/2014	HS-30-1.3	<i>Culex spp.</i>	50	Negative	RAMP			
		Gravid Trap		HS-30-2.3	<i>Culex spp.</i>	50	Negative	PCR			
		Gravid Trap		HS-30-3.3	<i>Culex spp.</i>	14	Negative	PCR			
	7/28/2014	Gravid Trap	7/29/2014	HS-31-1.1	<i>Culex spp.</i>	44	Negative	RAMP			
	8/11/2014	Gravid Trap	8/12/2014	HS-33-1.1	<i>Culex spp.</i>	35	Negative	RAMP			
	8/18/2014	Gravid Trap	8/19/2014	HS-34-1.1	<i>Culex spp.</i>	17	Negative	RAMP			
	8/25/2014	Gravid Trap	8/26/2014	HS-35-1.1	<i>Culex spp.</i>	7	Negative	RAMP			
	9/2/2014	Gravid Trap	9/3/2014	HS-36-1.1	<i>Culex spp.</i>	3	Negative	RAMP			
	9/8/2014	Gravid Trap	9/9/2014	HS-37-1.1	<i>Culex spp.</i>	10	Negative	RAMP			
	9/15/2014	Gravid Trap	9/16/2014	HS-38-1.1	<i>Culex spp.</i>	3	Negative	RAMP			
	9/22/2014	Gravid Trap	9/23/2014	HS-39-1.1	<i>No Mosquitoes</i>	7	Negative	PCR			
Total Pools Tested: 16		Total Mosquitoes Tested: 414		Total Pending: 0		Total RAMP: 13		Total Negative: 16		Total Positive: 0	
Total Pools Tested: 53		Total Mosquitoes Tested: 1380		Total Pending: 0		Total RAMP: 39		Total Negative: 51		Total Positive: 2	

Jefferson Test Results

Jefferson	6/2/2014	Gravid Trap	6/3/2014	JE-23-1.1	<i>Culex spp.</i>	19	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	JE-27-1.1	<i>Culex spp.</i>	14	Negative	RAMP
	7/7/2014	Gravid Trap	7/8/2014	JE-28-1.1	<i>Culex spp.</i>	8	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay			
Jefferson	7/15/2014	Gravid Trap	7/16/2014	JE-29-1.1	<i>Culex spp.</i>	15	Negative	RAMP			
	7/21/2014	Gravid Trap	7/22/2014	JE-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP			
		Gravid Trap		JE-30-2.2	<i>Culex spp.</i>	15	Negative	PCR			
	7/28/2014	Gravid Trap	7/29/2014	JE-31-1.1	<i>Culex spp.</i>	40	Negative	RAMP			
	8/4/2014	Gravid Trap	8/5/2014	JE-32-1.1	<i>Culex spp.</i>	31	Negative	RAMP			
	8/11/2014	Gravid Trap	8/12/2014	JE-33-1.1	<i>Culex spp.</i>	18	Negative	RAMP			
	8/18/2014	Gravid Trap	8/19/2014	JE-34-1.3	<i>Culex spp.</i>	50	Negative	RAMP			
		Gravid Trap		JE-34-2.3	<i>Culex spp.</i>	50	Negative	RAMP			
		Gravid Trap		JE-34-3.3	<i>Culex spp.</i>	29	Negative	PCR			
	8/24/2014	Pre Spray	8/25/2014	JEPRE-35-1.1	<i>Culex spp.</i>	8	Negative	PCR			
	8/26/2014	Post Spray	8/27/2014	JEPS-35-1.1	<i>Culex spp.</i>	8	Negative	PCR			
	9/2/2014	Gravid Trap	9/3/2014	JE-36-1.1	<i>Culex spp.</i>	9	Negative	RAMP			
	9/8/2014	Gravid Trap	9/9/2014	JE-37-1.1	<i>Culex spp.</i>	27	Negative	RAMP			
	9/15/2014	Gravid Trap	9/16/2014	JE-38-1.1	<i>Culex spp.</i>	50	Negative	PCR			
	9/22/2014	Gravid Trap	9/23/2014	JE-39-1.1	<i>Culex spp.</i>	12	Negative	RAMP			
Total Pools Tested:	18	Total Mosquitoes Tested:	453	Total Pending:	0	Total RAMP:	13	Total Negative:	18	Total Positive:	0
Total Pools Tested:	18	Total Mosquitoes Tested:	453	Total Pending:	0	Total RAMP:	13	Total Negative:	18	Total Positive:	0

Madison Test Results

Madison	6/2/2014	Gravid Trap	6/3/2014	MA-23-1.1	<i>Culex spp.</i>	3	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	MA-26-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	MA-27-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	MA-29-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	MA-30-1.7	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MA-30-2.7	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Madison	7/21/2014	Gravid Trap	7/22/2014	MA-30-3.7	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		MA-30-4.7	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		MA-30-5.7	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		MA-30-6.7	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		MA-30-7.7	<i>Culex spp.</i>	20	Negative	PCR	
	7/24/2014	Post Spray	7/25/2014	MAPS-30-1.2	<i>Culex spp.</i>	50	Negative	PCR	
		Post Spray		MAPS-30-2.2	<i>Culex spp.</i>	40	Negative	PCR	
	7/28/2014	Gravid Trap	7/29/2014	MA-31-1.1	<i>Culex spp.</i>	44	WNV+	RAMP	
	8/4/2014	Gravid Trap	8/5/2014	MA-32-1.1	<i>Culex spp.</i>	50	Negative	RAMP	
	8/11/2014	Gravid Trap	8/12/2014	MA-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		MA-33-2.2	<i>Culex spp.</i>	20	Negative	PCR	
	8/18/2014	Gravid Trap	8/19/2014	MA-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		MA-34-2.2	<i>Culex spp.</i>	4	Negative	PCR	
	8/25/2014	Gravid Trap	8/26/2014	MA-35-1.1	<i>Culex spp.</i>	28	Negative	RAMP	
	9/2/2014	Gravid Trap	9/3/2014	MA-36-1.1	<i>Culex spp.</i>	11	Negative	RAMP	
	9/8/2014	Gravid Trap	9/9/2014	MA-37-1.1	<i>Culex spp.</i>	12	Negative	RAMP	
	9/15/2014	Gravid Trap	9/16/2014	MA-38-1.1	<i>Culex spp.</i>	4	Negative	RAMP	
	9/22/2014	Gravid Trap	9/23/2014	MA-39-1.1	<i>Culex spp.</i>	27	WNV+	RAMP	
	Total Pools Tested: 24		Total Mosquitoes Tested: 843		Total Pending: 0	Total RAMP: 14	Total Negative: 22	Total Positive: 2	
	Total Pools Tested: 24		Total Mosquitoes Tested: 843		Total Pending: 0	Total RAMP: 14	Total Negative: 22	Total Positive: 2	

Mifflin Test Results

Mifflin	6/2/2014	Gravid Trap	6/3/2014	MI-23-1.1	<i>Culex spp.</i>	39	Negative	RAMP
	6/16/2014	Gravid Trap	6/17/2014	MI-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	MI-27-1.1	<i>Culex spp.</i>	28	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Mifflin	7/7/2014	Gravid Trap	7/8/2014	MI-28-1.1	<i>Culex spp.</i>	29	Negative	RAMP	
	7/15/2014	Gravid Trap	7/16/2014	MI-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	7/21/2014	Gravid Trap	7/22/2014	MI-30-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		MI-30-2.3	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		MI-30-3.3	<i>Culex spp.</i>	12	Negative	PCR	
	7/28/2014	Gravid Trap	7/29/2014	MI-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		MI-31-2.2	<i>Culex spp.</i>	3	Negative	PCR	
	8/4/2014	Gravid Trap	8/5/2014	MI-32-1.1	<i>Culex spp.</i>	38	WNV+	PCR	
	8/7/2014	Post Spray	8/8/2014	MIPS-32-1.1	<i>Culex spp.</i>	41	Negative	PCR	
	8/11/2014	Gravid Trap	8/12/2014	MI-33-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		MI-33-2.3	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		MI-33-3.3	<i>Culex spp.</i>	30	Negative	PCR	
	8/18/2014	Gravid Trap	8/19/2014	MI-34-1.4	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		MI-34-2.4	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		MI-34-3.4	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		MI-34-4.4	<i>Culex spp.</i>	31	Negative	PCR	
	8/21/2014	Post Spray	8/22/2014	MIPS-34-1.1	<i>Culex spp.</i>	20	Negative	PCR	
	8/25/2014	Gravid Trap	8/26/2014	MI-35-1.1	<i>Culex spp.</i>	41	WNV+	RAMP	
	9/2/2014	Gravid Trap	9/3/2014	MI-36-1.1	<i>Culex spp.</i>	25	Negative	RAMP	
	9/4/2014	Post Spray	9/5/2014	MIPS-36-1.1	<i>Culex spp.</i>	39	Negative	PCR	
	9/8/2014	Gravid Trap	9/9/2014	MI-37-1.1	<i>Culex spp.</i>	43	Negative	RAMP	
	9/15/2014	Gravid Trap	9/16/2014	MI-38-1.1	<i>Culex spp.</i>	30	Negative	RAMP	
	Total Pools Tested: 25		Total Mosquitoes Tested: 949		Total Pending: 0	Total RAMP: 13	Total Negative: 23	Total Positive: 2	
	Total Pools Tested: 25		Total Mosquitoes Tested: 949		Total Pending: 0	Total RAMP: 13	Total Negative: 23	Total Positive: 2	

New Albany Test Results

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
New Albany	5/12/2014	Gravid Trap	5/20/2014	NA-20-1.1	<i>Culex spp.</i>	50	Negative	RAMP	
	6/2/2014	Gravid Trap	6/3/2014	NA-23-1.1	<i>Culex spp.</i>	8	Negative	RAMP	
	6/9/2014	Gravid Trap	6/10/2014	NA-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	6/16/2014	Gravid Trap	6/17/2014	NA-25-1.1	<i>Culex spp.</i>	1	Negative	RAMP	
	6/23/2014	Gravid Trap	6/24/2014	NA-26-1.1	<i>Culex spp.</i>	5	Negative	RAMP	
	6/30/2014	Gravid Trap	7/1/2014	NA-27-1.1	<i>Culex spp.</i>	27	Negative	RAMP	
	7/15/2014	Gravid Trap	7/16/2014	NA-29-1.1	<i>Culex spp.</i>	45	Negative	RAMP	
	7/21/2014	Gravid Trap	7/22/2014	NA-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		NA-30-2.2	<i>Culex spp.</i>	39	Negative	RAMP
	7/28/2014	Gravid Trap	7/29/2014	NA-31-1.1	<i>Culex spp.</i>	11	Negative	RAMP	
	8/4/2014	Gravid Trap	8/5/2014	NA-32-1.1	<i>Culex spp.</i>	4	Negative	RAMP	
	8/11/2014	Gravid Trap	8/12/2014	NA-33-1.4	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		NA-33-2.4	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		NA-33-3.4	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		NA-33-4.4	<i>Culex spp.</i>	36	Negative	PCR
	8/17/2014	Pre Spray	8/19/2014	√APRE-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Pre Spray		√APRE-34-2.2	<i>Culex spp.</i>	44	Negative	PCR	
	8/19/2014	Post Spray	8/20/2014	NAPS-34-1.1	<i>Culex spp.</i>	37	Negative	PCR	
	8/25/2014	Gravid Trap	8/26/2014	NA-35-1.1	<i>Culex spp.</i>	45	Negative	RAMP	
	9/2/2014	Gravid Trap	9/3/2014	NA-36-1.1	<i>Culex spp.</i>	12	Negative	RAMP	
	9/8/2014	Gravid Trap	9/9/2014	NA-37-1.1	<i>Culex spp.</i>	33	Negative	RAMP	
	9/15/2014	Gravid Trap	9/16/2014	NA-38-1.1	<i>Culex spp.</i>	22	Negative	RAMP	
	9/22/2014	Gravid Trap	9/23/2014	NA-39-1.1	<i>Culex spp.</i>	3	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Total Pools Tested: 23		Total Mosquitoes Tested: 722		Total Pending: 0	Total RAMP: 18	Total Negative: 23	Total Positive: 0	
Total Pools Tested: 23		Total Mosquitoes Tested: 722		Total Pending: 0	Total RAMP: 18	Total Negative: 23	Total Positive: 0	

Norwich Test Results

Norwich	6/2/2014	Gravid Trap	6/3/2014	NO-23-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	NO-26-1.1	<i>Culex spp.</i>	40	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	NO-27-1.1	<i>Culex spp.</i>	17	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	NO-29-1.1	<i>Culex spp.</i>	29	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	NO-30-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NO-30-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		NO-30-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		NO-30-4.4	<i>Culex spp.</i>	44	Negative	PCR
	7/28/2014	Gravid Trap	7/29/2014	NO-31-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	8/4/2014	Gravid Trap	8/5/2014	NO-32-1.1	<i>Culex spp.</i>	23	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	NO-33-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NO-33-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		NO-33-3.4	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		NO-33-4.4	<i>Culex spp.</i>	13	Negative	PCR
	8/18/2014	Gravid Trap	8/19/2014	NO-34-1.1	<i>Culex spp.</i>	48	Negative	RAMP
	8/20/2014	Post Spray	8/21/2014	NOPS-34-1.1	<i>Culex spp.</i>	50	WNV+	PCR
	8/25/2014	Gravid Trap	8/26/2014	NO-35-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	9/2/2014	Gravid Trap	9/3/2014	NO-36-1.1	<i>Culex spp.</i>	22	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	NO-37-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	NO-38-1.1	<i>Culex spp.</i>	8	Negative	RAMP
	9/22/2014	Gravid Trap	9/23/2014	NO-39-1.1	<i>Culex spp.</i>	7	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Total Pools Tested:		21	Total Mosquitoes Tested: 685		Total Pending: 0	Total RAMP: 14	Total Negative: 19	Total Positive: 2
Total Pools Tested: 21		Total Mosquitoes Tested: 685		Total Pending: 0	Total RAMP: 14	Total Negative: 19	Total Positive: 2	

Perry Test Results

Perry	5/27/2014	Gravid Trap	5/28/2014	PE-22-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/2/2014	Gravid Trap	6/3/2014	PE-23-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	6/16/2014	Gravid Trap	6/17/2014	PE-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	PE-26-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	PE-27-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-27-2.5	<i>Culex spp.</i>	50	Negative	RAMP
	7/7/2014	Gravid Trap	7/8/2014	PE-28-1.1	<i>Culex spp.</i>	27	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	PE-29-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	PE-30-1.1	<i>Culex spp.</i>	48	Negative	RAMP
	7/28/2014	Gravid Trap	7/29/2014	PE-31-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-31-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-31-3.3	<i>Culex spp.</i>	21	Negative	PCR
	8/1/2014	Post Spray	8/2/2014	PEPS-31-1.1	<i>Culex spp.</i>	38	Negative	PCR
	8/4/2014	Gravid Trap	8/5/2014	PE-32-1.1	<i>Culex spp.</i>	19	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	PE-33-1.8	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-33-2.8	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-33-3.8	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-33-4.8	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-33-5.8	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-33-6.8	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-33-7.8	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Perry	8/11/2014	Gravid Trap	8/12/2014	PE-33-8.8	<i>Culex spp.</i>	20	Negative	PCR
	8/14/2014	Post Spray	8/15/2014	PEPS-33-1.1	<i>Culex spp.</i>	23	Negative	PCR
	8/18/2014	Gravid Trap	8/19/2014	PE-34-1.1	<i>Culex spp.</i>	8	Negative	PCR
	8/25/2014	Gravid Trap	8/26/2014	PE-35-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	9/2/2014	Gravid Trap	9/3/2014	PE-36-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	PE-37-1.1	<i>Culex spp.</i>	17	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	PE-38-1.1	<i>Culex spp.</i>	30	WNV+	RAMP
	9/22/2014	Gravid Trap	9/23/2014	PE-39-1.1	<i>Culex spp.</i>	20	Negative	RAMP
Total Pools Tested: 29		Total Mosquitoes Tested: 1058		Total Pending: 0	Total RAMP: 17	Total Negative: 28	Total Positive: 1	
Total Pools Tested: 29		Total Mosquitoes Tested: 1058		Total Pending: 0	Total RAMP: 17	Total Negative: 28	Total Positive: 1	

Pleasant Test Results

Pleasant North	6/23/2014	Gravid Trap	6/24/2014	PN-26-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	PN-27-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	PN-29-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	PN-30-1.1	<i>Culex spp.</i>	36	Negative	RAMP
	7/28/2014	Gravid Trap	7/29/2014	PN-31-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	8/4/2014	Gravid Trap	8/5/2014	PN-32-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	PN-33-1.1	<i>Culex spp.</i>	48	Negative	RAMP
	8/18/2014	Gravid Trap	8/19/2014	PN-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PN-34-2.2	<i>Culex spp.</i>	44	Negative	PCR
	8/25/2014	Gravid Trap	8/26/2014	PN-35-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PN-35-2.2	<i>Culex spp.</i>	33	WNV+	PCR
	9/2/2014	Gravid Trap	9/3/2014	PN-36-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	9/7/2014	Pre Spray	9/8/2014	PNPRE-37-1.1	<i>Culex spp.</i>	3	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Pleasant North	9/9/2014	Post Spray	9/16/2014	PNPS-37-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Post Spray		PNPS-37-2.2	<i>Culex spp.</i>	12	Negative	RAMP
	9/15/2014	Gravid Trap	PN-38-1.1	<i>Culex spp.</i>	10	Negative	RAMP	
	9/22/2014	Gravid Trap	9/23/2014	PN-39-1.1	<i>Culex spp.</i>	8	Negative	RAMP
Total Pools Tested: 17		Total Mosquitoes Tested: 378		Total Pending: 0	Total RAMP: 14	Total Negative: 16	Total Positive: 1	
Pleasant South	6/2/2014	Gravid Trap	6/3/2014	PS-23-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	PS-27-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	PS-29-1.1	<i>Culex spp.</i>	6	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	PS-30-1.1	<i>Culex spp.</i>	46	Negative	RAMP
	7/28/2014	Gravid Trap	7/29/2014	PS-31-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	8/4/2014	Gravid Trap	8/5/2014	PS-32-1.1	<i>Culex spp.</i>	25	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	PS-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PS-33-2.2	<i>Culex spp.</i>	29	Negative	PCR
	8/18/2014	Gravid Trap	8/19/2014	PS-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PS-34-2.2	<i>Culex spp.</i>	5	Negative	PCR
	8/25/2014	Gravid Trap	8/26/2014	PS-35-1.1	<i>Culex spp.</i>	43	Negative	RAMP
	9/2/2014	Gravid Trap	9/3/2014	PS-36-1.1	<i>Culex spp.</i>	45	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	PS-37-1.1	<i>Culex spp.</i>	37	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	PS-38-1.1	<i>Culex spp.</i>	35	Negative	RAMP
	9/22/2014	Gravid Trap	9/23/2014	PS-39-1.1	<i>Culex spp.</i>	3	Negative	RAMP
Total Pools Tested: 15		Total Mosquitoes Tested: 397		Total Pending: 0	Total RAMP: 13	Total Negative: 15	Total Positive: 0	
Total Pools Tested: 32		Total Mosquitoes Tested: 775		Total Pending: 0	Total RAMP: 27	Total Negative: 31	Total Positive: 1	

Prairie Test Results

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie North	6/2/2014	Gravid Trap	6/3/2014	PRN-23-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	6/9/2014	Gravid Trap	6/10/2014	PRN-24-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	PRN-26-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	PRN-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/7/2014	Gravid Trap	7/8/2014	PRN-28-1.1	<i>Culex spp.</i>	3	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	PRN-29-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	PRN-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-30-2.2	<i>Culex spp.</i>	40	Negative	PCR
	7/28/2014	Gravid Trap	7/29/2014	PRN-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-31-2.2	<i>Culex spp.</i>	4	Negative	PCR
	8/4/2014	Gravid Trap	8/5/2014	PRN-32-1.1	<i>Culex spp.</i>	47	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	PRN-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-33-2.2	<i>Culex spp.</i>	20	Negative	PCR
	8/18/2014	Gravid Trap	8/19/2014	PRN-34-1.1	<i>Culex spp.</i>	49	WNV+	RAMP
	8/22/2014	Post Spray	8/23/2014	PRNPS-34-1.1	<i>Culex spp.</i>	15	Negative	PCR
	8/25/2014	Gravid Trap	8/26/2014	PRN-35-1.1	<i>Culex spp.</i>	42	Negative	RAMP
	9/2/2014	Gravid Trap	9/3/2014	PRN-36-1.1	<i>Culex spp.</i>	14	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	PRN-37-1.1	<i>Culex spp.</i>	19	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	PRN-38-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	9/22/2014	Gravid Trap	9/23/2014	PRN-39-1.1	<i>Culex spp.</i>	30	Negative	RAMP
Total Pools Tested: 20		Total Mosquitoes Tested: 580		Total Pending: 0	Total RAMP: 16	Total Negative: 19	Total Positive: 1	
Prairie South	6/2/2014	Gravid Trap	6/3/2014	PRS-23-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	6/9/2014	Gravid Trap	6/10/2014	PRS-24-1.3	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie South	6/23/2014	Gravid Trap	6/24/2014	PRS-26-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	PRS-27-1.1	<i>Culex spp.</i>	36	Negative	RAMP
	7/7/2014	Gravid Trap	7/8/2014	PRS-28-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	PRS-29-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	7/20/2014	Gravid Trap	7/21/2014	TAM-29-1.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap	7/23/2014	TAM-29-2.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		TAM-29-3.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		TAM-29-4.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		TAM-29-5.5	<i>Culex spp.</i>	23	Negative	PCR
	7/21/2014	Gravid Trap	7/22/2014	PRS-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-30-2.2	<i>Culex spp.</i>	40	Negative	PCR
	7/28/2014	Gravid Trap	7/29/2014	PRS-31-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	8/4/2014	Gravid Trap	8/5/2014	PRS-32-1.1	<i>Culex spp.</i>	47	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	PRS-33-1.1	<i>Culex spp.</i>	42	Negative	RAMP
	8/18/2014	Gravid Trap	8/19/2014	PRS-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-34-2.2	<i>Culex spp.</i>	17	Negative	PCR
	8/25/2014	Gravid Trap	8/26/2014	PRS-35-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-35-2.2	<i>Culex spp.</i>	32	Negative	PCR
	9/2/2014	Gravid Trap	9/3/2014	PRS-36-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	PRS-37-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-37-2.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-37-3.3	<i>Culex spp.</i>	34	Negative	RAMP
	9/14/2014	Pre Spray	9/16/2014	PRSPRE-38-1.1	<i>Culex spp.</i>	50	WNV+	RAMP
		Pre Spray		PRSPRE-38-2.1	<i>Culex spp.</i>	11	Negative	RAMP
	9/16/2014	Post Spray	9/17/2014	PRSPS-38-1.1	<i>Culex spp.</i>	5	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie South	9/22/2014	Gravid Trap	9/23/2014	PRS-39-1.1	<i>Culex spp.</i>	23	WNV+	PCR
	Total Pools Tested: 28	Total Mosquitoes Tested: 936		Total Pending: 0	Total RAMP: 18	Total Negative: 26	Total Positive: 2	
Prairie West	6/2/2014	Gravid Trap	6/3/2014	PRW-23-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	6/9/2014	Gravid Trap	6/10/2014	PRW-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	PRW-26-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	PRW-29-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	PRW-30-1.1	<i>Culex spp.</i>	40	Negative	RAMP
	7/28/2014	Gravid Trap	7/29/2014	PRW-31-1.1	<i>Culex spp.</i>	8	Negative	PCR
	8/4/2014	Gravid Trap	8/5/2014	PRW-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRW-32-2.2	<i>Culex spp.</i>	30	Negative	PCR
	8/7/2014	Post Spray	8/8/2014	PRWPS-32-1.1	<i>Culex spp.</i>	32	Negative	PCR
	8/11/2014	Gravid Trap	8/12/2014	PRW-33-1.1	<i>Culex spp.</i>	44	Negative	RAMP
	8/18/2014	Gravid Trap	8/19/2014	PRW-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRW-34-2.2	<i>Culex spp.</i>	12	Negative	PCR
	8/25/2014	Gravid Trap	8/26/2014	PRW-35-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRW-35-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRW-35-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRW-35-4.4	<i>Culex spp.</i>	5	Negative	PCR
	8/28/2014	Post Spray	8/29/2014	PRWPS-35-1.1	<i>Culex spp.</i>	43	Negative	PCR
	9/2/2014	Gravid Trap	9/3/2014	PRW-36-1.1	<i>Culex spp.</i>	19	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	PRW-37-1.1	<i>Culex spp.</i>	43	WNV+	RAMP
	9/14/2014	Pre Spray	9/16/2014	RWPRE-38-1.	<i>Culex spp.</i>	50	Negative	RAMP
		Pre Spray		RWPRE-38-2.	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie West	9/14/2014	Pre Spray	9/16/2014	RWPRE-38-3.	<i>Culex spp.</i>	50	Negative	RAMP
		Pre Spray		RWPRE-38-4.	<i>Culex spp.</i>	50	Negative	RAMP
		Pre Spray		RWPRE-38-5.	<i>Culex spp.</i>	50	Negative	RAMP
	9/16/2014	Post Spray	9/17/2014	RWPS-38-1.1	<i>Culex spp.</i>	17	Negative	PCR
	9/22/2014	Gravid Trap	9/23/2014	PRW-39-1.2	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		PRW-39-2.2	<i>Culex spp.</i>	23	Negative	PCR
	Total Pools Tested: 27		Total Mosquitoes Tested: 932		Total Pending: 0	Total RAMP: 16	Total Negative: 25	Total Positive: 2
Total Pools Tested: 75		Total Mosquitoes Tested: 2448		Total Pending: 0	Total RAMP: 50	Total Negative: 70	Total Positive: 5	

Reynoldsburg Test Results

Reynoldsburg East	6/23/2014	Gravid Trap	6/24/2014	RE-26-1.1	<i>Culex spp.</i>	45	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	RE-29-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	RE-30-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RE-30-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RE-30-3.3	<i>Culex spp.</i>	15	Negative	PCR
	7/28/2014	Gravid Trap	7/29/2014	RE-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RE-31-2.2	<i>Culex spp.</i>	20	Negative	PCR
	8/4/2014	Gravid Trap	8/5/2014	RE-32-1.1	<i>Culex spp.</i>	14	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	RE-33-1.1	<i>Culex spp.</i>	46	Negative	PCR
	8/18/2014	Gravid Trap	8/19/2014	RE-34-1.1	<i>Culex spp.</i>	48	Negative	RAMP
	8/25/2014	Gravid Trap	8/26/2014	RE-35-1.1	<i>Culex spp.</i>	46	Negative	RAMP
	9/2/2014	Gravid Trap	9/3/2014	RE-36-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	RE-37-1.1	<i>Culex spp.</i>	33	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	RE-38-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RE-38-2.2	<i>Culex spp.</i>	10	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg East	9/22/2014	Gravid Trap	9/23/2014	RE-39-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	Total Pools Tested: 16	Total Mosquitoes Tested: 541		Total Pending: 0	Total RAMP: 12	Total Negative: 16	Total Positive: 0	
Reynoldsburg South	6/2/2014	Gravid Trap	6/3/2014	RS-23-1.1	<i>Culex spp.</i>	44	Negative	RAMP
	6/9/2014	Gravid Trap	6/10/2014	RS-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	RS-26-1.1	<i>Culex spp.</i>	46	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	RS-27-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	RS-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/20/2014	Pre Spray	7/21/2014	SPRE-30-10.1	<i>Culex spp.</i>	50	Negative	PCR
		Pre Spray		SPRE-30-11.1	<i>Culex spp.</i>	31	Negative	PCR
		Pre Spray		SPRE-30-2.1	<i>Culex spp.</i>	50	Negative	PCR
		Pre Spray		SPRE-30-3.1	<i>Culex spp.</i>	50	Negative	PCR
		Pre Spray		SPRE-30-4.1	<i>Culex spp.</i>	50	Negative	PCR
		Pre Spray		SPRE-30-5.1	<i>Culex spp.</i>	50	Negative	PCR
		Pre Spray		SPRE-30-6.1	<i>Culex spp.</i>	50	Negative	PCR
		Pre Spray		SPRE-30-7.1	<i>Culex spp.</i>	50	Negative	PCR
		Pre Spray		SPRE-30-8.1	<i>Culex spp.</i>	50	Negative	PCR
		Pre Spray		SPRE-30-9.1	<i>Culex spp.</i>	50	Negative	PCR
		Pre Spray		SPRE-31-1.1	<i>Culex spp.</i>	50	Negative	PCR
	7/22/2014	Post Spray	7/23/2014	RSPS-30-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		RSPS-30-2.2	<i>Culex spp.</i>	50	Negative	PCR
	7/28/2014	Gravid Trap	7/29/2014	RS-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RS-31-2.2	<i>Culex spp.</i>	21	Negative	PCR
	8/4/2014	Gravid Trap	8/5/2014	RS-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg South	8/4/2014	Gravid Trap	8/5/2014	RS-32-2.2	<i>Culex spp.</i>	27	Negative	PCR
	8/8/2014	Post Spray	8/9/2014	RS-31-1.1	<i>Culex spp.</i>	35	Negative	PCR
	8/11/2014	Gravid Trap	8/12/2014	RS-33-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RS-33-2.2	<i>Culex spp.</i>	15	WNV+	PCR
	8/18/2014	Gravid Trap	8/19/2014	RS-34-1.1	<i>Culex spp.</i>	48	Negative	RAMP
	8/25/2014	Gravid Trap	8/26/2014	RS-35-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RS-35-2.2	<i>Culex spp.</i>	14	WNV+	PCR
	9/2/2014	Gravid Trap	9/3/2014	RS-36-1.1	<i>Culex spp.</i>	37	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	RS-37-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	9/10/2014	Post Spray	9/11/2014	RS-37-1.1	<i>Culex spp.</i>	3	Negative	PCR
	9/15/2014	Gravid Trap	9/16/2014	RS-38-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	9/22/2014	Gravid Trap	9/23/2014	RS-39-1.1	<i>Culex spp.</i>	15	WNV+	RAMP
	Total Pools Tested: 33		Total Mosquitoes Tested: 1357		Total Pending: 0	Total RAMP: 13	Total Negative: 30	Total Positive: 3
Reynoldsburg West	5/27/2014	Gravid Trap	5/28/2014	RW-22-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	6/2/2014	Gravid Trap	6/3/2014	RW-23-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/9/2014	Gravid Trap	6/10/2014	RW-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	RW-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	RW-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/7/2014	Gravid Trap	7/8/2014	RW-28-1.1	<i>Culex spp.</i>	13	Negative	RAMP
		Gravid Trap		RW-29-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	RW-29-2.3	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		RW-30-1.9	<i>Culex spp.</i>	50	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	RW-30-2.8	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg West	7/21/2014	Gravid Trap	7/22/2014	RW-30-3.9	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-30-4.9	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-30-5.9	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-30-6.9	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		RW-30-7.9	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-30-8.9	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-30-9.9	<i>Culex spp.</i>	9	Negative	PCR
	7/24/2014	Post Spray	7/25/2014	RWPS-30-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		RWPS-30-2.2	<i>Culex spp.</i>	29	Negative	PCR
	7/28/2014	Gravid Trap	7/29/2014	RW-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-31-2.2	<i>Culex spp.</i>	40	Negative	PCR
	8/4/2014	Gravid Trap	8/5/2014	RW-32-1.1	<i>Culex spp.</i>	36	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	RW-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-33-2.2	<i>Culex spp.</i>	18	Negative	PCR
	8/18/2014	Gravid Trap	8/19/2014	RW-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-34-2.2	<i>Culex spp.</i>	10	Negative	PCR
	8/25/2014	Gravid Trap	8/26/2014	RW-35-1.3	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		RW-35-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-35-3.3	<i>Culex spp.</i>	50	Negative	PCR
	8/29/2014	Post Spray	8/30/2014	RWPS-35-1.1	<i>Culex spp.</i>	4	Negative	PCR
	9/2/2014	Gravid Trap	9/3/2014	RW-36-1.1	<i>Culex spp.</i>	47	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	RW-37-1.1	<i>Culex spp.</i>	26	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	RW-38-1.1	<i>Culex spp.</i>	39	WNV+	RAMP
	9/22/2014	Gravid Trap	9/23/2014	RW-39-1.1	<i>Culex spp.</i>	14	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Total Pools Tested: 34		Total Mosquitoes Tested: 1385		Total Pending: 0		Total RAMP: 17	Total Negative: 30	Total Positive: 4
Total Pools Tested: 83		Total Mosquitoes Tested: 3283		Total Pending: 0		Total RAMP: 42	Total Negative: 76	Total Positive: 7

Sharon Test Results

Sharon North	6/2/2014	Gravid Trap	6/3/2014	SN-23-1.1	<i>Culex spp.</i>	27	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	SN-26-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	SN-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	SN-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	SN-30-1.1	<i>Culex spp.</i>	17	Negative	RAMP
	7/28/2014	Gravid Trap	7/29/2014	SN-31-1.1	<i>Culex spp.</i>	46	Negative	RAMP
	8/4/2014	Gravid Trap	8/5/2014	SN-32-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	8/18/2014	Gravid Trap	8/19/2014	SN-34-1.1	<i>Culex spp.</i>	4	Negative	PCR
	8/25/2014	Gravid Trap	8/26/2014	SN-35-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	9/2/2014	Gravid Trap	9/3/2014	SN-36-1.1	<i>Culex spp.</i>	8	Negative	PCR
	9/15/2014	Gravid Trap	9/16/2014	SN-38-1.1	<i>Culex spp.</i>	13	Negative	RAMP
9/22/2014	Gravid Trap	9/23/2014	SN-39-1.1	<i>Culex spp.</i>	1	Negative	RAMP	
Total Pools Tested: 12		Total Mosquitoes Tested: 245		Total Pending: 0		Total RAMP: 10	Total Negative: 12	Total Positive: 0

Sharon South	6/2/2014	Gravid Trap	6/3/2014	SS-23-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	6/9/2014	Gravid Trap	6/10/2014	SS-24-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/16/2014	Gravid Trap	6/17/2014	SS-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	SS-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	SS-29-1.4	<i>Culex spp.</i>	50	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	SS-30-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-30-2.5	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Sharon South	7/21/2014	Gravid Trap	7/22/2014	SS-30-3.5	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		SS-30-4.5	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		SS-30-5.5	<i>Culex spp.</i>	40	Negative	PCR	
	7/28/2014	Gravid Trap	7/29/2014	SS-31-1.4	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		SS-31-2.4	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		SS-31-3.4	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		SS-31-4.4	<i>Culex spp.</i>	38	Negative	PCR	
	8/1/2014	Post Spray	8/2/2014	SSPS-31-1.3	<i>Culex spp.</i>	50	Negative	PCR	
		Post Spray		7/29/2014	SSPS-31-3.3	<i>Culex spp.</i>	19	Negative	PCR
		Post Spray		SSPS-32-2.3	<i>Culex spp.</i>	50	Negative	PCR	
	8/4/2014	Gravid Trap	8/5/2014	SS-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		SS-32-2.2	<i>Culex spp.</i>	8	Negative	PCR	
	8/11/2014	Gravid Trap	8/12/2014	SS-33-1.1	<i>Culex spp.</i>	30	Negative	RAMP	
	8/18/2014	Gravid Trap	8/19/2014	SS-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		SS-34-2.2	<i>Culex spp.</i>	24	Negative	PCR	
	8/25/2014	Gravid Trap	8/26/2014	SS-35-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		SS-35-2.2	<i>Culex spp.</i>	15	WNV+	PCR	
	9/2/2014	Gravid Trap	9/3/2014	SS-36-1.1	<i>Culex spp.</i>	42	Negative	RAMP	
	9/7/2014	Pre Spray	9/8/2014	SSPRE-37-1.1	<i>Culex spp.</i>	31	Negative	PCR	
	9/15/2014	Gravid Trap	9/16/2014	SS-38-1.1	<i>Culex spp.</i>	49	Negative	RAMP	
	9/22/2014	Gravid Trap	9/23/2014	SS-39-1.1	<i>Culex spp.</i>	13	Negative	RAMP	
	Total Pools Tested: 28		Total Mosquitoes Tested: 1127		Total Pending: 0	Total RAMP: 14	Total Negative: 27	Total Positive: 1	
	Total Pools Tested: 40		Total Mosquitoes Tested: 1372		Total Pending: 0	Total RAMP: 24	Total Negative: 39	Total Positive: 1	

Unassociated or Other Test Results

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Unassociated	7/15/2014	Gravid Trap	7/23/2014	oup C No Labe	<i>Culex spp.</i>	49	Negative	PCR
		Gravid Trap		up C No Labe	<i>Culex spp.</i>	36	Negative	PCR
		Gravid Trap		up C No Labe	<i>Culex spp.</i>	37	Negative	PCR
		Gravid Trap		up C No Labe	<i>Culex spp.</i>	27	Negative	PCR
		Gravid Trap		up C No Labe	<i>Culex spp.</i>	54	Negative	PCR
		Gravid Trap		up C No Labe	<i>Culex spp.</i>	48	Negative	PCR
		Gravid Trap		up C No Labe	<i>Culex spp.</i>	26	Negative	PCR
		Gravid Trap		up C No Labe	<i>Culex spp.</i>	57	Negative	PCR
		Gravid Trap		up C No Labe	<i>Culex spp.</i>	63	WNV+	PCR
		Gravid Trap		up C No Labe	<i>Culex spp.</i>	28	Negative	PCR
		Gravid Trap		up C No Labe	<i>Culex spp.</i>	25	Negative	PCR
		Gravid Trap		oup C No Labe	<i>Culex spp.</i>	57	Negative	PCR
		Gravid Trap		up C No Labe	<i>Culex spp.</i>	65	Negative	PCR
		Gravid Trap		up C No Labe	<i>Culex spp.</i>	4	Negative	PCR
		Gravid Trap		up C No Labe	<i>Culex spp.</i>	33	Negative	PCR
		Gravid Trap		up C No Labe	<i>Culex spp.</i>	52	Negative	PCR
		Gravid Trap		up C No Labe	<i>Culex spp.</i>	62	WNV+	PCR
		Gravid Trap		up C No Labe	<i>Culex spp.</i>	55	WNV+	PCR
		Gravid Trap		oup C No label	<i>Culex spp.</i>	59	Negative	PCR
		Gravid Trap		up C No Labe	<i>Culex spp.</i>	23	Negative	PCR
		Gravid Trap		up C No Labe	<i>Culex spp.</i>	13	Negative	PCR
		Gravid Trap		up C No Labe	<i>Culex spp.</i>	55	Negative	PCR
		Gravid Trap		oup C No Labe	<i>Culex spp.</i>	21	Negative	PCR
		Gravid Trap		oup C No Labe	<i>Culex spp.</i>	49	WNV+	PCR
		Gravid Trap		oup C No Labe	<i>Culex spp.</i>	54	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Unassociated	7/15/2014	Gravid Trap	7/23/2014	oup C No Label	<i>Culex spp.</i>	38	Negative	PCR
		Gravid Trap		oup C No Label	<i>Culex spp.</i>	19	Negative	PCR
		Gravid Trap		oup C No Label	<i>Culex spp.</i>	61	WNV+	PCR
		Gravid Trap		oup C No Label	<i>Culex spp.</i>	11	Negative	PCR
Total Pools Tested: 29		Total Mosquitoes Tested: 1181		Total Pending: 0	Total RAMP: 0	Total Negative: 24	Total Positive: 5	
Total Pools Tested: 29		Total Mosquitoes Tested: 1181		Total Pending: 0	Total RAMP: 0	Total Negative: 24	Total Positive: 5	

Upper Arlington Test Results

Upper Arlington North	6/2/2014	Gravid Trap	6/3/2014	UAN-23-1.1	<i>Culex spp.</i>	13	Negative	RAMP	
	6/23/2014	Gravid Trap	6/24/2014	UAN-26-1.1	<i>Culex spp.</i>	26	Negative	RAMP	
	6/30/2014	Gravid Trap	7/1/2014	UAN-27-1.1	<i>Culex spp.</i>	11	Negative	RAMP	
	7/15/2014	Gravid Trap	7/16/2014	UAN-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	7/21/2014	Gravid Trap	7/22/2014	UAN-30-1.1	<i>Culex spp.</i>	36	Negative	RAMP	
	7/28/2014	Gravid Trap		7/29/2014	UAN-31-1.3	<i>Culex spp.</i>	50	Negative	RAMP
					UAN-31-2.3	<i>Culex spp.</i>	50	Negative	PCR
					UAN-31-3.3	<i>Culex spp.</i>	5	Negative	PCR
	8/4/2014	Gravid Trap	8/5/2014	UAN-32-1.1	<i>Culex spp.</i>	11	Negative	RAMP	
	8/11/2014	Gravid Trap		8/12/2014	UAN-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
					UAN-33-2.2	<i>Culex spp.</i>	32	Negative	PCR
	8/18/2014	Gravid Trap	8/19/2014	UAN-34-1.1	<i>Culex spp.</i>	35	Negative	RAMP	
	8/25/2014	Gravid Trap	8/26/2014	UAN-35-1.1	<i>Culex spp.</i>	17	Negative	RAMP	
	9/2/2014	Gravid Trap	9/3/2014	UAN-36-1.1	<i>Culex spp.</i>	5	Negative	RAMP	
	9/8/2014	Gravid Trap	9/9/2014	UAN-37-1.1	<i>Culex spp.</i>	13	Negative	RAMP	
	9/15/2014	Gravid Trap	9/16/2014	UAN-38-1.1	<i>Culex spp.</i>	14	Negative	RAMP	
	9/22/2014	Gravid Trap	9/23/2014	UAN-39-1.1	<i>Culex spp.</i>	2	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Total Pools Tested: 17		Total Mosquitoes Tested: 420		Total Pending: 0	Total RAMP: 14	Total Negative: 17	Total Positive: 0	
Upper Arlington South	6/2/2014	Gravid Trap	6/3/2014	UAS-23-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/9/2014	Gravid Trap	6/10/2014	UAS-24-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/16/2014	Gravid Trap	6/17/2014	UAS-25-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	UAS-26-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	UAS-29-1.1	<i>Culex spp.</i>	43	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	UAS-30-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UAS-30-2.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAS-30-3.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAS-30-4.5	<i>Culex spp.</i>	50	Negative	PCR
	7/28/2014	Gravid Trap		UAS-30-5.5	<i>Culex spp.</i>	20	Negative	PCR
		Gravid Trap	7/29/2014	UAS-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UAS-31-2.2	<i>Culex spp.</i>	28	Negative	PCR
	8/4/2014	Gravid Trap	8/5/2014	UAS-32-1.1	<i>Culex spp.</i>	19	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	UAS-33-1.1	<i>Culex spp.</i>	27	Negative	RAMP
	8/18/2014	Gravid Trap	8/19/2014	UAS-34-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	8/25/2014	Gravid Trap	8/26/2014	UAS-35-1.1	<i>Culex spp.</i>	45	Negative	RAMP
	9/2/2014	Gravid Trap	9/3/2014	UAS-36-1.1	<i>Culex spp.</i>	26	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	UAS-37-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	UAS-38-1.1	<i>Culex spp.</i>	34	Negative	RAMP
Total Pools Tested: 19		Total Mosquitoes Tested: 703		Total Pending: 0	Total RAMP: 14	Total Negative: 19	Total Positive: 0	
Total Pools Tested: 36		Total Mosquitoes Tested: 1123		Total Pending: 0	Total RAMP: 28	Total Negative: 36	Total Positive: 0	

Urbancrest Test Results

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Urbancrest	6/2/2014	Gravid Trap	6/3/2014	UR-23-1.1	<i>Culex spp.</i>	14	Negative	RAMP	
	6/23/2014	Gravid Trap	6/24/2014	UR-26-1.1	<i>Culex spp.</i>	4	Negative	RAMP	
	6/30/2014	Gravid Trap	7/1/2014	UR-27-1.1	<i>Culex spp.</i>	21	Negative	RAMP	
	7/15/2014	Gravid Trap	7/16/2014	UR-29-1.1	<i>Culex spp.</i>	33	Negative	RAMP	
	7/21/2014	Gravid Trap	7/22/2014	UR-30-1.1	<i>Culex spp.</i>	1	Negative	RAMP	
	7/28/2014	Gravid Trap		7/29/2014	UR-31-1.3	<i>Culex spp.</i>	50	WNV+	RAMP
					UR-31-2.3	<i>Culex spp.</i>	50	Negative	PCR
					UR-31-3.3	<i>Culex spp.</i>	9	Negative	PCR
	8/1/2014	Post Spray		URPS-31-1.1	<i>Culex spp.</i>	35	Negative	PCR	
	8/4/2014	Gravid Trap		8/5/2014	UR-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP
					UR-32-2.2	<i>Culex spp.</i>	4	Negative	PCR
	8/11/2014	Gravid Trap		8/12/2014	UR-33-1.1	<i>Culex spp.</i>	8	Negative	RAMP
	8/18/2014	Gravid Trap		8/19/2014	UR-34-1.4	<i>Culex spp.</i>	50	Negative	RAMP
			UR-34-2.4		<i>Culex spp.</i>	50	Negative	RAMP	
			UR-34-3.4		<i>Culex spp.</i>	50	Negative	PCR	
			UR-34-4.4		<i>Culex spp.</i>	22	Negative	PCR	
	8/22/2014	Post Spray		8/21/2014	URPS-34-1.1	<i>Culex spp.</i>	46	WNV+	PCR
	8/25/2014	Gravid Trap		8/26/2014	UR-35-1.3	<i>Culex spp.</i>	50	WNV+	RAMP
					UR-35-2.3	<i>Culex spp.</i>	50	WNV+	PCR
					UR-35-3.3	<i>Culex spp.</i>	4	Negative	PCR
	8/28/2014	Post Spray		8/27/2014	URPS-35-1.2	<i>Culex spp.</i>	50	Negative	PCR
					URPS-35-2.2	<i>Culex spp.</i>	12	Negative	PCR
	9/2/2014	Gravid Trap		9/3/2014	UR-36-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	9/8/2014	Gravid Trap		9/9/2014	UR-37-1.2	<i>Culex spp.</i>	50	Negative	RAMP
					UR-37-2.2	<i>Culex spp.</i>	17	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Urbancrest	9/15/2014	Gravid Trap	9/16/2014	UR-38-1.1	<i>Culex spp.</i>	34	Negative	RAMP
	9/22/2014	Gravid Trap	9/23/2014	UR-39-1.1	<i>Culex spp.</i>	12	Negative	RAMP
Total Pools Tested: 27		Total Mosquitoes Tested: 797		Total Pending: 0	Total RAMP: 15	Total Negative: 23	Total Positive: 4	
Total Pools Tested: 27		Total Mosquitoes Tested: 797		Total Pending: 0	Total RAMP: 15	Total Negative: 23	Total Positive: 4	

Westerville Test Results

Westerville East	5/27/2014	Gravid Trap	5/28/2014	WE-22-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/2/2014	Gravid Trap	6/3/2014	WE-23-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	6/16/2014	Gravid Trap	6/17/2014	WE-25-1.1	<i>Culex spp.</i>	49	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	WE-27-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	7/7/2014	Gravid Trap	7/8/2014	WE-28-1.1	<i>Culex spp.</i>	14	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	WE-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	WE-30-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-30-2.4	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		WE-30-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WE-30-4.4	<i>Culex spp.</i>	2	Negative	PCR
	7/28/2014	Gravid Trap	7/29/2014	WE-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-31-2.2	<i>Culex spp.</i>	30	Negative	PCR
	8/4/2014	Gravid Trap	8/5/2014	WE-32-1.1	<i>Culex spp.</i>	45	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	WE-33-1.3	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		WE-33-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WE-33-3.3	<i>Culex spp.</i>	5	Negative	PCR
	8/15/2014	Post Spray	8/15/2014	WEPS-33-1.1	<i>Culex spp.</i>	3	Negative	PCR
	8/18/2014	Gravid Trap	8/19/2014	WE-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-34-2.2	<i>Culex spp.</i>	13	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville East	8/25/2014	Gravid Trap	8/26/2014	WE-35-1.1	<i>Culex spp.</i>	46	WNV+	RAMP
	9/2/2014	Gravid Trap	9/3/2014	WE-36-1.1	<i>Culex spp.</i>	33	Negative	RAMP
	9/5/2014	Post Spray	9/6/2014	WEPS-36-1.1	<i>Culex spp.</i>	23	Negative	PCR
	9/8/2014	Gravid Trap	9/9/2014	WE-37-1.1	<i>Culex spp.</i>	33	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	WE-38-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	9/22/2014	Gravid Trap	9/23/2014	WE-39-1.1	<i>Culex spp.</i>	7	Negative	RAMP
Total Pools Tested: 25		Total Mosquitoes Tested: 837		Total Pending: 0		Total RAMP: 16	Total Negative: 22	Total Positive: 3
Westerville North	6/2/2014	Gravid Trap	6/3/2014	WN-23-1.1	<i>Culex spp.</i>	39	Negative	RAMP
	6/9/2014	Gravid Trap	6/10/2014	WN-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	WN-27-1.1	<i>Culex spp.</i>	28	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	WN-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	WN-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WN-30-2.2	<i>Culex spp.</i>	41	Negative	PCR
	7/28/2014	Gravid Trap	7/29/2014	WN-31-1.1	<i>Culex spp.</i>	40	Negative	RAMP
	8/4/2014	Gravid Trap	8/5/2014	WN-32-1.1	<i>Culex spp.</i>	39	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	WN-33-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WN-33-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WN-33-3.3	<i>Culex spp.</i>	30	Negative	PCR
	8/18/2014	Gravid Trap	8/19/2014	WN-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WN-34-2.2	<i>Culex spp.</i>	5	Negative	PCR
	8/25/2014	Gravid Trap	8/26/2014	WN-35-1.1	<i>Culex spp.</i>	23	Negative	RAMP
	9/2/2014	Gravid Trap	9/3/2014	WN-36-1.1	<i>Culex spp.</i>	30	Negative	RAMP
9/8/2014	Gravid Trap	9/9/2014	WN-37-1.1	<i>Culex spp.</i>	40	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville North	9/15/2014	Gravid Trap	9/16/2014	WN-38-1.1	<i>Culex spp.</i>	29	Negative	RAMP
	9/22/2014	Gravid Trap	9/23/2014	WN-39-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	Total Pools Tested: 18		Total Mosquitoes Tested: 656		Total Pending: 0	Total RAMP: 14	Total Negative: 18	Total Positive: 0
Westerville South	6/2/2014	Gravid Trap	6/3/2014	WS-23-1.1	<i>Culex spp.</i>	22	Negative	RAMP
	6/9/2014	Gravid Trap	6/10/2014	WS-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	WS-26-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	WS-27-1.1	<i>Culex spp.</i>	35	Negative	RAMP
	7/7/2014	Gravid Trap	7/8/2014	WE-28-1.1	<i>Culex spp.</i>	14	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	WS-29-1.1	<i>Culex spp.</i>	22	Negative	RAMP
	7/21/2014	Gravid Trap	7/22/2014	WS-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-30-2.2	<i>Culex spp.</i>	43	Negative	PCR
	7/28/2014	Gravid Trap	7/29/2014	WS-31-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	8/4/2014	Gravid Trap	8/5/2014	WS-32-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	8/11/2014	Gravid Trap	8/12/2014	WS-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-33-2.2	<i>Culex spp.</i>	47	Negative	PCR
	8/18/2014	Gravid Trap	8/19/2014	WS-34-1.1	<i>Culex spp.</i>	27	Negative	RAMP
	8/25/2014	Gravid Trap	8/26/2014	WS-35-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-35-2.2	<i>Culex spp.</i>	11	Negative	PCR
	9/2/2014	Gravid Trap	9/3/2014	WS-36-1.1	<i>Culex spp.</i>	17	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	WS-37-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	WS-38-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	9/22/2014	Gravid Trap	9/23/2014	WS-39-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	Total Pools Tested: 19		Total Mosquitoes Tested: 537		Total Pending: 0	Total RAMP: 16	Total Negative: 19	Total Positive: 0

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay				
Westerville West	6/2/2014	Gravid Trap	6/3/2014	WW-23-1.1	<i>Culex spp.</i>	27	Negative	RAMP				
	6/9/2014	Gravid Trap	6/10/2014	WW-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP				
	6/16/2014	Gravid Trap	6/17/2014	WW-25-1.1	<i>Culex spp.</i>	30	Negative	RAMP				
	6/23/2014	Gravid Trap	6/24/2014	WW-26-1.1	<i>Culex spp.</i>	14	Negative	RAMP				
	6/30/2014	Gravid Trap	7/1/2014	WW-27-1.1	<i>Culex spp.</i>	17	Negative	RAMP				
	7/15/2014	Gravid Trap	7/16/2014	WW-29-1.1	<i>Culex spp.</i>	9	Negative	RAMP				
	7/21/2014	Gravid Trap	7/22/2014	WW-30-1.1	<i>Culex spp.</i>	50	Negative	RAMP				
	7/28/2014	Gravid Trap	7/29/2014	WW-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		WW-32-2.2	<i>Culex spp.</i>	4	Negative	PCR				
	8/4/2014	Gravid Trap	8/5/2014	WW-32-1.1	<i>Culex spp.</i>	4	Negative	RAMP				
	8/11/2014	Gravid Trap	8/12/2014	WW-33-1.1	<i>Culex spp.</i>	22	Negative	RAMP				
	8/18/2014	Gravid Trap	8/19/2014	WW-34-1.1	<i>Culex spp.</i>	49	Negative	RAMP				
	8/25/2014	Gravid Trap	8/26/2014	WW-35-1.2	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		WW-35-2.2	<i>Culex spp.</i>	15	Negative	PCR				
	9/2/2014	Gravid Trap	9/3/2014	WW-36-1.1	<i>Culex spp.</i>	8	Negative	RAMP				
	9/8/2014	Gravid Trap	9/9/2014	WW-37-1.1	<i>Culex spp.</i>	30	Negative	RAMP				
	9/15/2014	Gravid Trap	9/16/2014	WW-38-1.1	<i>Culex spp.</i>	15	Negative	RAMP				
	9/22/2014	Gravid Trap	9/23/2014	WW-39-1.1	<i>Culex spp.</i>	4	Negative	RAMP				
	Total Pools Tested:	18	Total Mosquitoes Tested:	448	Total Pending:	0	Total RAMP:	16	Total Negative:	18	Total Positive:	0
	Total Pools Tested:	80	Total Mosquitoes Tested:	2478	Total Pending:	0	Total RAMP:	62	Total Negative:	77	Total Positive:	3

Whitehall Test Results

Whitehall East	6/2/2014	Gravid Trap	6/3/2014	WHE-23-1.1	<i>Culex spp.</i>	47	Negative	RAMP
	6/9/2014	Gravid Trap	6/10/2014	WHE-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Whitehall East	6/23/2014	Gravid Trap	6/24/2014	WHE-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	WHE-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	WHE-29-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WHE-29-2.3	<i>Culex spp.</i>	50	WNV+	PCR
	7/20/2014	Pre Spray	7/21/2014	WHEPRE-30-1	<i>Culex spp.</i>	50	Negative	PCR
		Pre Spray		WHEPRE-30-2	<i>Culex spp.</i>	50	Negative	PCR
		Pre Spray		WHEPRE-30-3	<i>Culex spp.</i>	50	WNV+	PCR
		Pre Spray		WHEPRE-30-4	<i>Culex spp.</i>	50	Negative	PCR
		Pre Spray		WHEPRE-30-5	<i>Culex spp.</i>	50	WNV+	PCR
		Pre Spray		WHEPRE-30-6	<i>Culex spp.</i>	15	Negative	PCR
	7/22/2014	Post Spray	7/23/2014	WHEPS-30-1.4	<i>Culex spp.</i>	50	WNV+	PCR
		Post Spray		WHEPS-30-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		WHEPS-30-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		WHEPS-30-4.4	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		WHEPS-30-5.4	<i>Culex spp.</i>	29	Negative	PCR
	7/29/2014	Post Spray	7/30/2014	WHEPS-31-1.4	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray	7/29/2014	WHEPS-31-2.4	<i>Culex spp.</i>	30	WNV+	PCR
	8/4/2014	Gravid Trap	8/5/2014	WHE-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WHE-32-2.2	<i>Culex spp.</i>	39	Negative	PCR
	8/7/2014	Post Spray		WHEPS-32-1.4	<i>Culex spp.</i>	48	Negative	PCR
	8/11/2014	Gravid Trap	8/12/2014	WHE-33-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WHE-33-2.2	<i>Culex spp.</i>	45	Negative	PCR
	8/18/2014	Gravid Trap	8/19/2014	WHE-34-1.4	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		WHE-34-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WHE-34-3.4	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Whitehall East	8/18/2014	Gravid Trap	8/19/2014	WHE-34-4.4	<i>Culex spp.</i>	10	Negative	PCR
	8/22/2014	Post Spray	8/23/2014	WHEPS-34-1.1	<i>Culex spp.</i>	35	Negative	PCR
	8/25/2014	Gravid Trap	8/26/2014	WHE-35-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		WHE-35-2.2	<i>Culex spp.</i>	25	Negative	PCR
	9/2/2014	Gravid Trap	9/3/2014	WHE-36-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WHE-36-2.2	<i>Culex spp.</i>	6	WNV+	RAMP
	9/4/2014	Post Spray	9/5/2014	WHEPS-36-1.1	<i>Culex spp.</i>	50	Negative	PCR
	9/8/2014	Gravid Trap	9/9/2014	WHE-37-1.1	<i>Culex spp.</i>	22	Negative	RAMP
	9/15/2014	Gravid Trap	9/16/2014	WHE-38-1.1	<i>Culex spp.</i>	26	Negative	RAMP
	9/22/2014	Gravid Trap	9/23/2014	WHE-39-1.1	<i>Culex spp.</i>	15	Negative	RAMP
Total Pools Tested: 37		Total Mosquitoes Tested: 1542		Total Pending: 0		Total RAMP: 13	Total Negative: 29	Total Positive: 8
Whitehall West	5/27/2014	Gravid Trap	5/28/2014	WHW-22-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/2/2014	Gravid Trap	6/3/2014	WHW-23-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	6/9/2014	Gravid Trap	6/10/2014	WHW-24-1.3	<i>Culex spp.</i>	50	Negative	RAMP
	6/23/2014	Gravid Trap	6/24/2014	WHW-26-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	6/30/2014	Gravid Trap	7/1/2014	WHW-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	7/15/2014	Gravid Trap	7/16/2014	WHW-29-1.5	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		WHW-29-3.5	<i>Culex spp.</i>	50	Negative	PCR
	7/20/2014	Pre Spray	7/21/2014	HWPRE-30-1.	<i>Culex spp.</i>	50	Negative	PCR
		Pre Spray		IWPRE-30-10	<i>Culex spp.</i>	30	Negative	PCR
		Pre Spray		HWPRE-30-2.	<i>Culex spp.</i>	50	Negative	PCR
		Pre Spray		HWPRE-30-3.	<i>Culex spp.</i>	50	Negative	PCR
Pre Spray			HWPRE-30-4.	<i>Culex spp.</i>	50	WNV+	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Whitehall West	7/20/2014	Pre Spray	7/21/2014	HWPRES-30-5.	<i>Culex spp.</i>	50	Negative	PCR	
		Pre Spray		HWPRES-30-6.	<i>Culex spp.</i>	50	Negative	PCR	
		Pre Spray		HWPRES-30-7.	<i>Culex spp.</i>	50	Negative	PCR	
		Pre Spray		HWPRES-30-8.	<i>Culex spp.</i>	50	Negative	PCR	
		Pre Spray		HWPRES-30-9.	<i>Culex spp.</i>	50	Negative	PCR	
	7/21/2014	Post Spray	7/23/2014	VHWPS-30-1.	<i>Culex spp.</i>	50	Negative	PCR	
		Post Spray		VHWPS-30-2.	<i>Culex spp.</i>	50	Negative	PCR	
		Post Spray		VHWPS-30-3.	<i>Culex spp.</i>	50	Negative	PCR	
		Post Spray		VHWPS-30-4.	<i>Culex spp.</i>	50	Negative	PCR	
		Post Spray		VHWPS-30-5.	<i>Culex spp.</i>	32	Negative	PCR	
	7/29/2014	Post Spray	7/30/2014	VHWPS-31-1.	<i>Culex spp.</i>	50	Negative	PCR	
		Post Spray		7/29/2014	VHWPS-31-2.	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		VHWPS-31-3.	<i>Culex spp.</i>	50	Negative	PCR	
		Post Spray		VHWPS-31-4.	<i>Culex spp.</i>	8	Negative	PCR	
	8/4/2014	Gravid Trap	8/5/2014	WHW-32-1.1	<i>Culex spp.</i>	37	Negative	RAMP	
	8/11/2014	Gravid Trap	8/12/2014	WHW-33-1.1	<i>Culex spp.</i>	37	Negative	RAMP	
	8/18/2014	Gravid Trap	8/19/2014	WHW-34-1.6	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		WHW-34-2.6	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		WHW-34-3.6	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		WHW-34-4.6	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		WHW-34-5.6	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		WHW-34-6.6	<i>Culex spp.</i>	8	Negative	PCR	
		8/22/2014		Post Spray	8/23/2014	VHWPS-34-1.	<i>Culex spp.</i>	24	Negative
8/25/2014	Gravid Trap	8/26/2014	WHW-35-1.2	<i>Culex spp.</i>	50	Negative	RAMP		
	Gravid Trap		WHW-35-2.2	<i>Culex spp.</i>	28	WNV+	PCR		

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Whitehall West	9/2/2014	Gravid Trap	9/3/2014	WHW-36-1.1	<i>Culex spp.</i>	32	Negative	RAMP
	9/8/2014	Gravid Trap	9/9/2014	WHW-37-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WHW-37-2.2	<i>Culex spp.</i>	34	Negative	RAMP
	9/10/2014	Post Spray	9/16/2014	VHWPS-37-1.	<i>Culex spp.</i>	14	Negative	RAMP
	9/15/2014	Gravid Trap		WHW-38-1.1	<i>Culex spp.</i>	44	WNV+	RAMP
	9/22/2014	Gravid Trap	9/23/2014	WHW-39-1.1	<i>Culex spp.</i>	15	Negative	RAMP
Total Pools Tested: 43		Total Mosquitoes Tested: 1805		Total Pending: 0	Total RAMP: 16	Total Negative: 38	Total Positive: 5	
Total Pools Tested: 80		Total Mosquitoes Tested: 3347		Total Pending: 0	Total RAMP: 29	Total Negative: 67	Total Positive: 13	
Total Pools Tested: 1145		Total Mosquitoes Tested: 37273		Total Pending: 0	Total RAMP: 766	Total Negative: ###	Total Positive: 74	