



## Arboviral Surveillance Results

**Start Date:** 5/1/2015      **End Date:** 10/31/2015

### Franklin County Public Health

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
<b>Bexley Test Results</b>								
Bexley	5/11/2015	Gravid Trap	5/12/2015	BE-20-1.1	<i>Culex spp.</i>	10	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	BE-21-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BE-21-2.2	<i>Culex spp.</i>	8	Negative	PCR
	5/27/2015	Gravid Trap	5/28/2015	BE-22-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BE-22-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BE-22-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BE-22-4.4	<i>Culex spp.</i>	50	Negative	PCR
	6/1/2015	Gravid Trap	6/2/2015	BE-23-1.1	<i>Culex spp.</i>	47	Negative	PCR
	6/4/2015	Post Spray	6/5/2015	BEPS-23-1.1	<i>Culex spp.</i>	38	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	BE-24-1.1	<i>Culex spp.</i>	28	Negative	RAMP
	6/15/2015	Gravid Trap	6/16/2015	BE-25-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BE-25-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BE-25-3.3	<i>Culex spp.</i>	46	Negative	PCR
	6/22/2015	Gravid Trap	6/23/2015	BE-26-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BE-26-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BE-26-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BE-26-4.4	<i>Culex spp.</i>	6	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Bexley	6/29/2015	Gravid Trap	6/30/2015	BE-27-1.1	<i>Culex spp.</i>	41	Negative	PCR
	7/6/2015	Gravid Trap	7/7/2015	BE-28-1.1	<i>Culex spp.</i>	28	Negative	RAMP
	7/13/2015	Gravid Trap	7/14/2015	BE-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BE-29-2.2	<i>Culex spp.</i>	37	Negative	PCR
	7/20/2015	Gravid Trap	7/21/2015	BE-30-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BE-30-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BE-30-3.3	<i>Culex spp.</i>	35	Negative	PCR
	7/27/2015	Gravid Trap	7/28/2015	BE-31-1.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BE-31-2.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BE-31-3.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BE-31-4.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BE-31-5.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BE-31-6.6	<i>Culex spp.</i>	50	Negative	PCR
	8/3/2015	Gravid Trap	8/4/2015	BE-32-1.1	<i>Culex spp.</i>	22	Negative	RAMP
	8/10/2015	Gravid Trap	8/11/2015	BE-33-1.5	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		BE-33-2.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BE-33-3.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BE-33-4.5	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		BE-33-5.5	<i>Culex spp.</i>	25	Negative	PCR
	8/17/2015	Gravid Trap	8/18/2015	BE-34-1.1	<i>Culex spp.</i>	33	Negative	RAMP
	8/21/2015	Post Spray	8/8/2015	BEPS-34-1.1	<i>Culex spp.</i>	5	Negative	PCR
	8/24/2015	Gravid Trap	8/25/2015	BE-35-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	8/31/2015	Gravid Trap	9/1/2015	BE-36-1.1	<i>Culex spp.</i>	22	Negative	RAMP
9/8/2015	Gravid Trap	9/9/2015	BE-37-1.1	<i>Culex spp.</i>	29	Negative	RAMP	
9/14/2015	Gravid Trap	9/15/2015	BE-38-1.1	<i>Culex spp.</i>	3	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Bexley	9/21/2015	Gravid Trap	9/22/2015	BE-39-1.1	<i>Culex spp.</i>	10	Negative	PCR
	Total Pools Tested: 43	Total Mosquitoes Tested: 1638		Total Pending: 0	Total RAMP: 15	Total Negative: 41	Total Positive: 2	
	<b>Total Pools Tested: 43</b>	<b>Total Mosquitoes Tested: 1638</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 15</b>	<b>Total Negative: 41</b>	<b>Total Positive: 2</b>	

**Brown Test Results**

Brown	5/11/2015	Gravid Trap	5/12/2015	BR-20-1.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BR-20-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BR-20-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BR-20-4.4	<i>Culex spp.</i>	29	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	BR-21-1.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BR-21-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BR-21-3.3	<i>Culex spp.</i>	35	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	BR-22-1.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-22-2.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-22-3.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BR-22-4.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BR-22-5.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BR-22-6.6	<i>Culex spp.</i>	7	Negative	PCR
	6/1/2015	Gravid Trap	6/2/2015	BR-23-1.1	<i>Culex spp.</i>	28	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	BR-24-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-24-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BR-24-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BR-24-4.4	<i>Culex spp.</i>	10	Negative	PCR
	6/15/2015	Gravid Trap	6/16/2015	BR-25-1.7	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-25-2.7	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Brown	6/15/2015	Gravid Trap	6/16/2015	BR-25-3.7	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BR-25-4.7	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BR-25-5.7	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BR-25-6.7	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BR-25-7.7	<i>Culex spp.</i>	25	Negative	PCR
	6/22/2015	Gravid Trap	6/23/2015	BR-26-1.1	<i>Culex spp.</i>	42	Negative	RAMP
	6/29/2015	Gravid Trap	6/30/2015	BR-27-1.1	<i>Culex spp.</i>	21	Negative	PCR
	7/6/2015	Gravid Trap	7/7/2015	BR-28-1.1	<i>Culex spp.</i>	38	Negative	RAMP
	7/13/2015	Gravid Trap	7/14/2015	BR-29-1.1	<i>Culex spp.</i>	9	Negative	PCR
	7/20/2015	Gravid Trap	7/21/2015	BR-30-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-30-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BR-30-3.3	<i>Culex spp.</i>	11	Negative	PCR
	7/22/2015	Post Spray	7/23/2015	BRPS-30-1.1	<i>Culex spp.</i>	17	Negative	PCR
	7/27/2015	Gravid Trap	7/28/2015	BR-31-1.9	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-31-2.9	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BR-31-3.9	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BR-31-4.9	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BR-31-5.9	<i>Culex spp.</i>	850	Negative	PCR
		Gravid Trap		BR-31-6.9	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BR-31-7.9	<i>Culex spp.</i>	50	Negative	PCR
Gravid Trap		BR-31-8.9		<i>Culex spp.</i>	50	Negative	PCR	
Gravid Trap		BR-31-9.9		<i>Culex spp.</i>	43	Negative	PCR	
8/3/2015		Gravid Trap		8/4/2015	BR-32-1.2	<i>Culex spp.</i>	50	Negative
	Gravid Trap	BR-32-2.2	<i>Culex spp.</i>		37	Negative	PCR	
8/10/2015	Gravid Trap	8/11/2015	BR-33-1.4	<i>Culex spp.</i>	50	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Brown	8/10/2015	Gravid Trap	8/11/2015	BR-33-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BR-33-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BR-33-4.4	<i>Culex spp.</i>	7	Negative	PCR
	8/17/2015	Gravid Trap	8/18/2015	BR-34-1.1	<i>Culex spp.</i>	36	Negative	RAMP
	8/24/2015	Gravid Trap	8/25/2015	BR-35-1.1	<i>Culex spp.</i>	26	Negative	RAMP
	8/31/2015	Gravid Trap	9/1/2015	BR-36-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	9/8/2015	Gravid Trap	9/9/2015	BR-37-1.1	<i>Culex spp.</i>	39	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	BR-38-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	9/21/2015	Gravid Trap	9/22/2015	BR-39-1.1	<i>Culex spp.</i>	17	Negative	PCR
Total Pools Tested: 54		Total Mosquitoes Tested: 2957		Total Pending: 0	Total RAMP: 15	Total Negative: 54	Total Positive: 0	
<b>Total Pools Tested: 54</b>		<b>Total Mosquitoes Tested: 2957</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 15</b>	<b>Total Negative: 54</b>	<b>Total Positive: 0</b>	

### Canal Winchester Test Results

Canal Winchester	5/11/2015	Gravid Trap	5/12/2015	CW-20-1.1	<i>Culex spp.</i>	44	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	CW-21-1.1	<i>Culex spp.</i>	38	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	CW-22-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	6/1/2015	Gravid Trap	6/2/2015	CW-23-1.1	<i>Culex spp.</i>	6	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	CW-24-1.1	<i>Culex spp.</i>	29	Negative	RAMP
	6/15/2015	Gravid Trap	6/16/2015	CW-25-1.1	<i>Culex spp.</i>	48	Negative	RAMP
	6/22/2015	Gravid Trap	6/23/2015	CW-26-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CW-26-2.2	<i>Culex spp.</i>	14	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	CW-27-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CW-27-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CW-27-3.3	<i>Culex spp.</i>	7	Negative	PCR
	7/6/2015	Gravid Trap	7/7/2015	CW-28-1.6	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay		
Canal Winchester	7/6/2015	Gravid Trap	7/7/2015	CW-28-2.6	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		CW-28-3.6	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		CW-28-4.6	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		CW-28-5.6	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		CW-28-6.6	<i>Culex spp.</i>	26	Negative	PCR		
	7/12/2015	Pre Spray	7/13/2015	CWPRE-29-1.1	<i>Culex spp.</i>	50	Negative	PCR		
		Pre Spray		CWPRE-29-2.1	<i>Culex spp.</i>	9	Negative	PCR		
	7/14/2015	Post Spray	7/15/2015	CWPS-29-1.3	<i>Culex spp.</i>	50	Negative	PCR		
		Post Spray		CWPS-29-2.3	<i>Culex spp.</i>	50	Negative	PCR		
		Post Spray		CWPS-29-3.3	<i>Culex spp.</i>	50	Negative	PCR		
	7/20/2015	Gravid Trap	7/21/2015	CW-30-1.10	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		CW-30-10.10	<i>Culex spp.</i>	8	Negative	PCR		
		Gravid Trap		CW-30-2.10	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		CW-30-3.10	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		CW-30-4.10	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		CW-30-5.10	<i>Culex spp.</i>	50	WNV+	PCR		
		Gravid Trap		CW-30-6.10	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		CW-30-7.10	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		CW-30-8.10	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		CW-30-9.10	<i>Culex spp.</i>	50	Negative	PCR		
		7/27/2015		Gravid Trap	7/28/2015	CW-31-1.6	<i>Culex spp.</i>	50	Negative	RAMP
				Gravid Trap		CW-31-2.6	<i>Culex spp.</i>	50	Negative	PCR
				Gravid Trap		CW-31-3.6	<i>Culex spp.</i>	50	Negative	PCR
	Gravid Trap		CW-31-4.6	<i>Culex spp.</i>		50	WNV+	PCR		
	Gravid Trap		CW-31-5.6	<i>Culex spp.</i>		50	Negative	PCR		

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Canal Winchester	7/27/2015	Gravid Trap	7/28/2015	CW-31-6.6	<i>Culex spp.</i>	12	Negative	PCR	
	7/30/2015	Post Spray	7/31/2015	CWPS-31-1.2	<i>Culex spp.</i>	50	Negative	PCR	
		Post Spray		CWPS-31-2.2	<i>Culex spp.</i>	15	Negative	PCR	
	8/3/2015	Gravid Trap	8/4/2015	CW-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		CW-32-2.2	<i>Culex spp.</i>	10	Negative	PCR	
	8/10/2015	Gravid Trap	8/11/2015	CW-33-1.16	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		CW-33-10.16	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		CW-33-11.16	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		CW-33-12.16	<i>Culex spp.</i>	50	WNV+	PCR	
		Gravid Trap		CW-33-13.16	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		CW-33-14.16	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		CW-33-15.16	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		CW-33-16.16	<i>Culex spp.</i>	20	Negative	PCR	
		Gravid Trap		CW-33-2.16	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		CW-33-3.16	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		CW-33-4.16	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		CW-33-5.16	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		CW-33-6.16	<i>Culex spp.</i>	50	WNV+	PCR	
		Gravid Trap		CW-33-7.16	<i>Culex spp.</i>	50	WNV+	PCR	
		Gravid Trap		CW-33-8.16	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		CW-33-9.16	<i>Culex spp.</i>	50	Negative	PCR	
		8/12/2015	Post Spray	8/8/2015	CWPS-33-1.1	<i>Culex spp.</i>	14	Negative	PCR
		8/17/2015	Gravid Trap	8/18/2015	CW-34-1.3	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		CW-34-2.3	<i>Culex spp.</i>	50	WNV+	PCR	
		Gravid Trap		CW-34-3.3	<i>Culex spp.</i>	40	WNV+	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Canal Winchester	8/24/2015	Gravid Trap	8/25/2015	CW-35-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	8/27/2015	Post Spray	8/28/2015	CWPS-35-1.1	<i>Culex spp.</i>	4	Negative	PCR
	8/31/2015	Gravid Trap	9/1/2015	CW-36-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	9/8/2015	Gravid Trap	9/9/2015	CW-37-1.1	<i>Culex spp.</i>	27	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	CW-38-1.1	<i>Culex spp.</i>	6	Negative	RAMP
	9/20/2015	Pre Spray	9/21/2015	CWPRE-39-1.1	<i>Culex spp.</i>	7	Negative	PCR
	9/22/2015	Gravid Trap	9/22/2015	CWPS-39-1.1	<i>Culex spp.</i>	30	Negative	PCR
Total Pools Tested: 69		Total Mosquitoes Tested: 2718		Total Pending: 0	Total RAMP: 14	Total Negative: 61	Total Positive: 8	
<b>Total Pools Tested: 69</b>		<b>Total Mosquitoes Tested: 2718</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 14</b>	<b>Total Negative: 61</b>	<b>Total Positive: 8</b>	

**Clinton Test Results**

Clinton	5/11/2015	Gravid Trap	5/12/2015	CT-20-1.1	<i>Culex spp.</i>	25	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	CT-21-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-21-2.2	<i>Culex spp.</i>	34	Negative	PCR
		Gravid Trap		CT-21-3.2	<i>Culex spp.</i>	50	Negative	PCR
	5/27/2015	Gravid Trap	5/28/2015	CT-22-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-22-2.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-22-3.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-22-4.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-22-5.5	<i>Culex spp.</i>	12	Negative	PCR
	6/1/2015	Gravid Trap	6/2/2015	CT-23-1.1	<i>Culex spp.</i>	6	Negative	PCR
	6/3/2015	Post Spray	6/4/2015	CTPS-23-1.1	<i>Culex spp.</i>	36	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	CT-24-1.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-24-2.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-24-3.6	<i>Culex spp.</i>	50	Negative	PCR
Gravid Trap		CT-24-4.6		<i>Culex spp.</i>	50	Negative	PCR	



Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Clinton	6/9/2015	Gravid Trap	6/10/2015	CT-24-5.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-24-6.6	<i>Culex spp.</i>	10	Negative	PCR
	6/15/2015	Gravid Trap	6/16/2015	CT-25-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-25-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-25-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-25-4.4	<i>Culex spp.</i>	8	Negative	PCR
	6/22/2015	Gravid Trap	6/23/2015	CT-26-1.1	<i>Culex spp.</i>	22	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	CT-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-27-2.2	<i>Culex spp.</i>	5	Negative	PCR
	7/2/2015	Post Spray	6/26/2015	CTPS-27-1.1	<i>Culex spp.</i>	33	Negative	PCR
	7/6/2015	Gravid Trap	7/7/2015	CT-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-28-2.2	<i>Culex spp.</i>	12	Negative	PCR
	7/13/2015	Gravid Trap	7/14/2015	CT-29-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	7/20/2015	Gravid Trap	7/21/2015	CT-30-1.11	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-30-10.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-30-11.11	<i>Culex spp.</i>	6	Negative	PCR
		Gravid Trap		CT-30-2.11	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		CT-30-3.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-30-4.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-30-5.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-30-6.11	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		CT-30-7.11	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		CT-30-8.11	<i>Culex spp.</i>	50	Negative	PCR
	7/24/2015	Gravid Trap	7/25/2015	CT-30-9.11	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		CTPS-30-1.10	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Clinton	7/24/2015	Post Spray	7/25/2015	CTPS-30-10.10	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		CTPS-30-2.10	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		CTPS-30-3.10	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		CTPS-30-4.10	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		CTPS-30-5.10	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		CTPS-30-6.10	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		CTPS-30-7.10	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		CTPS-30-8.10	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		CTPS-30-9.10	<i>Culex spp.</i>	50	Negative	PCR
	7/27/2015	Gravid Trap	7/28/2015	CT-31-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	8/3/2015	Gravid Trap	8/4/2015	CT-32-1.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-32-2.3	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		CT-32-3.3	<i>Culex spp.</i>	38	Negative	PCR
	8/10/2015	Gravid Trap	8/11/2015	CT-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-33-2.2	<i>Culex spp.</i>	50	Negative	PCR
	8/14/2015	Post Spray	8/8/2015	CTPS-33-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		CTPS-33-2.2	<i>Culex spp.</i>	18	Negative	PCR
	8/17/2015	Gravid Trap	8/18/2015	CT-34-1.1	<i>Culex spp.</i>	48	Negative	RAMP
	8/24/2015	Gravid Trap	8/25/2015	CT-35-1.1	<i>Culex spp.</i>	33	Negative	RAMP
	8/26/2015	Post Spray	8/27/2015	CTPS-35-1.3	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		CTPS-35-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		CTPS-35-3.3	<i>Culex spp.</i>	3	Negative	PCR
	8/31/2015	Gravid Trap	9/1/2015	CT-36-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	9/8/2015	Gravid Trap	9/9/2015	CT-37-1.1	<i>Culex spp.</i>	29	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	CT-38-1.1	<i>Culex spp.</i>	9	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Clinton	9/21/2015	Gravid Trap	9/22/2015	CT-39-1.1	<i>Culex spp.</i>	43	Negative	RAMP
	Total Pools Tested: 65	Total Mosquitoes Tested: 2630	Total Pending: 0	Total RAMP: 15	Total Negative: 61	Total Positive: 4		
Ferris Road	8/3/2015	Gravid Trap	8/4/2015	RISROAD-32	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RISROAD-32	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RISROAD-32	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RISROAD-32	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RISROAD-32	<i>Culex spp.</i>	41	Negative	PCR
	Total Pools Tested: 5	Total Mosquitoes Tested: 241	Total Pending: 0	Total RAMP: 1	Total Negative: 5	Total Positive: 0		
	<b>Total Pools Tested: 70</b>	<b>Total Mosquitoes Tested: 2871</b>	<b>Total Pending: 0</b>	<b>Total RAMP: 16</b>	<b>Total Negative: 66</b>	<b>Total Positive: 4</b>		

### Dublin Test Results

Dublin Central	5/11/2015	Gravid Trap	5/12/2015	DC-20-1.1	<i>Culex spp.</i>	11	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	DC-21-1.1	<i>Culex spp.</i>	12	Negative	PCR
	5/27/2015	Gravid Trap	5/28/2015	DC-22-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DC-22-2.2	<i>Culex spp.</i>	11	Negative	RAMP
	6/1/2015	Gravid Trap	6/2/2015	DC-23-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	6/9/2015	Gravid Trap	6/10/2015	DC-24-1.1	<i>Culex spp.</i>	17	Negative	RAMP
	6/15/2015	Gravid Trap	6/16/2015	DC-25-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	6/22/2015	Gravid Trap	6/23/2015	DC-26-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	6/29/2015	Gravid Trap	6/30/2015	DC-27-1.1	<i>Culex spp.</i>	39	Negative	RAMP
	7/6/2015	Gravid Trap	7/7/2015	DC-28-1.1	<i>Culex spp.</i>	17	Negative	RAMP
	7/13/2015	Gravid Trap	7/14/2015	DC-29-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	7/20/2015	Gravid Trap	7/21/2015	DC-30-1.19	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Dublin Central	7/20/2015	Gravid Trap	7/21/2015	DC-30-10.19	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DC-30-11.19	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DC-30-12.19	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DC-30-13.19	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DC-30-14.19	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DC-30-15.19	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DC-30-16.19	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DC-30-17.19	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DC-30-18.19	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DC-30-19.19	<i>Culex spp.</i>	9	Negative	RAMP	
		Gravid Trap		DC-30-2.19	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DC-30-3.19	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DC-30-4.19	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DC-30-5.19	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DC-30-6.19	<i>Culex spp.</i>	50	Negative	RAMP	
	Gravid Trap	DC-30-7.19	<i>Culex spp.</i>	50	Negative	RAMP			
	Gravid Trap	DC-30-8.19	<i>Culex spp.</i>	50	Negative	RAMP			
	Gravid Trap	DC-30-9.19	<i>Culex spp.</i>	50	Negative	RAMP			
		7/26/2015	Pre Spray	7/27/2015	DCPRE-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP
			Pre Spray		DCPRE-31-2.2	<i>Culex spp.</i>	30	Negative	RAMP
	7/28/2015	Post Spray	7/29/2015	DCPS-31-1.7	<i>Culex spp.</i>	50	Negative	RAMP	
		Post Spray		DCPS-31-2.7	<i>Culex spp.</i>	50	Negative	RAMP	
		Post Spray		DCPS-31-3.7	<i>Culex spp.</i>	50	Negative	RAMP	
		Post Spray		DCPS-31-4.7	<i>Culex spp.</i>	50	Negative	RAMP	
		Post Spray		DCPS-31-5.7	<i>Culex spp.</i>	50	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin Central	7/28/2015	Post Spray	7/29/2015	DCPS-31-6.7	<i>Culex spp.</i>	50	Negative	RAMP
		Post Spray		DCPS-31-7.7	<i>Culex spp.</i>	23	Negative	RAMP
	8/3/2015	Gravid Trap	8/4/2015	DC-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DC-32-2.2	<i>Culex spp.</i>	42	Negative	RAMP
	8/10/2015	Gravid Trap	8/11/2015	DC-33-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DC-33-2.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DC-33-3.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DC-33-4.5	<i>Culex spp.</i>	50	Negative	RAMP
	8/14/2015	Gravid Trap	8/15/2015	DC-33-5.5	<i>Culex spp.</i>	34	Negative	RAMP
		Post Spray		DCPS-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Post Spray		DCPS-33-2.2	<i>Culex spp.</i>	10	Negative	RAMP
	8/17/2015	Gravid Trap	8/18/2015	DC-34-1.1	<i>Culex spp.</i>	29	Negative	RAMP
	8/24/2015	Gravid Trap	8/25/2015	DC-35-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		DC-35-2.2	<i>Culex spp.</i>	24	Negative	RAMP
	8/31/2015	Gravid Trap	9/1/2015	DC-36-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	9/2/2015	Post Spray	9/3/2015	DCPS-36-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		DCPS-36-2.2	<i>Culex spp.</i>	30	Negative	PCR
	9/8/2015	Gravid Trap	9/9/2015	DC-37-1.1	<i>Culex spp.</i>	28	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	DC-38-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	9/16/2015	Post Spray	9/17/2015	DCPS-38-1.1	<i>Culex spp.</i>	6	Negative	RAMP
9/21/2015	Gravid Trap	9/22/2015	DC-39-1.1	<i>Culex spp.</i>	21	Negative	RAMP	
Total Pools Tested: 58		Total Mosquitoes Tested: 2175		Total Pending: 0	Total RAMP: 54	Total Negative: 57	Total Positive: 1	
Dublin East	5/11/2015	Gravid Trap	5/12/2015	DE-20-1.1	<i>Culex spp.</i>	6	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin East	5/18/2015	Gravid Trap	5/19/2015	DE-21-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		DE-21-2.2	<i>Culex spp.</i>	3	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	DE-22-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-22-2.2	<i>Culex spp.</i>	24	Negative	RAMP
	6/1/2015	Gravid Trap	6/2/2015	DE-23-1.1	<i>Culex spp.</i>	6	Negative	RAMP
	6/9/2015	Gravid Trap	6/10/2015	DE-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-24-2.2	<i>Culex spp.</i>	5	Negative	RAMP
	6/15/2015	Gravid Trap	6/16/2015	DE-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-25-2.2	<i>Culex spp.</i>	7	Negative	RAMP
	6/22/2015	Gravid Trap	6/23/2015	DE-26-1.1	<i>Culex spp.</i>	8	Negative	RAMP
	6/29/2015	Gravid Trap	6/30/2015	DE-27-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	7/6/2015	Gravid Trap	7/7/2015	DE-28-1.1	<i>Culex spp.</i>	23	Negative	RAMP
	7/13/2015	Gravid Trap	7/14/2015	DE-29-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	7/20/2015	Gravid Trap	7/21/2015	DE-30-1.7	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-30-2.7	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-30-3.7	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-30-4.7	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-30-5.7	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-30-6.7	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-30-7.7	<i>Culex spp.</i>	3	Negative	RAMP
		7/26/2015	Pre Spray	7/27/2015	DEPRE-31-1.2	<i>Culex spp.</i>	50	Negative
		Pre Spray		DEPRE-31-2.2	<i>Culex spp.</i>	38	Negative	RAMP
	7/28/2015	Post Spray	7/29/2015	DEPS-31-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Post Spray		DEPS-31-2.3	<i>Culex spp.</i>	50	Negative	RAMP
		Post Spray		DEPS-31-3.3	<i>Culex spp.</i>	7	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin East	8/3/2015	Gravid Trap	8/4/2015	DE-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-32-2.2	<i>Culex spp.</i>	13	Negative	RAMP
	8/10/2015	Gravid Trap	8/11/2015	DE-33-1.1	<i>Culex spp.</i>	35	Negative	RAMP
	8/17/2015	Gravid Trap	8/18/2015	DE-34-1.1	<i>Culex spp.</i>	31	WNV+	RAMP
	8/24/2015	Gravid Trap	8/25/2015	DE-35-1.1	<i>Culex spp.</i>	49	Negative	RAMP
	8/27/2015	Post Spray	8/28/2015	DEPS-35-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	8/31/2015	Gravid Trap	9/1/2015	DE-36-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	9/8/2015	Gravid Trap	9/9/2015	DE-37-1.1	<i>Culex spp.</i>	39	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	DE-38-1.1	<i>Culex spp.</i>	31	Negative	RAMP
	9/16/2015	Post Spray	9/17/2015	DEPS-38-1.1	<i>Culex spp.</i>	20	Negative	RAMP
9/21/2015	Gravid Trap	9/22/2015	DE-39-1.1	<i>Culex spp.</i>	20	Negative	RAMP	
Total Pools Tested: 37		Total Mosquitoes Tested: 1126		Total Pending: 0	Total RAMP: 34	Total Negative: 36	Total Positive: 1	
Dublin North	5/11/2015	Gravid Trap	5/12/2015	DN-20-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		DN-20-2.2	<i>Culex spp.</i>	41	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	DN-21-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		DN-21-2.2	<i>Culex spp.</i>	5	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	DN-22-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-22-2.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-22-3.3	<i>Culex spp.</i>	23	Negative	RAMP
	6/1/2015	Gravid Trap	6/2/2015	DN-23-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	6/9/2015	Gravid Trap	6/10/2015	DN-24-1.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-24-2.6	<i>Culex spp.</i>	50	Negative	RAMP
Gravid Trap		DN-24-3.6		<i>Culex spp.</i>	50	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin North	6/9/2015	Gravid Trap	6/10/2015	DN-24-4.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-24-5.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-24-6.6	<i>Culex spp.</i>	24	Negative	RAMP
	6/15/2015	Gravid Trap	6/16/2015	DN-25-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-25-2.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-25-3.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-25-4.4	<i>Culex spp.</i>	26	Negative	RAMP
	6/22/2015	Gravid Trap	6/23/2015	DN-26-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-26-2.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-26-3.3	<i>Culex spp.</i>	18	Negative	RAMP
	6/29/2015	Gravid Trap	6/30/2015	DN-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-27-2.2	<i>Culex spp.</i>	2	Negative	RAMP
	7/6/2015	Gravid Trap	7/7/2015	DN-28-1.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-28-2.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-28-3.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-28-4.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-28-5.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-28-6.6	<i>Culex spp.</i>	50	Negative	RAMP
	7/10/2015	Post Spray	6/26/2015	DNPS-28-1.1	<i>Culex spp.</i>	17	Negative	RAMP
	7/13/2015	Gravid Trap	7/14/2015	DN-29-1.1	<i>Culex spp.</i>	8	Negative	RAMP
7/20/2015	Gravid Trap	7/21/2015	DN-30-1.8	<i>Culex spp.</i>	50	Negative	RAMP	
	Gravid Trap		DN-30-2.8	<i>Culex spp.</i>	50	Negative	RAMP	
	Gravid Trap		DN-30-3.8	<i>Culex spp.</i>	50	Negative	RAMP	
	Gravid Trap		DN-30-4.8	<i>Culex spp.</i>	50	Negative	RAMP	
	Gravid Trap		DN-30-5.8	<i>Culex spp.</i>	50	Negative	RAMP	



Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin North	7/20/2015	Gravid Trap	7/21/2015	DN-30-6.8	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-30-7.8	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-30-8.8	<i>Culex spp.</i>	50	Negative	RAMP
	7/27/2015	Gravid Trap	7/28/2015	DN-31-1.23	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-31-10.23	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-31-11.23	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-31-12.23	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-31-13.23	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-31-14.23	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-31-15.23	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-31-16.23	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-31-17.23	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-31-18.23	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-31-19.23	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-31-2.23	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-31-20.23	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-31-21.23	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-31-22.23	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-31-23.23	<i>Culex spp.</i>	36	Negative	RAMP
		Gravid Trap		DN-31-3.23	<i>Culex spp.</i>	50	Negative	RAMP
Gravid Trap	DN-31-4.23	<i>Culex spp.</i>	50	Negative	RAMP			
Gravid Trap	DN-31-5.23	<i>Culex spp.</i>	50	Negative	RAMP			
Gravid Trap	DN-31-6.23	<i>Culex spp.</i>	50	Negative	RAMP			
Gravid Trap	DN-31-7.23	<i>Culex spp.</i>	50	Negative	RAMP			
Gravid Trap	DN-31-8.23	<i>Culex spp.</i>	50	Negative	RAMP			

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Dublin North	7/27/2015	Gravid Trap	7/28/2015	DN-31-9.23	<i>Culex spp.</i>	50	Negative	RAMP	
	7/29/2015	Post Spray	7/30/2015	DNPS-31-1.5	<i>Culex spp.</i>	50	Negative	RAMP	
		Post Spray		DNPS-31-2.5	<i>Culex spp.</i>	50	Negative	RAMP	
		Post Spray		DNPS-31-3.5	<i>Culex spp.</i>	50	Negative	RAMP	
		Post Spray		DNPS-31-4.5	<i>Culex spp.</i>	50	Negative	RAMP	
		Post Spray		DNPS-31-5.5	<i>Culex spp.</i>	10	Negative	RAMP	
	8/3/2015	Gravid Trap	8/4/2015	DN-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DN-32-2.2	<i>Culex spp.</i>	12	Negative	RAMP	
	8/10/2015	Gravid Trap	8/11/2015	DN-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DN-33-2.2	<i>Culex spp.</i>	35	Negative	RAMP	
	8/14/2015	Post Spray	8/8/2015	DNPD-33-2.2	<i>Culex spp.</i>	14	Negative	RAMP	
		Post Spray		DNPS-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	8/17/2015	Gravid Trap	8/18/2015	DN-34-1.1	<i>Culex spp.</i>	45	Negative	RAMP	
	8/24/2015	Gravid Trap	8/25/2015	DN-35-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DN-35-2.2	<i>Culex spp.</i>	36	Negative	RAMP	
	8/31/2015	Gravid Trap	9/1/2015	DN-36-1.2	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		DN-36-2.2	<i>Culex spp.</i>	11	Negative	PCR	
	9/8/2015	Gravid Trap	9/9/2015	DN-37-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap	9/3/2015	DN-37-2.2	<i>Culex spp.</i>	18	Negative	RAMP	
	9/10/2015	Post Spray	9/10/2015	DNPS-37-1.1	<i>Culex spp.</i>	16	Negative	PCR	
	9/14/2015	Gravid Trap	9/15/2015	DN-38-1.1	<i>Culex spp.</i>	37	Negative	RAMP	
	9/21/2015	Gravid Trap	9/22/2015	DN-39-1.1	<i>Culex spp.</i>	30	Negative	RAMP	
	Total Pools Tested: 83		Total Mosquitoes Tested: 3524		Total Pending: 0	Total RAMP: 77	Total Negative: 82	Total Positive: 1	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Dublin Northeast	5/11/2015	Gravid Trap	5/12/2015	DNE-20-1.1	<i>Culex spp.</i>	1	Negative	PCR	
	5/18/2015	Gravid Trap	5/19/2015	DNE-21-1.1	<i>Culex spp.</i>	4	Negative	PCR	
	5/26/2015	Gravid Trap	5/27/2015	DNE-22-1.1	<i>Culex spp.</i>	15	Negative	RAMP	
	6/1/2015	Gravid Trap	6/2/2015	DNE-23-1.1	<i>Culex spp.</i>	16	Negative	RAMP	
	6/9/2015	Gravid Trap	6/10/2015	DNE-24-1.1	<i>Culex spp.</i>	14	Negative	RAMP	
	6/15/2015	Gravid Trap	6/16/2015	DNE-25-1.1	<i>Culex spp.</i>	27	Negative	RAMP	
	6/22/2015	Gravid Trap	6/23/2015	DNE-26-1.1	<i>Culex spp.</i>	19	Negative	RAMP	
	6/29/2015	Gravid Trap	6/30/2015	DNE-27-1.1	<i>Culex spp.</i>	32	Negative	RAMP	
	7/6/2015	Gravid Trap	7/7/2015	DNE-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		DNE-28-2.2	<i>Culex spp.</i>	10	Negative	RAMP
	7/13/2015	Gravid Trap	7/14/2015	DNE-29-1.1	<i>Culex spp.</i>	10	Negative	RAMP	
	7/20/2015	Gravid Trap	7/21/2015	DNE-30-1.26	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		DNE-30-10.26	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		DNE-30-11.26	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		DNE-30-12.26	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		DNE-30-13.26	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		DNE-30-14.26	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		DNE-30-15.26	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		DNE-30-16.26	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		DNE-30-17.26	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		DNE-30-18.26	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		DNE-30-19.26	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		DNE-30-2.26	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		DNE-30-20.26	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		DNE-30-21.26	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin Northeast	7/20/2015	Gravid Trap	7/21/2015	DNE-30-22.26	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-30-23.26	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-30-24.26	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-30-25.26	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-30-26.26	<i>Culex spp.</i>	17	Negative	RAMP
		Gravid Trap		DNE-30-3.26	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-30-4.26	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-30-5.26	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-30-6.26	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-30-7.26	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-30-8.26	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-30-9.26	<i>Culex spp.</i>	50	Negative	RAMP
				7/27/2015	Gravid Trap	7/28/2015	DNE-31-1.4	<i>Culex spp.</i>
Gravid Trap	DNE-31-2.4		<i>Culex spp.</i>		50		Negative	RAMP
Gravid Trap	DNE-31-3.4		<i>Culex spp.</i>		50		Negative	RAMP
Gravid Trap	DNE-31-4.4		<i>Culex spp.</i>		37		Negative	RAMP
	8/3/2015	Gravid Trap	8/4/2015	DNE-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-32-2.2	<i>Culex spp.</i>	36	Negative	RAMP
	8/10/2015	Gravid Trap	8/11/2015	DNE-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DNE-33-2.2	<i>Culex spp.</i>	35	Negative	RAMP
	8/17/2015	Gravid Trap	8/18/2015	DNE-34-1.1	<i>Culex spp.</i>	27	Negative	RAMP
	8/24/2015	Gravid Trap	8/25/2015	DNE-35-1.1	<i>Culex spp.</i>	50	WNV+	RAMP
	8/31/2015	Gravid Trap	9/1/2015	DNE-36-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		DNE-36-2.2	<i>Culex spp.</i>	25	Negative	PCR
	9/2/2015	Post Spray	9/3/2015	DNEPS-36-1.1	<i>Culex spp.</i>	30	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin Northeast	9/8/2015	Gravid Trap	9/9/2015	DNE-37-1.1	<i>Culex spp.</i>	38	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	DNE-38-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	9/16/2015	Post Spray	9/17/2015	DNEPS-38-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	9/21/2015	Gravid Trap	9/22/2015	DNE-39-1.1	<i>Culex spp.</i>	2	Negative	RAMP
Total Pools Tested: 54		Total Mosquitoes Tested: 2051		Total Pending: 0	Total RAMP: 50	Total Negative: 52	Total Positive: 2	
Dublin West	5/11/2015	Gravid Trap	5/12/2015	DW-20-1.1	<i>Culex spp.</i>	1	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	DW-22-1.1	<i>Culex spp.</i>	20	WNV+	PCR
	6/1/2015	Gravid Trap	6/2/2015	DW-23-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	6/9/2015	Gravid Trap	6/10/2015	DW-24-1.1	<i>Culex spp.</i>	24	Negative	RAMP
	6/15/2015	Gravid Trap	6/16/2015	DW-25-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	6/22/2015	Gravid Trap	6/23/2015	DW-26-1.1	<i>Culex spp.</i>	3	Negative	RAMP
	6/29/2015	Gravid Trap	6/30/2015	DW-27-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	7/6/2015	Gravid Trap	7/7/2015	DW-28-1.1	<i>Culex spp.</i>	28	Negative	RAMP
	7/13/2015	Gravid Trap	7/14/2015	DW-29-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	7/20/2015	Gravid Trap	7/21/2015	DW-30-1.20	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-30-10.20	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-30-11.20	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-30-12.20	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-30-13.20	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-30-14.20	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-30-15.20	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-30-16.20	<i>Culex spp.</i>	50	Negative	RAMP
	Gravid Trap		DW-30-17.20	<i>Culex spp.</i>	50	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin West	7/20/2015	Gravid Trap	7/21/2015	DW-30-18.20	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-30-19.20	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-30-2.20	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-30-20.20	<i>Culex spp.</i>	43	Negative	RAMP
		Gravid Trap		DW-30-3.20	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-30-4.20	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-30-5.20	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-30-6.20	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-30-7.20	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-30-8.20	<i>Culex spp.</i>	50	Negative	RAMP
	Gravid Trap	DW-30-9.20	<i>Culex spp.</i>	50	Negative	RAMP		
	7/26/2015	Pre Spray	7/27/2015	DWPRE-31-1.	<i>Culex spp.</i>	27	Negative	RAMP
	7/28/2015	Post Spray	7/29/2015	DWPS-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Post Spray		DWPS-31-2.2	<i>Culex spp.</i>	10	Negative	RAMP
	8/3/2015	Gravid Trap	8/4/2015	DW-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-32-2.2	<i>Culex spp.</i>	5	Negative	RAMP
	8/10/2015	Gravid Trap	8/11/2015	DW-33-1.1	<i>Culex spp.</i>	43	Negative	RAMP
	8/17/2015	Gravid Trap	8/8/2015	DW-34-1.1	<i>Culex spp.</i>	16	Negative	PCR
	8/24/2015	Gravid Trap	8/25/2015	DW-35-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	8/31/2015	Gravid Trap	9/1/2015	DW-36-1.1	<i>Culex spp.</i>	13	Negative	RAMP
9/8/2015	Gravid Trap	9/9/2015	DW-37-1.1	<i>Culex spp.</i>	1	Negative	RAMP	
9/14/2015	Gravid Trap	9/15/2015	DW-38-1.1	<i>Culex spp.</i>	3	Negative	RAMP	
9/21/2015	Gravid Trap	9/22/2015	DW-39-1.1	<i>Culex spp.</i>	14	Negative	RAMP	
Total Pools Tested: 41		Total Mosquitoes Tested: 1379		Total Pending: 0	Total RAMP: 38	Total Negative: 40	Total Positive: 1	
<b>Total Pools Tested: 273</b>		<b>Total Mosquitoes Tested: 10255</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 253</b>	<b>Total Negative: 267</b>	<b>Total Positive: 6</b>	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
<b>Franklin Test Results</b>								
Broadlawn Road	8/3/2015	Gravid Trap	8/4/2015	ADLAWN-3:	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		ADLAWN-3:	<i>Culex spp.</i>	3	Negative	PCR
Total Pools Tested: 2		Total Mosquitoes Tested: 53		Total Pending: 0	Total RAMP: 0	Total Negative: 2	Total Positive: 0	
Franklin North	5/11/2015	Gravid Trap	5/12/2015	FN-20-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FN-20-2.2	<i>Culex spp.</i>	5	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	FN-21-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FN-21-2.2	<i>Culex spp.</i>	30	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	FN-22-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-22-2.2	<i>Culex spp.</i>	31	Negative	PCR
	6/1/2015	Gravid Trap	6/2/2015	FN-23-1.1	<i>Culex spp.</i>	15	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	FN-24-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FN-24-2.2	<i>Culex spp.</i>	18	Negative	PCR
	6/15/2015	Gravid Trap	6/16/2015	FN-25-1.1	<i>Culex spp.</i>	19	Negative	RAMP
	6/22/2015	Gravid Trap	6/23/2015	FN-26-1.1	<i>Culex spp.</i>	6	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	FN-27-1.1	<i>Culex spp.</i>	11	Negative	PCR
	7/6/2015	Gravid Trap	7/7/2015	FN-28-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	7/13/2015	Gravid Trap	7/14/2015	FN-29-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	7/20/2015	Gravid Trap	7/21/2015	FN-30-1.12	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-30-10.12	<i>Culex spp.</i>	50	Negative	PCR
Gravid Trap		FN-30-11.12		<i>Culex spp.</i>	50	Negative	PCR	
Gravid Trap		FN-30-12.12		<i>Culex spp.</i>	23	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay		
Franklin North	7/20/2015	Gravid Trap	7/21/2015	FN-30-2.12	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		FN-30-3.12	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		FN-30-4.12	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		FN-30-5.12	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		FN-30-6.12	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		FN-30-7.12	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		FN-30-8.12	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		FN-30-9.12	<i>Culex spp.</i>	50	Negative	PCR		
	7/22/2015	Post Spray	7/23/2015	FNPS-30-1.2	<i>Culex spp.</i>	50	Negative	PCR		
		Post Spray		FNPS-30-2.2	<i>Culex spp.</i>	47	Negative	PCR		
	7/27/2015	Gravid Trap	7/28/2015	FN-31-1.10	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		FN-31-10.10	<i>Culex spp.</i>	8	Negative	PCR		
		Gravid Trap		FN-31-2.10	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		FN-31-3.10	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		FN-31-4.10	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		FN-31-5.10	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		FN-31-6.10	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		FN-31-7.10	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		FN-31-8.10	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		FN-31-9.10	<i>Culex spp.</i>	50	Negative	PCR		
		8/3/2015		Gravid Trap	8/4/2015	FN-32-1.4	<i>Culex spp.</i>	50	Negative	RAMP
				Gravid Trap		FN-32-2.4	<i>Culex spp.</i>	50	Negative	PCR
	Gravid Trap		FN-32-3.4	<i>Culex spp.</i>		50	WNV+	PCR		
	Gravid Trap		FN-32-4.4	<i>Culex spp.</i>		39	Negative	PCR		
	8/10/2015	Gravid Trap	8/11/2015	FN-33-1.4	<i>Culex spp.</i>	50	Negative	RAMP		



Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Franklin North	8/10/2015	Gravid Trap	8/11/2015	FN-33-2.4	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		FN-33-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FN-33-4.4	<i>Culex spp.</i>	15	WNV+	PCR
	8/17/2015	Gravid Trap	8/18/2015	FN-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-34-2.2	<i>Culex spp.</i>	38	Negative	RAMP
	8/24/2015	Gravid Trap	8/25/2015	FN-35-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-35-2.2	<i>Culex spp.</i>	14	Negative	PCR
	8/31/2015	Gravid Trap	9/1/2015	FN-36-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-36-2.2	<i>Culex spp.</i>	16	WNV+	PCR
	9/4/2015	Pre Spray	9/5/2015	FNPRE-36-1.1	<i>Culex spp.</i>	30	Negative	PCR
	9/9/2015	Post Spray	9/10/2015	FNPS-36-1.1	<i>Culex spp.</i>	9	Negative	PCR
	9/14/2015	Gravid Trap	9/15/2015	FN-38-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	9/21/2015	Gravid Trap	9/22/2015	FN-39-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	Total Pools Tested: 56		Total Mosquitoes Tested: 2144		Total Pending: 0	Total RAMP: 14	Total Negative: 52	Total Positive: 4
Franklin South	5/11/2015	Gravid Trap	5/12/2015	FS-20-1.1	<i>Culex spp.</i>	22	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	FS-21-1.1	<i>Culex spp.</i>	27	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	FS-22-1.1	<i>Culex spp.</i>	28	Negative	RAMP
	6/1/2015	Gravid Trap	6/2/2015	FS-23-1.1	<i>Culex spp.</i>	22	Negative	RAMP
	6/9/2015	Gravid Trap	6/10/2015	FS-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FS-24-2.2	<i>Culex spp.</i>	15	Negative	PCR
	6/15/2015	Gravid Trap	6/16/2015	FS-25-1.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FS-25-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FS-25-3.3	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay			
Franklin South	6/22/2015	Gravid Trap	6/23/2015	FS-26-1.1	<i>Culex spp.</i>	2	Negative	PCR			
	6/29/2015	Gravid Trap	6/30/2015	FS-27-1.1	<i>Culex spp.</i>	14	Negative	RAMP			
	7/6/2015	Gravid Trap	7/7/2015	FS-28-1.1	<i>Culex spp.</i>	25	Negative	RAMP			
	7/13/2015	Gravid Trap	7/14/2015	FS-29-1.1	<i>Culex spp.</i>	3	Negative	PCR			
	7/20/2015	Gravid Trap	7/21/2015	FS-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP			
		Gravid Trap		FS-30-2.2	<i>Culex spp.</i>	49	Negative	PCR			
	7/27/2015	Gravid Trap	7/28/2015	FS-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP			
		Gravid Trap		FS-31-2.2	<i>Culex spp.</i>	26	Negative	PCR			
	8/3/2015	Gravid Trap	8/4/2015	FS-32-1.1	<i>Culex spp.</i>	37	Negative	RAMP			
	8/10/2015	Gravid Trap	8/11/2015	FS-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP			
		Gravid Trap		FS-33-2.2	<i>Culex spp.</i>	25	Negative	PCR			
	8/17/2015	Gravid Trap	8/18/2015	FS-34-1.1	<i>Culex spp.</i>	11	Negative	RAMP			
	8/24/2015	Gravid Trap	8/25/2015	FS-35-1.2	<i>Culex spp.</i>	50	Negative	RAMP			
		Gravid Trap		FS-35-2.2	<i>Culex spp.</i>	11	Negative	PCR			
	8/31/2015	Gravid Trap	9/1/2015	FS-36-1.2	<i>Culex spp.</i>	50	Negative	RAMP			
		Gravid Trap		FS-36-2.2	<i>Culex spp.</i>	7	Negative	PCR			
	9/4/2015	Pre Spray	9/5/2015	FSPRE-36-1.1	<i>Culex spp.</i>	19	Negative	PCR			
	9/9/2015	Post Spray	9/10/2015	FSPS-36-1.1	<i>Culex spp.</i>	5	Negative	PCR			
	9/14/2015	Gravid Trap	9/15/2015	FS-38-1.1	<i>Culex spp.</i>	4	Negative	RAMP			
	9/21/2015	Gravid Trap	9/22/2015	FS-39-1.1	<i>Culex spp.</i>	12	Negative	RAMP			
Total Pools Tested:	29	Total Mosquitoes Tested:	814	Total Pending:	0	Total RAMP:	14	Total Negative:	29	Total Positive:	0
<b>Total Pools Tested:</b>	<b>87</b>	<b>Total Mosquitoes Tested:</b>	<b>3011</b>	<b>Total Pending:</b>	<b>0</b>	<b>Total RAMP:</b>	<b>28</b>	<b>Total Negative:</b>	<b>83</b>	<b>Total Positive:</b>	<b>4</b>

### Gahanna Test Results

Gahanna North	5/18/2015	Gravid Trap	5/19/2015	GN-21-1.2	<i>Culex spp.</i>	50	Negative	PCR
---------------	-----------	-------------	-----------	-----------	-------------------	----	----------	-----

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Gahanna North	5/18/2015	Gravid Trap	5/19/2015	GN-21-2.2	<i>Culex spp.</i>	32	Negative	PCR	
	5/26/2015	Gravid Trap	5/27/2015	GN-22-1.1	<i>Culex spp.</i>	28	Negative	RAMP	
	6/1/2015	Gravid Trap	6/2/2015	GN-23-1.1	<i>Culex spp.</i>	9	Negative	RAMP	
	6/9/2015	Gravid Trap	6/10/2015	GN-24-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		GN-24-2.3	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		GN-24-3.3	<i>Culex spp.</i>	50	Negative	PCR
	6/15/2015	Gravid Trap	6/16/2015	GN-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		GN-25-2.2	<i>Culex spp.</i>	20	Negative	PCR
	6/22/2015	Gravid Trap	6/23/2015	GN-26-1.1	<i>Culex spp.</i>	19	Negative	RAMP	
	6/29/2015	Gravid Trap	6/30/2015	GN-27-1.1	<i>Culex spp.</i>	11	Negative	PCR	
	7/6/2015	Gravid Trap	7/7/2015	GN-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		GN-28-2.2	<i>Culex spp.</i>	43	Negative	PCR
	7/13/2015	Gravid Trap	7/14/2015	GN-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		GN-29-2.2	<i>Culex spp.</i>	50	Negative	PCR
	7/20/2015	Gravid Trap	7/21/2015	GN-30-1.4	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		GN-30-2.4	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		GN-30-3.4	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		GN-30-4.4	<i>Culex spp.</i>	30	Negative	PCR
	7/27/2015	Gravid Trap	7/28/2015	GN-31-1.5	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		GN-31-2.5	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		GN-31-3.5	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		GN-31-4.5	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		GN-31-5.5	<i>Culex spp.</i>	20	Negative	PCR
	8/3/2015	Gravid Trap	8/4/2015	GN-32-1.11	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		GN-32-10.11	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Gahanna North	8/3/2015	Gravid Trap	8/4/2015	GN-32-11.11	<i>Culex spp.</i>	47	Negative	PCR
		Gravid Trap		GN-32-2.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GN-32-3.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GN-32-4.11	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		GN-32-5.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GN-32-6.11	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		GN-32-7.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GN-32-8.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GN-32-9.11	<i>Culex spp.</i>	50	Negative	PCR
	8/9/2015	Pre Spray	8/8/2015	3NPRE-33-1.1	<i>Culex spp.</i>	32	Negative	PCR
	8/11/2015	Post Spray		GNPS-33-1.1	<i>Culex spp.</i>	42	Negative	PCR
	8/17/2015	Gravid Trap	8/18/2015	GN-34-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	8/24/2015	Gravid Trap	8/25/2015	GN-35-1.1	<i>Culex spp.</i>	22	Negative	RAMP
	9/8/2015	Gravid Trap	9/9/2015	GN-37-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	GN-38-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	9/21/2015	Gravid Trap	9/22/2015	GN-39-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	Total Pools Tested: 42		Total Mosquitoes Tested: 1650		Total Pending: 0	Total RAMP: 15	Total Negative: 40	Total Positive: 2
Gahanna South	5/11/2015	Gravid Trap	5/12/2015	GS-20-1.1	<i>Culex spp.</i>	4	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	GS-21-1.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GS-21-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GS-21-3.3	<i>Culex spp.</i>	24	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	GS-22-1.1	<i>Culex spp.</i>	35	Negative	RAMP
	6/1/2015	Gravid Trap	6/2/2015	GS-23-1.1	<i>Culex spp.</i>	6	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Gahanna South	6/9/2015	Gravid Trap	6/10/2015	GS-24-1.1	<i>Culex spp.</i>	18	Negative	PCR	
	6/15/2015	Gravid Trap	6/16/2015	GS-25-1.1	<i>Culex spp.</i>	12	Negative	PCR	
	6/22/2015	Gravid Trap	6/23/2015	GS-26-1.1	<i>Culex spp.</i>	10	Negative	PCR	
	6/29/2015	Gravid Trap	6/30/2015	GS-27-1.1	<i>Culex spp.</i>	13	Negative	PCR	
	7/6/2015	Gravid Trap	7/7/2015	GS-28-1.1	<i>Culex spp.</i>	26	Negative	RAMP	
	7/13/2015	Gravid Trap	7/14/2015	GS-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GS-29-2.2	<i>Culex spp.</i>	40	Negative	PCR	
	7/20/2015	Gravid Trap	7/21/2015	GS-30-1.8	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GS-30-2.8	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		GS-30-3.8	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		GS-30-4.8	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		GS-30-5.8	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		GS-30-6.8	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		GS-30-7.8	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		GS-30-8.8	<i>Culex spp.</i>	37	Negative	PCR	
		7/27/2015	Gravid Trap	7/28/2015	GS-31-1.3	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		GS-31-2.3	<i>Culex spp.</i>	50	Negative	PCR
	Gravid Trap			GS-31-3.3	<i>Culex spp.</i>	45	Negative	PCR	
	8/3/2015	Gravid Trap	8/4/2015	GS-32-1.9	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GS-32-2.9	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		GS-32-3.9	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		GS-32-4.9	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		GS-32-5.9	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		GS-32-6.9	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		GS-32-7.9	<i>Culex spp.</i>	50	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Gahanna South	8/3/2015	Gravid Trap	8/4/2015	GS-32-8.9	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		GS-32-9.9	<i>Culex spp.</i>	50	Negative	PCR
	8/9/2015	Pre Spray	8/8/2015	3SPRE-33-1.3	<i>Culex spp.</i>	50	Negative	PCR
		Pre Spray		3SPRE-33-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Pre Spray		3SPRE-33-3.3	<i>Culex spp.</i>	30	Negative	PCR
	8/11/2015	Post Spray		GSPS-33-1.1	<i>Culex spp.</i>	49	Negative	PCR
	8/17/2015	Gravid Trap	8/18/2015	GS-34-1.1	<i>Culex spp.</i>	31	Negative	RAMP
	8/24/2015	Gravid Trap	8/25/2015	GS-35-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	8/31/2015	Gravid Trap	9/1/2015	GS-36-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	9/8/2015	Gravid Trap	9/9/2015	GS-37-1.1	<i>Culex spp.</i>	19	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	GS-38-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	9/17/2015	Post Spray	9/18/2015	GSPS-38-1.1	<i>Culex spp.</i>	9	Negative	PCR
	9/21/2015	Gravid Trap	9/22/2015	GS-39-1.1	<i>Culex spp.</i>	9	Negative	RAMP
Total Pools Tested: 44		Total Mosquitoes Tested: 1602		Total Pending: 0	Total RAMP: 13	Total Negative: 43	Total Positive: 1	
Gahanna West	5/11/2015	Gravid Trap	5/12/2015	GW-20-1.1	<i>Culex spp.</i>	9	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	GW-21-1.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GW-21-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GW-21-3.3	<i>Culex spp.</i>	41	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	GW-22-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GW-22-2.2	<i>Culex spp.</i>	35	Negative	PCR
	6/1/2015	Gravid Trap	6/2/2015	GW-23-1.1	<i>Culex spp.</i>	37	Negative	RAMP
	6/9/2015	Gravid Trap	6/10/2015	GW-24-1.1	<i>Culex spp.</i>	26	Negative	PCR
	6/15/2015	Gravid Trap	6/16/2015	GW-25-1.1	<i>Culex spp.</i>	28	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Gahanna West	6/22/2015	Gravid Trap	6/23/2015	GW-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GW-26-2.2	<i>Culex spp.</i>	40	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	GW-27-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	7/6/2015	Gravid Trap	7/7/2015	GW-28-1.1	<i>Culex spp.</i>	44	Negative	RAMP
	7/13/2015	Gravid Trap	7/14/2015	GW-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GW-29-2.2	<i>Culex spp.</i>	10	Negative	PCR
	7/20/2015	Gravid Trap	7/21/2015	GW-30-1.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GW-30-2.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GW-30-3.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GW-30-4.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GW-30-5.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GW-30-6.6	<i>Culex spp.</i>	10	Negative	PCR
	7/27/2015	Gravid Trap	7/28/2015	GW-31-1.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GW-31-2.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GW-31-3.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GW-31-4.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GW-31-5.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GW-31-6.6	<i>Culex spp.</i>	50	Negative	PCR
	8/3/2015	Gravid Trap	8/4/2015	GW-32-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GW-32-2.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GW-32-3.5	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		GW-32-4.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GW-32-5.5	<i>Culex spp.</i>	50	Negative	PCR
	8/6/2015	Post Spray	8/7/2015	GWPS-32-1.1	<i>Culex spp.</i>	49	Negative	PCR
	8/10/2015	Gravid Trap	8/11/2015	GW-33-1.1	<i>Culex spp.</i>	38	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Gahanna West	8/17/2015	Gravid Trap	8/18/2015	GW-34-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		GW-34-2.2	<i>Culex spp.</i>	6	Negative	PCR
	8/24/2015	Gravid Trap	8/25/2015	GW-35-1.1	<i>Culex spp.</i>	19	Negative	RAMP
	8/31/2015	Gravid Trap	9/1/2015	GW-36-1.1	<i>Culex spp.</i>	17	Negative	RAMP
	9/8/2015	Gravid Trap	9/9/2015	GW-37-1.1	<i>Culex spp.</i>	47	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	GW-38-1.1	<i>Culex spp.</i>	13	Negative	RAMP
	9/17/2015	Post Spray	9/18/2015	GWPS-38-1.1	<i>Culex spp.</i>	12	Negative	PCR
	9/21/2015	Gravid Trap	9/22/2015	GW-39-1.1	<i>Culex spp.</i>	18	Negative	RAMP
Total Pools Tested: 42		Total Mosquitoes Tested: 1619		Total Pending: 0	Total RAMP: 16	Total Negative: 40	Total Positive: 2	
<b>Total Pools Tested: 128</b>		<b>Total Mosquitoes Tested: 4871</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 44</b>	<b>Total Negative: 123</b>	<b>Total Positive: 5</b>	

### Grandview Heights Test Results

Grandview	5/18/2015	Gravid Trap	5/19/2015	GV-21-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GV-21-2.2	<i>Culex spp.</i>	29	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	GV-22-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GV-22-2.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GV-22-3.3	<i>Culex spp.</i>	21	Negative	RAMP
	6/1/2015	Gravid Trap	6/2/2015	GV-23-1.1	<i>Culex spp.</i>	31	Negative	RAMP
	6/3/2015	Post Spray	6/4/2015	GVPS-23-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		GVPS-23-2.2	<i>Culex spp.</i>	10	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	GV-24-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	6/15/2015	Gravid Trap	6/16/2015	GV-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GV-25-2.2	<i>Culex spp.</i>	8	Negative	RAMP
	6/22/2015	Gravid Trap	6/23/2015	GV-26-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	6/29/2015	Gravid Trap	6/30/2015	GV-27-1.1	<i>Culex spp.</i>	4	Negative	RAMP



Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grandview	7/6/2015	Gravid Trap	7/7/2015	GV-28-1.1	<i>Culex spp.</i>	5	Negative	PCR
	7/13/2015	Gravid Trap	7/14/2015	GV-29-1.1	<i>Culex spp.</i>	17	Negative	PCR
	7/20/2015	Gravid Trap	7/21/2015	GV-30-1.9	<i>Culex spp.</i>	50	Negative	RAMP
			GV-30-2.9	<i>Culex spp.</i>	50	Negative	PCR	
			GV-30-3.9	<i>Culex spp.</i>	50	Negative	PCR	
			GV-30-4.9	<i>Culex spp.</i>	50	Negative	PCR	
			GV-30-5.9	<i>Culex spp.</i>	50	Negative	PCR	
			GV-30-6.9	<i>Culex spp.</i>	50	Negative	PCR	
			GV-30-7.9	<i>Culex spp.</i>	50	Negative	PCR	
			GV-30-8.9	<i>Culex spp.</i>	50	Negative	PCR	
			GV-30-9.9	<i>Culex spp.</i>	22	Negative	PCR	
			7/27/2015	Gravid Trap	7/28/2015	GV-31-1.4	<i>Culex spp.</i>	50
	GV-31-2.4	<i>Culex spp.</i>			50	Negative	PCR	
	GV-31-3.4	<i>Culex spp.</i>			50	Negative	PCR	
	GV-31-4.4	<i>Culex spp.</i>			50	Negative	PCR	
	7/30/2015	Post Spray	7/31/2015	GVPS-31-1.3	<i>Culex spp.</i>	50	Negative	PCR
			GVPS-31-2.3	<i>Culex spp.</i>	50	Negative	PCR	
			GVPS-32-3.3	<i>Culex spp.</i>	13	Negative	PCR	
	8/3/2015	Gravid Trap	8/4/2015	GV-32-1.1	<i>Culex spp.</i>	40	Negative	RAMP
	8/10/2015	Gravid Trap	8/11/2015	GV-33-1.3	<i>Culex spp.</i>	50	Negative	RAMP
			GV-33-2.3	<i>Culex spp.</i>	50	Negative	PCR	
			GV-33-3.3	<i>Culex spp.</i>	6	Negative	PCR	
	8/17/2015	Gravid Trap	8/18/2015	GV-34-1.1	<i>Culex spp.</i>	19	Negative	RAMP
8/24/2015	Gravid Trap	8/25/2015	GV-35-1.1	<i>Culex spp.</i>	50	Negative	RAMP	
8/31/2015	Gravid Trap	9/1/2015	GV-36-1.1	<i>Culex spp.</i>	37	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grandview	9/8/2015	Gravid Trap	9/9/2015	GV-37-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	GV-38-1.1	<i>Culex spp.</i>	14	Negative	RAMP
	9/21/2015	Gravid Trap	9/22/2015	GV-39-1.1	<i>Culex spp.</i>	20	Negative	RAMP
Total Pools Tested: 41		Total Mosquitoes Tested: 1434		Total Pending: 0	Total RAMP: 19	Total Negative: 41	Total Positive: 0	
<b>Total Pools Tested: 41</b>		<b>Total Mosquitoes Tested: 1434</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 19</b>	<b>Total Negative: 41</b>	<b>Total Positive: 0</b>	

### Grove City Test Results

Grove City North	5/11/2015	Gravid Trap	5/12/2015	GCN-20-1.1	<i>Culex spp.</i>	1	Negative	PCR	
	5/18/2015	Gravid Trap	5/19/2015	GCN-21-1.1	<i>Culex spp.</i>	21	Negative	PCR	
	5/26/2015	Gravid Trap	5/27/2015	GCN-22-1.1	<i>Culex spp.</i>	10	Negative	RAMP	
	6/1/2015	Gravid Trap	6/2/2015	GCN-23-1.1	<i>Culex spp.</i>	7	Negative	RAMP	
	6/9/2015	Gravid Trap	6/10/2015	GCN-24-1.1	<i>Culex spp.</i>	2	Negative	PCR	
	6/15/2015	Gravid Trap	6/16/2015	GCN-25-1.1	<i>Culex spp.</i>	39	Negative	PCR	
	6/22/2015	Gravid Trap		6/23/2015	GCN-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
					GCN-26-2.2	<i>Culex spp.</i>	48	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	GCN-27-1.1	<i>Culex spp.</i>	9	Negative	PCR	
	7/6/2015	Gravid Trap		7/7/2015	GCN-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP
					GCN-28-2.2	<i>Culex spp.</i>	20	Negative	PCR
	7/13/2015	Gravid Trap		7/14/2015	GCN-29-1.6	<i>Culex spp.</i>	50	Negative	RAMP
					GCN-29-2.6	<i>Culex spp.</i>	50	Negative	PCR
					GCN-29-3.6	<i>Culex spp.</i>	50	Negative	PCR
					GCN-29-4.6	<i>Culex spp.</i>	50	Negative	PCR
					GCN-29-5.6	<i>Culex spp.</i>	50	Negative	PCR
					GCN-29-6.6	<i>Culex spp.</i>	22	Negative	PCR
	7/17/2015	Post Spray	7/18/2015	3CNPS-29-1.1	<i>Culex spp.</i>	50	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City North	7/17/2015	Post Spray	7/18/2015	3CNPS-29-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		3CNPS-29-3.3	<i>Culex spp.</i>	10	Negative	PCR
Grove City North	7/20/2015	Gravid Trap	7/21/2015	GCN-30-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GCN-30-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GCN-30-3.4	<i>Culex spp.</i>	50	Negative	PCR
	7/27/2015	Gravid Trap	7/28/2015	GCN-30-4.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GCN-31-1.13	<i>Culex spp.</i>	34	Negative	PCR
		Gravid Trap		3CN-31-10.13	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		3CN-31-11.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3CN-31-12.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3CN-31-13.13	<i>Culex spp.</i>	38	Negative	PCR
		Gravid Trap		GCN-31-2.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GCN-31-3.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GCN-31-4.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GCN-31-5.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GCN-31-6.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GCN-31-7.13	<i>Culex spp.</i>	50	Negative	PCR
	Gravid Trap	GCN-31-8.13	<i>Culex spp.</i>	50	Negative	PCR		
	Gravid Trap	GCN-31-9.13	<i>Culex spp.</i>	50	Negative	PCR		
	8/3/2015	Gravid Trap	8/4/2015	GCN-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP
Gravid Trap		GCN-32-2.2		<i>Culex spp.</i>	19	WNV+	PCR	
8/5/2015	Post Spray	8/6/2015	3CNPS-32-1.1	<i>Culex spp.</i>	37	Negative	PCR	
8/10/2015	Gravid Trap	8/11/2015	GCN-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	Gravid Trap		GCN-33-2.2	<i>Culex spp.</i>	24	Negative	PCR	
8/17/2015	Gravid Trap	8/18/2015	GCN-34-1.1	<i>Culex spp.</i>	11	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City North	8/20/2015	Post Spray	8/21/2015	3CNPS-34-1.1	<i>Culex spp.</i>	15	Negative	PCR
	8/24/2015	Gravid Trap	8/25/2015	GCN-35-1.1	<i>Culex spp.</i>	27	Negative	RAMP
	8/28/2015	Post Spray	8/29/2015	3CNPS-35-1.1	<i>Culex spp.</i>	6	Negative	PCR
	8/31/2015	Gravid Trap	9/1/2015	GCN-36-1.1	<i>Culex spp.</i>	33	Negative	RAMP
	9/8/2015	Gravid Trap	9/9/2015	GCN-37-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	GCN-38-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	9/21/2015	Gravid Trap	9/22/2015	GCN-39-1.1	<i>Culex spp.</i>	9	Negative	RAMP
Total Pools Tested: 50		Total Mosquitoes Tested: 1764		Total Pending: 0	Total RAMP: 15	Total Negative: 49	Total Positive: 1	
Grove City South	5/11/2015	Gravid Trap	5/12/2015	GCS-20-1.1	<i>Culex spp.</i>	50	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	GCS-21-1.1	<i>Culex spp.</i>	17	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	GCS-22-1.1	<i>Culex spp.</i>	37	Negative	RAMP
	6/1/2015	Gravid Trap	6/2/2015	GCS-23-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	6/9/2015	Gravid Trap	6/10/2015	GCS-24-1.1	<i>Culex spp.</i>	16	Negative	PCR
	6/15/2015	Gravid Trap	6/16/2015	GCS-25-1.1	<i>Culex spp.</i>	47	Negative	RAMP
	6/22/2015	Gravid Trap	6/23/2015	GCS-26-1.1	<i>Culex spp.</i>	11	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	GCS-27-1.1	<i>Culex spp.</i>	28	Negative	RAMP
	7/6/2015	Gravid Trap	7/7/2015	GCS-28-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GCS-28-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GCS-28-3.3	<i>Culex spp.</i>	27	Negative	PCR
	7/13/2015	Gravid Trap	7/14/2015	GCS-29-1.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GCS-29-2.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GCS-29-3.6	<i>Culex spp.</i>	50	Negative	PCR
Gravid Trap			GCS-29-4.6	<i>Culex spp.</i>	50	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay		
Grove City South	7/13/2015	Gravid Trap	7/14/2015	GCS-29-5.6	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		GCS-29-6.6	<i>Culex spp.</i>	26	Negative	PCR		
	7/17/2015	Post Spray	7/20/2015	3CSPS-29-1.1	<i>Culex spp.</i>	39	Negative	PCR		
	7/20/2015	Gravid Trap	7/21/2015	GCS-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		GCS-30-2.2	<i>Culex spp.</i>	49	Negative	PCR		
	7/27/2015	Gravid Trap	7/28/2015	GCS-31-1.9	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		GCS-31-2.9	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		GCS-31-3.9	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		GCS-31-4.9	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		GCS-31-5.9	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		GCS-31-6.9	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		GCS-31-7.9	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		GCS-31-8.9	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		GCS-31-9.9	<i>Culex spp.</i>	10	Negative	PCR		
		8/3/2015		Gravid Trap	8/4/2015	GCS-32-1.7	<i>Culex spp.</i>	50	Negative	RAMP
				Gravid Trap		GCS-32-2.7	<i>Culex spp.</i>	50	Negative	PCR
	Gravid Trap		GCS-32-3.7	<i>Culex spp.</i>		50	Negative	PCR		
	Gravid Trap		GCS-32-4.7	<i>Culex spp.</i>		50	Negative	PCR		
	Gravid Trap		GCS-32-5.7	<i>Culex spp.</i>		50	Negative	PCR		
	Gravid Trap		GCS-32-6.7	<i>Culex spp.</i>		50	Negative	PCR		
	Gravid Trap		GCS-32-7.7	<i>Culex spp.</i>		6	Negative	PCR		
	8/10/2015	Gravid Trap	8/11/2015	GCS-33-1.1	<i>Culex spp.</i>	29	Negative	RAMP		
	8/12/2015	Post Spray	8/8/2015	3CSPS-33-1.2	<i>Culex spp.</i>	50	Negative	PCR		
Post Spray		3CSPS-33-2.2		<i>Culex spp.</i>	12	Negative	PCR			
8/17/2015	Gravid Trap	8/18/2015	GCS-34-1.1	<i>Culex spp.</i>	37	Negative	RAMP			

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Grove City South	8/24/2015	Gravid Trap	8/25/2015	GCS-35-1.1	<i>Culex spp.</i>	38	Negative	RAMP	
	8/28/2015	Post Spray	8/28/2015	3CSPS-35-1.1	<i>Culex spp.</i>	43	Negative	PCR	
	8/31/2015	Gravid Trap	9/1/2015	GCS-36-1.1	<i>Culex spp.</i>	15	Negative	RAMP	
	9/8/2015	Gravid Trap	9/9/2015	GCS-37-1.1	<i>Culex spp.</i>	47	Negative	RAMP	
	9/14/2015	Gravid Trap	9/15/2015	GCS-38-1.1	<i>Culex spp.</i>	19	Negative	RAMP	
	9/21/2015	Gravid Trap	9/22/2015	GCS-39-1.1	<i>Culex spp.</i>	15	Negative	RAMP	
Total Pools Tested: 46		Total Mosquitoes Tested: 1775		Total Pending: 0	Total RAMP: 16	Total Negative: 46	Total Positive: 0		
Grove City West	5/18/2015	Gravid Trap	5/19/2015	GCW-21-1.1	<i>Culex spp.</i>	16	Negative	PCR	
	6/9/2015	Gravid Trap	6/10/2015	GCW-24-1.1	<i>Culex spp.</i>	3	Negative	PCR	
	6/15/2015	Gravid Trap	6/16/2015	GCW-25-1.1	<i>Culex spp.</i>	7	Negative	PCR	
	6/22/2015	Gravid Trap	6/23/2015	GCW-26-1.1	<i>Culex spp.</i>	18	Negative	RAMP	
	6/29/2015	Gravid Trap		6/30/2015	GCW-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
					GCW-27-2.2	<i>Culex spp.</i>	4	Negative	PCR
	7/6/2015	Gravid Trap		7/7/2015	GCW-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP
					GCW-28-2.2	<i>Culex spp.</i>	12	Negative	PCR
	7/13/2015	Gravid Trap		7/14/2015	GCW-29-1.4	<i>Culex spp.</i>	50	Negative	RAMP
					GCW-29-2.4	<i>Culex spp.</i>	50	Negative	PCR
					GCW-29-3.4	<i>Culex spp.</i>	50	Negative	PCR
	7/19/2015	Pre Spray		7/20/2015	GCW-29-4.4	<i>Culex spp.</i>	29	Negative	PCR
					CWPRE-30-1	<i>Culex spp.</i>	35	Negative	PCR
	7/21/2015	Post Spray		7/22/2015	3CWPS-30-1.1	<i>Culex spp.</i>	50	Negative	PCR
					3CWPS-30-2.1	<i>Culex spp.</i>	50	Negative	PCR
3CWPS-30-3.1					<i>Culex spp.</i>	11	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City West	7/27/2015	Gravid Trap	7/28/2015	GCW-31-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GCW-31-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GCW-31-3.3	<i>Culex spp.</i>	41	Negative	PCR
	8/10/2015	Gravid Trap	8/11/2015	GCW-33-1.1	<i>Culex spp.</i>	35	Negative	RAMP
	8/17/2015	Gravid Trap	8/18/2015	GCW-34-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	8/24/2015	Gravid Trap	8/25/2015	GCW-35-1.1	<i>Culex spp.</i>	28	Negative	RAMP
	8/31/2015	Gravid Trap	9/1/2015	GCW-36-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	9/8/2015	Gravid Trap	9/9/2015	GCW-37-1.1	<i>Culex spp.</i>	17	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	GCW-38-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	9/21/2015	Gravid Trap	9/22/2015	GCW-39-1.1	<i>Culex spp.</i>	5	Negative	RAMP
9/23/2015	Post Spray		GCWPS-39-1.	<i>Culex spp.</i>	1	Negative	PCR	
Total Pools Tested: 27		Total Mosquitoes Tested: 747		Total Pending: 0	Total RAMP: 12	Total Negative: 27	Total Positive: 0	
Tamara Dr	7/29/2015	Gravid Trap	8/8/2015	55 Tamara-31-	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		55 Tamara-31-	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		55 Tamara-31-	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		55 Tamara-31-	<i>Culex spp.</i>	37	Negative	PCR
Total Pools Tested: 4		Total Mosquitoes Tested: 187		Total Pending: 0	Total RAMP: 0	Total Negative: 4	Total Positive: 0	
<b>Total Pools Tested: 127</b>		<b>Total Mosquitoes Tested: 4473</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 43</b>	<b>Total Negative: 126</b>	<b>Total Positive: 1</b>	

### Groveport Test Results

Groveport	5/11/2015	Gravid Trap	5/12/2015	GP-20-1.1	<i>Culex spp.</i>	13	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	GP-21-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GP-21-2.2	<i>Culex spp.</i>	22	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay					
Groveport	5/26/2015	Gravid Trap	5/27/2015	GP-22-1.1	<i>Culex spp.</i>	46	Negative	RAMP					
	6/1/2015	Gravid Trap	6/2/2015	GP-23-1.1	<i>Culex spp.</i>	19	Negative	PCR					
	6/9/2015	Gravid Trap	6/10/2015	GP-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP					
		Gravid Trap		GP-24-2.2	<i>Culex spp.</i>	23	Negative	PCR					
	6/15/2015	Gravid Trap	6/16/2015	GP-25-1.1	<i>Culex spp.</i>	37	Negative	RAMP					
	6/22/2015	Gravid Trap	6/23/2015	GP-26-1.1	<i>Culex spp.</i>	20	Negative	PCR					
	6/29/2015	Gravid Trap	6/30/2015	GP-27-1.1	<i>Culex spp.</i>	29	Negative	PCR					
	7/6/2015	Gravid Trap		7/7/2015	GP-28-1.3	<i>Culex spp.</i>	50	Negative	RAMP				
					GP-28-2.3	<i>Culex spp.</i>	50	Negative	PCR				
					GP-28-3.3	<i>Culex spp.</i>	12	Negative	PCR				
	7/13/2015	Gravid Trap		7/14/2015	GP-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP				
					GP-29-2.2	<i>Culex spp.</i>	21	Negative	PCR				
	7/20/2015	Gravid Trap		7/21/2015	GP-30-1.8	<i>Culex spp.</i>	50	Negative	RAMP				
					GP-30-2.8	<i>Culex spp.</i>	50	Negative	PCR				
					GP-30-3.8	<i>Culex spp.</i>	50	Negative	PCR				
					GP-30-4.8	<i>Culex spp.</i>	50	Negative	PCR				
					GP-30-5.8	<i>Culex spp.</i>	50	Negative	PCR				
					GP-30-6.8	<i>Culex spp.</i>	50	Negative	PCR				
					GP-30-7.8	<i>Culex spp.</i>	50	Negative	PCR				
					GP-30-8.8	<i>Culex spp.</i>	20	Negative	PCR				
					7/27/2015	Gravid Trap		7/28/2015	GP-31-1.3	<i>Culex spp.</i>	50	Negative	RAMP
									GP-31-2.3	<i>Culex spp.</i>	50	Negative	PCR
	GP-31-3.3	<i>Culex spp.</i>	38	Negative					PCR				
	8/3/2015	Gravid Trap		8/4/2015	GP-32-1.1	<i>Culex spp.</i>	10	Negative	RAMP				
	8/10/2015	Gravid Trap		8/11/2015	GP-33-1.7	<i>Culex spp.</i>	50	WNV+	RAMP				



Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Groveport	8/10/2015	Gravid Trap	8/11/2015	GP-33-2.7	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GP-33-3.7	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GP-33-4.7	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GP-33-5.7	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GP-33-6.7	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GP-33-7.7	<i>Culex spp.</i>	6	Negative	PCR
	8/17/2015	Gravid Trap	8/18/2015	GP-34-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		GP-34-2.2	<i>Culex spp.</i>	50	WNV+	PCR
	8/19/2015	Post Spray	8/8/2015	GPPS-34-1.1	<i>Culex spp.</i>	20	Negative	PCR
	8/25/2015	Gravid Trap	8/26/2015	GP-35-1.1	<i>Culex spp.</i>	16	WNV+	PCR
	8/31/2015	Gravid Trap	9/1/2015	GP-36-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	9/8/2015	Gravid Trap	9/9/2015	GP-37-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	GP-38-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	9/21/2015	Gravid Trap	9/22/2015	GP-39-1.1	<i>Culex spp.</i>	6	Negative	RAMP
	Total Pools Tested: 42		Total Mosquitoes Tested: 1484		Total Pending: 0	Total RAMP: 14	Total Negative: 38	Total Positive: 4
<b>Total Pools Tested: 42</b>		<b>Total Mosquitoes Tested: 1484</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 14</b>	<b>Total Negative: 38</b>	<b>Total Positive: 4</b>	

### Hamilton Test Results

Hamilton	5/11/2015	Gravid Trap	5/12/2015	HA-20-1.1	<i>Culex spp.</i>	1	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	HA-21-1.1	<i>Culex spp.</i>	5	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	HA-22-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	6/1/2015	Gravid Trap	6/2/2015	HA-23-1.1	<i>Culex spp.</i>	2	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	HA-24-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	6/15/2015	Gravid Trap	6/16/2015	HA-25-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	6/22/2015	Gravid Trap	6/23/2015	HA-26-1.2	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hamilton	6/22/2015	Gravid Trap	6/23/2015	HA-26-2.2	<i>Culex spp.</i>	10	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	HA-27-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HA-27-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HA-27-3.3	<i>Culex spp.</i>	25	Negative	PCR
	7/6/2015	Gravid Trap	7/7/2015	HA-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HA-28-2.2	<i>Culex spp.</i>	12	Negative	PCR
	7/13/2015	Gravid Trap	7/14/2015	HA-29-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HA-29-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HA-29-3.3	<i>Culex spp.</i>	2	Negative	PCR
	7/20/2015	Gravid Trap	7/21/2015	HA-30-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HA-30-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HA-30-3.3	<i>Culex spp.</i>	36	Negative	PCR
	7/27/2015	Gravid Trap	7/28/2015	HA-31-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HA-31-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HA-31-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HA-31-4.4	<i>Culex spp.</i>	18	Negative	PCR
	8/3/2015	Gravid Trap	8/4/2015	HA-32-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HA-32-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HA-32-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HA-32-4.4	<i>Culex spp.</i>	48	Negative	PCR
	8/9/2015	Pre Spray	8/8/2015	HAPRE-33-1.1	<i>Culex spp.</i>	50	Negative	PCR
		Pre Spray		HAPRE-33-2.1	<i>Culex spp.</i>	50	Negative	PCR
		Pre Spray		HAPRE-33-3.1	<i>Culex spp.</i>	7	Negative	PCR
	8/11/2015	Post Spray		HAPS-33-1.1	<i>Culex spp.</i>	29	Negative	PCR
	8/17/2015	Gravid Trap	8/18/2015	HA-34-1.2	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hamilton	8/17/2015	Gravid Trap	8/18/2015	HA-34-2.2	<i>Culex spp.</i>	7	Negative	PCR
	8/24/2015	Gravid Trap	8/25/2015	HA-35-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HA-35-2.2	<i>Culex spp.</i>	14	Negative	PCR
	8/31/2015	Gravid Trap	9/1/2015	HA-36-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	9/4/2015	Pre Spray	9/5/2015	HAPRE-36-1.1	<i>Culex spp.</i>	11	Negative	PCR
	9/9/2015	Post Spray	9/10/2015	HAPS-37-1.1	<i>Culex spp.</i>	3	Negative	PCR
	9/14/2015	Gravid Trap	9/15/2015	HA-38-1.1	<i>Culex spp.</i>	8	Negative	RAMP
Total Pools Tested: 39		Total Mosquitoes Tested: 1245		Total Pending: 0	Total RAMP: 13	Total Negative: 39	Total Positive: 0	
<b>Total Pools Tested: 39</b>		<b>Total Mosquitoes Tested: 1245</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 13</b>	<b>Total Negative: 39</b>	<b>Total Positive: 0</b>	

**Hilliard Test Results**

Hilliard Central	5/11/2015	Gravid Trap	5/12/2015	HC-20-1.1	<i>Culex spp.</i>	12	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	HC-21-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-21-2.2	<i>Culex spp.</i>	40	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	HC-22-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HC-22-2.2	<i>Culex spp.</i>	4	Negative	PCR
	6/1/2015	Gravid Trap	6/2/2015	HC-23-1.1	<i>Culex spp.</i>	16	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	HC-24-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-24-2.2	<i>Culex spp.</i>	36	Negative	PCR
	6/15/2015	Gravid Trap	6/16/2015	HC-25-1.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-25-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-25-3.3	<i>Culex spp.</i>	20	Negative	PCR
	6/22/2015	Gravid Trap	6/23/2015	HC-26-1.1	<i>Culex spp.</i>	23	Negative	RAMP
	6/29/2015	Gravid Trap	6/30/2015	HC-27-1.1	<i>Culex spp.</i>	17	Negative	RAMP
	7/6/2015	Gravid Trap	7/7/2015	HC-28-1.1	<i>Culex spp.</i>	24	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hilliard Central	7/13/2015	Gravid Trap	7/14/2015	HC-29-1.1	<i>Culex spp.</i>	29	Negative	RAMP
	7/20/2015	Gravid Trap	7/21/2015	HC-30-1.8	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HC-30-2.8	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-30-3.8	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-30-4.8	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-30-5.8	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-30-6.8	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-30-7.8	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-30-8.8	<i>Culex spp.</i>	40	Negative	PCR
	7/27/2015	Gravid Trap	7/28/2015	HC-31-1.13	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HC-31-10.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-31-11.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-31-12.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-31-13.13	<i>Culex spp.</i>	2	Negative	PCR
		Gravid Trap		HC-31-2.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-31-3.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-31-4.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-31-5.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-31-6.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-31-7.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-31-8.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-31-9.13	<i>Culex spp.</i>	50	Negative	PCR
	8/3/2015	Gravid Trap	8/4/2015	HC-32-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HC-32-2.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-32-3.5	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hilliard Central	8/3/2015	Gravid Trap	8/4/2015	HC-32-4.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-32-5.5	<i>Culex spp.</i>	10	Negative	PCR
	8/5/2015	Post Spray	8/5/2015	HCPS-32-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		HCPS-32-2.2	<i>Culex spp.</i>	50	Negative	PCR
	8/10/2015	Gravid Trap	8/11/2015	HC-33-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	8/17/2015	Gravid Trap	8/18/2015	HC-34-1.1	<i>Culex spp.</i>	50	WNV+	RAMP
	8/24/2015	Gravid Trap	8/25/2015	HC-35-1.1	<i>Culex spp.</i>	50	WNV+	RAMP
	8/26/2015	Post Spray	8/27/2015	HCPS-35-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		HCPS-35-2.2	<i>Culex spp.</i>	17	Negative	PCR
	8/31/2015	Gravid Trap	9/1/2015	HC-36-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	9/8/2015	Gravid Trap	9/9/2015	HC-37-1.1	<i>Culex spp.</i>	27	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	HC-38-1.1	<i>Culex spp.</i>	13	Negative	RAMP
	9/21/2015	Gravid Trap	9/22/2015	HC-39-1.1	<i>Culex spp.</i>	8	Negative	RAMP
	Total Pools Tested: 52		Total Mosquitoes Tested: 2048		Total Pending: 0	Total RAMP: 15	Total Negative: 50	Total Positive: 2
Hilliard North	5/11/2015	Gravid Trap	5/12/2015	HN-20-1.1	<i>Culex spp.</i>	3	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	HN-21-1.1	<i>Culex spp.</i>	3	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	HN-22-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	6/1/2015	Gravid Trap	6/2/2015	HN-23-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	6/9/2015	Gravid Trap	6/10/2015	HN-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HN-24-2.2	<i>Culex spp.</i>	20	Negative	PCR
	6/15/2015	Gravid Trap	6/16/2015	HN-25-1.1	<i>Culex spp.</i>	36	Negative	PCR
	6/22/2015	Gravid Trap	6/23/2015	HN-26-1.1	<i>Culex spp.</i>	8	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	HN-27-1.1	<i>Culex spp.</i>	9	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Hilliard North	7/6/2015	Gravid Trap	7/7/2015	HN-28-1.1	<i>Culex spp.</i>	9	Negative	RAMP	
	7/13/2015	Gravid Trap	7/14/2015	HN-29-1.1	<i>Culex spp.</i>	8	Negative	RAMP	
	7/22/2015	Gravid Trap	7/23/2015	HN-30-1.2	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		HN-30-2.2	<i>Culex spp.</i>	34	WNV+	PCR	
	7/27/2015	Gravid Trap	7/28/2015	HN-31-1.6	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		HN-31-2.6	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		HN-31-3.6	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		HN-31-4.6	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		HN-31-5.6	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		HN-31-6.6	<i>Culex spp.</i>	26	Negative	PCR	
		8/2/2015	Pre Spray	7/31/2015	HNPRE-32-1.1	<i>Culex spp.</i>	50	Negative	PCR
	Pre Spray			HNPRE-32-2.1	<i>Culex spp.</i>	50	Negative	PCR	
	Pre Spray			HNPRE-32-3.1	<i>Culex spp.</i>	13	Negative	PCR	
	8/4/2015	Post Spray	8/5/2015	HNPS-32-1.1	<i>Culex spp.</i>	37	Negative	PCR	
	8/10/2015	Gravid Trap	8/11/2015	HN-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		HN-33-2.2	<i>Culex spp.</i>	27	Negative	PCR	
	8/17/2015	Gravid Trap	8/18/2015	HN-34-1.1	<i>Culex spp.</i>	11	Negative	RAMP	
	8/24/2015	Gravid Trap	8/25/2015	HN-35-1.1	<i>Culex spp.</i>	49	Negative	RAMP	
	9/1/2015	Post Spray	9/2/2015	HNPS-36-1.1	<i>Culex spp.</i>	36	Negative	PCR	
	9/8/2015	Gravid Trap	9/9/2015	HN-37-1.1	<i>Culex spp.</i>	18	Negative	RAMP	
	9/14/2015	Gravid Trap	9/15/2015	HN-38-1.1	<i>Culex spp.</i>	7	Negative	RAMP	
	9/21/2015	Gravid Trap	9/22/2015	HN-39-1.1	<i>Culex spp.</i>	9	Negative	RAMP	
	Total Pools Tested: 31		Total Mosquitoes Tested: 904		Total Pending: 0	Total RAMP: 12	Total Negative: 30	Total Positive: 1	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hilliard South	5/11/2015	Gravid Trap	5/12/2015	HS-20-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HS-20-2.2	<i>Culex spp.</i>	9	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	HS-21-1.1	<i>Culex spp.</i>	33	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	HS-22-1.1	<i>Culex spp.</i>	47	Negative	RAMP
	6/1/2015	Gravid Trap	6/2/2015	HS-23-1.1	<i>Culex spp.</i>	6	Negative	RAMP
	6/9/2015	Gravid Trap	6/10/2015	HS-24-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HS-24-2.2	<i>Culex spp.</i>	19	Negative	PCR
	6/15/2015	Gravid Trap	6/16/2015	HS-25-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	6/22/2015	Gravid Trap	6/23/2015	HS-26-1.1	<i>Culex spp.</i>	9	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	HS-27-1.1	<i>Culex spp.</i>	2	Negative	PCR
	7/6/2015	Gravid Trap	7/7/2015	HS-28-1.1	<i>Culex spp.</i>	6	Negative	RAMP
	7/13/2015	Gravid Trap	7/14/2015	HS-29-1.1	<i>Culex spp.</i>	1	Negative	PCR
	7/20/2015	Gravid Trap	7/21/2015	HS-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HS-30-2.2	<i>Culex spp.</i>	37	Negative	PCR
	7/22/2015	Post Spray	7/23/2015	HSPS-30-1.4	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		HSPS-30-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		HSPS-30-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		HSPS-30-4.4	<i>Culex spp.</i>	26	Negative	PCR
	7/27/2015	Gravid Trap	7/28/2015	HS-31-1.11	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HS-31-10.11	<i>Culex spp.</i>	50	Negative	PCR
Gravid Trap		HS-31-11.11		<i>Culex spp.</i>	28	Negative	PCR	
Gravid Trap		HS-31-2.11		<i>Culex spp.</i>	50	Negative	PCR	
Gravid Trap		HS-31-3.11		<i>Culex spp.</i>	50	Negative	PCR	
Gravid Trap		HS-31-4.11		<i>Culex spp.</i>	50	Negative	PCR	
	Gravid Trap		HS-31-5.11	<i>Culex spp.</i>	50	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hilliard South	7/27/2015	Gravid Trap	7/28/2015	HS-31-6.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HS-31-7.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HS-31-8.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HS-31-9.11	<i>Culex spp.</i>	50	Negative	PCR
	8/2/2015	Pre Spray	8/3/2015	HSPRE-30-2.2	<i>Culex spp.</i>	2	Negative	PCR
		Pre Spray		HSPRE-32-1.2	<i>Culex spp.</i>	50	Negative	PCR
	8/4/2015	Post Spray	8/5/2015	HSPS-32-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		HSPS-32-2.2	<i>Culex spp.</i>	45	Negative	PCR
	8/10/2015	Gravid Trap	8/11/2015	HS-33-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	8/17/2015	Gravid Trap	8/18/2015	HS-34-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	8/24/2015	Gravid Trap	8/25/2015	HS-35-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	8/31/2015	Gravid Trap	9/1/2015	HS-36-1.1	<i>Culex spp.</i>	35	Negative	RAMP
	9/8/2015	Gravid Trap	9/9/2015	HS-37-1.1	<i>Culex spp.</i>	8	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	HS-38-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	9/21/2015	Gravid Trap	9/22/2015	HS-39-1.1	<i>Culex spp.</i>	5	Negative	RAMP
Total Pools Tested: 40		Total Mosquitoes Tested: 1337		Total Pending: 0	Total RAMP: 13	Total Negative: 40	Total Positive: 0	
<b>Total Pools Tested: 123</b>		<b>Total Mosquitoes Tested: 4289</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 40</b>	<b>Total Negative: 120</b>	<b>Total Positive: 3</b>	

### Jefferson Test Results

Jefferson	5/11/2015	Gravid Trap	5/12/2015	JE-20-1.1	<i>Culex spp.</i>	1	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	JE-21-1.1	<i>Culex spp.</i>	50	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	JE-22-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	6/1/2015	Gravid Trap	6/2/2015	JE-23-1.1	<i>Culex spp.</i>	3	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	JE-24-1.1	<i>Culex spp.</i>	6	Negative	RAMP
	6/15/2015	Gravid Trap	6/16/2015	JE-25-1.1	<i>Culex spp.</i>	30	Negative	RAMP



Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay				
Jefferson	6/22/2015	Gravid Trap	6/23/2015	JE-26-1.1	<i>Culex spp.</i>	19	Negative	PCR				
	6/29/2015	Gravid Trap	6/30/2015	JE-27-1.3	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		JE-27-2.3	<i>Culex spp.</i>	50	Negative	PCR				
		Gravid Trap		JE-27-3.3	<i>Culex spp.</i>	34	Negative	PCR				
	7/6/2015	Gravid Trap	7/7/2015	JE-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		JE-28-2.2	<i>Culex spp.</i>	18	Negative	PCR				
	7/13/2015	Gravid Trap	7/14/2015	JE-29-1.1	<i>Culex spp.</i>	48	Negative	RAMP				
	7/20/2015	Gravid Trap	7/21/2015	JE-30-1.4	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		JE-30-2.4	<i>Culex spp.</i>	50	Negative	PCR				
		Gravid Trap		JE-30-3.4	<i>Culex spp.</i>	50	Negative	PCR				
		Gravid Trap		JE-30-4.4	<i>Culex spp.</i>	23	Negative	PCR				
	7/27/2015	Gravid Trap	7/28/2015	JE-31-1.1	<i>Culex spp.</i>	10	Negative	RAMP				
	8/3/2015	Gravid Trap	8/4/2015	JE-32-1.1	<i>Culex spp.</i>	45	Negative	RAMP				
	8/10/2015	Gravid Trap	8/11/2015	JE-33-1.3	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		JE-33-2.3	<i>Culex spp.</i>	50	WNV+	PCR				
		Gravid Trap		JE-33-3.3	<i>Culex spp.</i>	8	Negative	PCR				
	8/17/2015	Gravid Trap	8/18/2015	JE-34-1.2	<i>Culex spp.</i>	50	WNV+	RAMP				
		Gravid Trap		JE-34-2.2	<i>Culex spp.</i>	22	Negative	PCR				
	8/23/2015	Pre Spray	8/24/2015	JEPRE-35-1.1	<i>Culex spp.</i>	14	Negative	PCR				
	8/25/2015	Post Spray	8/26/2015	JEPS-35-1.1	<i>Culex spp.</i>	10	Negative	PCR				
	8/31/2015	Gravid Trap	9/1/2015	JE-36-1.1	<i>Culex spp.</i>	2	Negative	RAMP				
	9/8/2015	Gravid Trap	9/9/2015	JE-37-1.1	<i>Culex spp.</i>	15	Negative	RAMP				
	Total Pools Tested:	28	Total Mosquitoes Tested:	819	Total Pending:	0	Total RAMP:	13	Total Negative:	26	Total Positive:	2
	<b>Total Pools Tested:</b>	<b>28</b>	<b>Total Mosquitoes Tested:</b>	<b>819</b>	<b>Total Pending:</b>	<b>0</b>	<b>Total RAMP:</b>	<b>13</b>	<b>Total Negative:</b>	<b>26</b>	<b>Total Positive:</b>	<b>2</b>

### Madison Test Results

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Madison	5/11/2015	Gravid Trap	5/12/2015	MA-20-1.1	<i>Culex spp.</i>	26	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	MA-21-1.1	<i>Culex spp.</i>	43	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	MA-22-1.1	<i>Culex spp.</i>	39	Negative	RAMP
	6/1/2015	Gravid Trap	6/2/2015	MA-23-1.1	<i>Culex spp.</i>	7	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	MA-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
				MA-24-2.2	<i>Culex spp.</i>	32	Negative	PCR
	6/15/2015	Gravid Trap	6/16/2015	MA-25-1.4	<i>Culex spp.</i>	50	Negative	RAMP
				MA-25-2.4	<i>Culex spp.</i>	50	Negative	PCR
				MA-25-3.4	<i>Culex spp.</i>	50	Negative	PCR
				MA-25-4.4	<i>Culex spp.</i>	11	Negative	PCR
	6/22/2015	Gravid Trap	6/23/2015	MA-26-1.4	<i>Culex spp.</i>	50	Negative	RAMP
				MA-26-2.4	<i>Culex spp.</i>	50	Negative	PCR
				MA-26-3.4	<i>Culex spp.</i>	50	Negative	PCR
				MA-26-4.4	<i>Culex spp.</i>	15	Negative	PCR
	6/25/2015	Post Spray	6/26/2015	MAPS-26-1.1	<i>Culex spp.</i>	27	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	MA-27-1.2	<i>Culex spp.</i>	50	Negative	PCR
				MA-27-2.2	<i>Culex spp.</i>	1	Negative	PCR
	7/6/2015	Gravid Trap	7/7/2015	MA-28-1.4	<i>Culex spp.</i>	50	Negative	RAMP
				MA-28-2.4	<i>Culex spp.</i>	50	Negative	PCR
				MA-28-3.4	<i>Culex spp.</i>	50	Negative	PCR
				MA-28-4.4	<i>Culex spp.</i>	27	Negative	PCR
	7/13/2015	Gravid Trap	7/14/2015	MA-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
				MA-29-2.2	<i>Culex spp.</i>	23	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Madison	7/20/2015	Gravid Trap	7/21/2015	MA-30-1.10	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MA-30-10.10	<i>Culex spp.</i>	3	Negative	PCR
		Gravid Trap		MA-30-2.10	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MA-30-3.10	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MA-30-4.10	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MA-30-5.10	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MA-30-6.10	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MA-30-7.10	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MA-30-8.10	<i>Culex spp.</i>	50	Negative	PCR
	7/27/2015	Gravid Trap	7/28/2015	MA-31-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MA-31-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MA-31-3.3	<i>Culex spp.</i>	25	Negative	PCR
	7/30/2015	Post Spray	7/31/2015	MAPS-30-6.6	<i>Culex spp.</i>	45	Negative	PCR
		Post Spray		MAPS-31-1.6	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		MAPS-31-2.6	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		MAPS-31-3.6	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		MAPS-31-4.6	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		MAPS-31-5.6	<i>Culex spp.</i>	50	Negative	PCR
	8/3/2015	Gravid Trap	8/4/2015	MA-32-1.1	<i>Culex spp.</i>	42	Negative	RAMP
	8/10/2015	Gravid Trap	8/11/2015	MA-33-1.4	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		MA-33-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MA-33-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MA-33-4.4	<i>Culex spp.</i>	17	WNV+	PCR
	8/17/2015	Gravid Trap	8/18/2015	MA-34-1.2	<i>Culex spp.</i>	50	WNV+	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Madison	8/17/2015	Gravid Trap	8/18/2015	MA-34-2.2	<i>Culex spp.</i>	50	Negative	PCR
	8/20/2015	Post Spray	8/21/2015	MAPS-34-1.1	<i>Culex spp.</i>	18	Negative	PCR
	8/24/2015	Gravid Trap	8/25/2015	MA-35-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		MA-35-2.2	<i>Culex spp.</i>	17	Negative	PCR
	8/31/2015	Gravid Trap	9/1/2015	MA-36-1.1	<i>Culex spp.</i>	22	Negative	RAMP
	9/4/2015	Post Spray	9/5/2015	MAPS-36-1.1	<i>Culex spp.</i>	8	Negative	PCR
	9/8/2015	Gravid Trap	9/9/2015	MA-37-1.1	<i>Culex spp.</i>	27	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	MA-38-1.1	<i>Culex spp.</i>	11	Negative	RAMP
Total Pools Tested: 56		Total Mosquitoes Tested: 2186		Total Pending: 0	Total RAMP: 15	Total Negative: 52	Total Positive: 4	
<b>Total Pools Tested: 56</b>		<b>Total Mosquitoes Tested: 2186</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 15</b>	<b>Total Negative: 52</b>	<b>Total Positive: 4</b>	

### Mifflin Test Results

Mifflin	5/11/2015	Gravid Trap	5/12/2015	MI-20-1.1	<i>Culex spp.</i>	12	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	MI-21-1.1	<i>Culex spp.</i>	33	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	MI-22-1.1	<i>Culex spp.</i>	23	Negative	RAMP
	6/1/2015	Gravid Trap	6/2/2015	MI-23-1.1	<i>Culex spp.</i>	10	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	MI-24-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	6/15/2015	Gravid Trap	6/16/2015	MI-25-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	6/22/2015	Gravid Trap	6/23/2015	MI-26-1.1	<i>Culex spp.</i>	30	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	MI-27-1.1	<i>Culex spp.</i>	22	Negative	PCR
	7/6/2015	Gravid Trap	7/7/2015	MI-28-1.1	<i>Culex spp.</i>	40	Negative	RAMP
	7/13/2015	Gravid Trap	7/14/2015	MI-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MI-29-2.2	<i>Culex spp.</i>	16	Negative	PCR
	7/20/2015	Gravid Trap	7/21/2015	MI-30-1.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MI-30-2.6	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Mifflin	7/20/2015	Gravid Trap	7/21/2015	MI-30-3.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MI-30-4.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MI-30-5.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MI-30-6.6	<i>Culex spp.</i>	30	Negative	PCR
	7/27/2015	Gravid Trap	7/28/2015	MI-31-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MI-31-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MI-31-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MI-31-4.4	<i>Culex spp.</i>	50	Negative	PCR
	8/3/2015	Gravid Trap	8/4/2015	MI-32-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MI-32-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MI-32-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MI-32-4.4	<i>Culex spp.</i>	50	Negative	PCR
	8/9/2015	Pre Spray	8/8/2015	MIPRE-33-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Pre Spray		MIPRE-33-2.2	<i>Culex spp.</i>	50	Negative	PCR
	8/11/2015	Post Spray		MIPS-33-1.1	<i>Culex spp.</i>	36	Negative	PCR
	8/17/2015	Gravid Trap	8/18/2015	MI-34-1.1	<i>Culex spp.</i>	25	WNV+	RAMP
	8/24/2015	Gravid Trap	8/25/2015	MI-35-1.1	<i>Culex spp.</i>	22	Negative	RAMP
	8/31/2015	Gravid Trap	9/1/2015	MI-36-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	9/8/2015	Gravid Trap	9/9/2015	MI-37-1.1	<i>Culex spp.</i>	8	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	MI-38-1.1	<i>Culex spp.</i>	5	Negative	RAMP
Total Pools Tested: 33		Total Mosquitoes Tested: 1177		Total Pending: 0	Total RAMP: 13	Total Negative: 32	Total Positive: 1	
<b>Total Pools Tested: 33</b>		<b>Total Mosquitoes Tested: 1177</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 13</b>	<b>Total Negative: 32</b>	<b>Total Positive: 1</b>	

**New Albany Test Results**

New Albany	5/11/2015	Gravid Trap	5/12/2015	NA-20-1.1	<i>Culex spp.</i>	15	Negative	PCR
------------	-----------	-------------	-----------	-----------	-------------------	----	----------	-----

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
New Albany	5/18/2015	Gravid Trap	5/19/2015	NA-21-1.1	<i>Culex spp.</i>	8	Negative	PCR	
	5/26/2015	Gravid Trap	5/27/2015	NA-22-1.1	<i>Culex spp.</i>	35	Negative	RAMP	
	6/9/2015	Gravid Trap	6/10/2015	NA-24-1.1	<i>Culex spp.</i>	2	Negative	RAMP	
	6/15/2015	Gravid Trap	6/16/2015	NA-25-1.1	<i>Culex spp.</i>	12	Negative	RAMP	
	6/22/2015	Gravid Trap	6/23/2015	NA-26-1.1	<i>Culex spp.</i>	16	Negative	PCR	
	6/29/2015	Gravid Trap	6/30/2015	NA-27-1.1	<i>Culex spp.</i>	15	Negative	PCR	
	7/6/2015	Gravid Trap	7/7/2015	NA-28-1.1	<i>Culex spp.</i>	49	Negative	RAMP	
	7/13/2015	Gravid Trap			NA-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
					NA-29-2.2	<i>Culex spp.</i>	10	Negative	PCR
	7/20/2015	Gravid Trap	7/21/2015	NA-30-1.1	<i>Culex spp.</i>	35	Negative	RAMP	
	7/27/2015	Gravid Trap			NA-31-1.4	<i>Culex spp.</i>	50	Negative	RAMP
					NA-31-2.4	<i>Culex spp.</i>	50	Negative	PCR
					NA-31-3.4	<i>Culex spp.</i>	50	Negative	PCR
					NA-31-4.4	<i>Culex spp.</i>	50	WNV+	PCR
					NA-31-4.4	<i>Culex spp.</i>	50	WNV+	PCR
	8/3/2015	Gravid Trap		8/4/2015	NA-32-1.6	<i>Culex spp.</i>	50	Negative	RAMP
					NA-32-2.6	<i>Culex spp.</i>	50	Negative	PCR
					NA-32-3.6	<i>Culex spp.</i>	50	Negative	PCR
					NA-32-4.6	<i>Culex spp.</i>	50	Negative	PCR
					NA-32-5.6	<i>Culex spp.</i>	50	Negative	PCR
					NA-32-6.6	<i>Culex spp.</i>	40	Negative	PCR
	8/6/2015	Post Spray	8/7/2015	NAPS-32-1.1	<i>Culex spp.</i>	49	Negative	PCR	
	8/10/2015	Gravid Trap			NA-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
					NA-33-2.2	<i>Culex spp.</i>	28	Negative	PCR
	8/17/2015	Gravid Trap	8/18/2015	NA-34-1.1	<i>Culex spp.</i>	16	Negative	RAMP	
	8/24/2015	Gravid Trap	8/25/2015	NA-35-1.1	<i>Culex spp.</i>	24	WNV+	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay			
New Albany	8/31/2015	Gravid Trap	9/1/2015	NA-36-1.1	<i>Culex spp.</i>	29	Negative	RAMP			
	9/8/2015	Gravid Trap	9/9/2015	NA-37-1.1	<i>Culex spp.</i>	45	Negative	RAMP			
	9/14/2015	Gravid Trap	9/15/2015	NA-38-1.1	<i>Culex spp.</i>	2	Negative	RAMP			
	9/21/2015	Gravid Trap	9/22/2015	NA-39-1.1	<i>Culex spp.</i>	6	Negative	RAMP			
	9/24/2015	Post Spray		NAPS-39-1.1	<i>Culex spp.</i>	9	Negative	PCR			
Total Pools Tested:	31	Total Mosquitoes Tested:	995	Total Pending:	0	Total RAMP:	15	Total Negative:	29	Total Positive:	2
<b>Total Pools Tested:</b>	<b>31</b>	<b>Total Mosquitoes Tested:</b>	<b>995</b>	<b>Total Pending:</b>	<b>0</b>	<b>Total RAMP:</b>	<b>15</b>	<b>Total Negative:</b>	<b>29</b>	<b>Total Positive:</b>	<b>2</b>

### Norwich Test Results

Norwich	5/11/2015	Gravid Trap	5/12/2015	NO-20-1.1	<i>Culex spp.</i>	28	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	NO-21-1.1	<i>Culex spp.</i>	16	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	NO-22-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NO-22-2.2	<i>Culex spp.</i>	24	Negative	PCR
	6/1/2015	Gravid Trap	6/2/2015	NO-23-1.1	<i>Culex spp.</i>	9	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	NO-24-1.1	<i>Culex spp.</i>	31	Negative	RAMP
	6/15/2015	Gravid Trap	6/16/2015	NO-25-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		NO-25-2.2	<i>Culex spp.</i>	18	Negative	PCR
	6/22/2015	Gravid Trap	6/23/2015	NO-26-1.1	<i>Culex spp.</i>	6	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	NO-27-1.1	<i>Culex spp.</i>	3	Negative	PCR
	7/6/2015	Gravid Trap	7/7/2015	NO-28-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	7/13/2015	Gravid Trap	7/14/2015	NO-29-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	7/20/2015	Gravid Trap	7/21/2015	NO-30-1.7	<i>Culex spp.</i>	50	Negative	RAMP
				NO-30-2.7	<i>Culex spp.</i>	50	Negative	PCR
				NO-30-3.7	<i>Culex spp.</i>	50	Negative	PCR
	Gravid Trap		NO-30-4.7	<i>Culex spp.</i>	50	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay		
Norwich	7/20/2015	Gravid Trap	7/21/2015	NO-30-5.7	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		NO-30-6.7	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		NO-30-7.7	<i>Culex spp.</i>	26	Negative	PCR		
	7/27/2015	Gravid Trap	7/28/2015	NO-31-1.11	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		NO-31-10.11	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		NO-31-11.11	<i>Culex spp.</i>	44	Negative	PCR		
		Gravid Trap		NO-31-2.11	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		NO-31-3.11	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		NO-31-4.11	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		NO-31-5.11	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		NO-31-6.11	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		NO-31-7.11	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		NO-31-8.11	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		NO-31-9.11	<i>Culex spp.</i>	50	Negative	PCR		
		8/2/2015		Pre Spray	7/31/2015	NO-32-1.2	<i>Culex spp.</i>	50	Negative	PCR
				Pre Spray		NO-32-2.2	<i>Culex spp.</i>	22	Negative	PCR
		8/4/2015		Post Spray	8/5/2015	NO-32-1.2	<i>Culex spp.</i>	50	Negative	PCR
	Post Spray		NO-32-2.2	<i>Culex spp.</i>		45	Negative	PCR		
	8/10/2015	Gravid Trap	8/11/2015	NO-33-1.3	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		NO-33-2.3	<i>Culex spp.</i>	50	Negative	PCR		
Gravid Trap		NO-33-3.3		<i>Culex spp.</i>	8	Negative	PCR			
8/17/2015	Gravid Trap	8/18/2015	NO-34-1.1	<i>Culex spp.</i>	26	Negative	RAMP			
8/24/2015	Gravid Trap	8/25/2015	NO-35-1.3	<i>Culex spp.</i>	50	Negative	RAMP			
	Gravid Trap		NO-35-2.3	<i>Culex spp.</i>	50	Negative	PCR			
	Gravid Trap		NO-35-3.3	<i>Culex spp.</i>	19	WNV+	PCR			



Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Norwich	9/1/2015	Post Spray	9/2/2015	NOPS-36-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		NOPS-36-2.2	<i>Culex spp.</i>	24	Negative	PCR
	9/8/2015	Gravid Trap	9/9/2015	NO-37-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	NO-38-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	9/21/2015	Gravid Trap	9/22/2015	NO-39-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	9/24/2015	Post Spray		NOPS-39-1.1	<i>Culex spp.</i>	13	Negative	PCR
	Total Pools Tested: 47		Total Mosquitoes Tested: 1699		Total Pending: 0	Total RAMP: 12	Total Negative: 46	Total Positive: 1
<b>Total Pools Tested: 47</b>		<b>Total Mosquitoes Tested: 1699</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 12</b>	<b>Total Negative: 46</b>	<b>Total Positive: 1</b>	

### Obetz Test Results

Obetz	7/20/2015	Gravid Trap	7/21/2015	OB-30-1.26	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		OB-30-10.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-11.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-12.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-13.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-14.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-15.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-16.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-17.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-18.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-19.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-2.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-20.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-21.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-22.26	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Obetz	7/20/2015	Gravid Trap	7/21/2015	OB-30-23.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-24.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-25.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-26.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-3.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-4.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-5.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-6.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-7.26	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-30-8.26	<i>Culex spp.</i>	50	Negative	PCR
	Gravid Trap	OB-30-9.26	<i>Culex spp.</i>	50	Negative	PCR		
	7/23/2015	Post Spray	7/24/2015	OBPS-30-1.2	<i>Culex spp.</i>	50	WNV+	PCR
		Post Spray		OBPS-30-2.2	<i>Culex spp.</i>	36	Negative	PCR
	7/27/2015	Gravid Trap	7/28/2015	OB-31-1.15	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		OB-31-10.15	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-31-11.15	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-31-12.15	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-31-13.15	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-31-14.15	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-31-15.15	<i>Culex spp.</i>	50	Negative	PCR
Gravid Trap		OB-31-2.15		<i>Culex spp.</i>	50	Negative	PCR	
Gravid Trap		OB-31-3.15		<i>Culex spp.</i>	50	Negative	PCR	
Gravid Trap		OB-31-4.15		<i>Culex spp.</i>	50	Negative	PCR	
Gravid Trap	OB-31-5.15	<i>Culex spp.</i>	50	WNV+	PCR			
Gravid Trap	OB-31-6.15	<i>Culex spp.</i>	50	Negative	PCR			

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay		
Obetz	7/27/2015	Gravid Trap	7/28/2015	OB-31-7.15	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		OB-31-8.15	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		OB-31-9.15	<i>Culex spp.</i>	50	Negative	PCR		
	7/31/2015	Post Spray	8/3/2015	OBPS-31-1.5	<i>Culex spp.</i>	50	Negative	PCR		
		Post Spray		OBPS-31-2.5	<i>Culex spp.</i>	50	Negative	PCR		
		Post Spray		OBPS-31-3.5	<i>Culex spp.</i>	50	Negative	PCR		
		Post Spray		OBPS-31-4.5	<i>Culex spp.</i>	50	Negative	PCR		
		Post Spray		OBPS-31-5.5	<i>Culex spp.</i>	17	Negative	PCR		
		8/3/2015		Gravid Trap	8/4/2015	OB-32-1.1	<i>Culex spp.</i>	42	Negative	RAMP
		8/10/2015		Gravid Trap	8/11/2015	OB-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
	Gravid Trap		OB-33-2.2	<i>Culex spp.</i>		17	Negative	PCR		
	8/17/2015	Gravid Trap	8/18/2015	OB-34-1.1	<i>Culex spp.</i>	37	Negative	RAMP		
	8/24/2015	Gravid Trap	8/25/2015	OB-35-1.1	<i>Culex spp.</i>	22	Negative	RAMP		
	8/31/2015	Gravid Trap	9/1/2015	OB-36-1.2	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		OB-36-2.2	<i>Culex spp.</i>	16	Negative	PCR		
	9/8/2015	Gravid Trap	9/9/2015	OB-37-1.3	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		OB-37-2.3	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		OB-37-3.3	<i>Culex spp.</i>	16	Negative	PCR		
	9/13/2015	Pre Spray	9/14/2015	OBPRE-38-1.1	<i>Culex spp.</i>	5	Negative	PCR		
	9/15/2015	Post Spray	9/16/2015	OBPS-38-1.1	<i>Culex spp.</i>	1	Negative	PCR		
	9/21/2015	Gravid Trap	9/22/2015	OB-39-1.1	<i>Culex spp.</i>	11	Negative	RAMP		
	Total Pools Tested: 61		Total Mosquitoes Tested: 2720		Total Pending: 0	Total RAMP: 9	Total Negative: 59	Total Positive: 2		
	<b>Total Pools Tested: 61</b>		<b>Total Mosquitoes Tested: 2720</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 9</b>	<b>Total Negative: 59</b>	<b>Total Positive: 2</b>		

**Perry Test Results**

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Perry	5/11/2015	Gravid Trap	5/12/2015	PE-20-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-20-2.2	<i>Culex spp.</i>	17	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	PE-21-1.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-21-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-21-3.3	<i>Culex spp.</i>	3	Negative	PCR
	5/27/2015	Gravid Trap	5/28/2015	PE-22-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-22-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-22-3.3	<i>Culex spp.</i>	23	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	PE-24-1.1	<i>Culex spp.</i>	49	Negative	RAMP
	6/15/2015	Gravid Trap	6/16/2015	PE-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-25-2.2	<i>Culex spp.</i>	34	Negative	PCR
	6/22/2015	Gravid Trap	6/23/2015	PE-26-1.1	<i>Culex spp.</i>	40	Negative	RAMP
	6/29/2015	Gravid Trap	6/30/2015	PE-27-1.1	<i>Culex spp.</i>	26	Negative	PCR
	7/6/2015	Gravid Trap	7/7/2015	PE-28-1.1	<i>Culex spp.</i>	48	Negative	RAMP
	7/13/2015	Gravid Trap	7/14/2015	PE-29-1.1	<i>Culex spp.</i>	37	Negative	RAMP
	7/17/2015	Post Spray	7/18/2015	PEPS-29-1.3	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		PEPS-29-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		PEPS-29-3.3	<i>Culex spp.</i>	5	Negative	PCR
	7/20/2015	Gravid Trap	7/21/2015	PE-30-1.22	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-30-10.22	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-30-11.22	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		PE-30-12.22	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-30-13.22	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-30-14.22	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-30-15.22	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Perry	7/20/2015	Gravid Trap	7/21/2015	PE-30-16.22	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-30-17.22	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-30-18.22	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-30-19.22	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-30-2.22	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-30-20.22	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-30-21.22	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-30-22.22	<i>Culex spp.</i>	46	Negative	PCR
		Gravid Trap		PE-30-3.22	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-30-4.22	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-30-5.22	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-30-6.22	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-30-7.22	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-30-8.22	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-30-9.22	<i>Culex spp.</i>	50	Negative	PCR
				7/23/2015	Post Spray	7/24/2015	PEPS-30-1.7	<i>Culex spp.</i>
Post Spray	PEPS-30-2.7		<i>Culex spp.</i>		50		Negative	PCR
Post Spray	PEPS-30-3.7		<i>Culex spp.</i>		50		Negative	PCR
Post Spray	PEPS-30-4.7		<i>Culex spp.</i>		50		Negative	PCR
Post Spray	PEPS-30-5.7		<i>Culex spp.</i>		50		Negative	PCR
Post Spray	PEPS-30-6.7		<i>Culex spp.</i>		50		Negative	PCR
Post Spray	PEPS-30-7.7		<i>Culex spp.</i>		46		WNV+	PCR
	7/27/2015	Gravid Trap	7/28/2015	PE-31-1.10	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-31-10.10	<i>Culex spp.</i>	40	Negative	PCR
		Gravid Trap		PE-31-2.10	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Perry	7/27/2015	Gravid Trap	7/28/2015	PE-31-3.10	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-31-4.10	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-31-5.10	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-31-6.10	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-31-7.10	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-31-8.10	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-31-9.10	<i>Culex spp.</i>	50	Negative	PCR
	8/3/2015	Gravid Trap	8/4/2015	PE-32-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	8/10/2015	Gravid Trap	8/11/2015	PE-33-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-33-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-33-3.3	<i>Culex spp.</i>	43	Negative	PCR
	8/14/2015	Post Spray	8/15/2015	PEPS-33-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		PEPS-33-2.2	<i>Culex spp.</i>	15	Negative	PCR
	8/17/2015	Gravid Trap	8/18/2015	PE-34-1.1	<i>Culex spp.</i>	34	WNV+	RAMP
	8/21/2015	Post Spray	8/8/2015	PEPS-34-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		PEPS-34-2.2	<i>Culex spp.</i>	35	Negative	PCR
	8/24/2015	Gravid Trap	8/25/2015	PE-35-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-35-2.3	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		PE-35-3.3	<i>Culex spp.</i>	25	Negative	PCR
	8/31/2015	Gravid Trap	9/1/2015	PE-36-1.1	<i>Culex spp.</i>	44	WNV+	RAMP
	9/8/2015	Gravid Trap	9/9/2015	PE-37-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-37-2.2	<i>Culex spp.</i>	18	Negative	PCR
	9/10/2015	Post Spray	9/10/2015	PEPS-37-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		PEPS-37-2.2	<i>Culex spp.</i>	5	Negative	PCR
	9/14/2015	Gravid Trap	9/15/2015	PE-38-1.1	<i>Culex spp.</i>	22	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Perry	9/20/2015	Pre Spray	9/21/2015	PEPRE-39-1.1	<i>Culex spp.</i>	12	Negative	PCR
	Total Pools Tested: 76	Total Mosquitoes Tested: 3268	Total Pending: 0	Total RAMP: 15	Total Negative: 71	Total Positive: 5		
	<b>Total Pools Tested: 76</b>	<b>Total Mosquitoes Tested: 3268</b>	<b>Total Pending: 0</b>	<b>Total RAMP: 15</b>	<b>Total Negative: 71</b>	<b>Total Positive: 5</b>		

**Pleasant Test Results**

London-Groveport Road	8/5/2015	Gravid Trap	8/6/2015	n-Groveport-1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		n-Groveport-1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		n-Groveport-1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		n-Groveport-1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		n-Groveport-1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		n-Groveport-1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		n-Groveport-1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		n-Groveport-1	<i>Culex spp.</i>	18	Negative	PCR
		Total Pools Tested: 9	Total Mosquitoes Tested: 418	Total Pending: 0	Total RAMP: 0	Total Negative: 9	Total Positive: 0	

Pleasant North	5/11/2015	Gravid Trap	5/12/2015	PN-20-1.1	<i>Culex spp.</i>	9	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	PN-21-1.1	<i>Culex spp.</i>	49	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	PN-22-1.1	<i>Culex spp.</i>	27	Negative	RAMP
	6/1/2015	Gravid Trap	6/2/2015	PN-23-1.1	<i>Culex spp.</i>	4	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	PN-24-1.1	<i>Culex spp.</i>	12	Negative	PCR
	6/15/2015	Gravid Trap	6/16/2015	PN-25-1.1	<i>Culex spp.</i>	24	Negative	RAMP
	6/22/2015	Gravid Trap	6/23/2015	PN-26-1.1	<i>Culex spp.</i>	16	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	PN-27-1.1	<i>Culex spp.</i>	6	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Pleasant North	7/7/2015	Gravid Trap	7/8/2015	PN-28-1.1	<i>Culex spp.</i>	29	Negative	PCR
	7/13/2015	Gravid Trap	7/14/2015	PN-29-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PN-29-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PN-29-3.3	<i>Culex spp.</i>	42	Negative	PCR
	7/21/2015	Post Spray	7/22/2015	PNPS-30-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		PNPS-30-2.2	<i>Culex spp.</i>	23	Negative	PCR
	7/27/2015	Gravid Trap	7/28/2015	PN-31-1.9	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PN-31-2.9	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PN-31-3.9	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PN-31-4.9	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PN-31-5.9	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PN-31-6.9	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PN-31-7.9	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PN-31-8.9	<i>Culex spp.</i>	21	Negative	PCR
	8/3/2015	Gravid Trap	8/4/2015	PN-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PN-32-2.2	<i>Culex spp.</i>	28	Negative	PCR
	8/10/2015	Gravid Trap	8/11/2015	PN-33-1.1	<i>Culex spp.</i>	48	Negative	RAMP
	8/17/2015	Gravid Trap	8/18/2015	PN-34-1.1	<i>Culex spp.</i>	26	Negative	RAMP
	8/24/2015	Gravid Trap	8/25/2015	PN-35-1.1	<i>Culex spp.</i>	37	Negative	RAMP
	9/1/2015	Post Spray	9/2/2015	PNPS-36-1.1	<i>Culex spp.</i>	13	Negative	PCR
9/8/2015	Gravid Trap	9/9/2015	PN-37-1.1	<i>Culex spp.</i>	22	Negative	RAMP	
9/14/2015	Gravid Trap	9/15/2015	PN-38-1.1	<i>Culex spp.</i>	15	Negative	RAMP	
9/21/2015	Gravid Trap	9/22/2015	PN-39-1.1	<i>Culex spp.</i>	8	Negative	RAMP	
Total Pools Tested: 31		Total Mosquitoes Tested: 1009		Total Pending: 0	Total RAMP: 11	Total Negative: 31	Total Positive: 0	



Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Pleasant South	5/11/2015	Gravid Trap	5/12/2015	PS-20-1.1	<i>Culex spp.</i>	22	Negative	PCR	
	5/18/2015	Gravid Trap	5/19/2015	PS-21-1.1	<i>Culex spp.</i>	20	Negative	PCR	
	5/26/2015	Gravid Trap	5/27/2015	PS-22-1.1	<i>Culex spp.</i>	4	Negative	RAMP	
	6/1/2015	Gravid Trap	6/2/2015	PS-23-1.1	<i>Culex spp.</i>	14	Negative	RAMP	
	6/9/2015	Gravid Trap	6/10/2015	PS-24-1.1	<i>Culex spp.</i>	15	Negative	PCR	
	6/15/2015	Gravid Trap	6/16/2015	PS-25-1.1	<i>Culex spp.</i>	20	Negative	PCR	
	6/22/2015	Gravid Trap	6/23/2015	PS-26-1.1	<i>Culex spp.</i>	23	Negative	RAMP	
	6/29/2015	Gravid Trap	6/30/2015	PS-27-1.1	<i>Culex spp.</i>	50	Negative	RAMP	
	7/6/2015	Gravid Trap	7/7/2015	PS-28-1.1	<i>Culex spp.</i>	28	Negative	RAMP	
	7/13/2015	Gravid Trap	7/14/2015	PS-29-1.1	<i>Culex spp.</i>	2	Negative	PCR	
	7/21/2015	Post Spray	7/22/2015	PSPS-30-1.1	<i>Culex spp.</i>	5	Negative	PCR	
	7/27/2015	Gravid Trap	7/28/2015	PS-31-1.9	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		PS-31-2.9	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		PS-31-3.9	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		PS-31-4.9	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		PS-31-5.9	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		PS-31-6.9	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		PS-31-7.9	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		PS-31-8.9	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		PS-31-9.9	<i>Culex spp.</i>	6	Negative	PCR
		8/3/2015	Gravid Trap	8/4/2015	PS-32-1.1	<i>Culex spp.</i>	5	Negative	RAMP
		8/10/2015	Gravid Trap	8/11/2015	PS-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		PS-33-2.2	<i>Culex spp.</i>	40	WNV+	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Pleasant South	8/17/2015	Gravid Trap	8/18/2015	PS-34-1.1	<i>Culex spp.</i>	31	Negative	RAMP
	8/24/2015	Gravid Trap	8/26/2015	PS-35-1.1	<i>Culex spp.</i>	50	Negative	PCR
	9/1/2015	Post Spray	9/2/2015	PSPS-36-1.1	<i>Culex spp.</i>	8	Negative	PCR
	9/8/2015	Gravid Trap	9/9/2015	PS-37-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	PS-38-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	9/21/2015	Gravid Trap	9/22/2015	PS-39-1.1	<i>Culex spp.</i>	15	Negative	RAMP
Total Pools Tested: 29		Total Mosquitoes Tested: 868		Total Pending: 0	Total RAMP: 12	Total Negative: 28	Total Positive: 1	
Thronhill Court	8/13/2015	Gravid Trap	8/8/2015	Thronhill Court-3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		Thronhill Court-3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		Thronhill Court-3	<i>Culex spp.</i>	14	Negative	PCR
Total Pools Tested: 3		Total Mosquitoes Tested: 114		Total Pending: 0	Total RAMP: 0	Total Negative: 3	Total Positive: 0	
<b>Total Pools Tested: 72</b>		<b>Total Mosquitoes Tested: 2409</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 23</b>	<b>Total Negative: 71</b>	<b>Total Positive: 1</b>	

**Prairie Test Results**

Blue Lake Circle	8/13/2015	Gravid Trap	8/14/2015	Lake Circle-3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		Lake Circle-3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		Lake Circle-3	<i>Culex spp.</i>	10	Negative	PCR
Total Pools Tested: 3		Total Mosquitoes Tested: 110		Total Pending: 0	Total RAMP: 0	Total Negative: 3	Total Positive: 0	
Prairie North	5/11/2015	Gravid Trap	5/12/2015	PRN-20-1.1	<i>Culex spp.</i>	27	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	PRN-21-1.1	<i>Culex spp.</i>	38	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	PRN-22-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-22-2.3	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie North	5/26/2015	Gravid Trap	5/27/2015	PRN-22-3.3	<i>Culex spp.</i>	45	Negative	PCR
	6/2/2015	Post Spray	6/3/2015	PRNPS-23-1.1	<i>Culex spp.</i>	8	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	PRN-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-24-2.2	<i>Culex spp.</i>	21	Negative	PCR
	6/22/2015	Gravid Trap	6/23/2015	PRN-26-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-26-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-26-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-26-4.4	<i>Culex spp.</i>	37	Negative	PCR
	6/26/2015	Post Spray	6/26/2015	PRNPS-26-1.1	<i>Culex spp.</i>	18	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	PRN-27-1.1	<i>Culex spp.</i>	28	Negative	RAMP
	7/6/2015	Gravid Trap	7/7/2015	PRN-28-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-28-2.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-28-3.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-28-4.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-28-5.5	<i>Culex spp.</i>	15	Negative	PCR
		7/12/2015	Pre Spray	7/13/2015	RNPRE-29-1.	<i>Culex spp.</i>	19	Negative
	7/14/2015	Post Spray	7/15/2015	PRNPS-29-1.4	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		PRNPS-29-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		PRNPS-29-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		PRNPS-29-4.4	<i>Culex spp.</i>	19	Negative	PCR
	7/20/2015	Gravid Trap	7/21/2015	PRN-30-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-30-2.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-30-3.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-30-4.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-30-5.5	<i>Culex spp.</i>	8	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie North	7/27/2015	Gravid Trap	7/28/2015	PRN-31-1.7	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-31-2.7	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-31-3.7	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-31-4.7	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-31-5.7	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-31-6.7	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-31-7.7	<i>Culex spp.</i>	26	Negative	PCR
	8/3/2015	Gravid Trap	8/4/2015	PRN-32-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-32-2.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-32-3.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-32-4.5	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		PRN-32-5.5	<i>Culex spp.</i>	4	Negative	PCR
	8/10/2015	Gravid Trap	8/11/2015	PRN-33-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-33-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-33-3.3	<i>Culex spp.</i>	4	Negative	PCR
	8/17/2015	Gravid Trap	8/18/2015	PRN-34-1.1	<i>Culex spp.</i>	50	WNV+	RAMP
	8/24/2015	Gravid Trap	8/25/2015	PRN-35-1.1	<i>Culex spp.</i>	36	Negative	RAMP
	8/27/2015	Post Spray	8/28/2015	PRNPS-35-1.1	<i>Culex spp.</i>	50	Negative	PCR
	8/31/2015	Gravid Trap	9/1/2015	PRN-36-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	9/8/2015	Gravid Trap	9/9/2015	PRN-37-1.1	<i>Culex spp.</i>	45	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	PRN-38-1.1	<i>Culex spp.</i>	43	Negative	RAMP
9/21/2015	Gravid Trap	9/22/2015	PRN-39-1.1	<i>Culex spp.</i>	19	Negative	RAMP	
Total Pools Tested: 51		Total Mosquitoes Tested: 2040		Total Pending: 0	Total RAMP: 15	Total Negative: 49	Total Positive: 2	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie South	5/11/2015	Gravid Trap	5/12/2015	PRS-20-1.1	<i>Culex spp.</i>	45	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	PRS-21-1.1	<i>Culex spp.</i>	29	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	PRS-22-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-22-2.2	<i>Culex spp.</i>	3	Negative	PCR
	6/1/2015	Gravid Trap	6/2/2015	PRS-23-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	6/9/2015	Gravid Trap	6/10/2015	PRS-24-1.1	<i>Culex spp.</i>	12	Negative	PCR
	6/15/2015	Gravid Trap	6/16/2015	PRS-25-1.1	<i>Culex spp.</i>	12	Negative	PCR
	6/22/2015	Gravid Trap	6/23/2015	PRS-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-26-2.2	<i>Culex spp.</i>	2	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	PRS-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-27-2.2	<i>Culex spp.</i>	13	Negative	PCR
	7/6/2015	Gravid Trap	7/7/2015	PRS-28-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-28-2.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-28-3.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-28-4.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-28-5.5	<i>Culex spp.</i>	22	Negative	PCR
	7/12/2015	Pre Spray	7/13/2015	RSPRE-29-1.	<i>Culex spp.</i>	30	Negative	PCR
	7/14/2015	Post Spray		PRSPS-29-1.1	<i>Culex spp.</i>	8	Negative	PCR
	7/20/2015	Gravid Trap	7/21/2015	PRS-30-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-30-2.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-30-3.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-30-4.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-30-5.5	<i>Culex spp.</i>	7	Negative	PCR
	7/27/2015	Gravid Trap	7/28/2015	PRS-31-1.12	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-31-10.12	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie South	7/27/2015	Gravid Trap	7/28/2015	PRS-31-11.12	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-31-12.12	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-31-2.12	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-31-3.12	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-31-4.12	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-31-5.12	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-31-6.12	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-31-7.12	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-31-8.12	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-31-9.12	<i>Culex spp.</i>	50	Negative	PCR
	7/31/2015	Post Spray	8/1/2015	PRSPS-31-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		PRSPS-31-3.3	<i>Culex spp.</i>	29	Negative	PCR
		Post Spray		PRSPS-32-1.3	<i>Culex spp.</i>	50	Negative	PCR
	8/3/2015	Gravid Trap	8/4/2015	PRS-32-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-32-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-32-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-32-4.4	<i>Culex spp.</i>	16	Negative	PCR
	8/10/2015	Gravid Trap	8/11/2015	PRS-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-33-2.2	<i>Culex spp.</i>	17	Negative	PCR
	8/17/2015	Gravid Trap	8/18/2015	PRS-34-1.1	<i>Culex spp.</i>	30	Negative	RAMP
8/24/2015	Gravid Trap	8/25/2015	PRS-35-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	Gravid Trap		PRS-35-2.2	<i>Culex spp.</i>	12	Negative	PCR	
8/31/2015	Gravid Trap	9/1/2015	PRS-36-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	Gravid Trap		PRS-36-2.2	<i>Culex spp.</i>	15	Negative	PCR	
9/14/2015	Gravid Trap	9/15/2015	PRS-38-1.1	<i>Culex spp.</i>	19	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie South	9/21/2015	Gravid Trap	9/22/2015	PRS-39-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	Total Pools Tested: 51	Total Mosquitoes Tested: 1891	Total Pending: 0	Total RAMP: 14	Total Negative: 51	Total Positive: 0		
Prairie West	5/18/2015	Gravid Trap	5/19/2015	PRW-21-1.1	<i>Culex spp.</i>	3	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	PRW-22-1.1	<i>Culex spp.</i>	35	Negative	RAMP
	6/1/2015	Gravid Trap	6/2/2015	PRW-23-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	6/9/2015	Gravid Trap	6/10/2015	PRW-24-1.1	<i>Culex spp.</i>	8	Negative	PCR
	6/15/2015	Gravid Trap	6/16/2015	PRW-25-1.1	<i>Culex spp.</i>	8	Negative	RAMP
	6/22/2015	Gravid Trap	6/23/2015	PRW-26-1.1	<i>Culex spp.</i>	15	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	PRW-27-1.1	<i>Culex spp.</i>	11	Negative	PCR
	7/7/2015	Post Spray	7/8/2015	PRW-28-1.1	<i>Culex spp.</i>	29	Negative	PCR
	7/13/2015	Gravid Trap	7/14/2015	PRW-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRW-29-2.2	<i>Culex spp.</i>	29	Negative	PCR
	7/16/2015	Post Spray	7/17/2015	PRWPS-29-1.1	<i>Culex spp.</i>	28	Negative	PCR
	7/20/2015	Gravid Trap	7/21/2015	PRW-30-1.1	<i>Culex spp.</i>	46	Negative	RAMP
	7/27/2015	Gravid Trap	7/28/2015	PRW-31-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRW-31-2.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRW-31-3.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRW-31-4.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRW-31-5.5	<i>Culex spp.</i>	16	Negative	PCR
	8/3/2015	Gravid Trap	8/4/2015	PRW-32-1.1	<i>Culex spp.</i>	28	Negative	RAMP
	8/10/2015	Gravid Trap	8/11/2015	PRW-33-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRW-33-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRW-33-3.4	<i>Culex spp.</i>	50	WNV+	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie West	8/10/2015	Gravid Trap	8/11/2015	PRW-33-4.4	<i>Culex spp.</i>	43	Negative	PCR
	8/17/2015	Gravid Trap	8/18/2015	PRW-34-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	8/24/2015	Gravid Trap	8/25/2015	PRW-35-1.1	<i>Culex spp.</i>	24	Negative	RAMP
	8/31/2015	Gravid Trap	9/1/2015	PRW-36-1.1	<i>Culex spp.</i>	5	Negative	RAMP
	9/8/2015	Gravid Trap	9/9/2015	PRW-37-1.1	<i>Culex spp.</i>	27	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	PRW-38-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	9/21/2015	Gravid Trap	9/22/2015	PRW-39-1.1	<i>Culex spp.</i>	5	Negative	RAMP
Total Pools Tested: 28		Total Mosquitoes Tested: 789		Total Pending: 0	Total RAMP: 14	Total Negative: 27	Total Positive: 1	
<b>Total Pools Tested: 133</b>		<b>Total Mosquitoes Tested: 4830</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 43</b>	<b>Total Negative: 130</b>	<b>Total Positive: 3</b>	

**Reynoldsburg Test Results**

Reynoldsburg East	5/18/2015	Gravid Trap	5/19/2015	RE-21-1.1	<i>Culex spp.</i>	8	Negative	PCR
	5/27/2015	Gravid Trap	5/28/2015	RE-22-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RE-22-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RE-22-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RE-22-4.4	<i>Culex spp.</i>	7	Negative	PCR
	6/1/2015	Gravid Trap	6/2/2015	RE-23-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	6/5/2015	Post Spray	6/6/2015	REPS-23-1.1	<i>Culex spp.</i>	6	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	RE-24-1.1	<i>Culex spp.</i>	10	Negative	PCR
	6/15/2015	Gravid Trap	6/16/2015	RE-25-1.1	<i>Culex spp.</i>	40	Negative	RAMP
	6/22/2015	Gravid Trap	6/23/2015	RE-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RE-26-2.2	<i>Culex spp.</i>	40	Negative	PCR
	6/25/2015	Post Spray	6/26/2015	REPS-26-1.1	<i>Culex spp.</i>	31	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	RE-27-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RE-27-2.2	<i>Culex spp.</i>	8	Negative	PCR



Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Reynoldsburg East	7/6/2015	Gravid Trap	7/7/2015	RE-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		RE-28-2.2	<i>Culex spp.</i>	23	Negative	PCR	
	7/13/2015	Gravid Trap	7/14/2015	RE-29-1.1	<i>Culex spp.</i>	27	Negative	RAMP	
	7/20/2015	Gravid Trap	7/21/2015	RE-30-1.15	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		RE-30-10.15	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		RE-30-11.15	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		RE-30-12.15	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		RE-30-13.15	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		RE-30-14.15	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		RE-30-15.15	<i>Culex spp.</i>	45	Negative	PCR	
		Gravid Trap		RE-30-2.15	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		RE-30-3.15	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		RE-30-4.15	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		RE-30-5.15	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		RE-30-6.15	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		RE-30-7.15	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		RE-30-8.15	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		RE-30-9.15	<i>Culex spp.</i>	50	Negative	PCR	
		7/23/2015	Post Spray	7/24/2015	REPS-30-1.8	<i>Culex spp.</i>	50	Negative	PCR
			Post Spray		REPS-30-2.8	<i>Culex spp.</i>	50	Negative	PCR
	Post Spray		REPS-30-3.8		<i>Culex spp.</i>	50	Negative	PCR	
	Post Spray		REPS-30-4.8		<i>Culex spp.</i>	50	Negative	PCR	
	Post Spray		REPS-30-5.8		<i>Culex spp.</i>	50	Negative	PCR	
Post Spray	REPS-30-6.8		<i>Culex spp.</i>		50	Negative	PCR		
Post Spray	REPS-30-7.8		<i>Culex spp.</i>		50	WNV+	PCR		

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg East	7/23/2015	Post Spray	7/24/2015	REPS-30-8.8	<i>Culex spp.</i>	18	Negative	PCR
	7/27/2015	Gravid Trap	7/28/2015	RE-31-1.21	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RE-31-10.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RE-31-11.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RE-31-12.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RE-31-13.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RE-31-14.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RE-31-15.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RE-31-16.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RE-31-17.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RE-31-18.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RE-31-19.21	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		RE-31-2.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RE-31-20.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RE-31-21.21	<i>Culex spp.</i>	8	WNV+	PCR
		Gravid Trap		RE-31-3.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RE-31-4.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RE-31-5.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RE-31-6.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RE-31-7.21	<i>Culex spp.</i>	50	Negative	PCR
	Gravid Trap		RE-31-8.21	<i>Culex spp.</i>	50	Negative	PCR	
	Gravid Trap		RE-31-9.21	<i>Culex spp.</i>	50	Negative	PCR	
	7/31/2015	Post Spray	8/3/2015	REPS-31-1.6	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		REPS-31-2.6	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		REPS-31-3.6	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Reynoldsburg East	7/31/2015	Post Spray	8/3/2015	REPS-31-4.6	<i>Culex spp.</i>	50	Negative	PCR	
		Post Spray		REPS-31-5.6	<i>Culex spp.</i>	50	Negative	PCR	
		Post Spray		REPS-31-6.6	<i>Culex spp.</i>	45	Negative	PCR	
	8/3/2015	Gravid Trap	8/4/2015	RE-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		RE-32-2.2	<i>Culex spp.</i>	19	WNV+	PCR	
	8/10/2015	Gravid Trap	8/11/2015	RE-33-1.5	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		RE-33-2.5	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		RE-33-3.5	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		RE-33-4.5	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		RE-33-5.5	<i>Culex spp.</i>	10	Negative	PCR	
	8/17/2015	Gravid Trap	8/18/2015	RE-34-1.2	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		RE-34-2.2	<i>Culex spp.</i>	47	Negative	PCR	
	8/23/2015	Gravid Trap	9/24/2015	REPRE-35-1.1	<i>Culex spp.</i>	14	Negative	PCR	
	8/27/2015	Post Spray	8/24/2015	REPS-35-1.1	<i>Culex spp.</i>	14	Negative	PCR	
	8/31/2015	Gravid Trap	9/1/2015	RE-36-1.1	<i>Culex spp.</i>	10	Negative	RAMP	
	9/8/2015	Gravid Trap	9/9/2015	RE-37-1.1	<i>Culex spp.</i>	14	Negative	RAMP	
	9/14/2015	Gravid Trap	9/15/2015	RE-38-1.1	<i>Culex spp.</i>	5	Negative	RAMP	
	9/21/2015	Gravid Trap	9/22/2015	RE-39-1.1	<i>Culex spp.</i>	6	Negative	PCR	
	Total Pools Tested: 82		Total Mosquitoes Tested: 3359		Total Pending: 0	Total RAMP: 14	Total Negative: 77	Total Positive: 5	
	Reynoldsburg South	5/11/2015	Gravid Trap	5/12/2015	RS-20-1.1	<i>Culex spp.</i>	4	Negative	PCR
5/18/2015		Gravid Trap	5/19/2015	RS-21-1.1	<i>Culex spp.</i>	7	Negative	PCR	
5/26/2015		Gravid Trap	5/27/2015	RS-22-1.1	<i>Culex spp.</i>	46	Negative	RAMP	
6/1/2015		Gravid Trap	6/2/2015	RS-23-1.1	<i>Culex spp.</i>	16	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg South	6/9/2015	Gravid Trap	6/10/2015	RS-24-1.1	<i>Culex spp.</i>	23	Negative	PCR
	6/15/2015	Gravid Trap	6/16/2015	RS-25-1.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RS-25-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RS-25-3.3	<i>Culex spp.</i>	6	Negative	PCR
	6/22/2015	Gravid Trap	6/23/2015	RS-26-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RS-26-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RS-26-3.3	<i>Culex spp.</i>	8	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	RS-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RS-27-2.2	<i>Culex spp.</i>	37	Negative	PCR
	7/6/2015	Gravid Trap	7/7/2015	RS-28-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RS-28-2.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RS-28-3.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RS-28-4.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RS-28-5.5	<i>Culex spp.</i>	49	Negative	PCR
	7/13/2015	Gravid Trap	7/14/2015	RS-29-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RS-29-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RS-29-3.3	<i>Culex spp.</i>	18	Negative	PCR
	7/15/2015	Post Spray	7/16/2015	RSPS-29-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		RSPS-29-2.2	<i>Culex spp.</i>	22	Negative	PCR
	7/20/2015	Gravid Trap	7/21/2015	RS-30-1.12	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RS-30-10.12	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RS-30-11.12	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RS-30-12.12	<i>Culex spp.</i>	38	WNV+	PCR
		Gravid Trap		RS-30-2.12	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RS-30-3.12	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay		
Reynoldsburg South	7/20/2015	Gravid Trap	7/21/2015	RS-30-4.12	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		RS-30-5.12	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		RS-30-6.12	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		RS-30-7.12	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		RS-30-8.12	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		RS-30-9.12	<i>Culex spp.</i>	50	Negative	PCR		
	7/24/2015	Post Spray	8/25/2015	RSPS-30-1.2	<i>Culex spp.</i>	50	Negative	PCR		
		Post Spray		RSPS-30-2.2	<i>Culex spp.</i>	20	Negative	PCR		
	7/27/2015	Gravid Trap	7/28/2015	RS-31-1.9	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		RS-31-2.9	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		RS-31-3.9	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		RS-31-4.9	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		RS-31-5.9	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		RS-31-6.9	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		RS-31-7.9	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		RS-31-8.9	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		RS-31-9.9	<i>Culex spp.</i>	25	Negative	PCR		
		8/3/2015		Gravid Trap	8/4/2015	RS-32-1.3	<i>Culex spp.</i>	50	Negative	RAMP
				Gravid Trap		RS-32-2.3	<i>Culex spp.</i>	50	Negative	PCR
				Gravid Trap		RS-32-3.3	<i>Culex spp.</i>	17	Negative	PCR
		8/10/2015		Gravid Trap	8/11/2015	RS-33-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	8/17/2015	Gravid Trap	8/18/2015	RS-34-1.2	<i>Culex spp.</i>	50	WNV+	RAMP		
		Gravid Trap		RS-34-2.2	<i>Culex spp.</i>	46	Negative	PCR		
	8/19/2015	Post Spray	8/8/2015	RSPS-34-1.1	<i>Culex spp.</i>	17	Negative	PCR		
	8/24/2015	Gravid Trap	8/25/2015	RS-35-1.2	<i>Culex spp.</i>	50	WNV+	RAMP		

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg South	8/24/2015	Gravid Trap	8/25/2015	RS-35-2.2	<i>Culex spp.</i>	24	Negative	PCR
	8/31/2015	Gravid Trap	9/1/2015	RS-36-1.1	<i>Culex spp.</i>	32	Negative	RAMP
	9/2/2015	Post Spray	9/3/2015	RSPS-36-1.1	<i>Culex spp.</i>	39	Negative	PCR
	9/8/2015	Gravid Trap	9/9/2015	RS-37-1.1	<i>Culex spp.</i>	47	Negative	RAMP
	9/13/2015	Pre Spray	9/14/2015	RSPRE-38-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Pre Spray		RSPRE-38-2.2	<i>Culex spp.</i>	6	Negative	PCR
	9/15/2015	Post Spray	9/16/2015	RSPS-38-1.1	<i>Culex spp.</i>	17	Negative	PCR
	9/21/2015	Gravid Trap	9/22/2015	RS-39-1.1	<i>Culex spp.</i>	25	Negative	RAMP
Total Pools Tested: 62		Total Mosquitoes Tested: 2489		Total Pending: 0	Total RAMP: 15	Total Negative: 59	Total Positive: 3	
Reynoldsburg West	5/11/2015	Gravid Trap	5/12/2015	RW-20-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-20-2.2	<i>Culex spp.</i>	22	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	RW-21-1.1	<i>Culex spp.</i>	21	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	RW-22-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-22-2.2	<i>Culex spp.</i>	4	Negative	PCR
	6/1/2015	Gravid Trap	6/2/2015	RW-23-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	6/9/2015	Gravid Trap	6/10/2015	RW-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-24-2.2	<i>Culex spp.</i>	50	Negative	PCR
	6/15/2015	Gravid Trap	6/16/2015	RW-25-1.1	<i>Culex spp.</i>	20	Negative	PCR
	6/22/2015	Gravid Trap	6/23/2015	RW-26-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-26-2.4	<i>Culex spp.</i>	50	Negative	PCR
	6/22/2015	Gravid Trap	6/23/2015	RW-26-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-26-4.4	<i>Culex spp.</i>	12	Negative	PCR
6/29/2015	Gravid Trap	6/30/2015	RW-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg West	6/29/2015	Gravid Trap	6/30/2015	RW-27-2.2	<i>Culex spp.</i>	12	Negative	PCR
	7/6/2015	Gravid Trap	7/7/2015	RW-28-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-28-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-28-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-28-4.4	<i>Culex spp.</i>	11	Negative	PCR
	7/13/2015	Gravid Trap	7/14/2015	RW-29-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-29-2.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-29-3.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-29-4.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-29-5.5	<i>Culex spp.</i>	18	Negative	PCR
	7/15/2015	Post Spray	7/16/2015	RWPS-29-1.1	<i>Culex spp.</i>	8	Negative	PCR
	7/20/2015	Gravid Trap	7/21/2015	RW-30-1.13	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-30-10.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-30-11.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-30-12.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-30-13.13	<i>Culex spp.</i>	21	Negative	PCR
		Gravid Trap		RW-30-2.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-30-3.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-30-4.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-30-5.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-30-6.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-30-7.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-30-8.13	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-30-9.13	<i>Culex spp.</i>	50	Negative	PCR
	7/24/2015	Post Spray	8/25/2015	RWPS-30-1.2	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg West	7/24/2015	Post Spray	8/25/2015	RWPS-30-2.2	<i>Culex spp.</i>	17	Negative	PCR
	7/27/2015	Gravid Trap	7/28/2015	RW-31-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-31-2.3	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		RW-31-3.3	<i>Culex spp.</i>	40	Negative	PCR
	8/3/2015	Gravid Trap	8/4/2015	RW-32-1.1	<i>Culex spp.</i>	42	Negative	RAMP
	8/10/2015	Gravid Trap	8/11/2015	RW-33-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		RW-33-2.2	<i>Culex spp.</i>	30	Negative	PCR
	8/17/2015	Gravid Trap	8/18/2015	RW-34-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-34-2.4	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		RW-34-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-34-4.4	<i>Culex spp.</i>	14	WNV+	PCR
	8/19/2015	Post Spray	8/8/2015	RWPS-34-1.1	<i>Culex spp.</i>	49	Negative	PCR
	8/24/2015	Gravid Trap	8/25/2015	RW-35-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	8/31/2015	Gravid Trap	9/1/2015	RW-36-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		RW-36-2.2	<i>Culex spp.</i>	14	Negative	PCR
	9/4/2015	Pre Spray	9/5/2015	RWPRE-36-1.1	<i>Culex spp.</i>	12	Negative	PCR
	9/9/2015	Post Spray	9/10/2015	RWPS-37-1.1	<i>Culex spp.</i>	11	Negative	PCR
	9/14/2015	Gravid Trap	9/15/2015	RW-38-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	9/21/2015	Gravid Trap	9/22/2015	RW-39-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	Total Pools Tested: 58		Total Mosquitoes Tested: 2158		Total Pending: 0	Total RAMP: 16	Total Negative: 53	Total Positive: 5
<b>Total Pools Tested: 202</b>		<b>Total Mosquitoes Tested: 8006</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 45</b>	<b>Total Negative: 189</b>	<b>Total Positive: 13</b>	

**Sharon Test Results**

Sharon North	5/11/2015	Gravid Trap	5/12/2015	SN-20-1.1	<i>Culex spp.</i>	11	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	SN-21-1.1	<i>Culex spp.</i>	35	Negative	PCR



Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Sharon North	5/26/2015	Gravid Trap	5/27/2015	SN-22-1.1	<i>Culex spp.</i>	32	Negative	RAMP	
	6/1/2015	Gravid Trap	6/2/2015	SN-23-1.1	<i>Culex spp.</i>	7	Negative	PCR	
	6/9/2015	Gravid Trap	6/10/2015	SN-24-1.1	<i>Culex spp.</i>	34	Negative	PCR	
	6/15/2015	Gravid Trap	6/16/2015	SN-25-1.1	<i>Culex spp.</i>	3	Negative	PCR	
	6/22/2015	Gravid Trap	6/23/2015	SN-26-1.1	<i>Culex spp.</i>	10	Negative	PCR	
	7/6/2015	Gravid Trap	7/7/2015	SN-28-1.1	<i>Culex spp.</i>	27	Negative	RAMP	
	7/13/2015	Gravid Trap	7/14/2015	SN-29-1.1	<i>Culex spp.</i>	25	Negative	RAMP	
	7/20/2015	Gravid Trap	7/21/2015	SN-30-1.16	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		SN-30-10.16	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SN-30-11.16	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SN-30-12.16	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SN-30-13.16	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SN-30-14.16	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SN-30-15.16	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SN-30-16.16	<i>Culex spp.</i>	21	Negative	PCR
			Gravid Trap		SN-30-2.16	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SN-30-3.16	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SN-30-4.16	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SN-30-5.16	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SN-30-6.16	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SN-30-7.16	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		SN-30-8.16	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		SN-30-9.16	<i>Culex spp.</i>	50	Negative	PCR	
	7/23/2015	Post Spray	7/24/2015	SNPS-30-1.5	<i>Culex spp.</i>	50	Negative	PCR	
		Post Spray		SNPS-30-2.5	<i>Culex spp.</i>	50	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Sharon North	7/23/2015	Post Spray	7/24/2015	SNPS-30-3.5	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		SNPS-30-4.5	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		SNPS-30-5.5	<i>Culex spp.</i>	13	Negative	PCR
	7/27/2015	Gravid Trap	7/28/2015	SN-31-1.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SN-31-2.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SN-31-3.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SN-31-4.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SN-31-5.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SN-31-6.6	<i>Culex spp.</i>	40	Negative	PCR
		8/3/2015		Gravid Trap	8/4/2015	SN-32-1.4	<i>Culex spp.</i>	50
	Gravid Trap		SN-32-2.4	<i>Culex spp.</i>		50	Negative	PCR
	Gravid Trap		SN-32-3.4	<i>Culex spp.</i>		50	Negative	PCR
	Gravid Trap		SN-32-4.4	<i>Culex spp.</i>		27	Negative	PCR
	8/5/2015	Post Spray	8/7/2015	SNPS-32-1.3	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		SNPS-32-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		SNPS-32-3.3	<i>Culex spp.</i>	50	Negative	PCR
	8/10/2015	Gravid Trap	8/11/2015	SN-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SN-33-2.2	<i>Culex spp.</i>	33	Negative	PCR
	8/17/2015	Gravid Trap	8/18/2015	SN-34-1.1	<i>Culex spp.</i>	25	Negative	RAMP
	8/21/2015	Post Spray	8/8/2015	SNPS-34-1.1	<i>Culex spp.</i>	55	Negative	PCR
8/24/2015	Gravid Trap	8/25/2015	SN-35-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
	Gravid Trap		SN-35-2.2	<i>Culex spp.</i>	26	WNV+	PCR	
8/31/2015	Gravid Trap	9/1/2015	SN-36-1.1	<i>Culex spp.</i>	31	Negative	RAMP	
9/8/2015	Gravid Trap	9/9/2015	SN-37-1.1	<i>Culex spp.</i>	25	Negative	RAMP	
9/14/2015	Gravid Trap	9/15/2015	SN-38-1.1	<i>Culex spp.</i>	10	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Sharon North	9/18/2015	Post Spray	9/19/2015	SNPS-38-1.1	<i>Culex spp.</i>	9	Negative	PCR
	9/21/2015	Gravid Trap	9/22/2015	SN-39-1.1	<i>Culex spp.</i>	8	Negative	RAMP
	Total Pools Tested: 54		Total Mosquitoes Tested: 2107		Total Pending: 0	Total RAMP: 13	Total Negative: 53	Total Positive: 1
Sharon South	5/11/2015	Gravid Trap	5/12/2015	SS-20-1.1	<i>Culex spp.</i>	15	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	SS-21-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-21-2.2	<i>Culex spp.</i>	3	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	SS-22-1.1	<i>Culex spp.</i>	45	Negative	RAMP
	6/1/2015	Gravid Trap	6/2/2015	SS-23-1.1	<i>Culex spp.</i>	23	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	SS-24-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-24-2.2	<i>Culex spp.</i>	20	Negative	PCR
	6/15/2015	Gravid Trap	6/16/2015	SS-25-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-25-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-25-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-25-4.4	<i>Culex spp.</i>	26	Negative	PCR
	6/22/2015	Gravid Trap	6/23/2015	SS-26-1.1	<i>Culex spp.</i>	17	Negative	RAMP
	6/29/2015	Gravid Trap	6/30/2015	SS-27-1.1	<i>Culex spp.</i>	13	Negative	RAMP
	7/6/2015	Gravid Trap	7/7/2015	SS-28-1.1	<i>Culex spp.</i>	47	Negative	RAMP
	7/13/2015	Gravid Trap	7/14/2015	SS-29-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	7/20/2015	Gravid Trap	7/21/2015	SS-30-1.27	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-30-10.27	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-30-11.27	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-30-12.27	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SS-30-13.27	<i>Culex spp.</i>	50	Negative

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Sharon South	7/20/2015	Gravid Trap	7/21/2015	SS-30-14.27	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-30-15.27	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-30-16.27	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-30-17.27	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-30-18.27	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-30-19.27	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-30-2.27	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-30-20.27	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-30-21.27	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-30-22.27	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-30-23.27	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-30-24.27	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-30-25.27	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-30-26.27	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-30-27.27	<i>Culex spp.</i>	16	Negative	PCR
		Gravid Trap		SS-30-27.27	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-30-3.27	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-30-4.27	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-30-5.27	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-30-6.27	<i>Culex spp.</i>	50	Negative	PCR
Gravid Trap	SS-30-7.27	<i>Culex spp.</i>	50	Negative	PCR			
Gravid Trap	SS-30-8.27	<i>Culex spp.</i>	50	Negative	PCR			
Gravid Trap	SS-30-9.27	<i>Culex spp.</i>	50	Negative	PCR			
	7/23/2015	Post Spray	7/24/2015	SSPS-30-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		SSPS-30-2.2	<i>Culex spp.</i>	23	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Sharon South	7/27/2015	Gravid Trap	7/28/2015	SS-31-1.6	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-31-2.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-31-3.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-31-4.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-31-5.6	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-31-6.6	<i>Culex spp.</i>	30	Negative	PCR
	8/3/2015	Gravid Trap	8/4/2015	SS-32-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-32-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SS-32-3.3	<i>Culex spp.</i>	3	Negative	PCR
	8/10/2015	Gravid Trap	8/11/2015	SS-33-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		SS-33-2.2	<i>Culex spp.</i>	40	WNV+	PCR
	8/17/2015	Gravid Trap	8/18/2015	SS-34-1.1	<i>Culex spp.</i>	27	WNV+	RAMP
	8/21/2015	Post Spray	8/8/2015	SSPS-34-1.1	<i>Culex spp.</i>	25	Negative	PCR
	8/24/2015	Gravid Trap	8/25/2015	SS-35-1.1	<i>Culex spp.</i>	49	Negative	RAMP
	8/31/2015	Gravid Trap	9/1/2015	SS-36-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	9/8/2015	Gravid Trap	9/9/2015	SS-37-1.1	<i>Culex spp.</i>	25	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	SS-38-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	9/17/2015	Post Spray	9/18/2015	SSPS-38-1.1	<i>Culex spp.</i>	9	Negative	PCR
	9/21/2015	Gravid Trap	9/22/2015	SS-39-1.1	<i>Culex spp.</i>	9	Negative	RAMP
	Total Pools Tested: 64		Total Mosquitoes Tested: 2559		Total Pending: 0	Total RAMP: 17	Total Negative: 61	Total Positive: 3
<b>Total Pools Tested: 118</b>		<b>Total Mosquitoes Tested: 4666</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 30</b>	<b>Total Negative: 114</b>	<b>Total Positive: 4</b>	

**Upper Arlington Test Results**

Canterbury	8/5/2015	Gravid Trap	7/25/2015	interbury-32-1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		interbury-32-2	<i>Culex spp.</i>	43	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Total Pools Tested: 2		Total Mosquitoes Tested: 93		Total Pending: 0	Total RAMP: 0	Total Negative: 2	Total Positive: 0	
Upper Arlington North	5/11/2015	Gravid Trap	5/12/2015	UAN-20-1.1	<i>Culex spp.</i>	11	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	UAN-21-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAN-21-2.2	<i>Culex spp.</i>	48	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	UAN-22-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UAN-22-2.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAN-22-3.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAN-22-4.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAN-22-5.5	<i>Culex spp.</i>	20	Negative	PCR
	6/1/2015	Gravid Trap	6/2/2015	UAN-23-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UAN-23-2.2	<i>Culex spp.</i>	37	Negative	PCR
	6/4/2015	Post Spray	6/5/2015	JANPS-23-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		JANPS-23-2.2	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		JANPS-23-3.2	<i>Culex spp.</i>	17	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	UAN-24-1.21	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JAN-24-10.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JAN-24-11.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JAN-24-12.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JAN-24-13.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JAN-24-14.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JAN-24-15.21	<i>Culex spp.</i>	50	Negative	PCR
	Gravid Trap		JAN-24-16.21	<i>Culex spp.</i>	50	Negative	PCR	
	Gravid Trap		JAN-24-17.21	<i>Culex spp.</i>	50	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Upper Arlington North	6/9/2015	Gravid Trap	6/10/2015	JAN-24-18.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JAN-24-19.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAN-24-2.21	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JAN-24-20.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JAN-24-21.21	<i>Culex spp.</i>	30	Negative	PCR
		Gravid Trap		UAN-24-3.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAN-24-4.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAN-24-5.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAN-24-6.21	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAN-24-7.21	<i>Culex spp.</i>	50	Negative	PCR
	6/15/2015	6/16/2015	Gravid Trap	UAN-25-1.25	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap	JAN-25-10.25	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap	JAN-25-11.25	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap	JAN-25-12.25	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap	JAN-25-13.25	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap	JAN-25-14.25	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap	JAN-25-15.25	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap	JAN-25-16.25	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap	JAN-25-17.25	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap	JAN-25-18.25	<i>Culex spp.</i>	50	Negative	PCR
Gravid Trap	JAN-25-19.25	<i>Culex spp.</i>	50	Negative	PCR			
Gravid Trap	UAN-25-2.25	<i>Culex spp.</i>	50	Negative	PCR			
Gravid Trap	JAN-25-20.25	<i>Culex spp.</i>	50	Negative	PCR			

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Upper Arlington North	6/15/2015	Gravid Trap	6/16/2015	JAN-25-21.25	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JAN-25-22.25	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JAN-25-23.25	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JAN-25-24.25	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JAN-25-25.25	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAN-25-3.25	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAN-25-4.25	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAN-25-5.25	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAN-25-6.25	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAN-25-7.25	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAN-25-8.25	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAN-25-9.25	<i>Culex spp.</i>	50	Negative	PCR
	6/22/2015	Gravid Trap	6/23/2015	UAN-26-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	6/29/2015	Gravid Trap	6/30/2015	UAN-27-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	7/6/2015	Gravid Trap	7/7/2015	UAN-28-1.1	<i>Culex spp.</i>	17	Negative	RAMP
	7/13/2015	Gravid Trap	7/14/2015	UAN-29-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	7/20/2015	Gravid Trap	7/21/2015	UAN-30-1.8	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UAN-30-2.8	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAN-30-3.8	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAN-30-4.8	<i>Culex spp.</i>	50	Negative	PCR
Gravid Trap		UAN-30-5.8		<i>Culex spp.</i>	50	Negative	PCR	
Gravid Trap		UAN-30-6.8		<i>Culex spp.</i>	50	Negative	PCR	
Gravid Trap		UAN-30-7.8		<i>Culex spp.</i>	50	Negative	PCR	
Gravid Trap		UAN-30-8.8		<i>Culex spp.</i>	37	Negative	PCR	
7/27/2015	Gravid Trap	7/28/2015	UAN-31-1.3	<i>Culex spp.</i>	50	WNV+	RAMP	



Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Upper Arlington North	7/27/2015	Gravid Trap	7/28/2015	UAN-31-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAN-31-3.3	<i>Culex spp.</i>	47	Negative	PCR
	8/3/2015	Gravid Trap	8/4/2015	UAN-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UAN-32-2.2	<i>Culex spp.</i>	9	WNV+	PCR
	8/7/2015	Post Spray	8/8/2015	JANPS-32-1.1	<i>Culex spp.</i>	11	Negative	PCR
	8/10/2015	Gravid Trap	8/11/2015	UAN-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UAN-33-2.2	<i>Culex spp.</i>	44	Negative	PCR
	8/17/2015	Gravid Trap	8/18/2015	UAN-34-1.1	<i>Culex spp.</i>	20	Negative	RAMP
	8/24/2015	Gravid Trap	8/25/2015	UAN-35-1.1	<i>Culex spp.</i>	16	Negative	RAMP
	8/26/2015	Post Spray	8/27/2015	JANPS-35-1.1	<i>Culex spp.</i>	48	Negative	PCR
	8/31/2015	Gravid Trap	9/1/2015	UAN-36-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	9/8/2015	Gravid Trap	9/9/2015	UAN-37-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	9/21/2015	Gravid Trap	9/22/2015	UAN-39-1.1	<i>Culex spp.</i>	2	Negative	PCR
	9/23/2015	Post Spray		JANPS-39-1.1	<i>Culex spp.</i>	2	Negative	PCR
Total Pools Tested: 86		Total Mosquitoes Tested: 3686		Total Pending: 0	Total RAMP: 16	Total Negative: 84	Total Positive: 2	
Upper Arlington South	5/11/2015	Gravid Trap	5/12/2015	UAS-20-1.1	<i>Culex spp.</i>	1	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	UAS-21-1.1	<i>Culex spp.</i>	26	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	UAS-22-1.1	<i>Culex spp.</i>	21	Negative	RAMP
	6/1/2015	Gravid Trap	6/2/2015	UAS-23-1.1	<i>Culex spp.</i>	2	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	UAS-24-1.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAS-24-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UAS-24-3.3	<i>Culex spp.</i>	25	Negative	PCR
	6/15/2015	Gravid Trap	6/16/2015	UAS-25-1.3	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay				
Upper Arlington South	6/15/2015	Gravid Trap	6/16/2015	UAS-25-2.3	<i>Culex spp.</i>	50	Negative	PCR				
		Gravid Trap		UAS-25-3.3	<i>Culex spp.</i>	17	Negative	PCR				
	6/22/2015	Gravid Trap	6/23/2015	UAS-26-1.1	<i>Culex spp.</i>	3	Negative	PCR				
	6/29/2015	Gravid Trap	6/30/2015	UAS-27-1.1	<i>Culex spp.</i>	3	Negative	PCR				
	7/6/2015	Gravid Trap	7/7/2015	UAS-28-1.1	<i>Culex spp.</i>	6	Negative	RAMP				
	7/13/2015	Gravid Trap	7/14/2015	UAS-29-1.1	<i>Culex spp.</i>	5	Negative	PCR				
	7/20/2015	Gravid Trap	7/21/2015	UAS-30-1.3	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		UAS-30-2.3	<i>Culex spp.</i>	50	Negative	PCR				
		Gravid Trap		UAS-30-3.3	<i>Culex spp.</i>	21	Negative	PCR				
	7/27/2015	Gravid Trap	7/28/2015	UAS-31-1.1	<i>Culex spp.</i>	19	Negative	RAMP				
	8/3/2015	Gravid Trap	8/4/2015	UAS-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		UAS-32-2.2	<i>Culex spp.</i>	6	Negative	PCR				
	8/10/2015	Gravid Trap	8/11/2015	UAS-33-1.1	<i>Culex spp.</i>	50	Negative	RAMP				
	8/16/2015	Pre Spray	8/8/2015	ASPRE-34-1.	<i>Culex spp.</i>	50	Negative	PCR				
		Pre Spray		ASPRE-34-2.	<i>Culex spp.</i>	50	Negative	PCR				
	8/18/2015	Post Spray		ASPS-34-1.1	<i>Culex spp.</i>	4	Negative	PCR				
	8/24/2015	Gravid Trap	8/25/2015	UAS-35-1.1	<i>Culex spp.</i>	48	Negative	RAMP				
	8/31/2015	Gravid Trap	9/1/2015	UAS-36-1.1	<i>Culex spp.</i>	9	Negative	RAMP				
	9/8/2015	Gravid Trap	9/9/2015	UAS-37-1.1	<i>Culex spp.</i>	12	Negative	RAMP				
	9/11/2015	Post Spray	9/12/2015	ASPS-37-1.1	<i>Culex spp.</i>	5	Negative	PCR				
	9/14/2015	Gravid Trap	9/15/2015	UAS-38-1.1	<i>Culex spp.</i>	8	Negative	RAMP				
	9/21/2015	Gravid Trap	9/22/2015	UAS-39-1.1	<i>Culex spp.</i>	9	Negative	RAMP				
	Total Pools Tested: 30		Total Mosquitoes Tested: 750		Total Pending: 0		Total RAMP: 12		Total Negative: 30		Total Positive: 0	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Woodstock	8/5/2015	Gravid Trap	8/6/2015	oodstock-32-1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		oodstock-32-2	<i>Culex spp.</i>	6	Negative	PCR
Total Pools Tested: 2		Total Mosquitoes Tested: 56		Total Pending: 0	Total RAMP: 0	Total Negative: 2	Total Positive: 0	
<b>Total Pools Tested: 120</b>		<b>Total Mosquitoes Tested: 4585</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 28</b>	<b>Total Negative: 118</b>	<b>Total Positive: 2</b>	

### Urbancrest Test Results

Urbancrest	5/11/2015	Gravid Trap	5/12/2015	UR-20-1.1	<i>Culex spp.</i>	18	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	UR-21-1.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-21-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-21-3.3	<i>Culex spp.</i>	49	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	UR-22-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-22-2.2	<i>Culex spp.</i>	45	Negative	PCR
	6/1/2015	Gravid Trap	6/2/2015	UR-23-1.1	<i>Culex spp.</i>	20	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	UR-24-1.1	<i>Culex spp.</i>	15	Negative	RAMP
	6/15/2015	Gravid Trap	6/16/2015	UR-25-1.11	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-25-10.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-25-11.11	<i>Culex spp.</i>	12	Negative	PCR
		Gravid Trap		UR-25-2.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-25-3.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-25-4.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-25-5.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-25-6.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-25-7.11	<i>Culex spp.</i>	50	Negative	PCR
	Gravid Trap	UR-25-8.11	<i>Culex spp.</i>	50	Negative	PCR		
	Gravid Trap	UR-25-9.11	<i>Culex spp.</i>	50	Negative	PCR		

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay		
Urbancrest	6/22/2015	Gravid Trap	6/23/2015	UR-26-1.3	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		UR-26-2.3	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		UR-26-3.3	<i>Culex spp.</i>	23	Negative	PCR		
	6/26/2015	Post Spray	6/26/2015	URPS-26-1.1	<i>Culex spp.</i>	26	Negative	PCR		
	6/29/2015	Gravid Trap	6/30/2015	UR-27-1.1	<i>Culex spp.</i>	50	Negative	PCR		
	7/6/2015	Gravid Trap	7/7/2015	UR-28-1.8	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		UR-28-2.8	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		UR-28-3.8	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		UR-28-4.8	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		UR-28-5.8	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		UR-28-6.8	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		UR-28-7.8	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		UR-28-8.8	<i>Culex spp.</i>	50	Negative	PCR		
		7/10/2015		Post Spray	7/11/2015	URPS-28-1.6	<i>Culex spp.</i>	50	Negative	PCR
				Post Spray		URPS-28-2.6	<i>Culex spp.</i>	50	Negative	PCR
	Post Spray		URPS-28-3.6	<i>Culex spp.</i>		50	Negative	PCR		
	Post Spray		URPS-28-4.6	<i>Culex spp.</i>		50	Negative	PCR		
	Post Spray		URPS-28-5.6	<i>Culex spp.</i>		50	Negative	PCR		
	Post Spray		URPS-28-6.6	<i>Culex spp.</i>		39	Negative	PCR		
	7/13/2015	Gravid Trap	7/14/2015	UR-29-1.6	<i>Culex spp.</i>	50	Negative	RAMP		
Gravid Trap		UR-29-2.6		<i>Culex spp.</i>	50	Negative	PCR			
Gravid Trap		UR-29-3.6		<i>Culex spp.</i>	50	Negative	PCR			
Gravid Trap		UR-29-4.6		<i>Culex spp.</i>	50	Negative	PCR			
Gravid Trap		UR-29-5.6		<i>Culex spp.</i>	50	Negative	PCR			
Gravid Trap		UR-29-6.6		<i>Culex spp.</i>	25	Negative	PCR			

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay		
Urbancrest	7/17/2015	Post Spray	7/18/2015	URPS-29-1.3	<i>Culex spp.</i>	50	Negative	PCR		
		Post Spray		URPS-29-2.3	<i>Culex spp.</i>	50	Negative	PCR		
		Post Spray		URPS-29-3.3	<i>Culex spp.</i>	50	Negative	PCR		
	7/20/2015	Gravid Trap	7/21/2015	UR-30-1.7	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		UR-30-2.7	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		UR-30-3.7	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		UR-30-4.7	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		UR-30-5.7	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		UR-30-6.7	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		UR-30-7.7	<i>Culex spp.</i>	50	Negative	PCR		
		7/27/2015		Gravid Trap	7/28/2015	UR-31-1.11	<i>Culex spp.</i>	50	Negative	RAMP
				Gravid Trap		UR-31-10.11	<i>Culex spp.</i>	50	WNV+	PCR
	Gravid Trap		UR-31-11.11	<i>Culex spp.</i>		37	Negative	PCR		
	Gravid Trap		UR-31-2.11	<i>Culex spp.</i>		50	Negative	PCR		
	Gravid Trap		UR-31-3.11	<i>Culex spp.</i>		50	Negative	PCR		
	Gravid Trap		UR-31-4.11	<i>Culex spp.</i>		50	Negative	PCR		
	Gravid Trap		UR-31-5.11	<i>Culex spp.</i>		50	Negative	PCR		
	Gravid Trap		UR-31-6.11	<i>Culex spp.</i>		50	Negative	PCR		
	Gravid Trap		UR-31-7.11	<i>Culex spp.</i>		50	Negative	PCR		
	8/3/2015	Gravid Trap	8/4/2015	UR-32-1.10	<i>Culex spp.</i>	50	Negative	RAMP		
				UR-32-10.10	<i>Culex spp.</i>	22	Negative	PCR		
UR-32-2.10				<i>Culex spp.</i>	50	Negative	PCR			
UR-32-3.10				<i>Culex spp.</i>	50	Negative	PCR			

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Urbancrest	8/3/2015	Gravid Trap	8/4/2015	UR-32-4.10	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-32-5.10	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-32-6.10	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-32-7.10	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-32-8.10	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-32-9.10	<i>Culex spp.</i>	50	Negative	PCR
	8/5/2015	Post Spray	8/6/2015	URPS-32-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		URPS-32-2.2	<i>Culex spp.</i>	21	Negative	PCR
	8/10/2015	Gravid Trap	8/11/2015	UR-33-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-33-2.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-33-3.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-33-4.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-33-5.5	<i>Culex spp.</i>	17	Negative	PCR
		8/17/2015		Gravid Trap	8/18/2015	UR-34-1.2	<i>Culex spp.</i>	50
	Gravid Trap	UR-34-2.2	<i>Culex spp.</i>	50		Negative	PCR	
	8/24/2015	Gravid Trap	8/25/2015	UR-35-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-35-2.3	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		UR-35-3.3	<i>Culex spp.</i>	22	Negative	PCR
	8/28/2015	Post Spray	8/29/2015	URPS-35-1.1	<i>Culex spp.</i>	50	Negative	PCR
	8/31/2015	Gravid Trap	9/1/2015	UR-36-1.1	<i>Culex spp.</i>	22	Negative	RAMP
	9/8/2015	Gravid Trap	9/9/2015	UR-37-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-37-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-37-3.4	<i>Culex spp.</i>	50	Negative	PCR
Gravid Trap		UR-37-4.4		<i>Culex spp.</i>	33	Negative	PCR	
9/10/2015	Post Spray	9/11/2015	URPS-37-1.1	<i>Culex spp.</i>	12	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Urbancrest	9/14/2015	Gravid Trap	9/15/2015	UR-38-1.1	<i>Culex spp.</i>	27	Negative	RAMP
	9/21/2015	Gravid Trap	9/22/2015	UR-39-1.1	<i>Culex spp.</i>	5	Negative	PCR
	9/23/2015	Post Spray		URPS-39-1.1	<i>Culex spp.</i>	7	Negative	PCR
Total Pools Tested: 97		Total Mosquitoes Tested: 4297		Total Pending: 0	Total RAMP: 15	Total Negative: 94	Total Positive: 3	
<b>Total Pools Tested: 97</b>		<b>Total Mosquitoes Tested: 4297</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 15</b>	<b>Total Negative: 94</b>	<b>Total Positive: 3</b>	

### Westerville Test Results

Westerville East	5/11/2015	Gravid Trap	5/12/2015	WE-20-1.1	<i>Culex spp.</i>	19	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	WE-21-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WE-21-2.2	<i>Culex spp.</i>	9	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	WE-22-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	6/1/2015	Gravid Trap	6/2/2015	WE-23-1.1	<i>Culex spp.</i>	10	Negative	RAMP
	6/9/2015	Gravid Trap	6/10/2015	WE-24-1.1	<i>Culex spp.</i>	43	Negative	RAMP
	6/15/2015	Gravid Trap	6/16/2015	WE-25-1.1	<i>Culex spp.</i>	32	Negative	PCR
	6/22/2015	Gravid Trap	6/23/2015	WE-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-26-2.2	<i>Culex spp.</i>	15	Negative	RAMP
	6/29/2015	Gravid Trap	6/30/2015	WE-27-1.1	<i>Culex spp.</i>	28	Negative	PCR
	7/6/2015	Gravid Trap	7/7/2015	WE-28-1.1	<i>Culex spp.</i>	35	Negative	RAMP
	7/13/2015	Gravid Trap	7/14/2015	WE-29-1.1	<i>Culex spp.</i>	47	Negative	RAMP
	7/20/2015	Gravid Trap	7/21/2015	WE-30-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-30-2.2	<i>Culex spp.</i>	28	Negative	PCR
	7/27/2015	Gravid Trap	7/28/2015	WE-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-31-2.2	<i>Culex spp.</i>	50	Negative	PCR
	8/3/2015	Gravid Trap	8/4/2015	WE-32-1.6	<i>Culex spp.</i>	50	Negative	RAMP
	Gravid Trap		WE-32-2.6	<i>Culex spp.</i>	50	WNV+	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Westerville East	8/3/2015	Gravid Trap	8/4/2015	WE-32-3.6	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		WE-32-4.6	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		WE-32-5.6	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		WE-32-6.6	<i>Culex spp.</i>	24	Negative	PCR	
	8/10/2015	Gravid Trap	8/11/2015	WE-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		WE-33-2.2	<i>Culex spp.</i>	46	Negative	PCR	
	8/12/2015	Post Spray	8/8/2015	WEPS-33-1.1	<i>Culex spp.</i>	10	Negative	PCR	
	8/17/2015	Gravid Trap	8/18/2015	WE-34-1.1	<i>Culex spp.</i>	38	Negative	RAMP	
	8/24/2015	Gravid Trap	8/25/2015	WE-35-1.1	<i>Culex spp.</i>	21	Negative	RAMP	
	8/31/2015	Gravid Trap	9/1/2015	WE-36-1.1	<i>Culex spp.</i>	15	Negative	RAMP	
	9/8/2015	Gravid Trap	8/25/2015	WE-35-1.1	<i>Culex spp.</i>	21	Negative	RAMP	
	9/14/2015	Gravid Trap	9/15/2015	WE-38-1.1	<i>Culex spp.</i>	5	Negative	RAMP	
	Total Pools Tested: 30		Total Mosquitoes Tested: 1046		Total Pending: 0	Total RAMP: 16	Total Negative: 29	Total Positive: 1	
	Westerville North	5/18/2015	Gravid Trap	5/19/2015	WN-21-1.1	<i>Culex spp.</i>	24	Negative	PCR
5/26/2015		Gravid Trap	5/27/2015	WN-22-1.1	<i>Culex spp.</i>	46	Negative	RAMP	
6/1/2015		Gravid Trap	6/2/2015	WN-23-1.1	<i>Culex spp.</i>	2	Negative	PCR	
6/9/2015		Gravid Trap	6/10/2015	WN-24-1.1	<i>Culex spp.</i>	24	Negative	PCR	
6/15/2015		Gravid Trap	6/16/2015	WN-25-1.2	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		WN-25-2.2	<i>Culex spp.</i>	22	Negative	PCR	
6/22/2015		Gravid Trap	6/23/2015	WN-26-1.1	<i>Culex spp.</i>	32	Negative	RAMP	
6/29/2015		Gravid Trap	6/30/2015	WN-27-1.1	<i>Culex spp.</i>	22	Negative	PCR	
7/6/2015		Gravid Trap	7/7/2015	WN-28-1.1	<i>Culex spp.</i>	38	Negative	RAMP	
7/13/2015		Gravid Trap	7/14/2015	WN-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP	



Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Westerville North	7/13/2015	Gravid Trap	7/14/2015	WN-29-2.2	<i>Culex spp.</i>	16	Negative	PCR	
	7/19/2015	Pre Spray	7/20/2015	VNPRE-30-1.	<i>Culex spp.</i>	14	Negative	PCR	
	7/21/2015	Post Spray	7/22/2015	WNPS-30-1.1	<i>Culex spp.</i>	14	Negative	PCR	
	7/27/2015	Gravid Trap	7/28/2015	WN-31-1.1	<i>Culex spp.</i>	44	Negative	RAMP	
	8/3/2015	Gravid Trap	8/4/2015	WN-32-1.4	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		WN-32-2.4	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		WN-32-3.4	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		WN-32-4.4	<i>Culex spp.</i>	30	Negative	PCR	
	8/10/2015	Gravid Trap	8/11/2015	WN-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		WN-33-2.2	<i>Culex spp.</i>	30	Negative	PCR	
	8/17/2015	Gravid Trap	8/18/2015	WN-34-1.1	<i>Culex spp.</i>	34	WNV+	RAMP	
	8/24/2015	Gravid Trap	8/25/2015	WN-35-1.1	<i>Culex spp.</i>	34	Negative	RAMP	
	8/31/2015	Gravid Trap	9/1/2015	WN-36-1.1	<i>Culex spp.</i>	10	Negative	RAMP	
	9/8/2015	Gravid Trap	9/9/2015	WN-37-1.1	<i>Culex spp.</i>	17	Negative	RAMP	
	9/14/2015	Gravid Trap	9/15/2015	WN-38-1.1	<i>Culex spp.</i>	11	Negative	RAMP	
	9/18/2015	Post Spray	9/19/2015	WNPS-38-1.1	<i>Culex spp.</i>	9	Negative	PCR	
	9/21/2015	Gravid Trap	9/22/2015	WN-39-1.1	<i>Culex spp.</i>	5	Negative	RAMP	
	Total Pools Tested: 27		Total Mosquitoes Tested: 778		Total Pending: 0		Total RAMP: 13	Total Negative: 26	Total Positive: 1
	Westerville South	5/11/2015	Gravid Trap	5/12/2015	WS-20-1.1	<i>Culex spp.</i>	10	Negative	PCR
		5/18/2015	Gravid Trap	5/19/2015	WS-21-1.1	<i>Culex spp.</i>	42	Negative	PCR
5/26/2015		Gravid Trap	5/27/2015	WS-22-1.1	<i>Culex spp.</i>	37	Negative	RAMP	
6/1/2015		Gravid Trap	6/2/2015	WS-23-1.1	<i>Culex spp.</i>	12	Negative	RAMP	
6/9/2015		Gravid Trap	6/10/2015	WS-24-1.1	<i>Culex spp.</i>	14	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville South	6/15/2015	Gravid Trap	6/16/2015	WS-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-25-2.2	<i>Culex spp.</i>	29	Negative	PCR
	6/22/2015	Gravid Trap	6/23/2015	WS-26-1.1	<i>Culex spp.</i>	22	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	WS-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-27-2.2	<i>Culex spp.</i>	15	Negative	PCR
	7/6/2015	Gravid Trap	7/7/2015	WS-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-28-2.2	<i>Culex spp.</i>	3	Negative	PCR
	7/13/2015	Gravid Trap	7/14/2015	WS-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-29-2.2	<i>Culex spp.</i>	12	Negative	PCR
	7/20/2015	Gravid Trap	7/21/2015	WS-30-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-30-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WS-30-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WS-30-4.4	<i>Culex spp.</i>	19	Negative	PCR
	7/27/2015	Gravid Trap	7/28/2015	WS-31-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-31-2.3	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		WS-31-3.3	<i>Culex spp.</i>	30	Negative	PCR
	8/3/2015	Gravid Trap	8/4/2015	WS-32-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-32-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WS-32-3.4	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		WS-32-4.4	<i>Culex spp.</i>	21	Negative	PCR
	8/10/2015	Gravid Trap	8/11/2015	WS-33-1.1	<i>Culex spp.</i>	30	Negative	RAMP
	8/17/2015	Gravid Trap	8/18/2015	WS-34-1.1	<i>Culex spp.</i>	26	Negative	RAMP
	8/24/2015	Gravid Trap	8/25/2015	WS-35-1.1	<i>Culex spp.</i>	18	Negative	RAMP
	8/31/2015	Gravid Trap	9/1/2015	WS-36-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	9/8/2015	Gravid Trap	9/9/2015	WS-37-1.1	<i>Culex spp.</i>	28	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville South	9/14/2015	Gravid Trap	9/15/2015	WS-38-1.1	<i>Culex spp.</i>	25	Negative	RAMP
	9/18/2015	Post Spray	9/19/2015	WSPS-38-1.1	<i>Culex spp.</i>	15	Negative	PCR
	9/21/2015	Gravid Trap	9/22/2015	WS-39-1.1	<i>Culex spp.</i>	1	Negative	RAMP
	Total Pools Tested: 33		Total Mosquitoes Tested: 1020		Total Pending: 0	Total RAMP: 16	Total Negative: 31	Total Positive: 2
Westerville West	5/11/2015	Gravid Trap	5/12/2015	WW-20-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WW-20-2.2	<i>Culex spp.</i>	23	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	WW-21-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WW-21-2.2	<i>Culex spp.</i>	4	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	WW-22-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WW-22-2.2	<i>Culex spp.</i>	11	Negative	PCR
	6/1/2015	Gravid Trap	6/2/2015	WW-23-1.1	<i>Culex spp.</i>	5	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	WW-24-1.1	<i>Culex spp.</i>	44	Negative	PCR
	6/15/2015	Gravid Trap	6/16/2015	WW-25-1.1	<i>Culex spp.</i>	35	Negative	PCR
	6/22/2015	Gravid Trap	6/23/2015	WW-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WW-26-2.2	<i>Culex spp.</i>	25	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	WW-27-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WW-27-2.2	<i>Culex spp.</i>	29	Negative	PCR
	7/6/2015	Gravid Trap	7/7/2015	WW-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WW-28-2.2	<i>Culex spp.</i>	47	Negative	PCR
	7/13/2015	Gravid Trap	7/14/2015	WW-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WW-29-2.2	<i>Culex spp.</i>	45	Negative	PCR
	7/20/2015	Gravid Trap	7/21/2015	WW-30-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WW-30-2.4	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville West	7/20/2015	Gravid Trap	7/21/2015	WW-30-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WW-30-4.4	<i>Culex spp.</i>	30	Negative	PCR
	7/27/2015	Gravid Trap	7/28/2015	WW-31-1.11	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WW-31-10.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WW-31-11.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WW-31-2.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WW-31-3.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WW-31-4.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WW-31-5.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WW-31-6.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WW-31-7.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WW-31-8.11	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WW-31-9.11	<i>Culex spp.</i>	50	Negative	PCR
		8/3/2015		Gravid Trap	8/4/2015	WW-32-1.11	<i>Culex spp.</i>	50
	Gravid Trap		WW-32-10.11	<i>Culex spp.</i>		50	Negative	PCR
	Gravid Trap		WW-32-11.11	<i>Culex spp.</i>		40	Negative	PCR
	Gravid Trap		WW-32-2.11	<i>Culex spp.</i>		50	Negative	PCR
	Gravid Trap		WW-32-3.11	<i>Culex spp.</i>		50	Negative	PCR
	Gravid Trap		WW-32-4.11	<i>Culex spp.</i>		50	Negative	PCR
	Gravid Trap		WW-32-5.11	<i>Culex spp.</i>		50	Negative	PCR
	Gravid Trap		WW-32-6.11	<i>Culex spp.</i>		50	WNV+	PCR
	Gravid Trap		WW-32-7.11	<i>Culex spp.</i>		50	Negative	PCR
	Gravid Trap		WW-32-8.11	<i>Culex spp.</i>		50	Negative	PCR
	8/7/2015	Gravid Trap	8/8/2015	WW-32-9.11	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		WWPS-32-1.5	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville West	8/7/2015	Post Spray	8/8/2015	WWPS-32-2.5	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		WWPS-32-3.5	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		WWPS-32-4.5	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		WWPS-32-5.5	<i>Culex spp.</i>	38	Negative	PCR
	8/10/2015	Gravid Trap	8/11/2015	WW-33-1.1	<i>Culex spp.</i>	42	Negative	RAMP
	8/17/2015	Gravid Trap	8/18/2015	WW-34-1.5	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WW-34-2.5	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		WW-34-3.5	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WW-34-4.5	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		WW-34-5.5	<i>Culex spp.</i>	30	Negative	PCR
	8/24/2015	Gravid Trap	8/25/2015	WW-35-1.2	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		WW-35-2.2	<i>Culex spp.</i>	14	Negative	PCR
	8/31/2015	Gravid Trap	9/1/2015	WW-36-1.3	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		WW-36-2.3	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		WW-36-3.3	<i>Culex spp.</i>	34	Negative	PCR
	9/2/2015	Post Spray	9/2/2015	WWPS-36-1.1	<i>Culex spp.</i>	23	Negative	PCR
	9/8/2015	Gravid Trap	9/9/2015	WW-37-1.1	<i>Culex spp.</i>	48	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	WW-38-1.1	<i>Culex spp.</i>	39	Negative	RAMP
	9/21/2015	Gravid Trap	9/22/2015	WW-39-1.1	<i>Culex spp.</i>	32	Negative	RAMP
	Total Pools Tested: 63		Total Mosquitoes Tested: 2738		Total Pending: 0	Total RAMP: 15	Total Negative: 57	Total Positive: 6
<b>Total Pools Tested: 153</b>		<b>Total Mosquitoes Tested: 5582</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 60</b>	<b>Total Negative: 143</b>	<b>Total Positive: 10</b>	

**Whitehall Test Results**

Whitehall East	5/11/2015	Gravid Trap	5/12/2015	WHE-20-1.1	<i>Culex spp.</i>	36	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	WHE-21-1.1	<i>Culex spp.</i>	16	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Whitehall East	5/26/2015	Gravid Trap	5/27/2015	WHE-22-1.1	<i>Culex spp.</i>	18	Negative	RAMP	
	6/1/2015	Gravid Trap	6/2/2015	WHE-23-1.1	<i>Culex spp.</i>	24	Negative	PCR	
	6/9/2015	Gravid Trap	6/10/2015	WHE-24-1.1	<i>Culex spp.</i>	35	Negative	PCR	
	6/15/2015	Gravid Trap	6/16/2015	WHE-25-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		WHE-25-2.2	<i>Culex spp.</i>	17	Negative	PCR
	6/22/2015	Gravid Trap	6/23/2015	WHE-26-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		WHE-26-2.2	<i>Culex spp.</i>	30	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	WHE-27-1.1	<i>Culex spp.</i>	17	Negative	PCR	
	7/6/2015	Gravid Trap	7/7/2015	WHE-28-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		WHE-28-2.2	<i>Culex spp.</i>	35	Negative	PCR
	7/13/2015	Gravid Trap	7/14/2015	WHE-29-1.4	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		WHE-29-2.4	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		WHE-29-3.4	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		WHE-29-4.4	<i>Culex spp.</i>	20	Negative	PCR
	7/15/2015	Post Spray	7/16/2015	WHEPS-29-1.1	<i>Culex spp.</i>	47	Negative	PCR	
	7/20/2015	Gravid Trap	7/21/2015	WHE-30-1.7	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		WHE-30-2.7	<i>Culex spp.</i>	50	WNV+	PCR
			Gravid Trap		WHE-30-3.7	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		WHE-30-4.7	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		WHE-30-5.7	<i>Culex spp.</i>	50	WNV+	PCR
			Gravid Trap		WHE-30-6.7	<i>Culex spp.</i>	50	WNV+	PCR
			Gravid Trap		WHE-30-7.7	<i>Culex spp.</i>	50	Negative	PCR
	7/27/2015	Gravid Trap	7/28/2015	WHE-31-1.7	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		WHE-31-2.7	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		WHE-31-3.7	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Whitehall East	7/27/2015	Gravid Trap	7/28/2015	WHE-31-4.7	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WHE-31-5.7	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WHE-31-6.7	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WHE-31-7.7	<i>Culex spp.</i>	34	Negative	PCR
	8/3/2015	Gravid Trap	8/4/2015	WHE-32-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WHE-32-2.2	<i>Culex spp.</i>	10	WNV+	PCR
	8/10/2015	Gravid Trap	8/11/2015	WHE-33-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WHE-33-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WHE-33-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WHE-33-4.4	<i>Culex spp.</i>	21	Negative	PCR
	8/17/2015	Gravid Trap	8/18/2015	WHE-34-1.1	<i>Culex spp.</i>	50	Negative	RAMP
	8/24/2015	Gravid Trap	8/25/2015	WHE-35-1.1	<i>Culex spp.</i>	36	Negative	RAMP
	8/31/2015	Gravid Trap	9/1/2015	WHE-36-1.1	<i>Culex spp.</i>	34	Negative	RAMP
	9/8/2015	Gravid Trap	9/9/2015	WHE-37-1.1	<i>Culex spp.</i>	36	Negative	RAMP
	9/14/2015	Gravid Trap	9/15/2015	WHE-38-1.1	<i>Culex spp.</i>	7	Negative	RAMP
	9/21/2015	Gravid Trap	9/22/2015	WHE-39-1.1	<i>Culex spp.</i>	11	Negative	RAMP
	Total Pools Tested: 43		Total Mosquitoes Tested: 1684		Total Pending: 0	Total RAMP: 15	Total Negative: 39	Total Positive: 4
Whitehall West	5/11/2015	Gravid Trap	5/12/2015	WHW-20-1.1	<i>Culex spp.</i>	8	Negative	PCR
	5/18/2015	Gravid Trap	5/19/2015	WHW-21-1.1	<i>Culex spp.</i>	25	Negative	PCR
	5/26/2015	Gravid Trap	5/27/2015	WHW-22-1.1	<i>Culex spp.</i>	6	Negative	RAMP
	6/1/2015	Gravid Trap	6/2/2015	WHW-23-1.1	<i>Culex spp.</i>	18	Negative	PCR
	6/9/2015	Gravid Trap	6/10/2015	WHW-24-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WHW-24-2.4	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Whitehall West	6/9/2015	Gravid Trap	6/10/2015	WHW-24-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WHW-24-4.4	<i>Culex spp.</i>	2	Negative	PCR
	6/15/2015	Gravid Trap	6/16/2015	WHW-25-1.1	<i>Culex spp.</i>	39	Negative	PCR
	6/22/2015	Gravid Trap	6/23/2015	WHW-26-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WHW-26-2.3	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WHW-26-3.3	<i>Culex spp.</i>	18	Negative	PCR
	6/29/2015	Gravid Trap	6/30/2015	WHW-27-1.4	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WHW-27-2.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WHW-27-3.4	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WHW-27-4.4	<i>Culex spp.</i>	16	Negative	PCR
	7/6/2015	Gravid Trap	7/7/2015	WHW-28-1.8	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WHW-28-2.8	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WHW-28-3.8	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WHW-28-4.8	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WHW-28-5.8	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WHW-28-6.8	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		WHW-28-7.8	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		WHW-28-8.8	<i>Culex spp.</i>	22	Negative	PCR
	7/10/2015	Post Spray	6/26/2015	VHWPS-28-1.	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		VHWPS-28-2.	<i>Culex spp.</i>	40	Negative	PCR
7/13/2015	Gravid Trap	7/14/2015	WHW-29-1.4	<i>Culex spp.</i>	50	Negative	RAMP	
	Gravid Trap		WHW-29-2.4	<i>Culex spp.</i>	50	Negative	PCR	
	Gravid Trap		WHW-29-3.4	<i>Culex spp.</i>	50	WNV+	PCR	
	Gravid Trap		WHW-29-4.4	<i>Culex spp.</i>	23	Negative	PCR	
7/20/2015	Gravid Trap	7/21/2015	WHW-30-1.9	<i>Culex spp.</i>	50	Negative	RAMP	



Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Whitehall West	7/20/2015	Gravid Trap	7/21/2015	WHW-30-2.9	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		WHW-30-3.9	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		WHW-30-4.9	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		WHW-30-5.9	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		WHW-30-6.9	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		WHW-30-7.9	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		WHW-30-8.9	<i>Culex spp.</i>	50	Negative	PCR	
		7/27/2015	Gravid Trap	7/28/2015	WHW-30-9.9	<i>Culex spp.</i>	20	Negative	PCR
	Gravid Trap		VHW-31-1.17		<i>Culex spp.</i>	50	Negative	RAMP	
	Gravid Trap		VHW-31-10.1		<i>Culex spp.</i>	50	Negative	PCR	
	Gravid Trap		VHW-31-11.1		<i>Culex spp.</i>	50	Negative	PCR	
	Gravid Trap		VHW-31-12.1		<i>Culex spp.</i>	50	Negative	PCR	
	Gravid Trap		VHW-31-13.1		<i>Culex spp.</i>	50	Negative	PCR	
	Gravid Trap		VHW-31-14.1		<i>Culex spp.</i>	50	Negative	PCR	
	Gravid Trap		VHW-31-15.1		<i>Culex spp.</i>	50	Negative	PCR	
	Gravid Trap		VHW-31-16.1		<i>Culex spp.</i>	50	Negative	PCR	
	Gravid Trap		VHW-31-17.1		<i>Culex spp.</i>	40	Negative	PCR	
	Gravid Trap		WHW-31-2.17		<i>Culex spp.</i>	50	Negative	PCR	
	Gravid Trap		WHW-31-3.17		<i>Culex spp.</i>	50	Negative	PCR	
	Gravid Trap		WHW-31-4.17		<i>Culex spp.</i>	50	Negative	PCR	
	Gravid Trap		WHW-31-5.17		<i>Culex spp.</i>	50	Negative	PCR	
	Gravid Trap		WHW-31-6.17		<i>Culex spp.</i>	50	Negative	PCR	
	Gravid Trap		WHW-31-7.17		<i>Culex spp.</i>	50	Negative	PCR	
	Gravid Trap		WHW-31-8.17		<i>Culex spp.</i>	50	Negative	PCR	
	Gravid Trap		WHW-31-9.17		<i>Culex spp.</i>	50	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay		
Whitehall West	7/31/2015	Post Spray	8/3/2015	VHWPS-31-1.	<i>Culex spp.</i>	50	Negative	PCR		
		Post Spray		VHWPS-31-2.	<i>Culex spp.</i>	32	Negative	PCR		
	8/3/2015	Gravid Trap	8/4/2015	WHW-32-1.3	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		WHW-32-2.3	<i>Culex spp.</i>	50	WNV+	PCR		
		Gravid Trap		WHW-32-3.3	<i>Culex spp.</i>	16	Negative	PCR		
	8/10/2015	Gravid Trap	8/11/2015	WHW-33-1.7	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		WHW-33-2.7	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		WHW-33-3.7	<i>Culex spp.</i>	50	WNV+	PCR		
		Gravid Trap		WHW-33-4.7	<i>Culex spp.</i>	50	WNV+	PCR		
		Gravid Trap		WHW-33-5.7	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		WHW-33-6.7	<i>Culex spp.</i>	50	Negative	PCR		
		Gravid Trap		WHW-33-7.7	<i>Culex spp.</i>	21	Negative	PCR		
		8/17/2015		Gravid Trap	8/18/2015	WHW-34-1.5	<i>Culex spp.</i>	50	WNV+	RAMP
				Gravid Trap		WHW-34-2.5	<i>Culex spp.</i>	50	WNV+	PCR
				Gravid Trap		WHW-34-3.5	<i>Culex spp.</i>	50	Negative	PCR
	Gravid Trap		WHW-34-4.5	<i>Culex spp.</i>		50	WNV+	PCR		
	Gravid Trap		WHW-34-5.5	<i>Culex spp.</i>		28	WNV+	PCR		
	8/20/2015	Post Spray	8/8/2015	VHWPS-34-1.	<i>Culex spp.</i>	22	Negative	PCR		
	8/24/2015	Gravid Trap	8/25/2015	WHW-35-1.1	<i>Culex spp.</i>	34	Negative	RAMP		
	8/31/2015	Gravid Trap	9/1/2015	WHW-36-1.2	<i>Culex spp.</i>	50	Negative	RAMP		
Gravid Trap		WHW-36-2.2		<i>Culex spp.</i>	47	WNV+	PCR			
9/8/2015	Gravid Trap	9/9/2015	WHW-37-1.1	<i>Culex spp.</i>	50	Negative	RAMP			
9/14/2015	Gravid Trap	9/15/2015	WHW-38-1.1	<i>Culex spp.</i>	7	Negative	RAMP			
9/21/2015	Gravid Trap	9/22/2015	WHW-39-1.1	<i>Culex spp.</i>	6	Negative	PCR			

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Total Pools Tested: 80		Total Mosquitoes Tested: 3390		Total Pending: 0	Total RAMP: 15	Total Negative: 70	Total Positive: 10	
<b>Total Pools Tested: 123</b>		<b>Total Mosquitoes Tested: 5074</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 30</b>	<b>Total Negative: 109</b>	<b>Total Positive: 14</b>	
<b>Total Pools Tested: 2446</b>		<b>Total Mosquitoes Tested: 93559</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 880</b>	<b>Total Negative: ###</b>	<b>Total Positive: 104</b>	