



Arboviral Surveillance Results

Start Date: 5/1/2016 **End Date:** 10/31/2016

Franklin County Public Health

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Bexley Test Results								
Bexley	5/9/2016	Gravid Trap		BE-19-1.1-Gr	<i>Culex spp.</i>	1	Negative	PCR
	5/16/2016	Gravid Trap		BE-20-1.1-Gr	<i>Culex spp.</i>	5	Negative	PCR
	5/23/2016	Gravid Trap		BE-21-1.1-Gr	<i>Culex spp.</i>	32	Negative	PCR
	5/31/2016	Gravid Trap	6/1/2016	BE-22-1.1-Gr	<i>Culex spp.</i>	50	Negative	RAMP
	6/6/2016	Gravid Trap		BE-23-1.1-Gr	<i>Culex spp.</i>	13	Negative	PCR
	6/13/2016	Gravid Trap	6/14/2016	BE-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BE-24-2.2-Gr	<i>Culex spp.</i>	49	Negative	PCR
	6/20/2016	Gravid Trap		BE-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BE-25-2.2-Gr	<i>Culex spp.</i>	31	Negative	PCR
	6/27/2016	Gravid Trap		BE-26-1.1-Gr	<i>Culex spp.</i>	7	Negative	PCR
	7/5/2016	Gravid Trap	7/6/2016	BE-27-1.1-Gr	<i>Culex spp.</i>	34	Negative	RAMP
	7/11/2016	Gravid Trap	7/12/2016	BE-28-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BE-28-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		BE-28-3.3-Gr	<i>Culex spp.</i>	14	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	BE-29-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BE-29-2.2-Gr	<i>Culex spp.</i>	29	Negative	PCR
	7/25/2016	Gravid Trap	7/26/2016	BE-30-1.1-Gr	<i>Culex spp.</i>	16	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Bexley	8/1/2016	Gravid Trap	8/2/2016	BE-31-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BE-31-2.2-Gr	<i>Culex spp.</i>	38	Negative	RAMP
	8/9/2016	Gravid Trap		BE-32-1.1-Gr	<i>Culex spp.</i>	36	Negative	PCR
	8/15/2016	Gravid Trap	8/16/2016	BE-33-1.1-Gr	<i>Culex spp.</i>	29	Negative	RAMP
	8/22/2016	Gravid Trap	8/23/2016	BE-34-1.1-Gr	<i>Culex spp.</i>	15	Negative	RAMP
	8/29/2016	Gravid Trap	8/30/2016	BE-35-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BE-35-2.2-Gr	<i>Culex spp.</i>	29	Negative	PCR
	9/6/2016	Gravid Trap	9/7/2016	BE-36-1.1-Gr	<i>Culex spp.</i>	18	Negative	RAMP
	9/12/2016	Gravid Trap	9/13/2016	BE-37-1.1-Gr	<i>Culex spp.</i>	33	Negative	RAMP
	9/19/2016	Gravid Trap	9/20/2016	BE-38-1.1-Gr	<i>Culex spp.</i>	19	Negative	RAMP
	9/26/2016	Gravid Trap		BE-39-1.1-Gr	<i>Culex spp.</i>	2	Negative	PCR
Total Pools Tested: 28		Total Mosquitoes Tested: 850		Total Pending: 0	Total RAMP: 14	Total Negative: 28	Total Positive: 0	
Bexley Central	8/30/2016	Gravid Trap	8/31/2016	BC-35-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BC-35-2.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BC-35-3.3-Gr	<i>Culex spp.</i>	25	Negative	PCR
	9/9/2016	Post Spray		BC-PS-36-1.1	<i>Culex spp.</i>	7	Negative	PCR
	Total Pools Tested: 4		Total Mosquitoes Tested: 132		Total Pending: 0	Total RAMP: 2	Total Negative: 4	Total Positive: 0
Bexley North	8/30/2016	Gravid Trap	8/31/2016	BN-35-1.1-Gr	<i>Culex spp.</i>	39	Negative	RAMP
	9/9/2016	Post Spray		BN-PS-36-1.1	<i>Culex spp.</i>	15	Negative	PCR
Total Pools Tested: 2		Total Mosquitoes Tested: 54		Total Pending: 0	Total RAMP: 1	Total Negative: 2	Total Positive: 0	
Bexley South	8/30/2016	Gravid Trap	8/31/2016	BS-35-1.1-Gr	<i>Culex spp.</i>	12	WNV+	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Bexley South	9/9/2016	Post Spray		BE-PS-36-1.1	<i>Culex spp.</i>	6	Negative	PCR
	Total Pools Tested: 2	Total Mosquitoes Tested: 18		Total Pending: 0	Total RAMP: 1	Total Negative: 1	Total Positive: 1	
	Total Pools Tested: 36	Total Mosquitoes Tested: 1054		Total Pending: 0	Total RAMP: 18	Total Negative: 35	Total Positive: 1	

Brown Test Results

Brown	5/9/2016	Gravid Trap		BR-19-1.1-Gr	<i>Culex spp.</i>	9	Negative	PCR
	5/23/2016	Gravid Trap	5/24/2016	BR-21-1.5-Gr	<i>Culex spp.</i>	50	Negative	RAMP
	6/6/2016	Gravid Trap	6/7/2016	3R-23-1.16-Gi	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		3R-23-10.16-Gi	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3R-23-11.16-Gi	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3R-23-12.16-Gi	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3R-23-13.16-Gi	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3R-23-14.16-Gi	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3R-23-15.16-Gi	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3R-23-16.16-Gi	<i>Culex spp.</i>	5	Negative	PCR
		Gravid Trap		3R-23-2.16-Gi	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3R-23-3.16-Gi	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3R-23-4.16-Gi	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3R-23-5.16-Gi	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3R-23-6.16-Gi	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3R-23-7.16-Gi	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3R-23-8.16-Gi	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3R-23-9.16-Gi	<i>Culex spp.</i>	50	Negative	PCR
	6/13/2016	Gravid Trap	6/14/2016	BR-24-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-24-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Brown	6/13/2016	Gravid Trap		BR-24-3.3-Gr	<i>Culex spp.</i>	14	Negative	PCR	
	6/20/2016	Gravid Trap		BR-25-1.1-Gr	<i>Culex spp.</i>	30	Negative	PCR	
	6/27/2016	Gravid Trap		BR-26-1.1-Gr	<i>Culex spp.</i>	36	Negative	PCR	
	7/5/2016	Gravid Trap		BR-27-1.1-Gr	<i>Culex spp.</i>	22	Negative	PCR	
	7/11/2016	Gravid Trap		BR-28-1.1-Gr	<i>Culex spp.</i>	36	Negative	PCR	
	7/18/2016	Gravid Trap		BR-29-1.1-Gr	<i>Culex spp.</i>	27	Negative	PCR	
	7/25/2016	Gravid Trap	7/26/2016	BR-30-1.1-Gr	<i>Culex spp.</i>	17	Negative	RAMP	
	8/1/2016	Gravid Trap		BR-31-1.1-Gr	<i>Culex spp.</i>	15	Negative	PCR	
	8/8/2016	Gravid Trap	8/9/2016	BR-32-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		BR-32-2.2-Gr	<i>Culex spp.</i>	16	Negative	PCR	
	8/15/2016	Gravid Trap	8/16/2016	BR-33-1.1-Gr	<i>Culex spp.</i>	40	Negative	RAMP	
	8/22/2016	Gravid Trap	8/23/2016	BR-34-1.1-Gr	<i>Culex spp.</i>	14	Negative	RAMP	
	8/29/2016	Gravid Trap	8/30/2016	BR-35-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		BR-35-2.2-Gr	<i>Culex spp.</i>	7	Negative	PCR	
	9/6/2016	Gravid Trap	9/7/2016	BR-36-1.1-Gr	<i>Culex spp.</i>	21	Negative	RAMP	
	9/12/2016	Gravid Trap	9/13/2016	BR-37-1.1-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
	9/19/2016	Gravid Trap	9/20/2016	BR-38-1.1-Gr	<i>Culex spp.</i>	17	Negative	RAMP	
	9/26/2016	Gravid Trap		BR-39-1.1-Gr	<i>Culex spp.</i>	6	Negative	PCR	
	Total Pools Tested: 38		Total Mosquitoes Tested: 1382		Total Pending: 0	Total RAMP: 11	Total Negative: 38	Total Positive: 0	
	Total Pools Tested: 38		Total Mosquitoes Tested: 1382		Total Pending: 0	Total RAMP: 11	Total Negative: 38	Total Positive: 0	

Canal Winchester Test Results

Canal Winchester	5/9/2016	Gravid Trap		CW-19-1.1-G1	<i>Culex spp.</i>	5	Negative	PCR
	5/16/2016	Gravid Trap	5/17/2016	CW-20-1.1-G1	<i>Culex spp.</i>	20	Negative	RAMP
	5/23/2016	Gravid Trap		CW-21-1.1-G1	<i>Culex spp.</i>	27	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Canal Winchester	5/31/2016	Gravid Trap		CW-22-1.1-G1	<i>Culex spp.</i>	17	Negative	PCR
	6/6/2016	Gravid Trap		CW-23-1.1-G1	<i>Culex spp.</i>	41	Negative	PCR
	6/13/2016	Gravid Trap	6/14/2016	CW-24-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CW-24-2.3-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CW-24-3.3-G1	<i>Culex spp.</i>	28	Negative	PCR
	6/20/2016	Gravid Trap		CW-25-1.1-G1	<i>Culex spp.</i>	50	Negative	PCR
	6/27/2016	Gravid Trap		CW-26-1.2-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CW-26-2.2-G1	<i>Culex spp.</i>	3	Negative	PCR
	7/5/2016	Gravid Trap		CW-27-1.1-G1	<i>Culex spp.</i>	17	Negative	PCR
	7/11/2016	Gravid Trap	7/12/2016	CW-28-1.4-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CW-28-2.4-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CW-28-3.4-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CW-28-4.4-G1	<i>Culex spp.</i>	33	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	CW-29-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CW-29-2.3-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CW-29-3.3-G1	<i>Culex spp.</i>	49	Negative	PCR
	7/25/2016	Gravid Trap	7/26/2016	CW-30-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CW-30-2.2-G1	<i>Culex spp.</i>	20	Negative	PCR
	8/1/2016	Gravid Trap	8/2/2016	CW-31-1.4-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CW-31-2.4-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CW-31-3.4-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CW-31-4.4-G1	<i>Culex spp.</i>	47	Negative	PCR
	8/8/2016	Gravid Trap	8/9/2016	CW-32-1.4-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CW-32-2.4-G1	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		CW-32-3.4-G1	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Canal Winchester	8/8/2016	Gravid Trap		CW-32-4.4-G1	<i>Culex spp.</i>	27	Negative	PCR
	8/15/2016	Gravid Trap	8/16/2016	CW-33-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CW-33-2.2-G1	<i>Culex spp.</i>	11	Negative	PCR
	8/22/2016	Gravid Trap	8/23/2016	CW-34-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CW-34-2.2-G1	<i>Culex spp.</i>	32	Negative	PCR
	8/29/2016	Gravid Trap	8/30/2016	CW-35-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CW-35-2.3-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CW-35-3.3-G1	<i>Culex spp.</i>	10	Negative	PCR
	9/6/2016	Gravid Trap	9/7/2016	CW-36-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CW-36-2.2-G1	<i>Culex spp.</i>	7	Negative	PCR
	9/12/2016	Gravid Trap	9/13/2016	CW-37-1.2-G1	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		CW-37-2.2-G1	<i>Culex spp.</i>	10	Negative	PCR
	9/16/2016	Post Spray		CW-PS-38-1.1	<i>Culex spp.</i>	17	Negative	PCR
	9/19/2016	Gravid Trap	9/20/2016	CW-38-1.1-G1	<i>Culex spp.</i>	41	Negative	RAMP
	9/26/2016	Gravid Trap		CW-39-1.1-G1	<i>Culex spp.</i>	11	Negative	PCR
	Total Pools Tested: 43		Total Mosquitoes Tested: 1573		Total Pending: 0	Total RAMP: 13	Total Negative: 41	Total Positive: 2
Total Pools Tested: 43		Total Mosquitoes Tested: 1573		Total Pending: 0	Total RAMP: 13	Total Negative: 41	Total Positive: 2	

Clinton Test Results

Clinton	5/9/2016	Gravid Trap		CT-19-1.1-Gr	<i>Culex spp.</i>	5	Negative	PCR
	5/16/2016	Gravid Trap	5/17/2016	CT-20-1.1-Gr	<i>Culex spp.</i>	31	Negative	RAMP
	5/23/2016	Gravid Trap		CT-21-1.1-Gr	<i>Culex spp.</i>	43	Negative	PCR
	5/31/2016	Gravid Trap	6/1/2016	CT-22-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
	6/6/2016	Gravid Trap		CT-23-1.1-Gr	<i>Culex spp.</i>	11	Negative	PCR
	6/13/2016	Gravid Trap		CT-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Clinton	6/13/2016	Gravid Trap		CT-24-2.2-Gr	<i>Culex spp.</i>	17	Negative	PCR
	6/20/2016	Gravid Trap	6/21/2016	CT-25-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-25-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-25-3.3-Gr	<i>Culex spp.</i>	39	Negative	PCR
	6/27/2016	Gravid Trap	6/28/2016	CT-26-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-26-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-26-3.3-Gr	<i>Culex spp.</i>	14	Negative	PCR
	7/5/2016	Gravid Trap	7/6/2016	CT-27-1.1-Gr	<i>Culex spp.</i>	46	Negative	RAMP
	7/11/2016	Gravid Trap	7/12/2016	CT-28-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-28-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-28-3.3-Gr	<i>Culex spp.</i>	8	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	CT-29-1.8-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-29-2.8-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-29-3.8-Gr	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		CT-29-4.8-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-29-5.8-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-29-6.8-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-29-7.8-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		CT-29-8.8-Gr	<i>Culex spp.</i>	44	Negative	PCR
	7/20/2016	Post Spray		CT-PS-29-1.1	<i>Culex spp.</i>	49	WNV+	PCR
	7/25/2016	Gravid Trap	7/26/2016	CT-30-1.1-Gr	<i>Culex spp.</i>	44	Negative	RAMP
	8/1/2016	Gravid Trap	8/2/2016	CT-31-1.1-Gr	<i>Culex spp.</i>	47	Negative	RAMP
	8/8/2016	Gravid Trap	8/9/2016	CT-32-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
	Gravid Trap		CT-32-2.3-Gr	<i>Culex spp.</i>	50	WNV+	PCR	
	Gravid Trap		CT-32-3.3-Gr	<i>Culex spp.</i>	8	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay				
Clinton	8/15/2016	Gravid Trap	8/16/2016	CT-33-1.1-Gr	<i>Culex spp.</i>	35	Negative	RAMP				
	8/22/2016	Gravid Trap	8/23/2016	CT-34-1.1-Gr	<i>Culex spp.</i>	22	Negative	RAMP				
	8/29/2016	Gravid Trap	8/30/2016	CT-35-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		CT-35-2.2-Gr	<i>Culex spp.</i>	32	Negative	PCR				
	9/6/2016	Gravid Trap	9/7/2016	CT-36-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		CT-36-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR				
		Gravid Trap		CT-36-3.3-Gr	<i>Culex spp.</i>	2	Negative	PCR				
	9/12/2016	Gravid Trap	9/13/2016	CT-37-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		CT-37-2.2-Gr	<i>Culex spp.</i>	40	WNV+	PCR				
	9/19/2016	Gravid Trap	9/20/2016	CT-38-1.1-Gr	<i>Culex spp.</i>	50	Negative	RAMP				
	9/26/2016	Gravid Trap		CT-39-1.1-Gr	<i>Culex spp.</i>	7	WNV+	PCR				
	Total Pools Tested:	42	Total Mosquitoes Tested:	1644	Total Pending:	0	Total RAMP:	16	Total Negative:	37	Total Positive:	5
	Total Pools Tested:	42	Total Mosquitoes Tested:	1644	Total Pending:	0	Total RAMP:	16	Total Negative:	37	Total Positive:	5

Dublin Test Results

Dublin Central	5/9/2016	Gravid Trap	5/10/2016	DC-19-1.1-Gr	<i>Culex spp.</i>	1	Negative	RAMP
	5/16/2016	Gravid Trap	5/17/2016	DC-20-1.1-Gr	<i>Culex spp.</i>	7	Negative	RAMP
	5/23/2016	Gravid Trap	5/24/2016	DC-21-1.1-Gr	<i>Culex spp.</i>	9	Negative	RAMP
	5/31/2016	Gravid Trap	6/1/2016	DC-22-1.1-Gr	<i>Culex spp.</i>	40	Negative	RAMP
	6/6/2016	Gravid Trap	6/7/2016	DC-23-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DC-23-2.2-Gr	<i>Culex spp.</i>	48	Negative	RAMP
	6/14/2016	Gravid Trap	6/15/2016	DC-24-1.1-Gr	<i>Culex spp.</i>	50	Negative	RAMP
	6/20/2016	Gravid Trap	6/21/2016	DC-25-1.1-Gr	<i>Culex spp.</i>	34	Negative	RAMP
	6/27/2016	Gravid Trap	6/28/2016	DC-26-1.1-Gr	<i>Culex spp.</i>	24	Negative	RAMP
	7/5/2016	Gravid Trap	7/6/2016	DC-27-1.1-Gr	<i>Culex spp.</i>	13	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin Central	7/11/2016	Gravid Trap	7/12/2016	DC-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DC-28-2.2-Gr	<i>Culex spp.</i>	9	Negative	RAMP
	7/18/2016	Gravid Trap	7/19/2016	DC-29-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DC-29-2.2-Gr	<i>Culex spp.</i>	2	Negative	RAMP
	7/25/2016	Gravid Trap	7/26/2016	DC-30-1.1-Gr	<i>Culex spp.</i>	44	Negative	RAMP
	7/29/2016	Post Spray	8/2/2016	C-PS-30-1.1-C	<i>Culex spp.</i>	23	Negative	RAMP
	8/1/2016	Gravid Trap		DC-31-1.1-Gr	<i>Culex spp.</i>	24	Negative	RAMP
	8/8/2016	Gravid Trap	8/9/2016	DC-32-1.1-Gr	<i>Culex spp.</i>	41	Negative	RAMP
	8/15/2016	Gravid Trap	8/16/2016	DC-33-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		DC-33-2.2-Gr	<i>Culex spp.</i>	12	Negative	RAMP
	8/19/2016	Post Spray		DC-PS-33-1.1	<i>Culex spp.</i>	31	Negative	RAMP
	8/22/2016	Gravid Trap	8/23/2016	DC-34-1.1-Gr	<i>Culex spp.</i>	12	WNV+	RAMP
	8/30/2016	Post Spray	8/31/2016	DC-PS-35-1.1	<i>Culex spp.</i>	34	Negative	RAMP
	9/6/2016	Gravid Trap	9/7/2016	DC-36-1.3-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		DC-36-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		DC-36-3.3-Gr	<i>Culex spp.</i>	14	WNV+	RAMP
	9/13/2016	Post Spray	9/14/2016	DC-PS-37-1.1	<i>Culex spp.</i>	27	Negative	RAMP
	9/19/2016	Gravid Trap	9/20/2016	DC-38-1.1-Gr	<i>Culex spp.</i>	26	Negative	RAMP
	9/26/2016	Gravid Trap	9/27/2016	DC-39-1.1-Gr	<i>Culex spp.</i>	8	Negative	RAMP
	Total Pools Tested: 29		Total Mosquitoes Tested: 833		Total Pending: 0	Total RAMP: 29	Total Negative: 24	Total Positive: 5
Dublin East	5/9/2016	Gravid Trap	5/10/2016	DE-19-1.1-Gr	<i>Culex spp.</i>	6	Negative	RAMP
	5/16/2016	Gravid Trap	5/17/2016	DE-20-1.1-Gr	<i>Culex spp.</i>	31	Negative	RAMP
	5/23/2016	Gravid Trap	5/24/2016	DE-21-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin East	5/23/2016	Gravid Trap	5/24/2016	DE-21-2.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-21-3.3-Gr	<i>Culex spp.</i>	41	Negative	RAMP
	5/31/2016	Gravid Trap	6/1/2016	DE-22-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-22-2.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-22-3.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
	6/6/2016	Gravid Trap	6/7/2016	DE-22-4.4-Gr	<i>Culex spp.</i>	46	Negative	RAMP
		Gravid Trap		DE-23-1.6-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-23-2.6-Gr	<i>Culex spp.</i>	50	Negative	RAMP
	6/13/2016	Gravid Trap	6/14/2016	DE-23-3.6-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-23-4.6-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-23-5.6-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-23-6.6-Gr	<i>Culex spp.</i>	36	Negative	RAMP
		Gravid Trap		DE-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
	6/20/2016	Gravid Trap	6/21/2016	DE-24-2.2-Gr	<i>Culex spp.</i>	36	Negative	RAMP
		Gravid Trap		DE-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
	6/27/2016	Gravid Trap	6/28/2016	DE-25-2.2-Gr	<i>Culex spp.</i>	17	Negative	RAMP
		Gravid Trap		DE-26-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
	7/5/2016	Gravid Trap	7/6/2016	DE-26-2.2-Gr	<i>Culex spp.</i>	9	Negative	RAMP
		Gravid Trap		DE-27-1.1-Gr	<i>Culex spp.</i>	22	Negative	RAMP
	7/11/2016	Gravid Trap	7/12/2016	DE-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-28-2.2-Gr	<i>Culex spp.</i>	18	Negative	RAMP
	7/19/2016	Gravid Trap	7/20/2016	DE-29-1.1-Gr	<i>Culex spp.</i>	42	Negative	RAMP
	7/25/2016	Gravid Trap	7/26/2016	DE-30-1.1-Gr	<i>Culex spp.</i>	3	Negative	RAMP
	8/1/2016	Gravid Trap	8/2/2016	DE-31-1.1-Gr	<i>Culex spp.</i>	21	Negative	RAMP
	8/8/2016	Gravid Trap	8/9/2016	DE-32-1.1-Gr	<i>Culex spp.</i>	36	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Dublin East	8/15/2016	Gravid Trap	8/16/2016	DE-33-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		DE-33-2.2-Gr	<i>Culex spp.</i>	26	Negative	RAMP	
	8/19/2016	Post Spray		DE-PS-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Post Spray		DE-PS-33-2.2	<i>Culex spp.</i>	17	WNV+	RAMP	
	8/22/2016	Gravid Trap	8/23/2016	DE-34-1.1-Gr	<i>Culex spp.</i>	10	WNV+	RAMP	
	8/30/2016	Post Spray		DE-PS-35-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Post Spray		DE-PS-35-2.2	<i>Culex spp.</i>	14	WNV+	RAMP	
	9/6/2016	Gravid Trap	9/7/2016	DE-36-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		DE-36-2.2-Gr	<i>Culex spp.</i>	43	Negative	RAMP	
	9/19/2016	Gravid Trap	9/20/2016	DE-38-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DE-38-2.2-Gr	<i>Culex spp.</i>	39	WNV+	RAMP	
	9/26/2016	Gravid Trap	9/27/2016	DE-39-1.1-Gr	<i>Culex spp.</i>	3	Negative	RAMP	
	Total Pools Tested: 40		Total Mosquitoes Tested: 1466		Total Pending: 0	Total RAMP: 40	Total Negative: 34	Total Positive: 6	
	Dublin North	5/16/2016	Gravid Trap	5/17/2016	DN-20-1.1-Gr	<i>Culex spp.</i>	15	Negative	RAMP
5/23/2016		Gravid Trap	5/24/2016	DN-21-1.1-Gr	<i>Culex spp.</i>	12	Negative	RAMP	
5/31/2016		Gravid Trap	6/1/2016	DN-22-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DN-22-2.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DN-22-3.3-Gr	<i>Culex spp.</i>	1	Negative	RAMP	
6/6/2016		Gravid Trap	6/7/2016	DN-23-1.1-Gr	<i>Culex spp.</i>	49	Negative	RAMP	
6/13/2016		Gravid Trap	6/14/2016	DN-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DN-24-2.2-Gr	<i>Culex spp.</i>	7	Negative	RAMP	
6/20/2016		Gravid Trap	6/21/2016	DN-25-1.1-Gr	<i>Culex spp.</i>	46	Negative	RAMP	
6/28/2016		Gravid Trap	6/29/2016	DN-26-1.1-Gr	<i>Culex spp.</i>	5	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Dublin North	7/5/2016	Gravid Trap	7/6/2016	DN-27-1.1-Gr	<i>Culex spp.</i>	3	Negative	RAMP	
	7/11/2016	Gravid Trap	7/12/2016	DN-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DN-28-2.2-Gr	<i>Culex spp.</i>	20	Negative	RAMP	
	7/18/2016	Gravid Trap	7/19/2016	DN-29-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DN-29-2.2-Gr	<i>Culex spp.</i>	33	Negative	RAMP	
	7/25/2016	Gravid Trap	7/26/2016	DN-30-1.1-Gr	<i>Culex spp.</i>	21	Negative	RAMP	
	8/1/2016	Gravid Trap	8/2/2016	DN-31-1.1-Gr	<i>Culex spp.</i>	40	Negative	RAMP	
	8/8/2016	Gravid Trap	8/9/2016	DN-32-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DN-32-2.2-Gr	<i>Culex spp.</i>	48	Negative	RAMP	
	8/15/2016	Gravid Trap	8/16/2016	DN-33-1.1-Gr	<i>Culex spp.</i>	11	Negative	RAMP	
	8/22/2016	Gravid Trap	8/23/2016	DN-34-1.1-Gr	<i>Culex spp.</i>	14	Negative	RAMP	
	8/29/2016	Gravid Trap	8/30/2016	DN-35-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DN-35-2.2-Gr	<i>Culex spp.</i>	23	Negative	RAMP	
	9/6/2016	Gravid Trap	9/7/2016	DN-36-1.1-Gr	<i>Culex spp.</i>	48	Negative	RAMP	
	9/12/2016	Gravid Trap	9/13/2016	DN-37-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DN-37-2.2-Gr	<i>Culex spp.</i>	19	Negative	RAMP	
	9/19/2016	Gravid Trap	9/20/2016	DN-38-1.1-Gr	<i>Culex spp.</i>	20	Negative	RAMP	
	9/26/2016	Gravid Trap	9/27/2016	DN-39-1.1-Gr	<i>Culex spp.</i>	13	Negative	RAMP	
	Total Pools Tested: 28		Total Mosquitoes Tested: 848		Total Pending: 0	Total RAMP: 28	Total Negative: 28	Total Positive: 0	
	Dublin Northeast	5/16/2016	Gravid Trap	5/17/2016	ONE-20-1.1-G	<i>Culex spp.</i>	14	Negative	RAMP
5/23/2016		Gravid Trap	5/24/2016	ONE-21-1.1-G	<i>Culex spp.</i>	21	Negative	RAMP	
5/31/2016		Gravid Trap	6/1/2016	ONE-22-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		ONE-22-2.2-G	<i>Culex spp.</i>	44	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin Northeast	6/6/2016	Gravid Trap	6/7/2016	ONE-23-1.1-G	<i>Culex spp.</i>	50	Negative	RAMP
	6/13/2016	Gravid Trap	6/14/2016	ONE-24-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		ONE-24-2.2-G	<i>Culex spp.</i>	27	Negative	RAMP
	6/20/2016	Gravid Trap	6/21/2016	ONE-25-1.1-G	<i>Culex spp.</i>	46	Negative	RAMP
	6/27/2016	Gravid Trap	6/28/2016	ONE-26-1.1-G	<i>Culex spp.</i>	21	Negative	RAMP
	7/5/2016	Gravid Trap	7/6/2016	ONE-27-1.1-G	<i>Culex spp.</i>	6	Negative	RAMP
	7/11/2016	Gravid Trap	7/12/2016	ONE-28-1.1-G	<i>Culex spp.</i>	22	Negative	RAMP
	7/18/2016	Gravid Trap	7/19/2016	ONE-29-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		ONE-29-2.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		ONE-29-3.3-G	<i>Culex spp.</i>	33	Negative	RAMP
	7/25/2016	Gravid Trap	7/26/2016	ONE-30-1.1-G	<i>Culex spp.</i>	13	Negative	RAMP
	8/1/2016	Gravid Trap	8/2/2016	ONE-31-1.1-G	<i>Culex spp.</i>	9	Negative	RAMP
	8/8/2016	Gravid Trap	8/9/2016	ONE-32-1.1-G	<i>Culex spp.</i>	35	Negative	RAMP
	8/15/2016	Gravid Trap	8/16/2016	ONE-33-1.1-G	<i>Culex spp.</i>	30	Negative	RAMP
	8/22/2016	Gravid Trap	8/23/2016	ONE-34-1.1-G	<i>Culex spp.</i>	14	Negative	RAMP
	8/29/2016	Gravid Trap	8/30/2016	ONE-35-1.1-G	<i>Culex spp.</i>	33	Negative	RAMP
	9/6/2016	Gravid Trap	9/7/2016	ONE-36-1.1-G	<i>Culex spp.</i>	27	Negative	RAMP
	9/12/2016	Gravid Trap	9/13/2016	ONE-37-1.1-G	<i>Culex spp.</i>	33	Negative	RAMP
	9/19/2016	Gravid Trap	9/20/2016	ONE-38-1.1-G	<i>Culex spp.</i>	46	Negative	RAMP
	9/26/2016	Gravid Trap	9/27/2016	ONE-39-1.1-G	<i>Culex spp.</i>	7	Negative	RAMP
Total Pools Tested: 24		Total Mosquitoes Tested: 731		Total Pending: 0	Total RAMP: 24	Total Negative: 24	Total Positive: 0	
Dublin West	5/9/2016	Gravid Trap	5/10/2016	DW-19-1.1-G1	<i>Culex spp.</i>	2	Negative	RAMP
	5/23/2016	Gravid Trap	5/24/2016	DW-21-1.1-G1	<i>Culex spp.</i>	1	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin West	5/31/2016	Gravid Trap	6/1/2016	DW-22-1.1-G1	<i>Culex spp.</i>	49	Negative	RAMP
	6/6/2016	Gravid Trap	6/7/2016	DW-23-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-23-2.2-G1	<i>Culex spp.</i>	17	Negative	RAMP
	6/13/2016	Gravid Trap	6/14/2016	DW-24-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-24-2.2-G1	<i>Culex spp.</i>	23	Negative	RAMP
	6/20/2016	Gravid Trap	6/21/2016	DW-25-1.1-G1	<i>Culex spp.</i>	15	Negative	RAMP
	6/27/2016	Gravid Trap	6/28/2016	DW-26-1.1-G1	<i>Culex spp.</i>	10	Negative	RAMP
	7/5/2016	Gravid Trap	7/6/2016	DW-27-1.1-G1	<i>Culex spp.</i>	6	Negative	RAMP
	7/11/2016	Gravid Trap	7/12/2016	DW-28-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-28-2.2-G1	<i>Culex spp.</i>	25	Negative	RAMP
	7/18/2016	Gravid Trap	7/19/2016	DW-29-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-29-2.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-29-3.3-G1	<i>Culex spp.</i>	11	Negative	RAMP
	7/25/2016	Gravid Trap	7/26/2016	DW-30-1.1-G1	<i>Culex spp.</i>	7	Negative	RAMP
	8/1/2016	Gravid Trap	8/2/2016	DW-31-1.1-G1	<i>Culex spp.</i>	3	Negative	RAMP
	8/8/2016	Gravid Trap	8/9/2016	DW-32-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-32-2.2-G1	<i>Culex spp.</i>	25	Negative	RAMP
	8/15/2016	Gravid Trap	8/16/2016	DW-33-1.1-G1	<i>Culex spp.</i>	24	Negative	RAMP
	8/22/2016	Gravid Trap	8/23/2016	DW-34-1.1-G1	<i>Culex spp.</i>	9	Negative	RAMP
	8/29/2016	Gravid Trap	8/30/2016	DW-35-1.5-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-35-2.5-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-35-3.5-G1	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		DW-35-4.5-G1	<i>Culex spp.</i>	50	WNV+	RAMP
	Gravid Trap		DW-35-5.5-G1	<i>Culex spp.</i>	20	WNV+	RAMP	
	9/2/2016	Post Spray	9/6/2016	DW-PS-35-1.1	<i>Culex spp.</i>	8	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin West	9/6/2016	Gravid Trap	9/7/2016	DW-36-1.1-Gr	<i>Culex spp.</i>	15	Negative	RAMP
	9/12/2016	Gravid Trap	9/13/2016	DW-37-1.1-Gr	<i>Culex spp.</i>	44	WNV+	RAMP
	9/20/2016	Post Spray	9/21/2016	DW-PS-38-1.1	<i>Culex spp.</i>	2	Negative	RAMP
	9/26/2016	Gravid Trap	9/27/2016	DW-39-1.1-Gr	<i>Culex spp.</i>	7	Negative	RAMP
Total Pools Tested: 31		Total Mosquitoes Tested: 823		Total Pending: 0	Total RAMP: 31	Total Negative: 27	Total Positive: 4	
Total Pools Tested: 152		Total Mosquitoes Tested: 4701		Total Pending: 0	Total RAMP: 152	Total Negative: 137	Total Positive: 15	

Franklin Test Results

Franklin North	5/9/2016	Gravid Trap		FN-19-1.1-Gr	<i>Culex spp.</i>	3	Negative	PCR
	5/16/2016	Gravid Trap		FN-20-1.1-Gr	<i>Culex spp.</i>	19	Negative	PCR
	5/23/2016	Gravid Trap		FN-21-1.1-Gr	<i>Culex spp.</i>	42	Negative	PCR
	5/24/2016	Gravid Trap		FN-21-1.1-Gr	<i>Culex spp.</i>	42	Negative	PCR
	5/31/2016	Gravid Trap	6/1/2016	FN-22-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-22-2.2-Gr	<i>Culex spp.</i>	49	Negative	PCR
	6/6/2016	Gravid Trap	6/7/2016	FN-23-1.8-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-23-2.8-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FN-23-3.8-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FN-23-4.8-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FN-23-5.8-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FN-23-6.8-Gr	<i>Culex spp.</i>	50	Negative	PCR
	6/13/2016	Gravid Trap	6/14/2016	FN-23-7.8-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FN-23-8.8-Gr	<i>Culex spp.</i>	26	Negative	PCR
		Gravid Trap		FN-24-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
Gravid Trap			FN-24-2.4-Gr	<i>Culex spp.</i>	50	Negative	PCR	
Gravid Trap			FN-24-3.4-Gr	<i>Culex spp.</i>	50	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Franklin North	6/13/2016	Gravid Trap		FN-24-4.4-Gr	<i>Culex spp.</i>	26	Negative	PCR
	6/20/2016	Gravid Trap	6/21/2016	FN-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-25-2.2-Gr	<i>Culex spp.</i>	43	Negative	PCR
	6/27/2016	Gravid Trap		FN-26-1.2-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FN-26-2.2-Gr	<i>Culex spp.</i>	23	Negative	PCR
	7/5/2016	Gravid Trap	7/6/2016	FN-27-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-27-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FN-27-3.3-Gr	<i>Culex spp.</i>	12	Negative	PCR
	7/11/2016	Gravid Trap	7/12/2016	FN-28-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-28-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FN-28-3.3-Gr	<i>Culex spp.</i>	44	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	FN-29-1.6-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-29-2.6-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FN-29-3.6-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FN-29-4.6-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FN-29-5.6-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FN-29-6.6-Gr	<i>Culex spp.</i>	4	Negative	PCR
	7/20/2016	Post Spray		N-PS-29-1.1-C	<i>Culex spp.</i>	37	Negative	PCR
	7/25/2016	Gravid Trap	7/26/2016	FN-30-1.1-Gr	<i>Culex spp.</i>	19	Negative	RAMP
	8/1/2016	Gravid Trap	8/2/2016	FN-31-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-31-2.2-Gr	<i>Culex spp.</i>	43	Negative	PCR
	8/8/2016	Gravid Trap	8/9/2016	FN-32-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-32-2.3-Gr	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		FN-32-3.3-Gr	<i>Culex spp.</i>	9	Negative	PCR
	8/15/2016	Gravid Trap	8/16/2016	FN-33-1.1-Gr	<i>Culex spp.</i>	31	WNV+	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Franklin North	8/23/2016	Post Spray		FN-PS-34-1.1	<i>Culex spp.</i>	4	Negative	PCR
	8/29/2016	Gravid Trap	8/30/2016	FN-35-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-35-2.2-Gr	<i>Culex spp.</i>	33	WNV+	PCR
	9/6/2016	Gravid Trap	9/7/2016	FN-36-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-36-2.2-Gr	<i>Culex spp.</i>	32	WNV+	PCR
	9/12/2016	Gravid Trap		FN-37-1.1-Gr	<i>Culex spp.</i>	7	Negative	PCR
	9/19/2016	Gravid Trap	9/20/2016	FN-38-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-38-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FN-38-3.3-Gr	<i>Culex spp.</i>	7	Negative	PCR
	9/26/2016	Gravid Trap		FN-39-1.1-Gr	<i>Culex spp.</i>	9	Negative	PCR
Total Pools Tested: 52		Total Mosquitoes Tested: 2014		Total Pending: 0	Total RAMP: 14	Total Negative: 48	Total Positive: 4	
Franklin South	5/9/2016	Gravid Trap		FS-19-1.1-Gr	<i>Culex spp.</i>	1	Negative	PCR
	5/16/2016	Gravid Trap	5/17/2016	FS-20-1.1-Gr	<i>Culex spp.</i>	23	Negative	RAMP
	5/23/2016	Gravid Trap		FS-21-1.2-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FS-21-2.2-Gr	<i>Culex spp.</i>	37	Negative	PCR
	5/31/2016	Gravid Trap	6/1/2016	FS-22-1.1-Gr	<i>Culex spp.</i>	38	Negative	RAMP
	6/6/2016	Gravid Trap		FS-23-1.2-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FS-23-2.2-Gr	<i>Culex spp.</i>	22	Negative	PCR
	6/13/2016	Gravid Trap		FS-24-1.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FS-24-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		FS-24-3.3-Gr	<i>Culex spp.</i>	19	Negative	PCR
	6/20/2016	Gravid Trap		FS-25-1.1-Gr	<i>Culex spp.</i>	12	Negative	PCR
	6/27/2016	Gravid Trap	6/28/2016	FS-26-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay			
Franklin South	6/27/2016	Gravid Trap		FS-26-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR			
		Gravid Trap		FS-26-3.3-Gr	<i>Culex spp.</i>	5	Negative	PCR			
	7/5/2016	Gravid Trap	7/6/2016	FS-27-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP			
		Gravid Trap		FS-27-2.2-Gr	<i>Culex spp.</i>	3	Negative	PCR			
	7/11/2016	Gravid Trap		FS-28-1.1-Gr	<i>Culex spp.</i>	39	Negative	PCR			
	7/18/2016	Gravid Trap		FS-29-1.1-Gr	<i>Culex spp.</i>	35	Negative	PCR			
	7/25/2016	Gravid Trap	7/26/2016	FS-30-1.1-Gr	<i>Culex spp.</i>	31	Negative	RAMP			
	8/1/2016	Gravid Trap		FS-31-1.1-Gr	<i>Culex spp.</i>	19	WNV+	PCR			
	8/8/2016	Gravid Trap		FS-32-1.1-Gr	<i>Culex spp.</i>	14	WNV+	PCR			
	8/15/2016	Gravid Trap		FS-33-1.1-Gr	<i>Culex spp.</i>	19	WNV+	PCR			
	8/22/2016	Gravid Trap	8/23/2016	FS-34-1.1-Gr	<i>Culex spp.</i>	23	WNV+	RAMP			
	8/24/2016	Post Spray		FS-PS-34-1.1	<i>Culex spp.</i>	31	Negative	PCR			
	8/29/2016	Gravid Trap	8/30/2016	FS-35-1.1-Gr	<i>Culex spp.</i>	22	WNV+	RAMP			
	9/6/2016	Gravid Trap	9/7/2016	FS-36-1.1-Gr	<i>Culex spp.</i>	38	Negative	RAMP			
	9/12/2016	Gravid Trap	9/13/2016	FS-37-1.1-Gr	<i>Culex spp.</i>	37	Negative	RAMP			
	9/19/2016	Gravid Trap	9/20/2016	FS-38-1.1-Gr	<i>Culex spp.</i>	31	Negative	RAMP			
	9/26/2016	Gravid Trap		FS-39-1.1-Gr	<i>Culex spp.</i>	15	Negative	PCR			
Total Pools Tested:	29	Total Mosquitoes Tested:	864	Total Pending:	0	Total RAMP:	10	Total Negative:	24	Total Positive:	5
Total Pools Tested:	81	Total Mosquitoes Tested:	2878	Total Pending:	0	Total RAMP:	24	Total Negative:	72	Total Positive:	9

Gahanna Test Results

Gahanna North	5/9/2016	Gravid Trap		GN--19-1.1-Gr	<i>Culex spp.</i>	1	Negative	PCR
	5/16/2016	Gravid Trap		GN-20-1.1-Gr	<i>Culex spp.</i>	1	Negative	PCR
	5/23/2016	Gravid Trap		GN-21-1.1-Gr	<i>Culex spp.</i>	19	Negative	PCR
	5/31/2016	Gravid Trap		GN-22-1.1-Gr	<i>Culex spp.</i>	7	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay				
Gahanna North	6/6/2016	Gravid Trap		GN-23-1.1-Gr	<i>Culex spp.</i>	40	Negative	PCR				
	6/13/2016	Gravid Trap		GN-24-1.1-Gr	<i>Culex spp.</i>	48	Negative	PCR				
	6/20/2016	Gravid Trap	6/21/2016	GN-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		GN-25-2.2-Gr	<i>Culex spp.</i>	8	Negative	PCR				
	6/27/2016	Gravid Trap		GN-26-1.1-Gr	<i>Culex spp.</i>	33	Negative	PCR				
	7/5/2016	Gravid Trap	7/6/2016	GN-27-1.1-Gr	<i>Culex spp.</i>	24	Negative	RAMP				
	7/11/2016	Gravid Trap	7/12/2016	GN-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		GN-28-2.2-Gr	<i>Culex spp.</i>	14	Negative	PCR				
	7/18/2016	Gravid Trap	7/19/2016	GN-29-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		GN-29-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR				
		Gravid Trap		GN-29-3.3-Gr	<i>Culex spp.</i>	44	Negative	PCR				
	7/25/2016	Gravid Trap		GN-30-1.1-Gr	<i>Culex spp.</i>	7	Negative	PCR				
	8/1/2016	Gravid Trap		GN-31-1.1-Gr	<i>Culex spp.</i>	8	Negative	PCR				
	8/8/2016	Gravid Trap	8/9/2016	GN-32-1.1-Gr	<i>Culex spp.</i>	25	Negative	RAMP				
	8/15/2016	Gravid Trap	8/16/2016	GN-33-1.1-Gr	<i>Culex spp.</i>	14	Negative	RAMP				
	8/22/2016	Gravid Trap	8/23/2016	GN-34-1.1-Gr	<i>Culex spp.</i>	30	Negative	RAMP				
	8/30/2016	Gravid Trap	8/31/2016	GN-35-1.1-Gr	<i>Culex spp.</i>	26	WNV+	RAMP				
	9/6/2016	Gravid Trap	9/7/2016	GN-36-1.1-Gr	<i>Culex spp.</i>	49	Negative	RAMP				
	9/12/2016	Gravid Trap	9/13/2016	GN-37-1.1-Gr	<i>Culex spp.</i>	11	WNV+	RAMP				
	9/19/2016	Gravid Trap		GN-38-1.1-Gr	<i>Culex spp.</i>	1	Negative	PCR				
	9/22/2016	Post Spray		GN-PS-38-1.1	<i>Culex spp.</i>	5	Negative	PCR				
	9/26/2016	Gravid Trap		GN-39-1.1-Gr	<i>Culex spp.</i>	2	Negative	PCR				
	Total Pools Tested: 26		Total Mosquitoes Tested: 617		Total Pending: 0		Total RAMP: 10		Total Negative: 24		Total Positive: 2	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Gahanna South	5/9/2016	Gravid Trap		GS-19-1.1-Gr	<i>Culex spp.</i>	1	Negative	PCR	
	5/16/2016	Gravid Trap		GS-20-1.1-Gr	<i>Culex spp.</i>	5	Negative	PCR	
	5/23/2016	Gravid Trap		GS-21-1.1-Gr	<i>Culex spp.</i>	20	Negative	PCR	
	5/31/2016	Gravid Trap	6/1/2016	GS-22-1.1-Gr	<i>Culex spp.</i>	8	Negative	RAMP	
	6/6/2016	Gravid Trap		GS-23-1.1-Gr	<i>Culex spp.</i>	7	Negative	PCR	
	6/13/2016	Gravid Trap		GS-24-1.1-Gr	<i>Culex spp.</i>	23	Negative	PCR	
	6/20/2016	Gravid Trap	6/21/2016	GS-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		GS-25-2.2-Gr	<i>Culex spp.</i>	7	Negative	PCR
	6/27/2016	Gravid Trap	6/28/2016	GS-26-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		GS-26-2.2-Gr	<i>Culex spp.</i>	18	Negative	PCR
	7/5/2016	Gravid Trap		GS-27-1.1-Gr	<i>Culex spp.</i>	22	Negative	PCR	
	7/11/2016	Gravid Trap	7/12/2016	GS-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		GS-28-2.2-Gr	<i>Culex spp.</i>	42	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	GS-29-1.5-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		GS-29-2.5-Gr	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		GS-29-3.5-Gr	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		GS-29-4.5-Gr	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		GS-29-5.5-Gr	<i>Culex spp.</i>	2	Negative	PCR
	7/25/2016	Gravid Trap		GS-30-1.1-Gr	<i>Culex spp.</i>	10	Negative	PCR	
	8/1/2016	Gravid Trap		GS-31-1.1-Gr	<i>Culex spp.</i>	9	Negative	PCR	
	8/8/2016	Gravid Trap	8/9/2016	GS-32-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		GS-32-2.2-Gr	<i>Culex spp.</i>	20	Negative	PCR
	8/15/2016	Gravid Trap	8/16/2016	GS-33-1.1-Gr	<i>Culex spp.</i>	11	Negative	RAMP	
	8/29/2016	Gravid Trap	8/30/2016	GS-35-1.1-Gr	<i>Culex spp.</i>	28	Negative	RAMP	
	9/6/2016	Gravid Trap	9/7/2016	GS-36-1.1-Gr	<i>Culex spp.</i>	23	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Gahanna South	9/12/2016	Gravid Trap	9/13/2016	GS-37-1.1-Gr	<i>Culex spp.</i>	19	Negative	RAMP
	9/19/2016	Gravid Trap	9/20/2016	GS-38-1.1-Gr	<i>Culex spp.</i>	9	Negative	RAMP
	9/26/2016	Gravid Trap		GS-39-1.1-Gr	<i>Culex spp.</i>	6	Negative	PCR
	Total Pools Tested: 28		Total Mosquitoes Tested: 690		Total Pending: 0	Total RAMP: 11	Total Negative: 28	Total Positive: 0
Gahanna West	5/16/2016	Gravid Trap		3W-20-1.1-G1	<i>Culex spp.</i>	10	Negative	PCR
	5/23/2016	Gravid Trap		3W-21-1.2-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3W-21-2.2-G1	<i>Culex spp.</i>	28	Negative	PCR
	5/31/2016	Gravid Trap	6/1/2016	3W-22-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		3W-22-2.2-G1	<i>Culex spp.</i>	20	Negative	PCR
	6/6/2016	Gravid Trap	6/7/2016	3W-23-1.5-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		3W-23-2.5-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3W-23-3.5-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3W-23-4.5-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3W-23-5.5-G1	<i>Culex spp.</i>	14	Negative	PCR
	6/13/2016	Gravid Trap	6/14/2016	3W-24-1.5-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		3W-24-2.5-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3W-24-3.5-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3W-24-4.5-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3W-24-5.5-G1	<i>Culex spp.</i>	2	Negative	PCR
	6/20/2016	Gravid Trap		3W-25-1.3-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3W-25-2.3-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		3W-25-3.3-G1	<i>Culex spp.</i>	13	Negative	PCR
	6/27/2016	Gravid Trap		3W-26-1.2-G1	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Gahanna West	6/27/2016	Gravid Trap		3W-26-2.2-G1	<i>Culex spp.</i>	15	Negative	PCR
	7/5/2016	Gravid Trap	7/6/2016	3W-27-1.1-G1	<i>Culex spp.</i>	24	Negative	RAMP
	7/11/2016	Gravid Trap	7/12/2016	3W-28-1.5-G1	<i>Culex spp.</i>	50	Negative	RAMP
				3W-28-2.5-G1	<i>Culex spp.</i>	50	Negative	PCR
				3W-28-3.5-G1	<i>Culex spp.</i>	50	Negative	PCR
				3W-28-4.5-G1	<i>Culex spp.</i>	50	Negative	PCR
				3W-28-5.5-G1	<i>Culex spp.</i>	17	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	3W-29-1.5-G1	<i>Culex spp.</i>	50	Negative	RAMP
				3W-29-2.5-G1	<i>Culex spp.</i>	50	Negative	PCR
				3W-29-3.5-G1	<i>Culex spp.</i>	50	Negative	PCR
				3W-29-4.5-G1	<i>Culex spp.</i>	50	Negative	PCR
				3W-29-5.5-G1	<i>Culex spp.</i>	41	Negative	PCR
	7/21/2016	Post Spray		W-PS-29-1.2-G1	<i>Culex spp.</i>	50	Negative	PCR
				W-PS-29-2.2-G1	<i>Culex spp.</i>	8	Negative	PCR
	7/25/2016	Gravid Trap	7/26/2016	3W-30-1.1-G1	<i>Culex spp.</i>	31	Negative	RAMP
	8/1/2016	Gravid Trap	8/2/2016	3W-31-1.1-G1	<i>Culex spp.</i>	47	Negative	RAMP
	8/8/2016	Gravid Trap	8/9/2016	3W-32-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
				3W-32-2.2-G1	<i>Culex spp.</i>	45	Negative	PCR
	8/15/2016	Gravid Trap	8/16/2016	3W-33-1.1-G1	<i>Culex spp.</i>	19	Negative	RAMP
	8/22/2016	Gravid Trap	8/23/2016	3W-34-1.1-G1	<i>Culex spp.</i>	23	Negative	RAMP
	8/29/2016	Gravid Trap	8/30/2016	3W-35-1.2-G1	<i>Culex spp.</i>	50	WNV+	RAMP
				3W-35-2.2-G1	<i>Culex spp.</i>	15	Negative	PCR
	9/7/2016	Post Spray		3W-PS-36-1.1	<i>Culex spp.</i>	14	Negative	PCR
9/12/2016	Gravid Trap	9/13/2016	3W-37-1.1-G1	<i>Culex spp.</i>	47	Negative	RAMP	
9/19/2016	Gravid Trap	9/20/2016	3W-38-1.1-G1	<i>Culex spp.</i>	24	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Gahanna West	9/26/2016	Gravid Trap		3W-39-1.1-Gr	<i>Culex spp.</i>	2	Negative	PCR
	Total Pools Tested: 45	Total Mosquitoes Tested: 1659		Total Pending: 0	Total RAMP: 14	Total Negative: 44	Total Positive: 1	
	Total Pools Tested: 99	Total Mosquitoes Tested: 2966		Total Pending: 0	Total RAMP: 35	Total Negative: 96	Total Positive: 3	

Grandview Heights Test Results

Grandview	5/9/2016	Gravid Trap	5/10/2016	GV-19-1.1-Gr	<i>Culex spp.</i>	13	Negative	RAMP
	5/16/2016	Gravid Trap		GV-20-1.1-Gr	<i>Culex spp.</i>	16	Negative	PCR
	5/23/2016	Gravid Trap	5/24/2016	GV-21-1.1-Gr	<i>Culex spp.</i>	41	Negative	RAMP
	5/31/2016	Gravid Trap	6/1/2016	GV-22-1.1-Gr	<i>Culex spp.</i>	49	Negative	RAMP
	6/6/2016	Gravid Trap	6/7/2016	GV-23-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GV-23-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GV-23-3.3-Gr	<i>Culex spp.</i>	41	Negative	PCR
	6/13/2016	Gravid Trap		GV-24-1.1-Gr	<i>Culex spp.</i>	23	Negative	PCR
	6/20/2016	Gravid Trap	6/21/2016	GV-25-1.1-Gr	<i>Culex spp.</i>	38	Negative	RAMP
	6/27/2016	Gravid Trap	6/28/2016	GV-26-1.1-Gr	<i>Culex spp.</i>	24	Negative	RAMP
	7/5/2016	Gravid Trap	7/6/2016	GV-27-1.1-Gr	<i>Culex spp.</i>	16	Negative	RAMP
	7/11/2016	Gravid Trap	7/12/2016	GV-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GV-28-2.2-Gr	<i>Culex spp.</i>	41	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	GV-29-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GV-29-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		GV-29-3.3-Gr	<i>Culex spp.</i>	6	Negative	PCR
	7/25/2016	Gravid Trap	7/26/2016	GV-30-1.1-Gr	<i>Culex spp.</i>	22	Negative	RAMP
	8/1/2016	Gravid Trap	8/2/2016	GV-31-1.1-Gr	<i>Culex spp.</i>	31	Negative	RAMP
	8/8/2016	Gravid Trap	8/9/2016	GV-32-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GV-32-2.2-Gr	<i>Culex spp.</i>	6	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay			
Grandview	8/15/2016	Gravid Trap	8/16/2016	GV-33-1.1-Gr	<i>Culex spp.</i>	20	WNV+	RAMP			
	8/19/2016	Post Spray		GV-PS-33-1.1	<i>Culex spp.</i>	18	Negative	PCR			
	8/22/2016	Gravid Trap	8/23/2016	GV-34-1.1-Gr	<i>Culex spp.</i>	19	Negative	RAMP			
	8/29/2016	Gravid Trap	8/30/2016	GV-35-1.1-Gr	<i>Culex spp.</i>	47	Negative	RAMP			
	9/6/2016	Gravid Trap	9/7/2016	GV-36-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP			
		Gravid Trap		GV-36-2.2-Gr	<i>Culex spp.</i>	23	Negative	PCR			
	9/12/2016	Gravid Trap	9/13/2016	GV-37-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP			
		Gravid Trap		GV-37-2.2-Gr	<i>Culex spp.</i>	19	Negative	PCR			
	9/19/2016	Gravid Trap	9/20/2016	GV-38-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP			
		Gravid Trap		GV-38-2.2-Gr	<i>Culex spp.</i>	32	WNV+	PCR			
9/26/2016	Gravid Trap		GV-39-1.1-Gr	<i>Culex spp.</i>	19	Negative	PCR				
Total Pools Tested:	31	Total Mosquitoes Tested:	1014	Total Pending:	0	Total RAMP:	18	Total Negative:	29	Total Positive:	2
Total Pools Tested:	31	Total Mosquitoes Tested:	1014	Total Pending:	0	Total RAMP:	18	Total Negative:	29	Total Positive:	2

Grove City Test Results

Grove City North	5/16/2016	Gravid Trap		GCN-20-1.1-G	<i>Culex spp.</i>	8	Negative	PCR
	5/23/2016	Gravid Trap		GCN-21-1.1-G	<i>Culex spp.</i>	16	Negative	PCR
	5/31/2016	Gravid Trap	6/1/2016	GCN-22-1.1-G	<i>Culex spp.</i>	43	Negative	RAMP
	6/6/2016	Gravid Trap		GCN-23-1.1-G	<i>Culex spp.</i>	38	Negative	PCR
	6/13/2016	Gravid Trap		GCN-24-1.1-G	<i>Culex spp.</i>	44	Negative	PCR
	6/20/2016	Gravid Trap	6/21/2016	GCN-25-1.1-G	<i>Culex spp.</i>	19	Negative	RAMP
	6/27/2016	Gravid Trap		GCN-26-1.1-G	<i>Culex spp.</i>	15	Negative	PCR
	7/5/2016	Gravid Trap		GCN-27-1.1-G	<i>Culex spp.</i>	11	Negative	PCR
	7/11/2016	Gravid Trap	7/12/2016	GCN-28-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GCN-28-2.2-G	<i>Culex spp.</i>	29	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City North	7/18/2016	Gravid Trap	7/19/2016	JCN-29-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JCN-29-2.2-G	<i>Culex spp.</i>	44	Negative	PCR
	7/25/2016	Gravid Trap		JCN-30-1.1-G	<i>Culex spp.</i>	10	Negative	PCR
	8/1/2016	Gravid Trap	8/2/2016	JCN-31-1.1-G	<i>Culex spp.</i>	44	Negative	RAMP
	8/8/2016	Gravid Trap	8/9/2016	JCN-32-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JCN-32-2.3-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JCN-32-3.3-G	<i>Culex spp.</i>	7	Negative	PCR
	8/15/2016	Gravid Trap	8/16/2016	JCN-33-1.2-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		JCN-33-2.2-G	<i>Culex spp.</i>	10	WNV+	PCR
	8/18/2016	Post Spray		JN-PS-33-1.1-	<i>Culex spp.</i>	44	Negative	PCR
	8/22/2016	Gravid Trap		JCN-34-1.1-G	<i>Culex spp.</i>	4	Negative	PCR
	8/29/2016	Gravid Trap	8/30/2016	JCN-35-1.1-G	<i>Culex spp.</i>	47	Negative	RAMP
	9/6/2016	Gravid Trap	9/7/2016	JCN-36-1.1-G	<i>Culex spp.</i>	13	Negative	RAMP
	9/12/2016	Gravid Trap	9/13/2016	JCN-37-1.1-G	<i>Culex spp.</i>	29	Negative	RAMP
	9/19/2016	Gravid Trap	9/20/2016	JCN-38-1.1-G	<i>Culex spp.</i>	16	WNV+	RAMP
	9/23/2016	Post Spray		JCN-PS-38-1.	<i>Culex spp.</i>	3	Negative	PCR
	9/26/2016	Gravid Trap		JCN-39-1.1-G	<i>Culex spp.</i>	7	Negative	PCR
Total Pools Tested: 27		Total Mosquitoes Tested: 751		Total Pending: 0		Total RAMP: 11	Total Negative: 24	Total Positive: 3
Grove City South	5/9/2016	Gravid Trap		JCS-19-1.1-G	<i>Culex spp.</i>	3	Negative	PCR
	5/16/2016	Gravid Trap		JCS-20-1.1-G	<i>Culex spp.</i>	11	Negative	PCR
	5/23/2016	Gravid Trap		JCS-21-1.1-G	<i>Culex spp.</i>	34	Negative	PCR
	5/31/2016	Gravid Trap		JCS-22-1.1-G	<i>Culex spp.</i>	26	Negative	PCR
	6/6/2016	Gravid Trap	6/7/2016	JCS-23-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City South	6/6/2016	Gravid Trap		JCS-23-2.3-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JCS-23-3.3-G	<i>Culex spp.</i>	32	Negative	PCR
	6/13/2016	Gravid Trap	6/14/2016	JCS-24-1.5-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JCS-24-2.5-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JCS-24-3.5-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JCS-24-4.5-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JCS-24-5.5-G	<i>Culex spp.</i>	2	Negative	PCR
	6/20/2016	Gravid Trap		JCS-25-1.1-G	<i>Culex spp.</i>	5	Negative	PCR
	6/27/2016	Gravid Trap		JCS-26-1.1-G	<i>Culex spp.</i>	29	Negative	PCR
	7/5/2016	Gravid Trap	7/6/2016	JCS-27-1.1-G	<i>Culex spp.</i>	16	Negative	RAMP
	7/11/2016	Gravid Trap	7/12/2016	JCS-28-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JCS-28-2.2-G	<i>Culex spp.</i>	14	Negative	PCR
	7/18/2016	Gravid Trap		JCS-29-1.2-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JCS-29-2.2-G	<i>Culex spp.</i>	29	Negative	PCR
	7/25/2016	Gravid Trap	7/26/2016	JCS-30-1.1-G	<i>Culex spp.</i>	49	Negative	RAMP
	8/1/2016	Gravid Trap	8/2/2016	JCS-31-1.1-G	<i>Culex spp.</i>	46	Negative	RAMP
	8/8/2016	Gravid Trap	8/9/2016	JCS-32-1.4-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JCS-32-2.4-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JCS-32-3.4-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JCS-32-4.4-G	<i>Culex spp.</i>	21	WNV+	PCR
	8/15/2016	Gravid Trap	8/16/2016	JCS-33-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JCS-33-2.3-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JCS-33-3.3-G	<i>Culex spp.</i>	41	Negative	PCR
8/22/2016	Gravid Trap	8/23/2016	JCS-34-1.1-G	<i>Culex spp.</i>	30	Negative	RAMP	
8/29/2016	Gravid Trap	8/30/2016	JCS-35-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City South	8/29/2016	Gravid Trap		3CS-35-2.3-G	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		3CS-35-3.3-G	<i>Culex spp.</i>	37	Negative	PCR
	9/6/2016	Gravid Trap	9/7/2016	3CS-36-1.1-G	<i>Culex spp.</i>	50	WNV+	RAMP
	9/12/2016	Gravid Trap	9/13/2016	3CS-37-1.1-G	<i>Culex spp.</i>	44	Negative	RAMP
	9/14/2016	Post Spray		3CS-PS-37-1.1-G	<i>Culex spp.</i>	20	Negative	PCR
	9/19/2016	Gravid Trap	9/20/2016	3CS-38-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		3CS-38-2.2-G	<i>Culex spp.</i>	9	Negative	PCR
	9/26/2016	Gravid Trap		3CS-39-1.1-G	<i>Culex spp.</i>	4	Negative	PCR
Total Pools Tested: 38		Total Mosquitoes Tested: 1352		Total Pending: 0	Total RAMP: 13	Total Negative: 35	Total Positive: 3	
Grove City West	5/16/2016	Gravid Trap	5/17/2016	1CW-20-1.1-G	<i>Culex spp.</i>	32	Negative	RAMP
	5/23/2016	Gravid Trap	5/24/2016	1CW-21-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		1CW-21-2.2-G	<i>Culex spp.</i>	17	Negative	PCR
	5/31/2016	Gravid Trap	6/1/2016	1CW-22-1.1-G	<i>Culex spp.</i>	31	Negative	RAMP
	6/6/2016	Gravid Trap		1CW-23-1.3-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		1CW-23-2.3-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		1CW-23-3.3-G	<i>Culex spp.</i>	46	Negative	PCR
	6/13/2016	Gravid Trap		1CW-24-1.3-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		1CW-24-2.3-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		1CW-24-3.3-G	<i>Culex spp.</i>	28	Negative	PCR
	6/20/2016	Gravid Trap		1CW-25-1.2-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		1CW-25-2.2-G	<i>Culex spp.</i>	11	Negative	PCR
	6/27/2016	Gravid Trap	6/28/2016	1CW-26-1.1-G	<i>Culex spp.</i>	47	Negative	RAMP
	7/5/2016	Gravid Trap	7/6/2016	1CW-27-1.1-G	<i>Culex spp.</i>	48	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City West	7/11/2016	Gravid Trap	7/12/2016	iCW-28-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		iCW-28-2.2-G	<i>Culex spp.</i>	46	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	iCW-29-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		iCW-29-2.3-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		iCW-29-3.3-G	<i>Culex spp.</i>	40	Negative	PCR
	7/25/2016	Gravid Trap	7/26/2016	iCW-30-1.1-G	<i>Culex spp.</i>	48	Negative	RAMP
	8/1/2016	Gravid Trap	8/2/2016	iCW-31-1.1-G	<i>Culex spp.</i>	40	Negative	RAMP
	8/8/2016	Gravid Trap	8/9/2016	iCW-32-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		iCW-32-2.2-G	<i>Culex spp.</i>	15	Negative	PCR
	8/15/2016	Gravid Trap	8/16/2016	iCW-33-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		iCW-33-2.2-G	<i>Culex spp.</i>	8	Negative	PCR
	8/22/2016	Gravid Trap	8/23/2016	iCW-34-1.1-G	<i>Culex spp.</i>	13	Negative	RAMP
	8/29/2016	Gravid Trap	8/30/2016	iCW-35-1.2-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		iCW-35-2.2-G	<i>Culex spp.</i>	46	Negative	PCR
	9/7/2016	Post Spray		iCW-PS-36-1.	<i>Culex spp.</i>	10	Negative	PCR
	9/12/2016	Gravid Trap	9/13/2016	iCW-37-1.1-G	<i>Culex spp.</i>	40	WNV+	RAMP
	9/19/2016	Gravid Trap	9/20/2016	iCW-38-1.1-G	<i>Culex spp.</i>	20	Negative	RAMP
	9/21/2016	Post Spray		iCW-PS-38-1.	<i>Culex spp.</i>	18	Negative	PCR
	9/26/2016	Gravid Trap		iCW-39-1.1-G	<i>Culex spp.</i>	2	Negative	PCR
	Total Pools Tested: 33		Total Mosquitoes Tested: 1206		Total Pending: 0	Total RAMP: 15	Total Negative: 31	Total Positive: 2
Total Pools Tested: 98		Total Mosquitoes Tested: 3309		Total Pending: 0	Total RAMP: 39	Total Negative: 90	Total Positive: 8	

Groveport Test Results

Groveport	5/9/2016	Gravid Trap		GP-19-1.1-Gr	<i>Culex spp.</i>	1	Negative	PCR
	5/16/2016	Gravid Trap		GP-20-1.1-Gr	<i>Culex spp.</i>	4	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Groveport	5/23/2016	Gravid Trap		GP-21-1.1-Gr	<i>Culex spp.</i>	26	Negative	PCR	
	5/31/2016	Gravid Trap	6/1/2016	GP-22-1.1-Gr	<i>Culex spp.</i>	16	Negative	RAMP	
	6/6/2016	Gravid Trap		GP-23-1.2-Gr	<i>Culex spp.</i>	50	Negative	PCR	
			Gravid Trap		GP-23-2.2-Gr	<i>Culex spp.</i>	31	Negative	PCR
	6/13/2016	Gravid Trap	6/14/2016	GP-24-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		GP-24-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		GP-24-3.3-Gr	<i>Culex spp.</i>	30	Negative	PCR
	6/20/2016	Gravid Trap		GP-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	PCR	
			Gravid Trap		GP-25-2.2-Gr	<i>Culex spp.</i>	13	Negative	PCR
	6/27/2016	Gravid Trap		GP-26-1.1-Gr	<i>Culex spp.</i>	46	Negative	PCR	
	7/5/2016	Gravid Trap		GP-27-1.1-Gr	<i>Culex spp.</i>	49	Negative	PCR	
	7/11/2016	Gravid Trap	7/12/2016	GP-28-1.5-Gr	<i>Culex spp.</i>	50	WNV+	RAMP	
			Gravid Trap		GP-28-2.5-Gr	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		GP-28-3.5-Gr	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		GP-28-4.5-Gr	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		GP-28-5.5-Gr	<i>Culex spp.</i>	15	WNV+	PCR
	7/15/2016	Post Spray			GP-PS-28-1.2	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray			GP-PS-28-2.2	<i>Culex spp.</i>	5	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	GP-29-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
				GP-29-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR	
				GP-29-3.3-Gr	<i>Culex spp.</i>	50	Negative	PCR	
	7/25/2016	Gravid Trap	7/26/2016	GP-30-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
				GP-30-2.2-Gr	<i>Culex spp.</i>	14	Negative	PCR	
	8/1/2016	Gravid Trap	8/2/2016	GP-31-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
				GP-31-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Groveport	8/1/2016	Gravid Trap		GP-31-3.3-Gr	<i>Culex spp.</i>	17	WNV+	PCR	
	8/8/2016	Gravid Trap	8/9/2016	GP-32-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		GP-32-2.2-Gr	<i>Culex spp.</i>	19	Negative	PCR	
	8/11/2016	Gravid Trap		P-PS-32-1.1-C	<i>Culex spp.</i>	13	Negative	PCR	
	8/15/2016	Gravid Trap	8/16/2016	GP-33-1.1-Gr	<i>Culex spp.</i>	37	WNV+	RAMP	
	8/23/2016	Post Spray	8/24/2016	GP-PS-34-1.1	<i>Culex spp.</i>	33	Negative	RAMP	
	8/30/2016	Gravid Trap	8/31/2016	GP-35-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GP-35-2.4-Gr	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		GP-35-3.4-Gr	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		GP-35-4.4-Gr	<i>Culex spp.</i>	3	Negative	PCR	
	9/6/2016	Gravid Trap	9/7/2016	GP-36-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		GP-36-2.2-Gr	<i>Culex spp.</i>	4	Negative	PCR	
	9/9/2016	Post Spray		GP-PS-36-1.1	<i>Culex spp.</i>	6	Negative	PCR	
	9/12/2016	Gravid Trap	9/13/2016	GP-37-1.1-Gr	<i>Culex spp.</i>	29	Negative	RAMP	
	9/19/2016	Gravid Trap	9/20/2016	GP-38-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		GP-38-2.2-Gr	<i>Culex spp.</i>	43	WNV+	PCR	
	9/22/2016	Post Spray		GP-PS-38-1.1	<i>Culex spp.</i>	4	Negative	PCR	
	9/26/2016	Gravid Trap		GP-39-1.1-Gr	<i>Culex spp.</i>	5	Negative	PCR	
	Total Pools Tested: 45		Total Mosquitoes Tested: 1513		Total Pending: 0	Total RAMP: 13	Total Negative: 37	Total Positive: 8	
	Total Pools Tested: 45		Total Mosquitoes Tested: 1513		Total Pending: 0	Total RAMP: 13	Total Negative: 37	Total Positive: 8	

Hamilton Test Results

Hamilton	5/16/2016	Gravid Trap		HA-20-1.1-Gr	<i>Culex spp.</i>	9	Negative	PCR
	5/23/2016	Gravid Trap		HA-21-1.1-Gr	<i>Culex spp.</i>	18	Negative	PCR
	5/31/2016	Gravid Trap		HA-22-1.1-Gr	<i>Culex spp.</i>	3	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay				
Hamilton	6/6/2016	Gravid Trap		HA-23-1.1-Gr	<i>Culex spp.</i>	1	Negative	PCR				
	6/13/2016	Gravid Trap		HA-24-1.1-Gr	<i>Culex spp.</i>	5	Negative	PCR				
	6/20/2016	Gravid Trap	6/21/2016	HA-25-1.1-Gr	<i>Culex spp.</i>	14	Negative	RAMP				
	7/5/2016	Gravid Trap	7/6/2016	HA-27-1.1-Gr	<i>Culex spp.</i>	42	Negative	RAMP				
	7/11/2016	Gravid Trap	7/12/2016	HA-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		HA-28-2.2-Gr	<i>Culex spp.</i>	2	Negative	PCR				
	7/18/2016	Gravid Trap		HA-29-1.1-Gr	<i>Culex spp.</i>	41	Negative	PCR				
	7/25/2016	Gravid Trap	7/26/2016	HA-30-1.1-Gr	<i>Culex spp.</i>	24	Negative	RAMP				
	8/1/2016	Gravid Trap		HA-31-1.1-Gr	<i>Culex spp.</i>	9	Negative	PCR				
	8/8/2016	Gravid Trap	8/9/2016	HA-32-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		HA-32-2.2-Gr	<i>Culex spp.</i>	4	Negative	PCR				
	8/15/2016	Gravid Trap	8/16/2016	HA-33-1.1-Gr	<i>Culex spp.</i>	37	WNV+	RAMP				
	8/18/2016	Post Spray		A-PS-33-1.2-C	<i>Culex spp.</i>	50	WNV+	PCR				
		Post Spray		A-PS-33-2.2-C	<i>Culex spp.</i>	3	Negative	PCR				
	8/22/2016	Gravid Trap	8/23/2016	HA-34-1.1-Gr	<i>Culex spp.</i>	25	WNV+	RAMP				
	8/24/2016	Post Spray		HA-PS-34-1.1	<i>Culex spp.</i>	16	Negative	PCR				
	8/29/2016	Gravid Trap	8/30/2016	HA-35-1.1-Gr	<i>Culex spp.</i>	38	Negative	RAMP				
	9/6/2016	Gravid Trap	9/7/2016	HA-36-1.1-Gr	<i>Culex spp.</i>	33	WNV+	RAMP				
	9/12/2016	Gravid Trap	9/13/2016	HA-37-1.1-Gr	<i>Culex spp.</i>	32	Negative	RAMP				
	9/19/2016	Gravid Trap	9/20/2016	HA-38-1.1-Gr	<i>Culex spp.</i>	25	Negative	RAMP				
	9/21/2016	Post Spray		HA-PS-38-1.1	<i>Culex spp.</i>	41	Negative	PCR				
	9/26/2016	Gravid Trap		HA-39-1.1-Gr	<i>Culex spp.</i>	9	Negative	PCR				
	Total Pools Tested:	25	Total Mosquitoes Tested:	581	Total Pending:	0	Total RAMP:	11	Total Negative:	21	Total Positive:	4
	Total Pools Tested:	25	Total Mosquitoes Tested:	581	Total Pending:	0	Total RAMP:	11	Total Negative:	21	Total Positive:	4

Hilliard Test Results

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hilliard Central	5/16/2016	Gravid Trap	5/17/2016	HC-20-1.1-Gr	<i>Culex spp.</i>	9	Negative	RAMP
	5/23/2016	Gravid Trap	5/24/2016	HC-21-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HC-21-2.2-Gr	<i>Culex spp.</i>	6	Negative	PCR
	5/31/2016	Gravid Trap	6/1/2016	HC-22-1.1-Gr	<i>Culex spp.</i>	14	Negative	RAMP
	6/6/2016	Gravid Trap		HC-23-1.1-Gr	<i>Culex spp.</i>	18	Negative	PCR
	6/13/2016	Gravid Trap	6/14/2016	HC-24-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HC-24-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-24-3.3-Gr	<i>Culex spp.</i>	46	Negative	PCR
	6/20/2016	Gravid Trap	6/21/2016	HC-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HC-25-2.2-Gr	<i>Culex spp.</i>	15	Negative	PCR
	6/27/2016	Gravid Trap	6/28/2016	HC-26-1.1-Gr	<i>Culex spp.</i>	50	Negative	RAMP
	7/5/2016	Gravid Trap	7/6/2016	HC-27-1.1-Gr	<i>Culex spp.</i>	39	Negative	RAMP
	7/11/2016	Gravid Trap	7/12/2016	HC-28-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HC-28-2.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-28-3.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-28-4.4-Gr	<i>Culex spp.</i>	34	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	HC-29-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HC-29-2.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-29-3.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HC-29-4.4-Gr	<i>Culex spp.</i>	2	Negative	PCR
	7/25/2016	Gravid Trap	7/26/2016	HC-30-1.1-Gr	<i>Culex spp.</i>	21	Negative	RAMP
	8/1/2016	Gravid Trap	8/2/2016	HC-31-1.1-Gr	<i>Culex spp.</i>	37	Negative	RAMP
	8/8/2016	Gravid Trap	8/9/2016	HC-32-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Hilliard Central	8/8/2016	Gravid Trap		HC-32-2.2-Gr	<i>Culex spp.</i>	20	Negative	PCR	
	8/15/2016	Gravid Trap		HC-33-1.1-Gr	<i>Culex spp.</i>	16	Negative	PCR	
	8/22/2016	Gravid Trap		HC-34-1.1-Gr	<i>Culex spp.</i>	7	Negative	PCR	
	8/29/2016	Gravid Trap	8/30/2016	HC-35-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		HC-35-2.2-Gr	<i>Culex spp.</i>	22	Negative	PCR	
	9/2/2016	Post Spray		HC-PS-35-1.1	<i>Culex spp.</i>	16	Negative	PCR	
	9/6/2016	Gravid Trap	9/7/2016	HC-36-1.1-Gr	<i>Culex spp.</i>	30	Negative	RAMP	
	9/12/2016	Gravid Trap	9/13/2016	HC-37-1.1-Gr	<i>Culex spp.</i>	23	WNV+	RAMP	
	9/20/2016	Post Spray		HC-PS-38-1.2	<i>Culex spp.</i>	50	WNV+	PCR	
		Post Spray		HC-PS-38-2.2	<i>Culex spp.</i>	9	Negative	PCR	
	9/26/2016	Gravid Trap		HC-39-1.1-Gr	<i>Culex spp.</i>	1	Negative	PCR	
	Total Pools Tested: 34		Total Mosquitoes Tested: 1085		Total Pending: 0	Total RAMP: 15	Total Negative: 31	Total Positive: 3	
	Hilliard North	5/9/2016	Gravid Trap		HN-19-1.1-Gr	<i>Culex spp.</i>	2	Negative	PCR
5/23/2016		Gravid Trap		HN-21-1.1-Gr	<i>Culex spp.</i>	11	Negative	PCR	
5/31/2016		Gravid Trap		HN-22-1.1-Gr	<i>Culex spp.</i>	4	Negative	PCR	
6/6/2016		Gravid Trap	6/7/2016	HN-23-1.5-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		HN-23-2.5-Gr	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		HN-23-3.5-Gr	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		HN-23-4.5-Gr	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		HN-23-5.5-Gr	<i>Culex spp.</i>	8	Negative	PCR	
6/13/2016		Gravid Trap		HN-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		HN-24-2.2-Gr	<i>Culex spp.</i>	32	Negative	PCR	
6/20/2016		Gravid Trap		HN-25-1.1-Gr	<i>Culex spp.</i>	44	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hilliard North	6/27/2016	Gravid Trap		HN-26-1.1-Gr	<i>Culex spp.</i>	25	Negative	PCR
	7/5/2016	Gravid Trap		HN-27-1.1-Gr	<i>Culex spp.</i>	13	Negative	PCR
	7/11/2016	Gravid Trap	7/12/2016	HN-28-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HN-28-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HN-28-3.3-Gr	<i>Culex spp.</i>	25	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	HN-29-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HN-29-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HN-29-3.3-Gr	<i>Culex spp.</i>	25	Negative	PCR
	7/25/2016	Gravid Trap	7/26/2016	HN-30-1.1-Gr	<i>Culex spp.</i>	38	Negative	RAMP
	8/1/2016	Gravid Trap	8/2/2016	HN-31-1.1-Gr	<i>Culex spp.</i>	21	Negative	RAMP
	8/8/2016	Gravid Trap	8/9/2016	HN-32-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HN-32-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HN-32-3.3-Gr	<i>Culex spp.</i>	30	Negative	PCR
	8/15/2016	Gravid Trap	8/16/2016	HN-33-1.1-Gr	<i>Culex spp.</i>	31	Negative	RAMP
	8/22/2016	Gravid Trap	8/23/2016	HN-34-1.1-Gr	<i>Culex spp.</i>	38	Negative	RAMP
	8/29/2016	Gravid Trap	8/30/2016	HN-35-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		HN-35-2.2-Gr	<i>Culex spp.</i>	9	WNV+	PCR
	9/2/2016	Post Spray		HN-PS-35-1.1	<i>Culex spp.</i>	3	Negative	PCR
	9/6/2016	Gravid Trap	9/7/2016	HN-36-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HN-36-2.2-Gr	<i>Culex spp.</i>	26	Negative	PCR
	9/12/2016	Gravid Trap	9/13/2016	HN-37-1.1-Gr	<i>Culex spp.</i>	50	Negative	RAMP
	9/19/2016	Gravid Trap	9/20/2016	HN-38-1.1-Gr	<i>Culex spp.</i>	5	WNV+	RAMP
	9/23/2016	Post Spray		HN-PS-38-1.1	<i>Culex spp.</i>	8	Negative	PCR
9/26/2016	Gravid Trap		HN-39-1.1-Gr	<i>Culex spp.</i>	1	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Total Pools Tested: 35		Total Mosquitoes Tested: 1099		Total Pending: 0	Total RAMP: 12	Total Negative: 32	Total Positive: 3	
Hilliard South	5/9/2016	Gravid Trap		HS-19-1.1-Gr	<i>Culex spp.</i>	4	Negative	PCR
	5/16/2016	Gravid Trap		HS-20-1.1-Gr	<i>Culex spp.</i>	4	Negative	PCR
	5/23/2016	Gravid Trap		HS-21-1.1-Gr	<i>Culex spp.</i>	14	Negative	PCR
		Gravid Trap		HS-21-1.1-Gr	<i>Culex spp.</i>	14	Negative	PCR
	5/31/2016	Gravid Trap	6/1/2016	HS-22-1.1-Gr	<i>Culex spp.</i>	12	Negative	RAMP
	6/6/2016	Gravid Trap		HS-23-1.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HS-23-2.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HS-23-3.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HS-23-4.4-Gr	<i>Culex spp.</i>	11	Negative	PCR
	6/13/2016	Gravid Trap	6/14/2016	HS-24-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HS-24-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HS-24-3.3-Gr	<i>Culex spp.</i>	35	Negative	PCR
	6/20/2016	Gravid Trap		HS-25-1.1-Gr	<i>Culex spp.</i>	38	Negative	PCR
	6/28/2016	Gravid Trap		HS-26-1.1-Gr	<i>Culex spp.</i>	20	Negative	PCR
	7/5/2016	Gravid Trap	7/6/2016	HS-27-1.1-Gr	<i>Culex spp.</i>	18	Negative	RAMP
	7/11/2016	Gravid Trap	7/12/2016	HS-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HS-28-2.2-Gr	<i>Culex spp.</i>	12	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	HS-29-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HS-29-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		HS-29-3.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
7/25/2016	Gravid Trap	7/26/2016	HS-30-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
	Gravid Trap		HS-30-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hilliard South	7/25/2016	Gravid Trap		HS-30-3.3-Gr	<i>Culex spp.</i>	15	Negative	PCR
	8/1/2016	Gravid Trap	8/2/2016	HS-31-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HS-31-2.2-Gr	<i>Culex spp.</i>	32	Negative	PCR
	8/8/2016	Gravid Trap	8/9/2016	HS-32-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HS-32-2.2-Gr	<i>Culex spp.</i>	6	Negative	PCR
	8/15/2016	Gravid Trap	8/16/2016	HS-33-1.1-Gr	<i>Culex spp.</i>	36	Negative	RAMP
	8/22/2016	Gravid Trap	8/23/2016	HS-34-1.1-Gr	<i>Culex spp.</i>	22	Negative	RAMP
	8/29/2016	Gravid Trap	8/30/2016	HS-35-1.1-Gr	<i>Culex spp.</i>	38	Negative	RAMP
	9/6/2016	Gravid Trap	9/7/2016	HS-36-1.1-Gr	<i>Culex spp.</i>	18	Negative	RAMP
	9/12/2016	Gravid Trap	9/13/2016	HS-37-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HS-37-2.2-Gr	<i>Culex spp.</i>	7	Negative	PCR
	9/19/2016	Gravid Trap	9/20/2016	HS-38-1.1-Gr	<i>Culex spp.</i>	21	Negative	RAMP
	9/26/2016	Gravid Trap		HS-39-1.1-Gr	<i>Culex spp.</i>	2	Negative	PCR
	Total Pools Tested: 35		Total Mosquitoes Tested: 1079		Total Pending: 0	Total RAMP: 14	Total Negative: 35	Total Positive: 0
Total Pools Tested: 104		Total Mosquitoes Tested: 3263		Total Pending: 0	Total RAMP: 41	Total Negative: 98	Total Positive: 6	

Jefferson Test Results

Jefferson	5/16/2016	Gravid Trap		JE-20-1.1-Gr	<i>Culex spp.</i>	10	Negative	PCR
	5/23/2016	Gravid Trap	5/24/2016	JE-21-1.1-Gr	<i>Culex spp.</i>	46	Negative	RAMP
	5/31/2016	Gravid Trap		JE-22-1.1-Gr	<i>Culex spp.</i>	24	Negative	PCR
	6/6/2016	Gravid Trap		JE-23-1.1-Gr	<i>Culex spp.</i>	23	Negative	PCR
	6/13/2016	Gravid Trap		JE-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JE-24-2.2-Gr	<i>Culex spp.</i>	2	Negative	PCR
	6/20/2016	Gravid Trap		JE-25-1.1-Gr	<i>Culex spp.</i>	10	Negative	PCR
	6/27/2016	Gravid Trap	6/28/2016	JE-26-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Jefferson	6/27/2016	Gravid Trap		JE-26-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		JE-26-3.3-Gr	<i>Culex spp.</i>	9	Negative	PCR	
	7/5/2016	Gravid Trap		JE-27-1.1-Gr	<i>Culex spp.</i>	24	Negative	PCR	
	7/11/2016	Gravid Trap		JE-28-1.1-Gr	<i>Culex spp.</i>	42	Negative	PCR	
	7/18/2016	Gravid Trap	7/19/2016	JE-29-1.5-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		JE-29-2.5-Gr	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		JE-29-3.5-Gr	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		JE-29-4.5-Gr	<i>Culex spp.</i>	50	Negative	PCR	
		Gravid Trap		JE-29-5.5-Gr	<i>Culex spp.</i>	7	Negative	PCR	
		7/25/2016	Gravid Trap		JE-30-1.1-Gr	<i>Culex spp.</i>	9	Negative	PCR
		8/1/2016	Gravid Trap	8/2/2016	JE-31-1.1-Gr	<i>Culex spp.</i>	46	Negative	RAMP
	8/8/2016	Gravid Trap	8/9/2016	JE-32-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		JE-32-2.2-Gr	<i>Culex spp.</i>	3	Negative	PCR	
	8/15/2016	Gravid Trap	8/16/2016	JE-33-1.1-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
	8/22/2016	Gravid Trap	8/23/2016	JE-34-1.1-Gr	<i>Culex spp.</i>	25	WNV+	RAMP	
	8/25/2016	Post Spray		JE-PS-34-1.2	<i>Culex spp.</i>	50	Negative	PCR	
		Post Spray		JE-PS-34-2.2	<i>Culex spp.</i>	36	Negative	PCR	
	8/29/2016	Gravid Trap	8/30/2016	JE-35-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		JE-35-2.2-Gr	<i>Culex spp.</i>	40	Negative	PCR	
	9/6/2016	Gravid Trap	9/7/2016	JE-36-1.1-Gr	<i>Culex spp.</i>	3	Negative	RAMP	
	9/12/2016	Gravid Trap	9/13/2016	JE-37-1.1-Gr	<i>Culex spp.</i>	49	Negative	RAMP	
	9/19/2016	Gravid Trap	9/20/2016	JE-38-1.1-Gr	<i>Culex spp.</i>	37	Negative	RAMP	
	9/26/2016	Gravid Trap		JE-39-1.1-Gr	<i>Culex spp.</i>	15	Negative	PCR	
	Total Pools Tested: 31		Total Mosquitoes Tested: 1010		Total Pending: 0	Total RAMP: 11	Total Negative: 30	Total Positive: 1	
	Total Pools Tested: 31		Total Mosquitoes Tested: 1010		Total Pending: 0	Total RAMP: 11	Total Negative: 30	Total Positive: 1	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Madison Test Results								
Madison	5/9/2016	Gravid Trap		MA-19-1.1-G1	<i>Culex spp.</i>	17	Negative	PCR
	5/16/2016	Gravid Trap		MA-20-1.1-G1	<i>Culex spp.</i>	20	Negative	PCR
	5/23/2016	Gravid Trap		MA-21-1.2-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MA-21-2.2-G1	<i>Culex spp.</i>	8	Negative	PCR
	5/31/2016	Gravid Trap		MA-22-1.1-G1	<i>Culex spp.</i>	23	Negative	PCR
	6/6/2016	Gravid Trap		MA-23-1.2-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MA-23-2.2-G1	<i>Culex spp.</i>	21	Negative	PCR
	6/13/2016	Gravid Trap		MA-24-1.1-G1	<i>Culex spp.</i>	40	Negative	PCR
	6/20/2016	Gravid Trap	6/21/2016	MA-25-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MA-25-2.3-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MA-25-3.3-G1	<i>Culex spp.</i>	18	Negative	PCR
	6/27/2016	Gravid Trap		MA-26-1.1-G1	<i>Culex spp.</i>	22	Negative	PCR
	7/5/2016	Gravid Trap		MA-27-1.1-G1	<i>Culex spp.</i>	35	Negative	PCR
	7/11/2016	Gravid Trap	7/12/2016	MA-28-1.4-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MA-28-2.4-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MA-28-3.4-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MA-28-4.4-G1	<i>Culex spp.</i>	8	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	MA-29-1.4-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MA-29-2.4-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MA-29-3.4-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MA-29-4.4-G1	<i>Culex spp.</i>	34	Negative	PCR
	7/25/2016	Gravid Trap	7/26/2016	MA-30-1.1-G1	<i>Culex spp.</i>	20	Negative	RAMP
	8/1/2016	Gravid Trap	8/2/2016	MA-31-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Madison	8/1/2016	Gravid Trap		MA-31-2.3-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MA-31-3.3-G1	<i>Culex spp.</i>	19	Negative	PCR
	8/8/2016	Gravid Trap		MA-32-1.1-G1	<i>Culex spp.</i>	28	Negative	PCR
	8/15/2016	Gravid Trap	8/16/2016	MA-33-1.1-G1	<i>Culex spp.</i>	19	Negative	RAMP
	8/22/2016	Gravid Trap	8/23/2016	MA-34-1.1-G1	<i>Culex spp.</i>	15	Negative	RAMP
	8/29/2016	Gravid Trap	8/30/2016	MA-35-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MA-35-2.2-G1	<i>Culex spp.</i>	7	Negative	PCR
	9/6/2016	Gravid Trap	9/7/2016	MA-36-1.3-G1	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		MA-36-2.3-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MA-36-3.3-G1	<i>Culex spp.</i>	5	Negative	PCR
	9/13/2016	Post Spray		MA-PS-37-1.2	<i>Culex spp.</i>	50	WNV+	PCR
		Post Spray		MA-PS-37-2.2	<i>Culex spp.</i>	21	Negative	PCR
	9/20/2016	Gravid Trap		MA-38-1.1-G1	<i>Culex spp.</i>	21	Negative	PCR
	9/26/2016	Gravid Trap		MA-39-1.1-G1	<i>Culex spp.</i>	41	Negative	PCR
	Total Pools Tested: 37		Total Mosquitoes Tested: 1242		Total Pending: 0	Total RAMP: 9	Total Negative: 35	Total Positive: 2
Total Pools Tested: 37		Total Mosquitoes Tested: 1242		Total Pending: 0	Total RAMP: 9	Total Negative: 35	Total Positive: 2	

Mifflin Test Results

Mifflin	5/9/2016	Gravid Trap		MI-19-1.1-Gr	<i>Culex spp.</i>	5	Negative	PCR
	5/16/2016	Gravid Trap		MI-20-1.1-Gr	<i>Culex spp.</i>	11	Negative	PCR
	5/23/2016	Gravid Trap		MI-21-1.1-Gr	<i>Culex spp.</i>	12	Negative	PCR
	5/31/2016	Gravid Trap	6/1/2016	MI-22-1.1-Gr	<i>Culex spp.</i>	33	Negative	RAMP
	6/6/2016	Gravid Trap		MI-23-1.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MI-23-2.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MI-23-3.4-Gr	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Mifflin	6/6/2016	Gravid Trap		MI-23-4.4-Gr	<i>Culex spp.</i>	24	Negative	PCR
	6/13/2016	Gravid Trap	6/14/2016	MI-24-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MI-24-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MI-24-3.3-Gr	<i>Culex spp.</i>	28	Negative	PCR
	6/20/2016	Gravid Trap		MI-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MI-25-2.2-Gr	<i>Culex spp.</i>	21	Negative	PCR
	6/27/2016	Gravid Trap		MI-26-1.1-Gr	<i>Culex spp.</i>	45	Negative	PCR
	7/5/2016	Gravid Trap	7/6/2016	MI-27-1.1-Gr	<i>Culex spp.</i>	31	Negative	RAMP
	7/11/2016	Gravid Trap	7/12/2016	MI-28-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MI-28-2.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MI-28-3.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MI-28-4.4-Gr	<i>Culex spp.</i>	2	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	MI-29-1.5-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MI-29-2.5-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MI-29-3.5-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MI-29-4.5-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MI-29-5.5-Gr	<i>Culex spp.</i>	12	Negative	PCR
	7/22/2016	Post Spray		II-PS-29-1.3-C	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		II-PS-29-2.3-C	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		MI-PS-29-3.3	<i>Culex spp.</i>	32	Negative	PCR
	7/25/2016	Gravid Trap		MI-30-1.1-Gr	<i>Culex spp.</i>	15	Negative	PCR
	8/1/2016	Gravid Trap		MI-31-1.1-Gr	<i>Culex spp.</i>	13	Negative	PCR
	8/8/2016	Gravid Trap	8/9/2016	MI-32-1.5-Gr	<i>Culex spp.</i>	50	Negative	RAMP
	Gravid Trap		MI-32-2.5-Gr	<i>Culex spp.</i>	50	WNV+	PCR	
	Gravid Trap		MI-32-3.5-Gr	<i>Culex spp.</i>	50	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Mifflin	8/8/2016	Gravid Trap		MI-32-4.5-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		MI-32-5.5-Gr	<i>Culex spp.</i>	21	Negative	PCR
	8/15/2016	Gravid Trap	8/16/2016	MI-33-1.1-Gr	<i>Culex spp.</i>	22	Negative	RAMP
	8/22/2016	Gravid Trap	8/23/2016	MI-34-1.1-Gr	<i>Culex spp.</i>	17	WNV+	RAMP
	8/29/2016	Gravid Trap	8/30/2016	MI-35-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		MI-35-2.2-Gr	<i>Culex spp.</i>	40	WNV+	PCR
	9/1/2016	Post Spray	9/2/2016	MI-PS-35-1.1	<i>Culex spp.</i>	31	Negative	RAMP
	9/6/2016	Gravid Trap	9/7/2016	MI-36-1.1-Gr	<i>Culex spp.</i>	15	Negative	RAMP
	9/12/2016	Gravid Trap	9/13/2016	MI-37-1.1-Gr	<i>Culex spp.</i>	48	WNV+	RAMP
	9/19/2016	Gravid Trap	9/20/2016	MI-38-1.1-Gr	<i>Culex spp.</i>	12	WNV+	RAMP
	9/21/2016	Post Spray		MI-PS-38-1.1	<i>Culex spp.</i>	1	Negative	PCR
	9/26/2016	Gravid Trap		MI-39-1.1-Gr	<i>Culex spp.</i>	6	Negative	PCR
	Total Pools Tested: 44		Total Mosquitoes Tested: 1497		Total Pending: 0	Total RAMP: 13	Total Negative: 38	Total Positive: 6
Total Pools Tested: 44		Total Mosquitoes Tested: 1497		Total Pending: 0	Total RAMP: 13	Total Negative: 38	Total Positive: 6	

New Albany Test Results

New Albany	5/16/2016	Gravid Trap		NA-20-1.1-Gr	<i>Culex spp.</i>	6	Negative	PCR
	5/23/2016	Gravid Trap	5/24/2016	NA-21-1.1-Gr	<i>Culex spp.</i>	16	Negative	RAMP
	5/31/2016	Gravid Trap	6/1/2016	NA-22-1.1-Gr	<i>Culex spp.</i>	22	Negative	RAMP
	6/6/2016	Gravid Trap	6/7/2016	NA-23-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NA-23-2.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		NA-23-3.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
	Gravid Trap		NA-23-4.4-Gr	<i>Culex spp.</i>	8	Negative	PCR	
	6/13/2016	Gravid Trap		NA-24-1.1-Gr	<i>Culex spp.</i>	23	Negative	PCR
	6/20/2016	Gravid Trap		NA-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay				
New Albany	6/20/2016	Gravid Trap		NA-25-2.2-Gr	<i>Culex spp.</i>	16	Negative	PCR				
	6/27/2016	Gravid Trap	6/28/2016	NA-26-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		NA-26-2.2-Gr	<i>Culex spp.</i>	20	Negative	PCR				
	7/5/2016	Gravid Trap		NA-27-1.1-Gr	<i>Culex spp.</i>	12	Negative	PCR				
	7/11/2016	Gravid Trap	7/12/2016	NA-28-1.1-Gr	<i>Culex spp.</i>	42	Negative	RAMP				
	7/18/2016	Gravid Trap	7/19/2016	NA-29-1.3-Gr	<i>Culex spp.</i>	50	WNV+	RAMP				
		Gravid Trap		NA-29-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR				
		Gravid Trap		NA-29-3.3-Gr	<i>Culex spp.</i>	43	Negative	PCR				
	7/22/2016	Post Spray		A-PS-29-1.2-C	<i>Culex spp.</i>	50	Negative	PCR				
		Post Spray		A-PS-29-2.2-C	<i>Culex spp.</i>	19	Negative	PCR				
	7/25/2016	Gravid Trap	7/26/2016	NA-30-1.1-Gr	<i>Culex spp.</i>	17	Negative	RAMP				
	8/1/2016	Gravid Trap	8/2/2016	NA-31-1.1-Gr	<i>Culex spp.</i>	12	Negative	RAMP				
	8/8/2016	Gravid Trap	8/9/2016	NA-32-1.1-Gr	<i>Culex spp.</i>	50	Negative	RAMP				
	8/15/2016	Gravid Trap	8/16/2016	NA-33-1.1-Gr	<i>Culex spp.</i>	20	WNV+	RAMP				
	8/22/2016	Gravid Trap	8/23/2016	NA-34-1.1-Gr	<i>Culex spp.</i>	31	Negative	RAMP				
	8/24/2016	Post Spray		NA-PS-34-1.2	<i>Culex spp.</i>	50	Negative	PCR				
		Post Spray		NA-PS-34-2.2	<i>Culex spp.</i>	21	Negative	PCR				
	8/29/2016	Gravid Trap	8/30/2016	NA-35-1.1-Gr	<i>Culex spp.</i>	39	Negative	RAMP				
	9/6/2016	Gravid Trap	9/7/2016	NA-36-1.1-Gr	<i>Culex spp.</i>	44	WNV+	RAMP				
	9/12/2016	Gravid Trap	9/13/2016	NA-37-1.1-Gr	<i>Culex spp.</i>	43	Negative	RAMP				
	9/15/2016	Post Spray		NA-PS-37-1.1	<i>Culex spp.</i>	40	Negative	PCR				
	9/19/2016	Gravid Trap	9/20/2016	NA-38-1.1-Gr	<i>Culex spp.</i>	33	Negative	RAMP				
	9/26/2016	Gravid Trap		NA-39-1.1-Gr	<i>Culex spp.</i>	8	Negative	PCR				
	Total Pools Tested:	32	Total Mosquitoes Tested:	1035	Total Pending:	0	Total RAMP:	15	Total Negative:	29	Total Positive:	3
	Total Pools Tested:	32	Total Mosquitoes Tested:	1035	Total Pending:	0	Total RAMP:	15	Total Negative:	29	Total Positive:	3

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Norwich Test Results								
Norwich	5/9/2016	Gravid Trap		NO-19-1.1-Gr	<i>Culex spp.</i>	7	Negative	PCR
	5/16/2016	Gravid Trap		NO-20-1.1-Gr	<i>Culex spp.</i>	3	Negative	PCR
	5/23/2016	Gravid Trap		NO-21-1.1-Gr	<i>Culex spp.</i>	11	Negative	PCR
	5/31/2016	Gravid Trap	6/1/2016	NO-22-1.1-Gr	<i>Culex spp.</i>	20	Negative	RAMP
	6/6/2016	Gravid Trap	6/7/2016	NO-23-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NO-23-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		NO-23-3.3-Gr	<i>Culex spp.</i>	49	Negative	PCR
	6/13/2016	Gravid Trap		NO-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		NO-24-2.2-Gr	<i>Culex spp.</i>	27	Negative	PCR
	6/20/2016	Gravid Trap		NO-25-1.1-Gr	<i>Culex spp.</i>	42	Negative	PCR
	6/27/2016	Gravid Trap		NO-26-1.1-Gr	<i>Culex spp.</i>	44	Negative	PCR
	7/5/2016	Gravid Trap	7/6/2016	NO-27-1.1-Gr	<i>Culex spp.</i>	18	Negative	RAMP
	7/11/2016	Gravid Trap	7/12/2016	NO-28-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NO-28-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		NO-28-3.3-Gr	<i>Culex spp.</i>	29	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	NO-29-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NO-29-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		NO-29-3.3-Gr	<i>Culex spp.</i>	29	Negative	PCR
	7/25/2016	Gravid Trap	7/26/2016	NO-30-1.1-Gr	<i>Culex spp.</i>	44	Negative	RAMP
	8/1/2016	Gravid Trap	8/2/2016	NO-31-1.1-Gr	<i>Culex spp.</i>	17	Negative	RAMP
	8/8/2016	Gravid Trap	8/9/2016	NO-32-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		NO-32-2.2-Gr	<i>Culex spp.</i>	22	Negative	PCR
	8/11/2016	Gravid Trap		O-PS-32-1.1-C	<i>Culex spp.</i>	45	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay			
Norwich	8/15/2016	Gravid Trap	8/16/2016	NO-33-1.1-Gr	<i>Culex spp.</i>	27	Negative	RAMP			
	8/22/2016	Gravid Trap	8/23/2016	NO-34-1.1-Gr	<i>Culex spp.</i>	19	Negative	RAMP			
	8/29/2016	Gravid Trap	8/30/2016	NO-35-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP			
		Gravid Trap		NO-35-2.2-Gr	<i>Culex spp.</i>	29	Negative	PCR			
	9/6/2016	Gravid Trap	9/7/2016	NO-36-1.1-Gr	<i>Culex spp.</i>	43	WNV+	RAMP			
	9/12/2016	Gravid Trap	9/13/2016	NO-37-1.1-Gr	<i>Culex spp.</i>	45	Negative	RAMP			
	9/15/2016	Post Spray		NO-PS-37-1.1	<i>Culex spp.</i>	31	Negative	PCR			
	9/19/2016	Gravid Trap	9/20/2016	NO-38-1.1-Gr	<i>Culex spp.</i>	17	Negative	RAMP			
	9/26/2016	Gravid Trap		NO-39-1.1-Gr	<i>Culex spp.</i>	2	Negative	PCR			
Total Pools Tested:	32	Total Mosquitoes Tested:	1070	Total Pending:	0	Total RAMP:	14	Total Negative:	30	Total Positive:	2
Total Pools Tested:	32	Total Mosquitoes Tested:	1070	Total Pending:	0	Total RAMP:	14	Total Negative:	30	Total Positive:	2

Obetz Test Results

Obetz	5/9/2016	Gravid Trap		OB-19-1.1-Gr	<i>Culex spp.</i>	1	Negative	PCR
	5/23/2016	Gravid Trap		OB-21-1.1-Gr	<i>Culex spp.</i>	41	Negative	PCR
	5/31/2016	Gravid Trap	6/1/2016	OB-22-1.1-Gr	<i>Culex spp.</i>	19	Negative	RAMP
	6/6/2016	Gravid Trap	6/7/2016	OB-23-1.1-Gr	<i>Culex spp.</i>	37	Negative	RAMP
	6/13/2016	Gravid Trap		OB-24-1.1-Gr	<i>Culex spp.</i>	31	Negative	PCR
	6/20/2016	Gravid Trap		OB-25-1.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-25-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		OB-25-3.3-Gr	<i>Culex spp.</i>	15	Negative	PCR
	6/27/2016	Gravid Trap		OB-26-1.1-Gr	<i>Culex spp.</i>	12	Negative	PCR
	7/5/2016	Gravid Trap		OB-27-1.1-Gr	<i>Culex spp.</i>	8	Negative	PCR
	7/11/2016	Gravid Trap	7/12/2016	OB-28-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		OB-28-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Obetz	7/11/2016	Gravid Trap		OB-28-3.3-Gr	<i>Culex spp.</i>	28	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	OB-29-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
				OB-29-2.2-Gr	<i>Culex spp.</i>	30	Negative	PCR
	7/25/2016	Gravid Trap		OB-30-1.1-Gr	<i>Culex spp.</i>	8	Negative	PCR
	8/1/2016	Gravid Trap	8/2/2016	OB-31-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
				OB-31-2.2-Gr	<i>Culex spp.</i>	31	Negative	PCR
	8/8/2016	Gravid Trap	8/9/2016	OB-32-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
				OB-32-2.2-Gr	<i>Culex spp.</i>	20	Negative	PCR
	8/12/2016	Post Spray		OB-PS-32-1.1	<i>Culex spp.</i>	2	Negative	PCR
	8/15/2016	Gravid Trap	8/16/2016	OB-33-1.1-Gr	<i>Culex spp.</i>	40	WNV+	RAMP
	8/17/2016	Post Spray		OB-PS-33-1.1	<i>Culex spp.</i>	43	Negative	PCR
	8/22/2016	Gravid Trap	8/23/2016	OB-34-1.1-Gr	<i>Culex spp.</i>	31	WNV+	RAMP
	8/30/2016	Post Spray		OB-PS-35-1.1	<i>Culex spp.</i>	50	Negative	PCR
	9/6/2016	Gravid Trap	9/7/2016	OB-36-1.1-Gr	<i>Culex spp.</i>	24	Negative	RAMP
	9/12/2016	Gravid Trap	9/13/2016	OB-37-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
				OB-37-2.2-Gr	<i>Culex spp.</i>	5	Negative	PCR
	9/19/2016	Gravid Trap	9/20/2016	OB-38-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
				OB-38-2.2-Gr	<i>Culex spp.</i>	5	Negative	PCR
	9/26/2016	Gravid Trap		OB-39-1.1-Gr	<i>Culex spp.</i>	8	Negative	PCR
	Total Pools Tested: 31		Total Mosquitoes Tested: 939		Total Pending: 0	Total RAMP: 11	Total Negative: 28	Total Positive: 3
Total Pools Tested: 31		Total Mosquitoes Tested: 939		Total Pending: 0	Total RAMP: 11	Total Negative: 28	Total Positive: 3	

Perry Test Results

Perry	5/9/2016	Gravid Trap		PE-19-1.1-Gr	<i>Culex spp.</i>	3	Negative	PCR
	5/16/2016	Gravid Trap	5/17/2016	PE-20-1.1-Gr	<i>Culex spp.</i>	13	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Perry	5/23/2016	Gravid Trap		PE-21-1.2-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-21-2.2-Gr	<i>Culex spp.</i>	3	Negative	PCR
	5/31/2016	Gravid Trap		PE-22-1.2-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-22-2.2-Gr	<i>Culex spp.</i>	45	Negative	PCR
	6/6/2016	Gravid Trap		PE-23-1.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-23-2.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-23-3.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-23-4.4-Gr	<i>Culex spp.</i>	45	Negative	PCR
	6/13/2016	Gravid Trap	6/14/2016	PE-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-24-2.2-Gr	<i>Culex spp.</i>	35	Negative	PCR
	6/20/2016	Gravid Trap	6/21/2016	PE-25-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-25-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-25-3.3-Gr	<i>Culex spp.</i>	26	Negative	PCR
	6/27/2016	Gravid Trap	6/28/2016	PE-26-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-26-2.2-Gr	<i>Culex spp.</i>	23	Negative	PCR
	7/5/2016	Gravid Trap		PE-27-1.1-Gr	<i>Culex spp.</i>	9	Negative	PCR
	7/11/2016	Gravid Trap	7/12/2016	PE-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-28-2.2-Gr	<i>Culex spp.</i>	22	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	PE-29-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-29-2.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-29-3.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PE-29-4.4-Gr	<i>Culex spp.</i>	32	Negative	PCR
	7/25/2016	Gravid Trap	7/26/2016	PE-30-1.1-Gr	<i>Culex spp.</i>	18	Negative	RAMP
	8/1/2016	Gravid Trap		PE-31-1.1-Gr	<i>Culex spp.</i>	8	Negative	PCR
	8/8/2016	Gravid Trap	8/9/2016	PE-32-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Perry	8/8/2016	Gravid Trap		PE-32-2.2-Gr	<i>Culex spp.</i>	20	Negative	PCR
	8/11/2016	Gravid Trap		E-PS-32-1.1-C	<i>Culex spp.</i>	36	Negative	PCR
	8/15/2016	Gravid Trap	8/16/2016	PE-33-1.1-Gr	<i>Culex spp.</i>	19	Negative	RAMP
	8/22/2016	Gravid Trap	8/23/2016	PE-34-1.1-Gr	<i>Culex spp.</i>	14	Negative	RAMP
	8/29/2016	Gravid Trap	8/30/2016	PE-35-1.1-Gr	<i>Culex spp.</i>	32	Negative	RAMP
	9/6/2016	Gravid Trap	9/7/2016	PE-36-1.1-Gr	<i>Culex spp.</i>	35	Negative	RAMP
	9/12/2016	Gravid Trap		PE-37-1.1-Gr	<i>Culex spp.</i>	29	Negative	PCR
	9/19/2016	Gravid Trap	9/20/2016	PE-38-1.1-Gr	<i>Culex spp.</i>	44	Negative	RAMP
	9/26/2016	Gravid Trap		PE-39-1.1-Gr	<i>Culex spp.</i>	4	Negative	PCR
Total Pools Tested: 36		Total Mosquitoes Tested: 1215		Total Pending: 0	Total RAMP: 13	Total Negative: 35	Total Positive: 1	
Total Pools Tested: 36		Total Mosquitoes Tested: 1215		Total Pending: 0	Total RAMP: 13	Total Negative: 35	Total Positive: 1	

Pleasant Test Results

Pleasant North	5/9/2016	Gravid Trap		PN-19-1.1-Gr	<i>Culex spp.</i>	3	Negative	PCR
	5/16/2016	Gravid Trap		PN-20-1.1-Gr	<i>Culex spp.</i>	1	Negative	PCR
	5/23/2016	Gravid Trap		PN-21-1.1-Gr	<i>Culex spp.</i>	5	Negative	PCR
	5/31/2016	Gravid Trap	6/1/2016	PN-22-1.1-Gr	<i>Culex spp.</i>	30	Negative	RAMP
	6/6/2016	Gravid Trap		PN-23-1.2-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PN-23-2.2-Gr	<i>Culex spp.</i>	3	Negative	PCR
	6/13/2016	Gravid Trap		PN-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PN-24-2.2-Gr	<i>Culex spp.</i>	3	Negative	PCR
	6/20/2016	Gravid Trap		PN-25-1.1-Gr	<i>Culex spp.</i>	11	Negative	PCR
	6/27/2016	Gravid Trap		PN-26-1.1-Gr	<i>Culex spp.</i>	14	Negative	PCR
	7/5/2016	Gravid Trap		PN-27-1.1-Gr	<i>Culex spp.</i>	7	Negative	PCR
	7/11/2016	Gravid Trap	7/12/2016	PN-28-1.1-Gr	<i>Culex spp.</i>	49	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Pleasant North	7/18/2016	Gravid Trap	7/19/2016	PN-29-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		PN-29-2.2-Gr	<i>Culex spp.</i>	47	Negative	PCR	
	7/25/2016	Gravid Trap		PN-30-1.1-Gr	<i>Culex spp.</i>	15	Negative	PCR	
	8/1/2016	Gravid Trap	8/2/2016	PN-31-1.1-Gr	<i>Culex spp.</i>	27	Negative	RAMP	
	8/8/2016	Gravid Trap	8/9/2016	PN-32-1.1-Gr	<i>Culex spp.</i>	29	Negative	RAMP	
	8/15/2016	Gravid Trap	8/16/2016	PN-33-1.1-Gr	<i>Culex spp.</i>	8	Negative	RAMP	
	8/29/2016	Gravid Trap	8/30/2016	PN-35-1.1-Gr	<i>Culex spp.</i>	18	Negative	RAMP	
	9/6/2016	Gravid Trap	9/7/2016	PN-36-1.1-Gr	<i>Culex spp.</i>	21	Negative	RAMP	
	9/12/2016	Gravid Trap		PN-37-1.1-Gr	<i>Culex spp.</i>	7	Negative	PCR	
	9/19/2016	Gravid Trap	9/20/2016	PN-38-1.1-Gr	<i>Culex spp.</i>	14	Negative	RAMP	
	9/26/2016	Gravid Trap		PN-39-1.1-Gr	<i>Culex spp.</i>	1	Negative	PCR	
Total Pools Tested: 23		Total Mosquitoes Tested: 463		Total Pending: 0		Total RAMP: 9		Total Negative: 23 Total Positive: 0	
Pleasant South	5/9/2016	Gravid Trap		PS-19-1.1-Gr	<i>Culex spp.</i>	1	Negative	PCR	
	5/16/2016	Gravid Trap		PS-20-1.1-Gr	<i>Culex spp.</i>	1	Negative	PCR	
	5/23/2016	Gravid Trap		PS-21-1.1-Gr	<i>Culex spp.</i>	10	Negative	PCR	
	5/31/2016	Gravid Trap	6/1/2016	PS-22-1.1-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
	6/6/2016	Gravid Trap	6/7/2016	PS-23-1.1-Gr	<i>Culex spp.</i>	32	Negative	RAMP	
	6/13/2016	Gravid Trap		PS-24-1.1-Gr	<i>Culex spp.</i>	47	Negative	PCR	
	6/20/2016	Gravid Trap		PS-25-1.1-Gr	<i>Culex spp.</i>	24	Negative	PCR	
	6/27/2016	Gravid Trap		PS-26-1.1-Gr	<i>Culex spp.</i>	1	Negative	PCR	
	7/5/2016	Gravid Trap	7/6/2016	PS-27-1.1-Gr	<i>Culex spp.</i>	21	Negative	RAMP	
	7/11/2016	Gravid Trap		PS-28-1.1-Gr	<i>Culex spp.</i>	28	Negative	PCR	
	7/18/2016	Gravid Trap		PS-29-1.1-Gr	<i>Culex spp.</i>	46	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Pleasant South	7/25/2016	Gravid Trap		PS-30-1.1-Gr	<i>Culex spp.</i>	10	Negative	PCR
	8/1/2016	Gravid Trap	8/2/2016	PS-31-1.1-Gr	<i>Culex spp.</i>	21	Negative	RAMP
	8/8/2016	Gravid Trap	8/9/2016	PS-32-1.1-Gr	<i>Culex spp.</i>	40	Negative	RAMP
	8/15/2016	Gravid Trap		PS-33-1.1-Gr	<i>Culex spp.</i>	6	Negative	PCR
	8/22/2016	Gravid Trap	8/23/2016	PS-34-1.1-Gr	<i>Culex spp.</i>	16	Negative	RAMP
	8/29/2016	Gravid Trap	8/30/2016	PS-35-1.1-Gr	<i>Culex spp.</i>	50	Negative	RAMP
	9/6/2016	Gravid Trap	9/7/2016	PS-36-1.1-Gr	<i>Culex spp.</i>	16	Negative	RAMP
	9/12/2016	Gravid Trap	9/13/2016	PS-37-1.1-Gr	<i>Culex spp.</i>	11	Negative	RAMP
	9/19/2016	Gravid Trap	9/20/2016	PS-38-1.1-Gr	<i>Culex spp.</i>	28	Negative	RAMP
	9/26/2016	Gravid Trap		PS-39-1.1-Gr	<i>Culex spp.</i>	1	Negative	PCR
Total Pools Tested: 21		Total Mosquitoes Tested: 460		Total Pending: 0	Total RAMP: 10	Total Negative: 21	Total Positive: 0	
Total Pools Tested: 44		Total Mosquitoes Tested: 923		Total Pending: 0	Total RAMP: 19	Total Negative: 44	Total Positive: 0	

Prairie Test Results

Prairie North	5/9/2016	Gravid Trap		PRN-19-1.1-G	<i>Culex spp.</i>	1	Negative	PCR
	5/16/2016	Gravid Trap		PRN-20-1.1-G	<i>Culex spp.</i>	10	Negative	PCR
	5/23/2016	Gravid Trap	5/24/2016	PRN-21-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-21-2.2-G	<i>Culex spp.</i>	9	Negative	PCR
	5/31/2016	Gravid Trap	6/1/2016	PRN-22-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-22-2.2-G	<i>Culex spp.</i>	17	Negative	PCR
	6/6/2016	Gravid Trap		PRN-23-1.4-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-23-2.4-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-23-3.4-G	<i>Culex spp.</i>	50	Negative	PCR
	6/13/2016	Gravid Trap		PRN-23-4.4-G	<i>Culex spp.</i>	25	Negative	PCR
		Gravid Trap	6/14/2016	PRN-24-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie North	6/13/2016	Gravid Trap		PRN-24-2.3-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-24-3.3-G	<i>Culex spp.</i>	21	Negative	PCR
	6/20/2016	Gravid Trap		PRN-25-1.4-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-25-2.4-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-25-3.4-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-25-4.4-G	<i>Culex spp.</i>	8	Negative	PCR
		Gravid Trap		PRN-25-4.4-G	<i>Culex spp.</i>	8	Negative	PCR
	6/27/2016	Gravid Trap	6/28/2016	PRN-26-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-26-2.2-G	<i>Culex spp.</i>	35	Negative	PCR
	7/5/2016	Gravid Trap	7/6/2016	PRN-27-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-27-2.2-G	<i>Culex spp.</i>	3	Negative	PCR
	7/11/2016	Gravid Trap		PRN-28-1.4-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-28-2.4-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-28-3.4-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-28-4.4-G	<i>Culex spp.</i>	18	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	PRN-29-1.3-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		PRN-29-2.3-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRN-29-3.3-G	<i>Culex spp.</i>	26	Negative	PCR
	7/21/2016	Post Spray		IN-PS-29-1.4-	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		IN-PS-29-2.4-	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		IN-PS-29-3.4-	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		IN-PS-29-4.4-	<i>Culex spp.</i>	21	Negative	PCR
	7/25/2016	Gravid Trap	7/26/2016	PRN-30-1.2-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		PRN-30-2.2-G	<i>Culex spp.</i>	12	Negative	PCR
	7/29/2016	Post Spray		IN-PS-30-1.1-	<i>Culex spp.</i>	17	Negative	PCR
	8/1/2016	Gravid Trap		PRN-31-1.1-G	<i>Culex spp.</i>	1	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie North	8/8/2016	Gravid Trap	8/9/2016	PRN-32-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-32-2.3-G	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		PRN-32-3.3-G	<i>Culex spp.</i>	6	Negative	PCR
	8/15/2016	Gravid Trap	8/16/2016	PRN-33-1.1-G	<i>Culex spp.</i>	20	WNV+	RAMP
	8/23/2016	Post Spray	8/24/2016	PRN-PS-34-1.1	<i>Culex spp.</i>	26	Negative	RAMP
	8/29/2016	Gravid Trap	8/30/2016	PRN-35-1.1-G	<i>Culex spp.</i>	46	WNV+	RAMP
	9/7/2016	Post Spray		PRN-PS-36-1.1	<i>Culex spp.</i>	50	WNV+	PCR
		Post Spray		PRN-PS-36-2.1	<i>Culex spp.</i>	32	Negative	PCR
	9/12/2016	Gravid Trap	9/13/2016	PRN-37-1.1-G	<i>Culex spp.</i>	46	WNV+	RAMP
	9/20/2016	Post Spray		PRN-PS-38-1.1	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		PRN-PS-38-2.1	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		PRN-PS-38-3.1	<i>Culex spp.</i>	25	Negative	PCR
	9/26/2016	Gravid Trap		PRN-39-1.1-G	<i>Culex spp.</i>	11	Negative	PCR
	Total Pools Tested: 49		Total Mosquitoes Tested: 1736		Total Pending: 0	Total RAMP: 12	Total Negative: 42	Total Positive: 7
Prairie South	5/9/2016	Gravid Trap		PRS-19-1.1-G	<i>Culex spp.</i>	3	Negative	PCR
	5/16/2016	Gravid Trap		PRS-20-1.1-G	<i>Culex spp.</i>	5	Negative	PCR
	5/23/2016	Gravid Trap		PRS-21-1.1-G	<i>Culex spp.</i>	33	Negative	PCR
	5/31/2016	Gravid Trap		PRS-22-1.1-G	<i>Culex spp.</i>	2	Negative	PCR
	6/6/2016	Gravid Trap		PRS-23-1.2-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-23-2.2-G	<i>Culex spp.</i>	9	Negative	PCR
	6/13/2016	Gravid Trap		PRS-24-1.1-G	<i>Culex spp.</i>	35	Negative	PCR
	6/20/2016	Gravid Trap	6/21/2016	PRS-25-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-25-2.2-G	<i>Culex spp.</i>	17	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie South	6/27/2016	Gravid Trap		PRS-26-1.2-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-26-2.2-G1	<i>Culex spp.</i>	3	Negative	PCR
	7/5/2016	Gravid Trap		PRS-27-1.1-G1	<i>Culex spp.</i>	19	Negative	PCR
	7/11/2016	Gravid Trap	7/12/2016	PRS-28-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-28-2.3-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-28-3.3-G1	<i>Culex spp.</i>	18	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	PRS-29-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-29-2.3-G1	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		PRS-29-3.3-G1	<i>Culex spp.</i>	7	Negative	PCR
	7/25/2016	Gravid Trap	7/26/2016	PRS-30-1.1-G1	<i>Culex spp.</i>	47	Negative	RAMP
	8/1/2016	Gravid Trap	8/2/2016	PRS-31-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-31-2.2-G1	<i>Culex spp.</i>	13	Negative	PCR
	8/3/2016	Post Spray		PS-PS-31-1.2-G1	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		PS-PS-31-2.2-G1	<i>Culex spp.</i>	6	Negative	PCR
	8/8/2016	Gravid Trap	8/9/2016	PRS-32-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-32-2.2-G1	<i>Culex spp.</i>	16	Negative	PCR
	8/15/2016	Gravid Trap	8/16/2016	PRS-33-1.1-G1	<i>Culex spp.</i>	15	Negative	RAMP
	8/22/2016	Gravid Trap		PRS-34-1.1-G1	<i>Culex spp.</i>	8	Negative	PCR
	8/29/2016	Gravid Trap	8/30/2016	PRS-35-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-35-2.3-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-35-3.3-G1	<i>Culex spp.</i>	31	Negative	PCR
	9/6/2016	Gravid Trap	9/7/2016	PRS-36-1.5-G1	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		PRS-36-2.5-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-36-3.5-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		PRS-36-4.5-G1	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie South	9/6/2016	Gravid Trap		PRS-36-5.5-G1	<i>Culex spp.</i>	5	Negative	PCR
	9/9/2016	Post Spray		PRS-PS-36-1.1	<i>Culex spp.</i>	33	Negative	PCR
	9/12/2016	Gravid Trap	9/13/2016	PRS-37-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-37-2.2-G1	<i>Culex spp.</i>	26	WNV+	PCR
	9/19/2016	Gravid Trap	9/20/2016	PRS-38-1.1-G1	<i>Culex spp.</i>	35	Negative	RAMP
Total Pools Tested: 39		Total Mosquitoes Tested: 1236		Total Pending: 0	Total RAMP: 11	Total Negative: 36	Total Positive: 3	
Prairie West	5/16/2016	Gravid Trap		RW-20-1.1-G	<i>Culex spp.</i>	2	Negative	PCR
	5/23/2016	Gravid Trap		RW-21-1.2-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-21-2.2-G	<i>Culex spp.</i>	19	Negative	PCR
		Gravid Trap		RW-22-1.1-G	<i>Culex spp.</i>	5	Negative	PCR
	5/31/2016	Gravid Trap		RW-22-1.1-G	<i>Culex spp.</i>	5	Negative	PCR
	6/6/2016	Gravid Trap	6/7/2016	RW-23-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-23-2.3-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-23-3.3-G	<i>Culex spp.</i>	50	Negative	PCR
	6/13/2016	Gravid Trap		RW-24-1.2-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-24-2.2-G	<i>Culex spp.</i>	44	Negative	PCR
	6/20/2016	Gravid Trap		RW-25-1.1-G	<i>Culex spp.</i>	18	Negative	PCR
	6/27/2016	Gravid Trap		RW-26-1.1-G	<i>Culex spp.</i>	38	Negative	PCR
	7/5/2016	Gravid Trap		RW-27-1.1-G	<i>Culex spp.</i>	17	Negative	PCR
	7/11/2016	Gravid Trap	7/12/2016	RW-28-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-28-2.3-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-28-3.3-G	<i>Culex spp.</i>	14	Negative	PCR
7/18/2016	Gravid Trap		RW-29-1.1-G	<i>Culex spp.</i>	46	Negative	PCR	
7/25/2016	Gravid Trap	7/26/2016	RW-30-1.1-G	<i>Culex spp.</i>	20	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie West	8/1/2016	Gravid Trap	8/2/2016	'RW-31-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		'RW-31-2.2-G	<i>Culex spp.</i>	14	Negative	PCR
	8/8/2016	Gravid Trap	8/9/2016	'RW-32-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		'RW-32-2.2-G	<i>Culex spp.</i>	37	Negative	PCR
	8/15/2016	Gravid Trap	8/16/2016	'RW-33-1.1-G	<i>Culex spp.</i>	40	Negative	RAMP
	8/22/2016	Gravid Trap		'RW-34-1.1-G	<i>Culex spp.</i>	1	Negative	PCR
	8/29/2016	Gravid Trap	8/30/2016	'RW-35-1.1-G	<i>Culex spp.</i>	17	Negative	RAMP
	9/6/2016	Gravid Trap	9/7/2016	'RW-36-1.1-G	<i>Culex spp.</i>	14	Negative	RAMP
	9/12/2016	Gravid Trap	9/13/2016	'RW-37-1.1-G	<i>Culex spp.</i>	26	Negative	RAMP
	9/19/2016	Gravid Trap	9/20/2016	'RW-38-1.1-G	<i>Culex spp.</i>	18	Negative	RAMP
9/26/2016	Gravid Trap		'RW-39-1.1-G	<i>Culex spp.</i>	6	Negative	PCR	
Total Pools Tested: 28		Total Mosquitoes Tested: 846		Total Pending: 0	Total RAMP: 10	Total Negative: 28	Total Positive: 0	
Total Pools Tested: 116		Total Mosquitoes Tested: 3818		Total Pending: 0	Total RAMP: 33	Total Negative: 106	Total Positive: 10	

Reynoldsburg Test Results

Reynoldsburg East	5/16/2016	Gravid Trap		RE-20-1.1-Gr	<i>Culex spp.</i>	6	Negative	PCR
	5/23/2016	Gravid Trap		RE-21-1.1-Gr	<i>Culex spp.</i>	28	Negative	PCR
	5/31/2016	Gravid Trap		RE-22-1.1-Gr	<i>Culex spp.</i>	8	Negative	PCR
	6/6/2016	Gravid Trap		RE-23-1.1-Gr	<i>Culex spp.</i>	10	Negative	PCR
	6/13/2016	Gravid Trap		RE-24-1.1-Gr	<i>Culex spp.</i>	50	Negative	PCR
	6/20/2016	Gravid Trap	6/21/2016	RE-25-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RE-25-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RE-25-3.3-Gr	<i>Culex spp.</i>	33	Negative	PCR
	6/27/2016	Gravid Trap		RE-26-1.1-Gr	<i>Culex spp.</i>	36	Negative	PCR
	7/5/2016	Gravid Trap		RE-27-1.1-Gr	<i>Culex spp.</i>	36	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg East	7/11/2016	Gravid Trap	7/12/2016	RE-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RE-28-2.2-Gr	<i>Culex spp.</i>	29	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	RE-29-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RE-29-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RE-29-3.3-Gr	<i>Culex spp.</i>	44	Negative	PCR
	7/25/2016	Gravid Trap	7/26/2016	RE-30-1.1-Gr	<i>Culex spp.</i>	21	Negative	RAMP
	8/1/2016	Gravid Trap	8/2/2016	RE-31-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RE-31-2.2-Gr	<i>Culex spp.</i>	20	Negative	PCR
	8/8/2016	Gravid Trap	8/9/2016	RE-32-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RE-32-2.2-Gr	<i>Culex spp.</i>	6	Negative	PCR
	8/15/2016	Gravid Trap	8/16/2016	RE-33-1.1-Gr	<i>Culex spp.</i>	29	Negative	RAMP
	8/22/2016	Gravid Trap	8/23/2016	RE-34-1.1-Gr	<i>Culex spp.</i>	20	WNV+	RAMP
	8/29/2016	Gravid Trap	8/30/2016	RE-35-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		RE-35-2.2-Gr	<i>Culex spp.</i>	30	Negative	PCR
	9/6/2016	Gravid Trap	9/7/2016	RE-36-1.1-Gr	<i>Culex spp.</i>	29	Negative	RAMP
	9/12/2016	Gravid Trap	9/13/2016	RE-37-1.1-Gr	<i>Culex spp.</i>	24	Negative	RAMP
	9/19/2016	Gravid Trap	9/20/2016	RE-38-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RE-38-2.2-Gr	<i>Culex spp.</i>	12	Negative	PCR
	9/26/2016	Gravid Trap		RE-39-1.1-Gr	<i>Culex spp.</i>	3	Negative	PCR
	Total Pools Tested: 29		Total Mosquitoes Tested: 924		Total Pending: 0	Total RAMP: 12	Total Negative: 27	Total Positive: 2
Reynoldsburg South	5/9/2016	Gravid Trap		RS-19-1.1-Gr	<i>Culex spp.</i>	1	Negative	PCR
	5/16/2016	Gravid Trap	5/17/2016	RS-20-1.1-Gr	<i>Culex spp.</i>	13	Negative	RAMP
	5/23/2016	Gravid Trap		RS-21-1.1-Gr	<i>Culex spp.</i>	45	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg South	5/31/2016	Gravid Trap	6/1/2016	RS-22-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RS-22-2.2-Gr	<i>Culex spp.</i>	32	Negative	PCR
	6/6/2016	Gravid Trap	6/7/2016	RS-23-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RS-23-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RS-23-3.3-Gr	<i>Culex spp.</i>	26	Negative	PCR
	6/13/2016	Gravid Trap		RS-24-1.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RS-24-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RS-24-3.3-Gr	<i>Culex spp.</i>	47	Negative	PCR
	6/20/2016	Gravid Trap		RS-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RS-25-2.2-Gr	<i>Culex spp.</i>	9	Negative	PCR
	6/27/2016	Gravid Trap		RS-26-1.1-Gr	<i>Culex spp.</i>	21	Negative	PCR
	7/5/2016	Gravid Trap	7/6/2016	RS-27-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RS-27-2.2-Gr	<i>Culex spp.</i>	40	Negative	PCR
	7/11/2016	Gravid Trap	7/12/2016	RS-28-1.5-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RS-28-2.5-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RS-28-3.5-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RS-28-4.5-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RS-28-5.5-Gr	<i>Culex spp.</i>	26	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	RS-29-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RS-29-2.2-Gr	<i>Culex spp.</i>	34	Negative	PCR
	7/25/2016	Gravid Trap	7/26/2016	RS-30-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RS-30-2.2-Gr	<i>Culex spp.</i>	7	Negative	PCR
	8/1/2016	Gravid Trap	8/2/2016	RS-31-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RS-31-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RS-31-3.3-Gr	<i>Culex spp.</i>	50	WNV+	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg South	8/8/2016	Gravid Trap	8/9/2016	RS-32-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		RS-32-2.2-Gr	<i>Culex spp.</i>	40	WNV+	PCR
	8/12/2016	Post Spray		RS-PS-32-1.1	<i>Culex spp.</i>	3	Negative	PCR
	8/15/2016	Gravid Trap	8/16/2016	RS-33-1.1-Gr	<i>Culex spp.</i>	49	Negative	RAMP
	8/22/2016	Gravid Trap	8/23/2016	RS-34-1.1-Gr	<i>Culex spp.</i>	33	WNV+	RAMP
	8/29/2016	Gravid Trap	8/30/2016	RS-35-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RS-35-2.2-Gr	<i>Culex spp.</i>	40	Negative	PCR
	9/6/2016	Gravid Trap	9/7/2016	RS-36-1.1-Gr	<i>Culex spp.</i>	42	Negative	RAMP
	9/12/2016	Gravid Trap	9/13/2016	RS-37-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RS-37-2.2-Gr	<i>Culex spp.</i>	22	Negative	PCR
	9/19/2016	Gravid Trap	9/20/2016	RS-38-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RS-38-2.2-Gr	<i>Culex spp.</i>	39	Negative	PCR
	9/26/2016	Gravid Trap		RS-39-1.1-Gr	<i>Culex spp.</i>	16	Negative	PCR
	Total Pools Tested: 41		Total Mosquitoes Tested: 1585		Total Pending: 0	Total RAMP: 15	Total Negative: 37	Total Positive: 4
Reynoldsburg West	5/16/2016	Gravid Trap		RW-20-1.1-G1	<i>Culex spp.</i>	4	Negative	PCR
	5/23/2016	Gravid Trap		RW-21-1.1-G1	<i>Culex spp.</i>	12	Negative	PCR
	5/31/2016	Gravid Trap	6/1/2016	RW-22-1.1-G1	<i>Culex spp.</i>	12	Negative	RAMP
	6/6/2016	Gravid Trap		RW-23-1.2-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-23-2.2-G1	<i>Culex spp.</i>	13	Negative	PCR
	6/13/2016	Gravid Trap	6/14/2016	RW-24-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-24-2.3-G1	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		RW-24-3.3-G1	<i>Culex spp.</i>	42	Negative	PCR
	6/20/2016	Gravid Trap	6/21/2016	RW-25-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg West	6/20/2016	Gravid Trap		RW-25-2.2-G1	<i>Culex spp.</i>	12	Negative	PCR
	6/27/2016	Gravid Trap		RW-26-1.1-G1	<i>Culex spp.</i>	34	Negative	PCR
	7/5/2016	Gravid Trap		RW-27-1.1-G1	<i>Culex spp.</i>	30	Negative	PCR
	7/11/2016	Gravid Trap	7/12/2016	RW-28-1.5-G1	<i>Culex spp.</i>	50	Negative	RAMP
				RW-28-2.5-G1	<i>Culex spp.</i>	50	Negative	PCR
				RW-28-3.5-G1	<i>Culex spp.</i>	50	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	RW-28-4.5-G1	<i>Culex spp.</i>	50	Negative	PCR
				RW-28-5.5-G1	<i>Culex spp.</i>	15	Negative	PCR
				RW-29-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
	7/25/2016	Gravid Trap	7/26/2016	RW-29-2.3-G1	<i>Culex spp.</i>	50	Negative	PCR
				RW-29-3.3-G1	<i>Culex spp.</i>	29	Negative	PCR
				RW-30-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
	8/1/2016	Gravid Trap	8/2/2016	RW-30-2.2-G1	<i>Culex spp.</i>	18	Negative	PCR
				RW-31-1.5-G1	<i>Culex spp.</i>	50	Negative	RAMP
				RW-31-2.5-G1	<i>Culex spp.</i>	50	Negative	PCR
				RW-31-3.5-G1	<i>Culex spp.</i>	50	Negative	PCR
				RW-31-4.5-G1	<i>Culex spp.</i>	50	Negative	PCR
	8/4/2016	Gravid Trap		RW-31-5.5-G1	<i>Culex spp.</i>	8	Negative	PCR
				W-PS-31-1.1-G1	<i>Culex spp.</i>	34	Negative	PCR
				RW-32-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
	8/8/2016	Gravid Trap		RW-32-2.2-G1	<i>Culex spp.</i>	34	Negative	PCR
				RW-33-1.1-G1	<i>Culex spp.</i>	42	Negative	RAMP
	8/15/2016	Gravid Trap	8/16/2016	RW-34-1.1-G1	<i>Culex spp.</i>	28	Negative	RAMP
	8/22/2016	Gravid Trap	8/23/2016	RW-35-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
	8/29/2016	Gravid Trap	8/30/2016	RW-35-2.3-G1	<i>Culex spp.</i>	50	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg West	8/29/2016	Gravid Trap		RW-35-3.3-G1	<i>Culex spp.</i>	31	Negative	PCR
	9/6/2016	Gravid Trap	9/7/2016	RW-36-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-36-2.2-G1	<i>Culex spp.</i>	32	Negative	PCR
	9/12/2016	Gravid Trap	9/13/2016	RW-37-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-37-2.2-G1	<i>Culex spp.</i>	5	Negative	PCR
	9/19/2016	Gravid Trap	9/20/2016	RW-38-1.1-G1	<i>Culex spp.</i>	20	Negative	RAMP
	9/26/2016	Gravid Trap		RW-39-1.1-G1	<i>Culex spp.</i>	14	Negative	PCR
Total Pools Tested: 41		Total Mosquitoes Tested: 1469		Total Pending: 0	Total RAMP: 14	Total Negative: 41	Total Positive: 0	
Total Pools Tested: 111		Total Mosquitoes Tested: 3978		Total Pending: 0	Total RAMP: 41	Total Negative: 105	Total Positive: 6	

Sharon Test Results

Sharon North	5/16/2016	Gravid Trap		SN-20-1.1-Gr	<i>Culex spp.</i>	4	Negative	PCR
	5/23/2016	Gravid Trap		SN-21-1.1-Gr	<i>Culex spp.</i>	33	Negative	PCR
	5/31/2016	Gravid Trap		SN-22-1.2-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SN-22-2.2-Gr	<i>Culex spp.</i>	5	Negative	PCR
	6/6/2016	Gravid Trap	6/7/2016	SN-23-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SN-23-2.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SN-23-3.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SN-23-4.4-Gr	<i>Culex spp.</i>	39	Negative	PCR
	6/13/2016	Gravid Trap		SN-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SN-24-2.2-Gr	<i>Culex spp.</i>	29	Negative	PCR
	6/20/2016	Gravid Trap	6/21/2016	SN-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SN-25-2.2-Gr	<i>Culex spp.</i>	10	Negative	PCR
	6/27/2016	Gravid Trap		SN-26-1.1-Gr	<i>Culex spp.</i>	23	Negative	PCR
	7/5/2016	Gravid Trap		SN-27-1.1-Gr	<i>Culex spp.</i>	12	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Sharon North	7/11/2016	Gravid Trap		SN-28-1.1-Gr	<i>Culex spp.</i>	25	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	SN-29-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SN-29-2.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SN-29-3.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		SN-29-4.4-Gr	<i>Culex spp.</i>	26	Negative	PCR
	7/25/2016	Gravid Trap		SN-30-1.1-Gr	<i>Culex spp.</i>	10	Negative	PCR
	8/1/2016	Gravid Trap	8/2/2016	SN-31-1.1-Gr	<i>Culex spp.</i>	26	Negative	RAMP
	8/8/2016	Gravid Trap	8/9/2016	SN-32-1.1-Gr	<i>Culex spp.</i>	20	Negative	RAMP
	8/15/2016	Gravid Trap	8/16/2016	SN-33-1.1-Gr	<i>Culex spp.</i>	18	Negative	RAMP
	8/22/2016	Gravid Trap	8/23/2016	SN-34-1.1-Gr	<i>Culex spp.</i>	14	Negative	RAMP
	8/29/2016	Gravid Trap	8/30/2016	SN-35-1.1-Gr	<i>Culex spp.</i>	10	Negative	RAMP
	9/7/2016	Gravid Trap	9/8/2016	SN-36-1.1-Gr	<i>Culex spp.</i>	7	Negative	RAMP
	9/12/2016	Gravid Trap	9/13/2016	SN-37-1.1-Gr	<i>Culex spp.</i>	16	Negative	RAMP
	9/19/2016	Gravid Trap	9/20/2016	SN-38-1.1-Gr	<i>Culex spp.</i>	29	Negative	RAMP
	9/26/2016	Gravid Trap		SN-39-1.1-Gr	<i>Culex spp.</i>	2	Negative	PCR
Total Pools Tested: 29		Total Mosquitoes Tested: 808		Total Pending: 0	Total RAMP: 11	Total Negative: 29	Total Positive: 0	
Sharon South	5/9/2016	Gravid Trap		SS-19-1.1-Gr	<i>Culex spp.</i>	7	Negative	PCR
	5/16/2016	Gravid Trap		SS-20-1.1-Gr	<i>Culex spp.</i>	3	Negative	PCR
	5/23/2016	Gravid Trap		SS-21-1.1-Gr	<i>Culex spp.</i>	32	Negative	PCR
	5/31/2016	Gravid Trap	6/1/2016	SS-22-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
	6/6/2016	Gravid Trap		SS-23-1.1-Gr	<i>Culex spp.</i>	48	Negative	PCR
	6/13/2016	Gravid Trap	6/14/2016	SS-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-24-2.2-Gr	<i>Culex spp.</i>	36	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Sharon South	6/20/2016	Gravid Trap		SS-25-1.1-Gr	<i>Culex spp.</i>	44	Negative	PCR	
	6/27/2016	Gravid Trap		SS-26-1.1-Gr	<i>Culex spp.</i>	39	Negative	PCR	
	7/5/2016	Gravid Trap	7/6/2016	SS-27-1.1-Gr	<i>Culex spp.</i>	21	Negative	RAMP	
	7/11/2016	Gravid Trap	7/12/2016	SS-28-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		SS-28-2.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SS-28-3.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SS-28-4.4-Gr	<i>Culex spp.</i>	22	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	SS-29-1.12-G1	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		SS-29-10.12-G	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SS-29-11.12-G	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SS-29-12.12-G	<i>Culex spp.</i>	14	Negative	PCR
			Gravid Trap		SS-29-2.12-G1	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SS-29-3.12-G1	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SS-29-4.12-G1	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SS-29-5.12-G1	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SS-29-6.12-G1	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SS-29-7.12-G1	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SS-29-8.12-G1	<i>Culex spp.</i>	50	Negative	PCR
			Gravid Trap		SS-29-9.12-G1	<i>Culex spp.</i>	50	Negative	PCR
	7/22/2016	Post Spray			SS-PS-29-1.3	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray			S-PS-29-2.3-C	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray			S-PS-29-3.3-C	<i>Culex spp.</i>	33	Negative	PCR
	7/25/2016	Gravid Trap	7/26/2016		SS-30-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
	Gravid Trap			SS-30-2.2-Gr	<i>Culex spp.</i>	12	Negative	PCR	
7/29/2016	Post Spray			S-PS-30-1.3-C	<i>Culex spp.</i>	50	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay				
Sharon South	7/29/2016	Post Spray		S-PS-30-2.3-C	<i>Culex spp.</i>	50	Negative	PCR				
		Post Spray		S-PS-30-3.3-C	<i>Culex spp.</i>	36	Negative	PCR				
	8/1/2016	Gravid Trap	8/2/2016	SS-31-1.1-Gr	<i>Culex spp.</i>	27	Negative	RAMP				
	8/8/2016	Gravid Trap	8/9/2016	SS-32-1.3-Gr	<i>Culex spp.</i>	50	WNV+	RAMP				
		Gravid Trap		SS-32-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR				
		Gravid Trap		SS-32-3.3-Gr	<i>Culex spp.</i>	10	Negative	PCR				
	8/12/2016	Post Spray		SS-PS-32-1.1	<i>Culex spp.</i>	9	Negative	PCR				
	8/15/2016	Gravid Trap	8/16/2016	SS-33-1.1-Gr	<i>Culex spp.</i>	19	WNV+	RAMP				
	8/22/2016	Gravid Trap	8/23/2016	SS-34-1.1-Gr	<i>Culex spp.</i>	38	Negative	RAMP				
	8/29/2016	Gravid Trap	8/30/2016	SS-35-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		SS-35-2.2-Gr	<i>Culex spp.</i>	39	Negative	PCR				
	9/6/2016	Gravid Trap	9/7/2016	SS-36-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		SS-36-2.2-Gr	<i>Culex spp.</i>	22	Negative	PCR				
	9/12/2016	Gravid Trap	9/13/2016	SS-37-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		SS-37-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR				
		Gravid Trap		SS-37-3.3-Gr	<i>Culex spp.</i>	41	Negative	PCR				
	9/19/2016	Gravid Trap	9/20/2016	SS-38-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		SS-38-2.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP				
		Gravid Trap		SS-38-3.3-Gr	<i>Culex spp.</i>	11	Negative	PCR				
	9/26/2016	Gravid Trap		SS-39-1.1-Gr	<i>Culex spp.</i>	17	Negative	PCR				
	Total Pools Tested:	52	Total Mosquitoes Tested:	2030	Total Pending:	0	Total RAMP:	15	Total Negative:	49	Total Positive:	3
	Total Pools Tested:	81	Total Mosquitoes Tested:	2838	Total Pending:	0	Total RAMP:	26	Total Negative:	78	Total Positive:	3

Upper Arlington Test Results

Upper Arlington North	5/9/2016	Gravid Trap		JAN-19-1.1-G	<i>Culex spp.</i>	4	Negative	PCR
-----------------------	----------	-------------	--	--------------	-------------------	---	----------	-----

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Upper Arlington North	5/16/2016	Gravid Trap		JAN-20-1.1-G	<i>Culex spp.</i>	3	Negative	PCR
	5/23/2016	Gravid Trap		JAN-21-1.1-G	<i>Culex spp.</i>	7	Negative	PCR
	5/31/2016	Gravid Trap		JAN-22-1.1-G	<i>Culex spp.</i>	6	Negative	PCR
	6/6/2016	Gravid Trap		JAN-23-1.4-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JAN-23-2.4-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JAN-23-3.4-G	<i>Culex spp.</i>	50	Negative	PCR
	6/13/2016	Gravid Trap		JAN-23-4.4-G	<i>Culex spp.</i>	31	Negative	PCR
		Gravid Trap		JAN-24-1.2-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JAN-24-2.2-G	<i>Culex spp.</i>	22	Negative	PCR
	6/20/2016	Gravid Trap		JAN-25-1.1-G	<i>Culex spp.</i>	36	Negative	PCR
	6/27/2016	Gravid Trap	6/28/2016	JAN-26-1.1-G	<i>Culex spp.</i>	31	Negative	RAMP
	7/5/2016	Gravid Trap		JAN-27-1.1-G	<i>Culex spp.</i>	7	Negative	PCR
	7/11/2016	Gravid Trap	7/12/2016	JAN-28-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JAN-28-2.2-G	<i>Culex spp.</i>	35	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	JAN-29-1.4-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JAN-29-2.4-G	<i>Culex spp.</i>	50	WNV+	PCR
		Gravid Trap		JAN-29-3.4-G	<i>Culex spp.</i>	50	Negative	PCR
	7/25/2016	Gravid Trap		JAN-29-4.4-G	<i>Culex spp.</i>	9	Negative	PCR
		Gravid Trap		JAN-30-1.1-G	<i>Culex spp.</i>	13	Negative	PCR
		8/1/2016	Gravid Trap	8/2/2016	JAN-31-1.1-G	<i>Culex spp.</i>	17	Negative
	8/3/2016	Post Spray		JAN-PS-31-1.1-	<i>Culex spp.</i>	9	Negative	PCR
	8/8/2016	Gravid Trap	8/9/2016	JAN-32-1.1-G	<i>Culex spp.</i>	48	Negative	RAMP
	8/15/2016	Gravid Trap	8/16/2016	JAN-33-1.1-G	<i>Culex spp.</i>	15	Negative	RAMP
	8/22/2016	Gravid Trap		JAN-34-1.1-G	<i>Culex spp.</i>	7	WNV+	PCR
	8/29/2016	Gravid Trap	8/30/2016	JAN-35-1.1-G	<i>Culex spp.</i>	39	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Upper Arlington North	9/6/2016	Gravid Trap	9/7/2016	JAN-36-1.1-G	<i>Culex spp.</i>	23	WNV+	RAMP
	9/12/2016	Gravid Trap	9/13/2016	JAN-37-1.1-G	<i>Culex spp.</i>	30	Negative	RAMP
	9/14/2016	Post Spray		JAN-PS-37-1.	<i>Culex spp.</i>	11	Negative	PCR
	9/19/2016	Gravid Trap		JAN-38-1.1-G	<i>Culex spp.</i>	2	Negative	PCR
Total Pools Tested: 30		Total Mosquitoes Tested: 805		Total Pending: 0	Total RAMP: 9	Total Negative: 27	Total Positive: 3	
Upper Arlington South	5/9/2016	Gravid Trap		JAS-19-1.1-G	<i>Culex spp.</i>	6	Negative	PCR
	5/16/2016	Gravid Trap		JAS-20-1.1-G	<i>Culex spp.</i>	7	Negative	PCR
	5/23/2016	Gravid Trap		JAS-21-1.1-G	<i>Culex spp.</i>	21	Negative	PCR
	5/31/2016	Gravid Trap	6/1/2016	JAS-22-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JAS-22-2.2-G	<i>Culex spp.</i>	2	Negative	PCR
	6/13/2016	Gravid Trap	6/14/2016	JAS-24-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JAS-24-2.3-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JAS-24-3.3-G	<i>Culex spp.</i>	4	Negative	PCR
	6/20/2016	Gravid Trap		JAS-25-1.1-G	<i>Culex spp.</i>	14	Negative	PCR
	6/27/2016	Gravid Trap		JAS-26-1.1-G	<i>Culex spp.</i>	22	Negative	PCR
	7/5/2016	Gravid Trap	7/6/2016	JAS-27-1.1-G	<i>Culex spp.</i>	20	Negative	RAMP
	7/11/2016	Gravid Trap	7/12/2016	JAS-28-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JAS-28-2.2-G	<i>Culex spp.</i>	18	Negative	PCR
	7/18/2016	Gravid Trap		JAS-29-1.2-G	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		JAS-29-2.2-G	<i>Culex spp.</i>	26	Negative	PCR
	7/25/2016	Gravid Trap		JAS-30-1.1-G	<i>Culex spp.</i>	13	Negative	PCR
	8/1/2016	Gravid Trap		JAS-31-1.1-G	<i>Culex spp.</i>	3	Negative	PCR
8/8/2016	Gravid Trap	8/9/2016	JAS-32-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Upper Arlington South	8/8/2016	Gravid Trap		JAS-32-2.2-G	<i>Culex spp.</i>	21	Negative	PCR
	8/15/2016	Gravid Trap	8/16/2016	JAS-33-1.1-G	<i>Culex spp.</i>	26	Negative	RAMP
	8/22/2016	Gravid Trap	8/23/2016	JAS-34-1.1-G	<i>Culex spp.</i>	13	Negative	RAMP
	8/29/2016	Gravid Trap	8/30/2016	JAS-35-1.1-G	<i>Culex spp.</i>	25	Negative	RAMP
	9/6/2016	Gravid Trap	9/7/2016	JAS-36-1.1-G	<i>Culex spp.</i>	17	Negative	RAMP
	9/12/2016	Gravid Trap		JAS-37-1.1-G	<i>Culex spp.</i>	1	Negative	PCR
	9/19/2016	Gravid Trap	9/20/2016	JAS-38-1.1-G	<i>Culex spp.</i>	19	Negative	RAMP
	9/26/2016	Gravid Trap		JAS-39-1.1-G	<i>Culex spp.</i>	7	Negative	PCR
Total Pools Tested: 26	Total Mosquitoes Tested: 585	Total Pending: 0	Total RAMP: 10	Total Negative: 26	Total Positive: 0			
Total Pools Tested: 56	Total Mosquitoes Tested: 1390	Total Pending: 0	Total RAMP: 19	Total Negative: 53	Total Positive: 3			

Urbancrest Test Results

Urbancrest	5/9/2016	Gravid Trap		UR-19-1.1-Gr	<i>Culex spp.</i>	1	Negative	PCR
	5/16/2016	Gravid Trap		UR-20-1.1-Gr	<i>Culex spp.</i>	9	Negative	PCR
	5/23/2016	Gravid Trap		UR-21-1.1-Gr	<i>Culex spp.</i>	26	Negative	PCR
	5/31/2016	Gravid Trap		UR-22-1.2-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-22-2.2-Gr	<i>Culex spp.</i>	10	Negative	PCR
	6/6/2016	Gravid Trap		UR-23-1.1-Gr	<i>Culex spp.</i>	10	Negative	PCR
	6/13/2016	Gravid Trap	6/14/2016	UR-24-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-24-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-24-3.3-Gr	<i>Culex spp.</i>	40	Negative	PCR
	6/20/2016	Gravid Trap		UR-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-25-2.2-Gr	<i>Culex spp.</i>	9	Negative	PCR
	6/27/2016	Gravid Trap	6/28/2016	UR-26-1.1-Gr	<i>Culex spp.</i>	45	Negative	RAMP
	7/5/2016	Gravid Trap	7/6/2016	UR-27-1.1-Gr	<i>Culex spp.</i>	48	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Urbancrest	7/11/2016	Gravid Trap	7/12/2016	UR-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-28-2.2-Gr	<i>Culex spp.</i>	38	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	UR-29-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-29-2.3-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-29-3.3-Gr	<i>Culex spp.</i>	29	Negative	PCR
	7/25/2016	Gravid Trap	7/26/2016	UR-30-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-30-2.2-Gr	<i>Culex spp.</i>	26	Negative	PCR
	8/1/2016	Gravid Trap	8/2/2016	UR-31-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-31-2.2-Gr	<i>Culex spp.</i>	36	Negative	PCR
	8/8/2016	Gravid Trap	8/9/2016	UR-32-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-32-2.2-Gr	<i>Culex spp.</i>	36	Negative	PCR
	8/15/2016	Gravid Trap	8/16/2016	UR-33-1.1-Gr	<i>Culex spp.</i>	24	Negative	RAMP
	8/22/2016	Gravid Trap	8/23/2016	UR-34-1.1-Gr	<i>Culex spp.</i>	15	Negative	RAMP
	8/29/2016	Gravid Trap	8/30/2016	UR-35-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		UR-35-2.2-Gr	<i>Culex spp.</i>	11	Negative	PCR
	9/1/2016	Post Spray		UR-PS-35-1.1	<i>Culex spp.</i>	4	Negative	PCR
	9/6/2016	Gravid Trap	9/7/2016	UR-36-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-36-2.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-36-3.4-Gr	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		UR-36-4.4-Gr	<i>Culex spp.</i>	41	Negative	PCR
9/12/2016	Gravid Trap	9/13/2016	UR-37-1.1-Gr	<i>Culex spp.</i>	44	WNV+	RAMP	
9/19/2016	Gravid Trap	9/20/2016	UR-38-1.1-Gr	<i>Culex spp.</i>	30	Negative	RAMP	
9/21/2016	Post Spray		UR-PS-38-1.1	<i>Culex spp.</i>	21	Negative	PCR	
9/26/2016	Gravid Trap		UR-39-1.1-Gr	<i>Culex spp.</i>	8	Negative	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Total Pools Tested: 37		Total Mosquitoes Tested: 1261		Total Pending: 0	Total RAMP: 14	Total Negative: 35	Total Positive: 2	
Total Pools Tested: 37		Total Mosquitoes Tested: 1261		Total Pending: 0	Total RAMP: 14	Total Negative: 35	Total Positive: 2	

Westerville Test Results

Westerville East	5/16/2016	Gravid Trap	5/19/2016	WE-20-1.1-Gr	<i>Culex spp.</i>	9	Negative	RAMP
	5/23/2016	Gravid Trap	5/24/2016	WE-21-1.1-Gr	<i>Culex spp.</i>	34	Negative	RAMP
	5/31/2016	Gravid Trap	6/1/2016	WE-22-1.1-Gr	<i>Culex spp.</i>	9	Negative	RAMP
	6/6/2016	Gravid Trap	6/7/2016	WE-23-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-23-2.2-Gr	<i>Culex spp.</i>	22	Negative	RAMP
	6/13/2016	Gravid Trap	6/14/2016	WE-24-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-24-2.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-24-3.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
	6/20/2016	Gravid Trap	6/21/2016	WE-24-4.4-Gr	<i>Culex spp.</i>	14	Negative	RAMP
		Gravid Trap		WE-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-25-2.2-Gr	<i>Culex spp.</i>	38	Negative	RAMP
	6/27/2016	Gravid Trap	6/28/2016	WE-26-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-26-2.2-Gr	<i>Culex spp.</i>	4	Negative	RAMP
	7/5/2016	Gravid Trap	7/6/2016	WE-27-1.1-Gr	<i>Culex spp.</i>	1	Negative	RAMP
	7/11/2016	Gravid Trap	7/12/2016	WE-28-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-28-2.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-28-3.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-28-4.4-Gr	<i>Culex spp.</i>	49	Negative	RAMP
	7/18/2016	Gravid Trap	7/19/2016	WE-29-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-29-2.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
Gravid Trap		WE-29-3.3-Gr		<i>Culex spp.</i>	22	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville East	7/25/2016	Gravid Trap	7/26/2016	WE-30-1.1-Gr	<i>Culex spp.</i>	30	Negative	RAMP
	8/1/2016	Gravid Trap	8/2/2016	WE-31-1.1-Gr	<i>Culex spp.</i>	32	Negative	RAMP
	8/8/2016	Gravid Trap	8/9/2016	WE-32-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-32-2.2-Gr	<i>Culex spp.</i>	40	Negative	RAMP
	8/15/2016	Gravid Trap	8/16/2016	WE-33-1.1-Gr	<i>Culex spp.</i>	43	WNV+	RAMP
	8/17/2016	Post Spray	8/19/2016	WE-PS-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Post Spray		WE-PS-33-2.2	<i>Culex spp.</i>	40	Negative	RAMP
	8/29/2016	Gravid Trap	8/30/2016	WE-35-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-35-2.2-Gr	<i>Culex spp.</i>	37	Negative	RAMP
	9/6/2016	Gravid Trap	9/7/2016	WE-36-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-36-2.2-Gr	<i>Culex spp.</i>	24	Negative	RAMP
	9/12/2016	Gravid Trap	9/13/2016	WE-37-1.1-Gr	<i>Culex spp.</i>	40	WNV+	RAMP
	9/16/2016	Post Spray	9/20/2016	WE-PS-38-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Post Spray		WE-PS-38-2.2	<i>Culex spp.</i>	41	Negative	RAMP
	9/19/2016	Gravid Trap		WE-38-1.1-Gr	<i>Culex spp.</i>	14	Negative	RAMP
	9/26/2016	Gravid Trap	9/27/2016	WE-39-1.1-Gr	<i>Culex spp.</i>	17	WNV+	RAMP
	Total Pools Tested: 37		Total Mosquitoes Tested: 1360		Total Pending: 0	Total RAMP: 37	Total Negative: 34	Total Positive: 3
Westerville North	5/16/2016	Gravid Trap	5/19/2016	WN-20-1.1-Gr	<i>Culex spp.</i>	15	Negative	RAMP
	5/23/2016	Gravid Trap	5/24/2016	WN-21-1.1-Gr	<i>Culex spp.</i>	18	Negative	RAMP
	5/31/2016	Gravid Trap	6/1/2016	WN-22-1.1-Gr	<i>Culex spp.</i>	5	Negative	RAMP
	6/6/2016	Gravid Trap	6/7/2016	WN-23-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WN-23-2.2-Gr	<i>Culex spp.</i>	36	Negative	RAMP
	6/13/2016	Gravid Trap	6/14/2016	WN-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Westerville North	6/13/2016	Gravid Trap	6/14/2016	WN-24-2.2-G1	<i>Culex spp.</i>	6	Negative	RAMP	
	6/20/2016	Gravid Trap	6/21/2016	WN-25-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		WN-25-2.2-G1	<i>Culex spp.</i>	24	Negative	RAMP	
	6/27/2016	Gravid Trap	6/28/2016	WN-26-1.1-G1	<i>Culex spp.</i>	37	Negative	RAMP	
	7/5/2016	Gravid Trap	7/6/2016	WN-27-1.1-G1	<i>Culex spp.</i>	6	Negative	RAMP	
	7/11/2016	Gravid Trap	7/12/2016	WN-28-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		WN-28-2.3-G1	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		WN-28-3.3-G1	<i>Culex spp.</i>	46	Negative	RAMP	
	7/18/2016	Gravid Trap	7/19/2016	WN-29-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		WN-29-2.2-G1	<i>Culex spp.</i>	9	Negative	RAMP	
	7/25/2016	Gravid Trap	7/26/2016	WN-30-1.1-G1	<i>Culex spp.</i>	22	Negative	RAMP	
	8/1/2016	Gravid Trap	8/2/2016	WN-31-1.1-G1	<i>Culex spp.</i>	16	Negative	RAMP	
	8/8/2016	Gravid Trap	8/9/2016	WN-32-1.1-G1	<i>Culex spp.</i>	32	WNV+	RAMP	
	8/15/2016	Gravid Trap	8/16/2016	WN-33-1.1-G1	<i>Culex spp.</i>	4	Negative	RAMP	
	8/22/2016	Gravid Trap	8/23/2016	WN-34-1.1-G1	<i>Culex spp.</i>	20	Negative	RAMP	
	8/29/2016	Gravid Trap	8/30/2016	WN-35-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		WN-35-2.3-G1	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		WN-35-3.3-G1	<i>Culex spp.</i>	2	Negative	RAMP	
	9/6/2016	Gravid Trap	9/7/2016	WN-36-1.1-G1	<i>Culex spp.</i>	31	Negative	RAMP	
	9/12/2016	Gravid Trap	9/13/2016	WN-37-1.1-G1	<i>Culex spp.</i>	21	Negative	RAMP	
	9/19/2016	Gravid Trap	9/20/2016	WN-38-1.1-G1	<i>Culex spp.</i>	3	Negative	RAMP	
	9/26/2016	Gravid Trap	9/27/2016	WN-39-1.1-G1	<i>Culex spp.</i>	10	Negative	RAMP	
	Total Pools Tested: 28		Total Mosquitoes Tested: 763		Total Pending: 0		Total RAMP: 28	Total Negative: 27	Total Positive: 1

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville South	5/16/2016	Gravid Trap	5/19/2016	WS-20-1.1-Gr	<i>Culex spp.</i>	6	Negative	RAMP
	5/31/2016	Gravid Trap	6/1/2016	WS-22-1.1-Gr	<i>Culex spp.</i>	42	Negative	RAMP
	6/6/2016	Gravid Trap	6/7/2016	WS-23-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-23-2.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-23-3.3-Gr	<i>Culex spp.</i>	23	Negative	RAMP
	6/13/2016	Gravid Trap	6/14/2016	WS-24-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-24-2.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-24-3.3-Gr	<i>Culex spp.</i>	30	Negative	RAMP
	6/20/2016	Gravid Trap	6/21/2016	WS-25-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-25-2.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-25-3.3-Gr	<i>Culex spp.</i>	28	Negative	RAMP
	6/27/2016	Gravid Trap	6/28/2016	WS-26-1.1-Gr	<i>Culex spp.</i>	39	Negative	RAMP
	7/5/2016	Gravid Trap	7/6/2016	WS-27-1.1-Gr	<i>Culex spp.</i>	13	Negative	RAMP
	7/11/2016	Gravid Trap	7/12/2016	WS-28-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-28-2.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-28-3.3-Gr	<i>Culex spp.</i>	7	Negative	RAMP
	7/18/2016	Gravid Trap	7/19/2016	WS-29-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-29-2.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-29-3.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-29-4.4-Gr	<i>Culex spp.</i>	10	Negative	RAMP
	7/25/2016	Gravid Trap	7/26/2016	WS-30-1.1-Gr	<i>Culex spp.</i>	11	Negative	RAMP
	8/1/2016	Gravid Trap	8/2/2016	WS-31-1.1-Gr	<i>Culex spp.</i>	11	Negative	RAMP
	8/8/2016	Gravid Trap	8/9/2016	WS-32-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-32-2.2-Gr	<i>Culex spp.</i>	13	Negative	RAMP
	8/15/2016	Gravid Trap	8/16/2016	WS-33-1.1-Gr	<i>Culex spp.</i>	24	WNV+	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville South	8/17/2016	Post Spray	8/19/2016	WS-PS-33-1.2	<i>Culex spp.</i>	50	Negative	RAMP
		Post Spray		WS-PS-33-2.2	<i>Culex spp.</i>	19	Negative	RAMP
	8/22/2016	Gravid Trap	8/23/2016	WS-34-1.1-Gr	<i>Culex spp.</i>	18	Negative	RAMP
	8/29/2016	Gravid Trap	8/30/2016	WS-35-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-35-2.2-Gr	<i>Culex spp.</i>	35	Negative	RAMP
	9/6/2016	Gravid Trap	9/7/2016	WS-36-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-36-2.2-Gr	<i>Culex spp.</i>	5	Negative	RAMP
	9/12/2016	Gravid Trap	9/13/2016	WS-37-1.1-Gr	<i>Culex spp.</i>	40	WNV+	RAMP
	9/16/2016	Post Spray	9/20/2016	WS-PS-38-1.1	<i>Culex spp.</i>	27	Negative	RAMP
	9/19/2016	Gravid Trap		WS-38-1.1-Gr	<i>Culex spp.</i>	20	Negative	RAMP
Total Pools Tested: 35		Total Mosquitoes Tested: 1171		Total Pending: 0		Total RAMP: 35	Total Negative: 33	Total Positive: 2
Westerville West	5/9/2016	Gravid Trap	5/10/2016	NW-19-1.1-G	<i>Culex spp.</i>	9	Negative	RAMP
	5/16/2016	Gravid Trap	5/17/2016	NW-20-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-20-2.2-G	<i>Culex spp.</i>	7	Negative	RAMP
	5/23/2016	Gravid Trap	5/24/2016	NW-21-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-21-2.2-G	<i>Culex spp.</i>	10	Negative	RAMP
	5/31/2016	Gravid Trap	6/1/2016	NW-22-1.1-G	<i>Culex spp.</i>	16	Negative	RAMP
	6/6/2016	Gravid Trap	6/7/2016	NW-23-1.7-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-23-2.7-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-23-3.7-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-23-4.7-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-23-5.7-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-23-6.7-G	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville West	6/6/2016	Gravid Trap	6/7/2016	NW-23-7.7-G	<i>Culex spp.</i>	50	Negative	RAMP
	6/13/2016	Gravid Trap	6/14/2016	NW-24-1.4-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-24-2.4-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-24-3.4-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-24-4.4-G	<i>Culex spp.</i>	21	Negative	RAMP
		Gravid Trap		NW-24-4.4-G	<i>Culex spp.</i>	50	Negative	RAMP
	6/20/2016	Gravid Trap	6/21/2016	NW-25-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-25-2.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-25-3.3-G	<i>Culex spp.</i>	17	Negative	RAMP
	6/27/2016	Gravid Trap	6/28/2016	NW-26-1.4-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-26-2.4-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-26-3.4-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-26-4.4-G	<i>Culex spp.</i>	48	Negative	RAMP
	7/5/2016	Gravid Trap	7/6/2016	NW-27-1.1-G	<i>Culex spp.</i>	24	Negative	RAMP
	7/11/2016	Gravid Trap	7/12/2016	NW-28-1.5-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-28-2.5-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-28-3.5-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-28-4.5-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-28-5.5-G	<i>Culex spp.</i>	44	Negative	RAMP
		7/15/2016	Post Spray		NW-PS-28.1.1	<i>Culex spp.</i>	31	Negative
	7/18/2016	Gravid Trap	7/19/2016	NW-29-1.6-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-29-2.6-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-29-3.6-G	<i>Culex spp.</i>	50	Negative	RAMP
Gravid Trap			NW-29-4.6-G	<i>Culex spp.</i>	50	Negative	RAMP	
Gravid Trap			NW-29-5.6-G	<i>Culex spp.</i>	50	Negative	RAMP	
	Gravid Trap		NW-29-6.6-G	<i>Culex spp.</i>	45	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville West	7/21/2016	Post Spray		W-PS-29-1.1-	<i>Culex spp.</i>	48	WNV+	RAMP
	7/25/2016	Gravid Trap	7/26/2016	NW-30-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-30-2.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-30-3.3-G	<i>Culex spp.</i>	30	Negative	RAMP
	8/1/2016	Gravid Trap	8/2/2016	NW-31-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-31-2.2-G	<i>Culex spp.</i>	45	Negative	RAMP
	8/8/2016	Gravid Trap	8/9/2016	NW-32-1.6-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-32-2.6-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-32-3.6-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-32-4.6-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		NW-32-5.6-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-32-6.6-G	<i>Culex spp.</i>	45	Negative	RAMP
	8/11/2016	Post Spray	8/12/2016	W-PS-32-1.4-	<i>Culex spp.</i>	50	Negative	RAMP
		Post Spray		W-PS-32-2.4-	<i>Culex spp.</i>	50	Negative	RAMP
		Post Spray		W-PS-32-3.4-	<i>Culex spp.</i>	50	Negative	RAMP
		Post Spray		W-PS-32-4.4-	<i>Culex spp.</i>	47	Negative	RAMP
	8/15/2016	Gravid Trap	8/16/2016	NW-33-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-33-2.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-33-3.3-G	<i>Culex spp.</i>	4	Negative	RAMP
	8/22/2016	Gravid Trap	8/23/2016	NW-34-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-34-2.2-G	<i>Culex spp.</i>	40	Negative	RAMP
	8/29/2016	Gravid Trap	8/30/2016	NW-35-1.8-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-35-2.8-G	<i>Culex spp.</i>	50	Negative	RAMP
	Gravid Trap		NW-35-3.8-G	<i>Culex spp.</i>	50	WNV+	RAMP	
	Gravid Trap		NW-35-4.8-G	<i>Culex spp.</i>	50	WNV+	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Westerville West	8/29/2016	Gravid Trap	8/30/2016	NW-35-5.8-G	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		NW-35-6.8-G	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		NW-35-7.8-G	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		NW-35-8.8-G	<i>Culex spp.</i>	10	Negative	RAMP	
	9/1/2016	Post Spray	9/2/2016	NW-PS-35-1.1	<i>Culex spp.</i>	21	Negative	RAMP	
		Post Spray		NW-PS-35-1.1	<i>Culex spp.</i>	21	Negative	RAMP	
	9/6/2016	Gravid Trap	9/7/2016	NW-36-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		NW-36-2.3-G	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		NW-36-3.3-G	<i>Culex spp.</i>	39	Negative	RAMP	
	9/12/2016	Gravid Trap	9/13/2016	NW-37-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		NW-37-2.3-G	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		NW-37-3.3-G	<i>Culex spp.</i>	24	Negative	RAMP	
	9/19/2016	Gravid Trap	9/20/2016	NW-38-1.3-G	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		NW-38-2.3-G	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		NW-38-3.3-G	<i>Culex spp.</i>	2	Negative	RAMP	
	9/22/2016	Post Spray	9/23/2016	NW-PS-38-1.1	<i>Culex spp.</i>	29	Negative	RAMP	
	9/26/2016	Gravid Trap	9/27/2016	NW-39-1.1-G	<i>Culex spp.</i>	19	Negative	RAMP	
	Total Pools Tested: 79		Total Mosquitoes Tested: 3346		Total Pending: 0	Total RAMP: 79	Total Negative: 74	Total Positive: 5	
	Total Pools Tested: 179		Total Mosquitoes Tested: 6640		Total Pending: 0	Total RAMP: 179	Total Negative: 168	Total Positive: 11	

Whitehall Test Results

Whitehall East	5/9/2016	Gravid Trap	VHE-19-1.1-G	<i>Culex spp.</i>	2	Negative	PCR
	5/16/2016	Gravid Trap	VHE-20-1.1-G	<i>Culex spp.</i>	3	Negative	PCR
	5/23/2016	Gravid Trap	VHE-21-1.1-G	<i>Culex spp.</i>	49	Negative	PCR
	5/31/2016	Gravid Trap	VHE-22-1.1-G	<i>Culex spp.</i>	18	Negative	PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay		
Whitehall East	6/6/2016	Gravid Trap		VHE-23-1.1-G	<i>Culex spp.</i>	12	Negative	PCR		
	6/13/2016	Gravid Trap		VHE-24-1.1-G	<i>Culex spp.</i>	48	Negative	PCR		
	6/20/2016	Gravid Trap	6/21/2016	VHE-25-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		VHE-25-2.2-G	<i>Culex spp.</i>	12	Negative	PCR		
	6/27/2016	Gravid Trap		VHE-26-1.1-G	<i>Culex spp.</i>	25	Negative	PCR		
	7/5/2016	Gravid Trap		VHE-27-1.1-G	<i>Culex spp.</i>	24	Negative	PCR		
	7/11/2016	Gravid Trap	7/12/2016	VHE-28-1.1-G	<i>Culex spp.</i>	47	Negative	RAMP		
	7/18/2016	Gravid Trap	7/19/2016	VHE-29-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		VHE-29-2.2-G	<i>Culex spp.</i>	38	Negative	PCR		
	7/25/2016	Gravid Trap		VHE-30-1.1-G	<i>Culex spp.</i>	6	Negative	PCR		
	8/1/2016	Gravid Trap	8/2/2016	VHE-31-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		VHE-31-2.2-G	<i>Culex spp.</i>	49	Negative	PCR		
	8/8/2016	Gravid Trap	8/9/2016	VHE-32-1.2-G	<i>Culex spp.</i>	50	WNV+	RAMP		
		Gravid Trap		VHE-32-2.2-G	<i>Culex spp.</i>	35	WNV+	PCR		
	8/11/2016	Gravid Trap		HE-PS-32-1.1-	<i>Culex spp.</i>	17	Negative	PCR		
	8/15/2016	Gravid Trap	8/16/2016	VHE-33-1.1-G	<i>Culex spp.</i>	23	Negative	RAMP		
	8/22/2016	Gravid Trap	8/23/2016	VHE-34-1.1-G	<i>Culex spp.</i>	22	Negative	RAMP		
	8/29/2016	Gravid Trap	8/30/2016	VHE-35-1.1-G	<i>Culex spp.</i>	47	WNV+	RAMP		
	9/1/2016	Post Spray		VHE-PS-35-1.	<i>Culex spp.</i>	7	Negative	PCR		
	9/6/2016	Gravid Trap	9/7/2016	VHE-36-1.1-G	<i>Culex spp.</i>	23	Negative	RAMP		
	9/12/2016	Gravid Trap	9/13/2016	VHE-37-1.1-G	<i>Culex spp.</i>	26	Negative	RAMP		
	9/19/2016	Gravid Trap	9/20/2016	VHE-38-1.1-G	<i>Culex spp.</i>	28	Negative	RAMP		
	9/26/2016	Gravid Trap		VHE-39-1.1-G	<i>Culex spp.</i>	6	Negative	PCR		
	Total Pools Tested: 27		Total Mosquitoes Tested: 767		Total Pending: 0		Total RAMP: 11		Total Negative: 24 Total Positive: 3	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Whitehall West	5/9/2016	Gravid Trap		/HW-19-1.1-C	<i>Culex spp.</i>	2	Negative	PCR
	5/16/2016	Gravid Trap		/HW-20-1.1-C	<i>Culex spp.</i>	1	Negative	PCR
	5/23/2016	Gravid Trap		/HW-21-1.2-C	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		/HW-21-2.2-C	<i>Culex spp.</i>	6	Negative	PCR
	5/31/2016	Gravid Trap	6/1/2016	/HW-22-1.1-C	<i>Culex spp.</i>	40	Negative	RAMP
	6/6/2016	Gravid Trap		/HW-23-1.1-C	<i>Culex spp.</i>	3	Negative	PCR
	6/13/2016	Gravid Trap		/HW-24-1.2-C	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		/HW-24-2.2-C	<i>Culex spp.</i>	38	Negative	PCR
	6/20/2016	Gravid Trap		/HW-25-1.1-C	<i>Culex spp.</i>	49	Negative	PCR
	6/28/2016	Gravid Trap		/HW-26-1.1-C	<i>Culex spp.</i>	7	Negative	PCR
	7/5/2016	Gravid Trap	7/6/2016	/HW-27-1.2-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		/HW-27-2.2-C	<i>Culex spp.</i>	42	Negative	PCR
	7/11/2016	Gravid Trap	7/12/2016	/HW-28-1.4-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		/HW-28-2.4-C	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		/HW-28-3.4-C	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		/HW-28-4.4-C	<i>Culex spp.</i>	35	Negative	PCR
	7/18/2016	Gravid Trap	7/19/2016	/HW-29-1.2-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		/HW-29-2.2-C	<i>Culex spp.</i>	41	WNV+	PCR
	7/25/2016	Gravid Trap	7/26/2016	/HW-30-1.1-C	<i>Culex spp.</i>	43	Negative	RAMP
	8/1/2016	Gravid Trap	8/2/2016	/HW-31-1.3-C	<i>Culex spp.</i>	50	Negative	RAMP
	Gravid Trap		/HW-31-2.3-C	<i>Culex spp.</i>	50	Negative	PCR	
	Gravid Trap		/HW-31-3.3-C	<i>Culex spp.</i>	29	Negative	PCR	
8/3/2016	Post Spray		/HW-PS-31-1	<i>Culex spp.</i>	50	WNV+	PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Whitehall West	8/3/2016	Post Spray		/HW-PS-31-2	<i>Culex spp.</i>	50	Negative	PCR
		Post Spray		/HW-PS-31-3	<i>Culex spp.</i>	46	Negative	PCR
	8/8/2016	Gravid Trap	8/9/2016	/HW-32-1.1-C	<i>Culex spp.</i>	31	Negative	RAMP
	8/15/2016	Gravid Trap	8/16/2016	/HW-33-1.3-C	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		/HW-33-2.3-C	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		/HW-33-3.3-C	<i>Culex spp.</i>	20	Negative	PCR
	8/18/2016	Post Spray		IW-PS-33-1.2	<i>Culex spp.</i>	50	WNV+	PCR
		Post Spray		IW-PS-33-2.2	<i>Culex spp.</i>	13	Negative	PCR
	8/22/2016	Gravid Trap	8/23/2016	/HW-34-1.2-C	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		/HW-34-2.2-C	<i>Culex spp.</i>	20	Negative	PCR
	8/29/2016	Gravid Trap	8/30/2016	/HW-35-1.2-C	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		/HW-35-2.2-C	<i>Culex spp.</i>	35	WNV+	PCR
	9/1/2016	Post Spray		/HW-PS-35-1	<i>Culex spp.</i>	6	Negative	PCR
	9/6/2016	Gravid Trap	9/7/2016	/HW-36-1.1-C	<i>Culex spp.</i>	48	Negative	RAMP
	9/12/2016	Gravid Trap	9/13/2016	/HW-37-1.3-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		/HW-37-2.3-C	<i>Culex spp.</i>	50	Negative	PCR
		Gravid Trap		/HW-37-3.3-C	<i>Culex spp.</i>	35	Negative	PCR
	9/19/2016	Gravid Trap	9/20/2016	/HW-38-1.2-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		/HW-38-2.2-C	<i>Culex spp.</i>	35	WNV+	PCR
	9/26/2016	Gravid Trap		/HW-39-1.1-C	<i>Culex spp.</i>	25	Negative	PCR
	Total Pools Tested: 43		Total Mosquitoes Tested: 1600	Total Pending: 0	Total RAMP: 13	Total Negative: 35	Total Positive: 8	
	Total Pools Tested: 70		Total Mosquitoes Tested: 2367	Total Pending: 0	Total RAMP: 24	Total Negative: 59	Total Positive: 11	
Total Pools Tested: 1731		Total Mosquitoes Tested: 57101		Total Pending: 0	Total RAMP: 832	Total Negative: 1,604	Total Positive: 127	