



Arboviral Surveillance Results

Start Date: 5/1/2017 End Date: 10/1/2017

Franklin County Public Health

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Bexley Test Results								
Bexley	5/22/2017	Gravid Trap	5/23/2017	BE-21-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BE-21-2.2-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	5/30/2017	Gravid Trap	5/31/2017	BE-22-1.1-Gr	<i>Culex spp.</i>	36	Negative	RAMP
	6/6/2017	Gravid Trap		BE-23-1.2-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		BE-23-2.2-Gr	<i>Culex spp.</i>	42	Negative	RT-PCR
	6/12/2017	Gravid Trap		BE-24-1.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		BE-24-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		BE-24-3.3-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
	6/19/2017	Gravid Trap	6/20/2017	BE-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BE-25-2.2-Gr	<i>Culex spp.</i>	29	Negative	RT-PCR
	6/26/2017	Gravid Trap		BE-26-1.1-Gr	<i>Culex spp.</i>	28	Negative	RT-PCR
	7/5/2017	Gravid Trap	7/6/2017	BE-27-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BE-27-2.2-Gr	<i>Culex spp.</i>	26	Negative	RT-PCR
	7/9/2017	Gravid Trap		BE-28-1.1-Gr	<i>Culex spp.</i>	20	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	BE-29-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		BE-29-2.2-Gr	<i>Culex spp.</i>	47	Negative	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	BE-30-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Bexley	7/24/2017	Gravid Trap		BE-30-2.2-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	BE-31-1.1-Gr	<i>Culex spp.</i>	31	WNV+	LAMP
	8/7/2017	Gravid Trap	8/10/2017	BE-32-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		BE-32-2.2-Gr	<i>Culex spp.</i>	27	WNV+	RT-PCR
	8/11/2017	Post-spray Trap		BE-PS-32-1.1	<i>Culex spp.</i>	16	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	BE-33-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		BE-33-2.2-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	8/21/2017	Gravid Trap		BE-34-1.1-Gr	<i>Culex spp.</i>	25	WNV+	RT-PCR
	8/28/2017	Gravid Trap	8/30/2017	BE-35-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		BE-35-2.2-Gr	<i>Culex spp.</i>	40	WNV+	LAMP
	8/31/2017	Post-spray Trap		BE-PS-35-1.1	<i>Culex spp.</i>	15	WNV+	RT-PCR
	9/5/2017	Gravid Trap	9/6/2017	BE-36-1.1-Gr	<i>Culex spp.</i>	23	Negative	LAMP
	9/11/2017	Gravid Trap		BE-37-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
	9/18/2017	Gravid Trap		BE-38-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
	Total Pools Tested: 31		Total Mosquitoes Tested: 990		Total Pending: 0	Total RAMP: 4	Total Negative: 25	Total Positive: 6
Total Pools Tested: 31		Total Mosquitoes Tested: 990		Total Pending: 0	Total RAMP: 4	Total Negative: 25	Total Positive: 6	

Brown Test Results

Brown	5/15/2017	Gravid Trap	5/16/2017	BR-20-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-20-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		BR-20-3.3-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR
	5/22/2017	Gravid Trap		BR-21-1.1-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR
	5/30/2017	Gravid Trap	5/31/2017	BR-22-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-22-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		BR-22-3.3-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Brown	6/5/2017	Gravid Trap	6/6/2017	BR-23-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-23-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		BR-23-3.3-Gr	<i>Culex spp.</i>	32	Negative	RT-PCR
	6/12/2017	Gravid Trap	BR-24-1.1-Gr	<i>Culex spp.</i>	46	Negative	RT-PCR	
	6/19/2017	Gravid Trap	B-25-1.1-Gr	<i>Culex spp.</i>	20	Negative	RT-PCR	
	6/26/2017	Gravid Trap	BR-26-1.1-Gr	<i>Culex spp.</i>	36	Negative	RT-PCR	
	7/5/2017	Gravid Trap	BR-27-1.2-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap	BR-27-2.2-Gr	<i>Culex spp.</i>	35	Negative	RT-PCR	
	7/9/2017	Gravid Trap	BR-28-1.1-Gr	<i>Culex spp.</i>	30	Negative	RT-PCR	
	7/17/2017	Gravid Trap	7/18/2017	BR-29-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap	BR-29-2.2-Gr	<i>Culex spp.</i>	35	Negative	RT-PCR	
	7/24/2017	Gravid Trap	BR-30-1.1-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR	
	7/31/2017	Gravid Trap	8/1/2017	BR-31-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap	BR-31-2.2-Gr	<i>Culex spp.</i>	49	WNV+	RT-PCR	
	8/7/2017	Gravid Trap	8/10/2017	BR-32-1.3-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap	BR-32-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap	BR-32-3.3-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR	
	8/14/2017	Gravid Trap	8/17/2017	BR-33-1.6-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap	BR-33-2.6-Gr	<i>Culex spp.</i>	50	Negative	LAMP	
		Gravid Trap	BR-33-3.6-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap	BR-33-4.6-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap	BR-33-5.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap	BR-33-6.6-Gr	<i>Culex spp.</i>	12	Negative	RT-PCR	
	8/18/2017	Post-Spray Trap		BR-PS-33-1.1	<i>Culex spp.</i>	8	Negative	RT-PCR
	8/21/2017	Gravid Trap	8/23/2017	BR-34-1.5-Gr	<i>Culex spp.</i>	50	Negative	LAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Brown	8/21/2017	Gravid Trap		BR-34-2.5-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		BR-34-3.5-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		BR-34-4.5-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		BR-34-5.5-Gr	<i>Culex spp.</i>	14	WNV+	RT-PCR	
	8/28/2017	Gravid Trap	8/30/2017	BR-35-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP	
		Gravid Trap		BR-35-2.2-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR	
	9/5/2017	Gravid Trap	9/6/2017	BR-36-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP	
		Gravid Trap		BR-36-2.2-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR	
	9/11/2017	Gravid Trap		BR-37-1.1-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR	
	9/25/2017	Gravid Trap		BR-39-1.1-Gr	<i>Culex spp.</i>	9	Pending	RT-PCR	
	Total Pools Tested: 42	Total Mosquitoes Tested: 1469	Total Pending: 1	Total RAMP: 3	Total Negative: 32	Total Positive: 9			
	Total Pools Tested: 42	Total Mosquitoes Tested: 1469	Total Pending: 1	Total RAMP: 3	Total Negative: 32	Total Positive: 9			

Canal Winchester Test Results

Canal Winchester	5/15/2017	Gravid Trap		CW-20-1.1-G1	<i>Culex spp.</i>	8	Negative	RT-PCR
	5/22/2017	Gravid Trap		CW-21-1.1-G1	<i>Culex spp.</i>	7	Negative	RT-PCR
	5/30/2017	Gravid Trap		CW-22-1.1-G1	<i>Culex spp.</i>	16	Negative	RT-PCR
	6/5/2017	Gravid Trap	6/6/2017	CW-23-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CW-23-2.2-G1	<i>Culex spp.</i>	44	Negative	RT-PCR
	6/12/2017	Gravid Trap		CW-24-1.1-G1	<i>Culex spp.</i>	40	Negative	RT-PCR
	6/19/2017	Gravid Trap		CW-25-1.1-G1	<i>Culex spp.</i>	30	Negative	RT-PCR
	6/26/2017	Gravid Trap	6/27/2017	CW-26-1.1-G1	<i>Culex spp.</i>	28	Negative	RAMP
	7/5/2017	Gravid Trap	7/6/2017	CW-27-1.1-G1	<i>Culex spp.</i>	34	Negative	RAMP
	7/9/2017	Gravid Trap		CW-28-1.1-G1	<i>Culex spp.</i>	13	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	CW-29-1.2-G1	<i>Culex spp.</i>	50	Negative	LAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Canal Winchester	7/17/2017	Gravid Trap		CW-29-2.2-G1	<i>Culex spp.</i>	27	Negative	RT-PCR	
	7/24/2017	Gravid Trap	7/25/2017	CW-30-1.2-G1	<i>Culex spp.</i>	50	Negative	LAMP	
					CW-30-2.2-G1	<i>Culex spp.</i>	10	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	CW-31-1.3-G1	<i>Culex spp.</i>	50	Negative	LAMP	
					CW-31-2.3-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
					CW-31-3.3-G1	<i>Culex spp.</i>	16	WNV+	RT-PCR
	8/8/2017	Post-spray Trap			CW-PS-32-1.3	<i>Culex spp.</i>	50	Negative	RT-PCR
					CW-PS-32-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR
					CW-PS-32-3.3	<i>Culex spp.</i>	33	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017		CW-33-1.4-G1	<i>Culex spp.</i>	50	WNV+	LAMP
					CW-33-2.4-G1	<i>Culex spp.</i>	50	WNV+	RT-PCR
					CW-33-3.4-G1	<i>Culex spp.</i>	50	WNV+	RT-PCR
					CW-33-4.4-G1	<i>Culex spp.</i>	30	WNV+	RT-PCR
	8/21/2017	Gravid Trap	8/23/2017		CW-34-1.5-G1	<i>Culex spp.</i>	50	WNV+	LAMP
					CW-34-2.5-G1	<i>Culex spp.</i>	50	WNV+	RT-PCR
					CW-34-3.5-G1	<i>Culex spp.</i>	50	WNV+	RT-PCR
					CW-34-4.5-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
					CW-34-5.5-G1	<i>Culex spp.</i>	6	Negative	RT-PCR
	8/23/2017	Post-spray Trap			CW-PS-34-1.1	<i>Culex spp.</i>	37	WNV+	RT-PCR
	8/28/2017	Gravid Trap	8/30/2017		CW-35-1.1-G1	<i>Culex spp.</i>	35	WNV+	LAMP
	9/5/2017	Gravid Trap	9/6/2017		CW-36-1.2-G1	<i>Culex spp.</i>	50	WNV+	LAMP
					CW-36-2.2-G1	<i>Culex spp.</i>	10	WNV+	RT-PCR
	9/11/2017	Gravid Trap			CW-37-1.1-G1	<i>Culex spp.</i>	11	Negative	RT-PCR
	9/18/2017	Gravid Trap			CW-38-1.1-G1	<i>Culex spp.</i>	3	Negative	RT-PCR
	9/25/2017	Gravid Trap	9/26/2017		CW-39-1.1-G1	<i>Culex spp.</i>	25	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Total Pools Tested: 36		Total Mosquitoes Tested: 1213		Total Pending: 0	Total RAMP: 4	Total Negative: 24	Total Positive: 12	
Total Pools Tested: 36		Total Mosquitoes Tested: 1213		Total Pending: 0	Total RAMP: 4	Total Negative: 24	Total Positive: 12	

Clinton Test Results

Clinton	5/15/2017	Gravid Trap	5/16/2017	CT-20-1.1-Gr	<i>Culex spp.</i>	20	Negative	RAMP
	5/22/2017	Gravid Trap	5/23/2017	CT-21-1.1-Gr	<i>Culex spp.</i>	26	Negative	RAMP
	5/30/2017	Gravid Trap		CT-22-1.1-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR
	6/5/2017	Gravid Trap	6/6/2017	CT-23-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-23-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		CT-23-3.3-Gr	<i>Culex spp.</i>	18	Negative	RT-PCR
	6/12/2017	Gravid Trap	6/13/2017	CT-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-24-2.2-Gr	<i>Culex spp.</i>	21	Negative	RT-PCR
	6/19/2017	Gravid Trap	6/20/2017	CT-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-25-2.2-Gr	<i>Culex spp.</i>	29	Negative	RT-PCR
	6/26/2017	Gravid Trap	6/27/2017	CT-26-1.1-Gr	<i>Culex spp.</i>	31	Negative	RAMP
	7/5/2017	Gravid Trap	7/6/2017	CT-27-1.5-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-27-2.5-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-27-3.5-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		CT-27-4.5-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		CT-27-5.5-Gr	<i>Culex spp.</i>	18	Negative	RT-PCR
	7/9/2017	Gravid Trap	7/12/2017	CT-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-28-2.2-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	CT-29-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		CT-29-2.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		CT-29-3.3-Gr	<i>Culex spp.</i>	19	Negative	LAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Clinton	7/19/2017	Post-spray Trap		CT-PS-29-1.3	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-spray Trap		CT-PS-29-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-spray Trap		CT-PS-29-3.3	<i>Culex spp.</i>	35	Negative	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	CT-30-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		CT-30-2.2-Gr	<i>Culex spp.</i>	18	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	CT-31-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		CT-31-2.2-Gr	<i>Culex spp.</i>	13	Negative	RT-PCR
	8/7/2017	Gravid Trap	8/10/2017	CT-32-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		CT-32-2.2-Gr	<i>Culex spp.</i>	40	Negative	RT-PCR
	8/10/2017	Post-spray Trap		CT-PS-32-1.1	<i>Culex spp.</i>	28	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	CT-33-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		CT-33-2.2-Gr	<i>Culex spp.</i>	49	Negative	RT-PCR
	8/22/2017	Post-spray Trap		T-PS-34-1.1-C	<i>Culex spp.</i>	40	WNV+	RT-PCR
	8/28/2017	Gravid Trap	8/30/2017	CT-35-1.1-Gr	<i>Culex spp.</i>	45	WNV+	LAMP
	9/5/2017	Gravid Trap	9/6/2017	CT-36-1.1-Gr	<i>Culex spp.</i>	25	Negative	LAMP
	9/12/2017	Post-spray Trap		CT-PS-37-1.1	<i>Culex spp.</i>	21	WNV+	RT-PCR
	9/18/2017	Gravid Trap		CT-38-1.1-Gr	<i>Culex spp.</i>	12	Negative	RT-PCR
	9/25/2017	Gravid Trap		CT-39-1.1-Gr	<i>Culex spp.</i>	3	Pending	RT-PCR
	Total Pools Tested: 39		Total Mosquitoes Tested: 1370		Total Pending: 1	Total RAMP: 9	Total Negative: 31	Total Positive: 7
Total Pools Tested: 39		Total Mosquitoes Tested: 1370		Total Pending: 1	Total RAMP: 9	Total Negative: 31	Total Positive: 7	

Dublin Test Results

Dublin Central	5/15/2017	Gravid Trap	5/16/2017	DC-20-1.1-Gr	<i>Culex spp.</i>	2	Negative	RAMP
	5/30/2017	Gravid Trap	5/31/2017	DC-22-1.1-Gr	<i>Culex spp.</i>	1	Negative	RAMP
	6/5/2017	Gravid Trap	6/6/2017	DC-23-1.1-Gr	<i>Culex spp.</i>	1	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Dublin Central	6/12/2017	Gravid Trap	6/13/2017	DC-24-1.1-Gr	<i>Culex spp.</i>	4	Negative	RAMP	
	6/19/2017	Gravid Trap	6/20/2017	DC-25-1.1-Gr	<i>Culex spp.</i>	9	Negative	RAMP	
	6/26/2017	Gravid Trap	6/27/2017	DC-26-1.1-Gr	<i>Culex spp.</i>	9	Negative	RAMP	
	7/5/2017	Gravid Trap	7/6/2017	DC-27-1.1-Gr	<i>Culex spp.</i>	36	Negative	RAMP	
	7/9/2017	Gravid Trap	7/12/2017	DC-28-1.1-Gr	<i>Culex spp.</i>	7	WNV+	RAMP	
	7/18/2017	Post-spray Trap	7/20/2017	DC-PS-29-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Post-spray Trap		DC-PS-29-2.2	<i>Culex spp.</i>	22	Negative	RAMP	
	7/24/2017	Gravid Trap	7/25/2017	DC-30-1.1-Gr	<i>Culex spp.</i>	8	Negative	LAMP	
	7/31/2017	Gravid Trap	8/1/2017	DC-31-1.1-Gr	<i>Culex spp.</i>	7	Negative	RAMP	
	8/7/2017	Gravid Trap	8/8/2017	DC-32-1.1-Gr	<i>Culex spp.</i>	4	Negative	RAMP	
	8/14/2017	Gravid Trap	8/15/2017	DC-33-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		DC-33-2.2-Gr	<i>Culex spp.</i>	20	Negative	RAMP	
	8/22/2017	Post-spray Trap	8/24/2017	DC-PS-34-1.1	<i>Culex spp.</i>	26	Negative	RAMP	
	8/28/2017	Gravid Trap	8/29/2017	DC-35-1.1-Gr	<i>Culex spp.</i>	22	Negative	RAMP	
	9/5/2017	Gravid Trap	9/6/2017	DC-36-1.1-Gr	<i>Culex spp.</i>	1	Negative	RAMP	
	9/11/2017	Gravid Trap	9/12/2017	DC-37-1.1-Gr	<i>Culex spp.</i>	3	Negative	RAMP	
	9/25/2017	Gravid Trap	9/26/2017	DC-39-1.1-Gr	<i>Culex spp.</i>	15	Negative	RAMP	
	Total Pools Tested: 20		Total Mosquitoes Tested: 297		Total Pending: 0	Total RAMP: 19	Total Negative: 18	Total Positive: 2	
	Dublin East	5/22/2017	Gravid Trap	5/23/2017	DE-21-1.1-Gr	<i>Culex spp.</i>	13	Negative	RAMP
5/30/2017		Gravid Trap	5/31/2017	DE-22-1.1-Gr	<i>Culex spp.</i>	47	Negative	RAMP	
6/5/2017		Gravid Trap	6/6/2017	DE-23-1.1-Gr	<i>Culex spp.</i>	41	Negative	RAMP	
6/12/2017		Gravid Trap	6/13/2017	DE-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		DE-24-2.2-Gr	<i>Culex spp.</i>	15	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin East	6/19/2017	Gravid Trap	6/20/2017	DE-25-1.1-Gr	<i>Culex spp.</i>	1	Negative	RAMP
	6/26/2017	Gravid Trap	6/27/2017	DE-26-1.1-Gr	<i>Culex spp.</i>	31	Negative	RAMP
	7/5/2017	Gravid Trap	7/6/2017	DE-27-1.1-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
	7/9/2017	Gravid Trap	7/12/2017	DE-28-1.1-Gr	<i>Culex spp.</i>	27	Negative	RAMP
	7/12/2017	Post-spray Trap	7/13/2017	DE-PS-28-1.3	<i>Culex spp.</i>	50	Negative	RAMP
		Post-spray Trap		DE-PS-28-2.3	<i>Culex spp.</i>	50	Negative	RAMP
		Post-spray Trap		DE-PS-28-3.3	<i>Culex spp.</i>	36	Negative	RAMP
	7/17/2017	Gravid Trap	7/18/2017	DE-29-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		DE-29-2.2-Gr	<i>Culex spp.</i>	5	Negative	LAMP
	7/24/2017	Gravid Trap	7/25/2017	DE-30-1.1-Gr	<i>Culex spp.</i>	43	WNV+	LAMP
	7/31/2017	Gravid Trap	8/1/2017	DE-31-1.1-Gr	<i>Culex spp.</i>	19	Negative	RAMP
	8/7/2017	Gravid Trap	8/8/2017	DE-32-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-32-2.2-Gr	<i>Culex spp.</i>	8	Negative	RAMP
	8/14/2017	Gravid Trap	8/15/2017	DE-33-1.1-Gr	<i>Culex spp.</i>	34	Negative	RAMP
	8/21/2017	Gravid Trap	8/22/2017	DE-34-1.1-Gr	<i>Culex spp.</i>	22	Negative	RAMP
	8/28/2017	Gravid Trap	8/29/2017	DE-35-1.1-Gr	<i>Culex spp.</i>	30	Negative	RAMP
	9/5/2017	Gravid Trap	9/6/2017	DE-36-1.1-Gr	<i>Culex spp.</i>	23	Negative	RAMP
	9/11/2017	Gravid Trap	9/12/2017	DE-37-1.1-Gr	<i>Culex spp.</i>	7	Negative	RAMP
	9/25/2017	Gravid Trap	9/26/2017	DE-39-1.1-Gr	<i>Culex spp.</i>	21	Negative	RAMP
	Total Pools Tested: 24		Total Mosquitoes Tested: 723		Total Pending: 0	Total RAMP: 21	Total Negative: 22	Total Positive: 2
Dublin North	5/22/2017	Gravid Trap	5/23/2017	DN-21-1.1-Gr	<i>Culex spp.</i>	18	Negative	RAMP
	5/30/2017	Gravid Trap	5/31/2017	DN-22-1.1-Gr	<i>Culex spp.</i>	14	Negative	RAMP
	6/5/2017	Gravid Trap	6/6/2017	DN-23-1.1-Gr	<i>Culex spp.</i>	28	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin North	6/12/2017	Gravid Trap	6/13/2017	DN-24-1.1-Gr	<i>Culex spp.</i>	19	Negative	RAMP
	6/19/2017	Gravid Trap	6/20/2017	DN-25-1.1-Gr	<i>Culex spp.</i>	5	Negative	RAMP
	6/26/2017	Gravid Trap	6/27/2017	DN-26-1.1-Gr	<i>Culex spp.</i>	13	Negative	RAMP
	7/5/2017	Gravid Trap	7/6/2017	DN-27-1.1-Gr	<i>Culex spp.</i>	36	Negative	RAMP
	7/9/2017	Gravid Trap	7/12/2017	DN-28-1.1-Gr	<i>Culex spp.</i>	5	Negative	RAMP
	7/17/2017	Gravid Trap	7/18/2017	DN-29-1.1-Gr	<i>Culex spp.</i>	17	Negative	LAMP
	7/24/2017	Gravid Trap	7/25/2017	DN-30-1.1-Gr	<i>Culex spp.</i>	26	WNV+	LAMP
	8/1/2017	Post-Spray Trap	8/2/2017	DN-PS-31-1.1	<i>Culex spp.</i>	4	Negative	RAMP
	8/7/2017	Gravid Trap	8/8/2017	DN-32-1.1-Gr	<i>Culex spp.</i>	10	Negative	RAMP
	8/14/2017	Gravid Trap	8/15/2017	DN-33-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DN-33-2.2-Gr	<i>Culex spp.</i>	7	Negative	RAMP
	8/21/2017	Gravid Trap	8/22/2017	DN-34-1.1-Gr	<i>Culex spp.</i>	17	Negative	RAMP
	8/28/2017	Gravid Trap	8/29/2017	DN-35-1.1-Gr	<i>Culex spp.</i>	13	Negative	RAMP
	9/5/2017	Gravid Trap	9/6/2017	DN-36-1.1-Gr	<i>Culex spp.</i>	15	Negative	RAMP
	9/18/2017	Gravid Trap	9/19/2017	DN-38-1.1-Gr	<i>Culex spp.</i>	1	Negative	RAMP
	9/25/2017	Gravid Trap	9/26/2017	DN-39-1.1-Gr	<i>Culex spp.</i>	6	Negative	RAMP
Total Pools Tested: 19		Total Mosquitoes Tested: 304		Total Pending: 0	Total RAMP: 17	Total Negative: 18	Total Positive: 1	
Dublin Northeast	5/15/2017	Gravid Trap	5/16/2017	ONE-20-1.1-G	<i>Culex spp.</i>	3	Negative	RAMP
	5/22/2017	Gravid Trap	5/23/2017	ONE-21-1.1-G	<i>Culex spp.</i>	44	Negative	RAMP
	5/30/2017	Gravid Trap	5/31/2017	ONE-22-1.1-G	<i>Culex spp.</i>	25	Negative	RAMP
	6/5/2017	Gravid Trap	6/6/2017	ONE-23-1.1-G	<i>Culex spp.</i>	29	Negative	RAMP
	6/12/2017	Gravid Trap	6/13/2017	ONE-24-1.1-G	<i>Culex spp.</i>	25	Negative	RAMP
	6/19/2017	Gravid Trap	6/20/2017	ONE-25-1.1-G	<i>Culex spp.</i>	25	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin Northeast	7/5/2017	Gravid Trap	7/6/2017	ONE-27-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		ONE-27-2.2-G	<i>Culex spp.</i>	31	Negative	RAMP
	7/9/2017	Gravid Trap	7/12/2017	ONE-28-1.1-G	<i>Culex spp.</i>	8	Negative	RAMP
	7/17/2017	Gravid Trap	7/18/2017	ONE-29-1.1-G	<i>Culex spp.</i>	12	Negative	LAMP
	7/24/2017	Gravid Trap	7/25/2017	ONE-30-1.1-G	<i>Culex spp.</i>	22	Negative	LAMP
	7/31/2017	Gravid Trap	8/1/2017	ONE-31-1.1-G	<i>Culex spp.</i>	15	Negative	RAMP
	8/7/2017	Gravid Trap	8/8/2017	ONE-32-1.1-G	<i>Culex spp.</i>	22	Negative	RAMP
	8/14/2017	Gravid Trap	8/15/2017	ONE-33-1.1-G	<i>Culex spp.</i>	35	Negative	RAMP
	8/21/2017	Gravid Trap	8/22/2017	ONE-34-1.1-G	<i>Culex spp.</i>	28	Negative	RAMP
	8/28/2017	Gravid Trap	8/29/2017	ONE-35-1.1-G	<i>Culex spp.</i>	10	Negative	RAMP
	9/5/2017	Gravid Trap	9/6/2017	ONE-36-1.1-G	<i>Culex spp.</i>	8	Negative	RAMP
	9/11/2017	Gravid Trap	9/12/2017	ONE-37-1.1-G	<i>Culex spp.</i>	3	Negative	RAMP
	9/18/2017	Gravid Trap	9/19/2017	ONE-38-1.1-G	<i>Culex spp.</i>	7	Negative	RAMP
9/25/2017	Gravid Trap	9/26/2017	ONE-39-1.1-G	<i>Culex spp.</i>	12	Negative	RAMP	
Total Pools Tested: 20		Total Mosquitoes Tested: 414		Total Pending: 0	Total RAMP: 18	Total Negative: 20	Total Positive: 0	
Dublin West	5/22/2017	Gravid Trap	5/23/2017	DW-21-1.1-G1	<i>Culex spp.</i>	3	Negative	RAMP
	5/30/2017	Gravid Trap	5/31/2017	DW-22-1.1-G1	<i>Culex spp.</i>	6	Negative	RAMP
	6/5/2017	Gravid Trap	6/6/2017	DW-23-1.1-G1	<i>Culex spp.</i>	18	Negative	RAMP
	6/12/2017	Gravid Trap	6/13/2017	DW-24-1.1-G1	<i>Culex spp.</i>	3	Negative	RAMP
	6/19/2017	Gravid Trap	6/20/2017	DW-25-1.1-G1	<i>Culex spp.</i>	30	Negative	RAMP
	6/26/2017	Gravid Trap	6/27/2017	DW-26-1.1-G1	<i>Culex spp.</i>	12	Negative	RAMP
	7/5/2017	Gravid Trap	7/6/2017	DW-27-1.1-G1	<i>Culex spp.</i>	49	Negative	RAMP
	7/9/2017	Gravid Trap	7/12/2017	DW-28-1.1-G1	<i>Culex spp.</i>	24	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay			
Dublin West	7/17/2017	Gravid Trap	7/18/2017	DW-29-1.1-G1	<i>Culex spp.</i>	45	Negative	LAMP			
	7/24/2017	Gravid Trap	7/25/2017	DW-30-1.1-G1	<i>Culex spp.</i>	2	Negative	LAMP			
	7/31/2017	Gravid Trap	8/1/2017	DW-31-1.1-G1	<i>Culex spp.</i>	5	Negative	RAMP			
	8/7/2017	Gravid Trap	8/8/2017	DW-32-1.1-G1	<i>Culex spp.</i>	16	Negative	RAMP			
	8/14/2017	Gravid Trap	8/15/2017	DW-33-1.1-G1	<i>Culex spp.</i>	27	Negative	RAMP			
	8/21/2017	Gravid Trap	8/22/2017	DW-34-1.1-G1	<i>Culex spp.</i>	26	Negative	RAMP			
	8/28/2017	Gravid Trap	8/29/2017	DW-35-1.1-G1	<i>Culex spp.</i>	26	Negative	RAMP			
	9/5/2017	Gravid Trap	9/6/2017	DW-36-1.1-G1	<i>Culex spp.</i>	4	Negative	RAMP			
	9/11/2017	Gravid Trap	9/12/2017	DW-37-1.1-G1	<i>Culex spp.</i>	1	Negative	RAMP			
	9/18/2017	Gravid Trap	9/19/2017	DW-38-1.1-G1	<i>Culex spp.</i>	5	Negative	RAMP			
9/25/2017	Gravid Trap	9/26/2017	DW-39-1.1-G1	<i>Culex spp.</i>	6	Negative	RAMP				
Total Pools Tested:	19	Total Mosquitoes Tested:	308	Total Pending:	0	Total RAMP:	17	Total Negative:	19	Total Positive:	0
Total Pools Tested:	102	Total Mosquitoes Tested:	2046	Total Pending:	0	Total RAMP:	92	Total Negative:	97	Total Positive:	5

Franklin Test Results

Franklin North	5/15/2017	Gravid Trap	5/16/2017	FN-20-1.1-Gr	<i>Culex spp.</i>	24	Negative	RAMP
	5/22/2017	Gravid Trap		FN-21-1.1-Gr	<i>Culex spp.</i>	13	Negative	RT-PCR
	5/30/2017	Gravid Trap	5/31/2017	FN-22-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-22-2.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		FN-22-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
	6/5/2017	Gravid Trap	6/6/2017	FN-22-4.4-Gr	<i>Culex spp.</i>	24	Negative	RT-PCR
		Gravid Trap		FN-23-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
	6/12/2017	Gravid Trap		FN-23-2.2-Gr	<i>Culex spp.</i>	34	Negative	RT-PCR
		Gravid Trap	6/13/2017	FN-24-1.1-Gr	<i>Culex spp.</i>	46	Negative	RAMP
	6/19/2017	Gravid Trap	6/20/2017	FN-25-1.3-Gr	<i>Culex spp.</i>	50	WNV+	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Franklin North	6/19/2017	Gravid Trap		FN-25-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		FN-25-3.3-Gr	<i>Culex spp.</i>	20	Negative	RT-PCR
	6/27/2017	Post-spray		FN-PS-26-1.1	<i>Culex spp.</i>	48	Negative	RT-PCR
	7/5/2017	Gravid Trap	7/6/2017	FN-27-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-27-2.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		FN-27-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		FN-27-4.4-Gr	<i>Culex spp.</i>	30	Negative	RT-PCR
	7/9/2017	Gravid Trap		FN-28-1.1-Gr	<i>Culex spp.</i>	16	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	FN-29-1.4-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		FN-29-2.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		FN-29-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		FN-29-4.4-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	FN-30-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		FN-30-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		FN-30-3.3-Gr	<i>Culex spp.</i>	18	Negative	RT-PCR
	7/29/2017	Post-Spray Trap		FN-PS-31-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		FN-PS-31-2.2	<i>Culex spp.</i>	45	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	FN-31-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		FN-31-2.2-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
	8/7/2017	Gravid Trap	8/8/2017	FN-32-1.4-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		FN-32-2.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		FN-32-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		FN-32-4.4-Gr	<i>Culex spp.</i>	29	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	FN-33-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		FN-33-2.2-Gr	<i>Culex spp.</i>	23	WNV+	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Franklin North	8/21/2017	Gravid Trap	8/23/2017	FN-34-1.4-Gr	<i>Culex spp.</i>	50	WNV+	LAMP	
		Gravid Trap		FN-34-2.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		FN-34-3.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		FN-34-4.4-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR	
	8/28/2017	Gravid Trap	8/30/2017	FN-35-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP	
		Gravid Trap		FN-35-2.2-Gr	<i>Culex spp.</i>	12	WNV+	RT-PCR	
	9/1/2017	Post-spray Trap		FN-PS-35-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR	
	9/5/2017	Gravid Trap	9/6/2017	FN-36-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP	
		Gravid Trap		FN-36-2.2-Gr	<i>Culex spp.</i>	9	Negative	RT-PCR	
	9/11/2017	Gravid Trap	9/12/2017	FN-37-1.1-Gr	<i>Culex spp.</i>	14	Negative	RAMP	
	9/18/2017	Gravid Trap		FN-38-1.1-Gr	<i>Culex spp.</i>	9	Negative	RT-PCR	
	9/25/2017	Gravid Trap	9/26/2017	FN-39-1.1-Gr	<i>Culex spp.</i>	33	WNV+	RAMP	
	Total Pools Tested: 47		Total Mosquitoes Tested: 1763		Total Pending: 0	Total RAMP: 8	Total Negative: 35	Total Positive: 12	
	Franklin South	5/15/2017	Gravid Trap	5/16/2017	FS-20-1.1-Gr	<i>Culex spp.</i>	16	Negative	RAMP
5/22/2017		Gravid Trap		FS-21-1.1-Gr	<i>Culex spp.</i>	4	Negative	RT-PCR	
5/30/2017		Gravid Trap		FS-22-1.1-Gr	<i>Culex spp.</i>	32	Negative	RT-PCR	
6/5/2017		Gravid Trap		FS-23-1.1-Gr	<i>Culex spp.</i>	41	Negative	RT-PCR	
6/12/2017		Gravid Trap		FS-24-1.1-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR	
6/19/2017		Gravid Trap	6/20/2017	FS-25-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		FS-25-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		FS-25-3.3-Gr	<i>Culex spp.</i>	33	Negative	RT-PCR	
6/26/2017		Gravid Trap	6/27/2017	FS-26-1.1-Gr	<i>Culex spp.</i>	42	Negative	RAMP	
7/5/2017		Gravid Trap	7/6/2017	FS-27-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay					
Franklin South	7/5/2017	Gravid Trap		FS-27-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR					
		Gravid Trap		FS-27-3.3-Gr	<i>Culex spp.</i>	28	Negative	RT-PCR					
	7/9/2017	Gravid Trap	7/12/2017	FS-28-1.1-Gr	<i>Culex spp.</i>	42	WNV+	RAMP					
	7/13/2017	Post-spray Trap		FS-PS-28-1.1	<i>Culex spp.</i>	23	WNV+	RT-PCR					
		Gravid Trap		S-PS-28-1.1-C	<i>Culex spp.</i>	23	Negative	RT-PCR					
	7/17/2017	Gravid Trap		FS-29-1.1-Gr	<i>Culex spp.</i>	20	Negative	RT-PCR					
	7/24/2017	Gravid Trap		FS-30-1.1-Gr	<i>Culex spp.</i>	22	Negative	RT-PCR					
	7/31/2017	Gravid Trap	8/1/2017	FS-31-1.3-Gr	<i>Culex spp.</i>	50	WNV+	LAMP					
		Gravid Trap		FS-31-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR					
		Gravid Trap		FS-31-3.3-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR					
	8/7/2017	Gravid Trap		FS-32-1.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR					
		Gravid Trap		FS-32-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR					
		Gravid Trap		FS-32-3.3-Gr	<i>Culex spp.</i>	30	Negative	RT-PCR					
	8/9/2017	Post-spray Trap		FS-PS-32-1.1	<i>Culex spp.</i>	19	Negative	RT-PCR					
	8/14/2017	Gravid Trap	8/17/2017	FS-33-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP					
		Gravid Trap		FS-33-2.2-Gr	<i>Culex spp.</i>	20	WNV+	RT-PCR					
	8/21/2017	Gravid Trap		FS-34-1.1-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR					
	8/23/2017	Post-spray Trap		FS-PS-34-1.1	<i>Culex spp.</i>	5	Negative	RT-PCR					
	8/28/2017	Gravid Trap	8/30/2017	FS-35-1.1-Gr	<i>Culex spp.</i>	45	WNV+	LAMP					
	9/5/2017	Gravid Trap	9/6/2017	FS-36-1.1-Gr	<i>Culex spp.</i>	27	Negative	LAMP					
	9/11/2017	Gravid Trap		FS-37-1.1-Gr	<i>Culex spp.</i>	14	WNV+	RT-PCR					
	9/19/2017	Post-spray Trap		FS-PS-38-1.1	<i>Culex spp.</i>	2	Pending	RT-PCR					
	9/25/2017	Gravid Trap		FS-39-1.1-Gr	<i>Culex spp.</i>	7	Pending	RT-PCR					
		Total Pools Tested:	33	Total Mosquitoes Tested:	1010	Total Pending:	2	Total RAMP:	5	Total Negative:	21	Total Positive:	10
		Total Pools Tested:	80	Total Mosquitoes Tested:	2773	Total Pending:	2	Total RAMP:	13	Total Negative:	56	Total Positive:	22

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Gahanna Test Results								
Gahanna North	5/15/2017	Gravid Trap	5/16/2017	GN-20-1.1-Gr	<i>Culex spp.</i>	36	Negative	RAMP
	5/22/2017	Gravid Trap	5/24/2017	GN-21-1.1-Gr	<i>Culex spp.</i>	38	Negative	RAMP
	5/30/2017	Gravid Trap		GN-22-1.1-Gr	<i>Culex spp.</i>	28	Negative	RT-PCR
	6/5/2017	Gravid Trap	6/6/2017	GN-23-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GN-23-2.2-Gr	<i>Culex spp.</i>	38	Negative	RT-PCR
	6/12/2017	Gravid Trap	6/13/2017	GN-24-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GN-24-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GN-24-3.3-Gr	<i>Culex spp.</i>	29	Negative	RT-PCR
	6/19/2017	Gravid Trap		GN-25-1.1-Gr	<i>Culex spp.</i>	9	Negative	RT-PCR
	6/26/2017	Gravid Trap		GN-26-1.1-Gr	<i>Culex spp.</i>	13	Negative	RT-PCR
	7/5/2017	Gravid Trap	7/6/2017	GN-27-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GN-27-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GN-27-3.3-Gr	<i>Culex spp.</i>	19	Negative	RT-PCR
	7/9/2017	Gravid Trap		GN-28-1.1-Gr	<i>Culex spp.</i>	19	Negative	RT-PCR
	7/17/2017	Gravid Trap		GN-29-1.1-Gr	<i>Culex spp.</i>	35	Negative	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	GN-30-1.1-Gr	<i>Culex spp.</i>	44	Negative	LAMP
	7/31/2017	Gravid Trap	8/1/2017	GN-31-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		GN-31-2.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		GN-31-3.3-Gr	<i>Culex spp.</i>	27	Negative	RT-PCR
	8/7/2017	Gravid Trap	8/10/2017	GN-32-1.3-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		GN-32-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		GN-32-3.3-Gr	<i>Culex spp.</i>	46	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	GN-33-1.3-Gr	<i>Culex spp.</i>	50	WNV+	LAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Gahanna North	8/14/2017	Gravid Trap		GN-33-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GN-33-3.3-Gr	<i>Culex spp.</i>	13	Negative	RT-PCR
	8/16/2017	Post-spray Trap		GN-PS-33-1.1	<i>Culex spp.</i>	25	Negative	RT-PCR
	8/21/2017	Gravid Trap	8/23/2017	GN-34-1.1-Gr	<i>Culex spp.</i>	28	Negative	LAMP
	8/28/2017	Gravid Trap	8/30/2017	GN-35-1.1-Gr	<i>Culex spp.</i>	26	Negative	LAMP
	9/5/2017	Gravid Trap	9/6/2017	GN-36-1.1-Gr	<i>Culex spp.</i>	26	Negative	LAMP
	9/11/2017	Gravid Trap		GN-37-1.1-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR
	9/18/2017	Gravid Trap		GN-38-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	9/25/2017	Gravid Trap	9/26/2017	GN-39-1.1-Gr	<i>Culex spp.</i>	18	Negative	RAMP
Total Pools Tested: 32		Total Mosquitoes Tested: 1081		Total Pending: 0	Total RAMP: 6	Total Negative: 29	Total Positive: 3	
Gahanna South	5/15/2017	Gravid Trap		GS-20-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	5/22/2017	Gravid Trap		GS-21-1.1-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	5/30/2017	Gravid Trap		GS-22-1.1-Gr	<i>Culex spp.</i>	16	Negative	RT-PCR
	6/5/2017	Gravid Trap	6/6/2017	GS-23-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GS-23-2.2-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	6/12/2017	Gravid Trap	6/13/2017	GS-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GS-24-2.2-Gr	<i>Culex spp.</i>	24	Negative	RT-PCR
	6/19/2017	Gravid Trap		GS-25-1.1-Gr	<i>Culex spp.</i>	2	Negative	RT-PCR
	6/26/2017	Gravid Trap		GS-26-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	7/5/2017	Gravid Trap	7/6/2017	GS-27-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GS-27-2.2-Gr	<i>Culex spp.</i>	33	Negative	RT-PCR
	7/9/2017	Gravid Trap		GS-28-1.1-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	GS-29-1.1-Gr	<i>Culex spp.</i>	45	Negative	LAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Gahanna South	7/24/2017	Gravid Trap	7/25/2017	GS-30-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		GS-30-2.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		GS-30-3.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	GS-31-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		GS-31-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GS-31-3.3-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	8/7/2017	Gravid Trap	8/10/2017	GS-32-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		GS-32-2.2-Gr	<i>Culex spp.</i>	47	WNV+	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	GS-33-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		GS-33-2.2-Gr	<i>Culex spp.</i>	29	WNV+	RT-PCR
	8/21/2017	Gravid Trap		GS-34-1.1-Gr	<i>Culex spp.</i>	36	WNV+	RT-PCR
	8/25/2017	Post-spray Trap		GS-PS-34-1.1	<i>Culex spp.</i>	3	Negative	RT-PCR
	8/28/2017	Gravid Trap	8/30/2017	GS-35-1.1-Gr	<i>Culex spp.</i>	45	WNV+	LAMP
	9/5/2017	Gravid Trap		GS-36-1.1-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	9/11/2017	Gravid Trap		GS-37-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	9/18/2017	Gravid Trap		GS-38-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
	9/25/2017	Gravid Trap	9/26/2017	GS-39-1.1-Gr	<i>Culex spp.</i>	14	Negative	RAMP
Total Pools Tested: 30		Total Mosquitoes Tested: 854		Total Pending: 0	Total RAMP: 4	Total Negative: 25	Total Positive: 5	
Gahanna West	5/15/2017	Gravid Trap		3W-20-1.1-G1	<i>Culex spp.</i>	10	Negative	RT-PCR
	5/22/2017	Gravid Trap	5/23/2017	3W-21-1.1-G1	<i>Culex spp.</i>	21	Negative	RAMP
	6/1/2017	Gravid Trap		3W-22-1.1-G1	<i>Culex spp.</i>	25	Negative	RT-PCR
	6/5/2017	Gravid Trap		3W-23-1.2-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		3W-23-2.2-G1	<i>Culex spp.</i>	11	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Gahanna West	6/12/2017	Gravid Trap		3W-24-1.2-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		3W-24-2.2-G1	<i>Culex spp.</i>	3	Negative	RT-PCR
	6/19/2017	Gravid Trap	6/20/2017	3W-25-1.1-G1	<i>Culex spp.</i>	29	Negative	RAMP
	6/26/2017	Gravid Trap	6/27/2017	3W-26-1.1-G1	<i>Culex spp.</i>	25	Negative	RAMP
	7/5/2017	Gravid Trap	7/6/2017	3W-27-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		3W-27-2.3-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		3W-27-3.3-G1	<i>Culex spp.</i>	40	Negative	RT-PCR
	7/9/2017	Gravid Trap	7/12/2017	3W-28-1.1-G1	<i>Culex spp.</i>	29	Negative	RAMP
	7/17/2017	Gravid Trap	7/18/2017	3W-29-1.3-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		3W-29-2.3-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		3W-29-3.3-G1	<i>Culex spp.</i>	15	Negative	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	3W-30-1.3-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		3W-30-2.3-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		3W-30-3.3-G1	<i>Culex spp.</i>	47	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	3W-31-1.2-G1	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		3W-31-2.2-G1	<i>Culex spp.</i>	42	Negative	RT-PCR
	8/7/2017	Gravid Trap	8/10/2017	3W-32-1.2-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		3W-32-2.2-G1	<i>Culex spp.</i>	46	Negative	RT-PCR
	8/11/2017	Post-spray Trap		3W-PS-32-1.1	<i>Culex spp.</i>	9	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	3W-33-1.2-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		3W-33-2.2-G1	<i>Culex spp.</i>	45	WNV+	RT-PCR
	8/21/2017	Gravid Trap	8/23/2017	3W-34-1.1-G1	<i>Culex spp.</i>	32	Negative	LAMP
	8/28/2017	Gravid Trap	8/30/2017	3W-35-1.1-G1	<i>Culex spp.</i>	24	Negative	LAMP
	9/5/2017	Gravid Trap		3W-36-1.1-G1	<i>Culex spp.</i>	5	Negative	RT-PCR
	9/11/2017	Gravid Trap		3W-37-1.1-G1	<i>Culex spp.</i>	3	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Gahanna West	9/18/2017	Gravid Trap		3W-38-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
	9/25/2017	Gravid Trap	9/26/2017	3W-39-1.1-Gr	<i>Culex spp.</i>	14	Negative	RAMP
	Total Pools Tested: 32		Total Mosquitoes Tested: 1026		Total Pending: 0	Total RAMP: 6	Total Negative: 30	Total Positive: 2
Total Pools Tested: 94		Total Mosquitoes Tested: 2961		Total Pending: 0	Total RAMP: 16	Total Negative: 84	Total Positive: 10	

Grandview Heights Test Results

Grandview	5/15/2017	Gravid Trap	5/16/2017	GV-20-1.1-Gr	<i>Culex spp.</i>	11	Negative	RAMP
	5/22/2017	Gravid Trap	5/23/2017	GV-21-1.1-Gr	<i>Culex spp.</i>	16	Negative	RAMP
	5/30/2017	Gravid Trap	5/31/2017	GV-22-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GV-22-2.2-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR
	6/5/2017	Gravid Trap		GV-23-1.1-Gr	<i>Culex spp.</i>	45	Negative	RT-PCR
	6/12/2017	Gravid Trap		GV-24-1.1-Gr	<i>Culex spp.</i>	23	Negative	RT-PCR
	6/19/2017	Gravid Trap		GV-25-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	6/26/2017	Gravid Trap	6/27/2017	GV-26-1.1-Gr	<i>Culex spp.</i>	42	Negative	RAMP
		7/5/2017	Gravid Trap	7/6/2017	GV-27-1.2-Gr	<i>Culex spp.</i>	50	Negative
	Gravid Trap			GV-27-2.2-Gr	<i>Culex spp.</i>	15	Negative	RT-PCR
	7/9/2017	Gravid Trap	7/12/2017	GV-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GV-28-2.2-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	GV-29-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		GV-29-2.2-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	GV-30-1.1-Gr	<i>Culex spp.</i>	31	Negative	LAMP
	7/31/2017	Gravid Trap	8/1/2017	GV-31-1.3-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		GV-31-2.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		GV-31-3.3-Gr	<i>Culex spp.</i>	18	Negative	RT-PCR
	8/7/2017	Gravid Trap	8/10/2017	GV-32-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grandview	8/7/2017	Gravid Trap		GV-32-2.2-Gr	<i>Culex spp.</i>	9	Negative	RT-PCR
	8/10/2017	Post-spray Trap		GV-PS-32-1.1	<i>Culex spp.</i>	2	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	GV-33-1.1-Gr	<i>Culex spp.</i>	49	Negative	LAMP
	8/21/2017	Gravid Trap	8/23/2017	GV-34-1.1-Gr	<i>Culex spp.</i>	34	WNV+	LAMP
	9/6/2017	Post-Spray Trap		GV-PS-36-1.1	<i>Culex spp.</i>	30	WNV+	RT-PCR
	9/11/2017	Gravid Trap		GV-37-1.1-Gr	<i>Culex spp.</i>	14	Negative	RT-PCR
	9/18/2017	Gravid Trap		GV-38-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
	9/25/2017	Gravid Trap	9/26/2017	GV-39-1.1-Gr	<i>Culex spp.</i>	42	Negative	RAMP
Total Pools Tested: 27		Total Mosquitoes Tested: 755		Total Pending: 0	Total RAMP: 7	Total Negative: 24	Total Positive: 3	
Total Pools Tested: 27		Total Mosquitoes Tested: 755		Total Pending: 0	Total RAMP: 7	Total Negative: 24	Total Positive: 3	

Grove City Test Results

Grove City North	5/15/2017	Gravid Trap	5/16/2017	GCN-20-1.1-G	<i>Culex spp.</i>	27	Negative	RAMP
	5/22/2017	Gravid Trap		GCN-21-1.1-G	<i>Culex spp.</i>	22	Negative	RT-PCR
	5/30/2017	Gravid Trap	5/31/2017	GCN-22-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GCN-22-2.2-G	<i>Culex spp.</i>	18	Negative	RT-PCR
	6/5/2017	Gravid Trap		GCN-23-1.2-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GCN-23-2.2-G	<i>Culex spp.</i>	15	Negative	RT-PCR
	6/12/2017	Gravid Trap	6/13/2017	GCN-24-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GCN-24-2.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GCN-24-3.3-G	<i>Culex spp.</i>	38	Negative	RT-PCR
	6/19/2017	Gravid Trap		GCN-25-1.2-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GCN-25-2.2-G	<i>Culex spp.</i>	42	Negative	RT-PCR
	6/26/2017	Gravid Trap		GCN-26-1.1-G	<i>Culex spp.</i>	19	Negative	RT-PCR
	7/5/2017	Gravid Trap	7/6/2017	GCN-27-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City North	7/5/2017	Gravid Trap		ǰCN-27-2.2-G	<i>Culex spp.</i>	38	Negative	RT-PCR
	7/9/2017	Gravid Trap		ǰCN-28-1.1-G	<i>Culex spp.</i>	10	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	ǰCN-29-1.4-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		ǰCN-29-2.4-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		ǰCN-29-3.4-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		ǰCN-29-4.4-G	<i>Culex spp.</i>	7	Negative	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	ǰCN-30-1.1-G	<i>Culex spp.</i>	46	Negative	LAMP
	7/31/2017	Gravid Trap	8/1/2017	ǰCN-31-1.2-G	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		ǰCN-31-2.2-G	<i>Culex spp.</i>	43	WNV+	RT-PCR
	8/7/2017	Gravid Trap	8/10/2017	ǰCN-32-1.3-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		ǰCN-32-2.3-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		ǰCN-32-3.3-G	<i>Culex spp.</i>	33	Negative	RT-PCR
	8/9/2017	Post-spray Trap		ǰCN-PS-32-1.	<i>Culex spp.</i>	42	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	ǰCN-33-1.4-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		ǰCN-33-2.4-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		ǰCN-33-3.4-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		ǰCN-33-4.4-G	<i>Culex spp.</i>	6	Negative	RT-PCR
	8/21/2017	Gravid Trap	8/23/2017	ǰCN-34-1.2-G	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		ǰCN-34-2.2-G	<i>Culex spp.</i>	13	Negative	RT-PCR
	8/28/2017	Gravid Trap	8/30/2017	ǰCN-35-1.1-G	<i>Culex spp.</i>	50	Negative	LAMP
	9/1/2017	Post-spray Trap		ǰCN-PS-35-1.	<i>Culex spp.</i>	1	Negative	RT-PCR
	9/5/2017	Gravid Trap	9/6/2017	ǰCN-36-1.2-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		ǰCN-36-2.2-G	<i>Culex spp.</i>	7	WNV+	RT-PCR
9/11/2017	Gravid Trap	9/12/2017	ǰCN-37-1.1-G	<i>Culex spp.</i>	14	Negative	RAMP	
9/18/2017	Gravid Trap		ǰCN-38-1.1-G	<i>Culex spp.</i>	4	Negative	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City North	9/25/2017	Gravid Trap	9/26/2017	JCN-39-1.1-G	<i>Culex spp.</i>	27	Negative	RAMP
	Total Pools Tested: 39	Total Mosquitoes Tested: 1372		Total Pending: 0	Total RAMP: 6	Total Negative: 32	Total Positive: 7	
Grove City South	5/15/2017	Gravid Trap		JCS-20-1.1-G	<i>Culex spp.</i>	5	Negative	RT-PCR
	5/22/2017	Gravid Trap		JCS-21-1.1-G	<i>Culex spp.</i>	12	Negative	RT-PCR
	5/30/2017	Gravid Trap		JCS-22-1.1-G	<i>Culex spp.</i>	5	Negative	RT-PCR
	6/5/2017	Gravid Trap	6/6/2017	JCS-23-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JCS-23-2.2-G	<i>Culex spp.</i>	27	Negative	RT-PCR
	6/12/2017	Gravid Trap		JCS-24-1.2-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JCS-24-2.2-G	<i>Culex spp.</i>	16	Negative	RT-PCR
	6/19/2017	Gravid Trap	6/20/2017	JCS-25-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JCS-25-2.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JCS-25-3.3-G	<i>Culex spp.</i>	3	Negative	RT-PCR
	6/26/2017	Gravid Trap		JCS-26-1.1-G	<i>Culex spp.</i>	20	Negative	RT-PCR
	7/5/2017	Gravid Trap	7/6/2017	JCS-27-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JCS-27-2.2-G	<i>Culex spp.</i>	48	Negative	RT-PCR
	7/9/2017	Gravid Trap	7/12/2017	JCS-28-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JCS-28-2.2-G	<i>Culex spp.</i>	10	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	JCS-29-1.3-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		JCS-29-2.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JCS-29-3.3-G	<i>Culex spp.</i>	43	Negative	RT-PCR
	7/24/2017	Gravid Trap		JCS-30-1.1-G	<i>Culex spp.</i>	21	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	JCS-31-1.5-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		JCS-31-2.5-G	<i>Culex spp.</i>	50	WNV+	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City South	7/31/2017	Gravid Trap		JCS-31-3.5-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JCS-31-4.5-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JCS-31-5.5-G	<i>Culex spp.</i>	50	Negative	RT-PCR
	8/7/2017	Gravid Trap	8/10/2017	JCS-32-1.3-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		JCS-32-2.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JCS-32-3.3-G	<i>Culex spp.</i>	31	Negative	RT-PCR
	8/9/2017	Post-spray Trap		JCS-PS-32-1.1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-spray Trap		JCS-PS-32-2.1	<i>Culex spp.</i>	5	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	JCS-33-1.4-G	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		JCS-33-2.4-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		JCS-33-3.4-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JCS-33-4.4-G	<i>Culex spp.</i>	10	Negative	RT-PCR
	8/21/2017	Gravid Trap	8/23/2017	JCS-34-1.4-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		JCS-34-2.4-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		JCS-34-3.4-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		JCS-34-4.4-G	<i>Culex spp.</i>	4	Negative	RT-PCR
	8/23/2017	Post-spray Trap		JCS-PS-34-1.1	<i>Culex spp.</i>	45	Negative	RT-PCR
	8/28/2017	Gravid Trap	8/30/2017	JCS-35-1.2-G	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		JCS-35-2.2-G	<i>Culex spp.</i>	16	Negative	RT-PCR
	9/5/2017	Gravid Trap	9/6/2017	JCS-36-1.3-G	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		JCS-36-2.3-G	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		JCS-36-3.3-G	<i>Culex spp.</i>	16	WNV+	RT-PCR
	9/11/2017	Gravid Trap		JCS-37-1.1-G	<i>Culex spp.</i>	4	Negative	RT-PCR
9/15/2017	Post-spray Trap		JCS-PS-37-1.1	<i>Culex spp.</i>	20	Negative	RT-PCR	
9/18/2017	Gravid Trap	9/19/2017	JCS-38-1.1-G	<i>Culex spp.</i>	15	WNV+	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City South	9/25/2017	Gravid Trap	9/26/2017	ICS-39-1.1-G	<i>Culex spp.</i>	30	Negative	RAMP
	Total Pools Tested: 47	Total Mosquitoes Tested: 1656		Total Pending: 0	Total RAMP: 6	Total Negative: 37	Total Positive: 10	
Grove City West	5/15/2017	Gravid Trap	5/16/2017	ICW-20-1.1-G	<i>Culex spp.</i>	31	Negative	RAMP
	5/22/2017	Gravid Trap	5/23/2017	ICW-21-1.1-G	<i>Culex spp.</i>	24	Negative	RAMP
	5/30/2017	Gravid Trap	5/31/2017	ICW-22-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		ICW-22-2.2-G	<i>Culex spp.</i>	30	Negative	RT-PCR
	6/5/2017	Gravid Trap	6/6/2017	ICW-23-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		ICW-23-2.2-G	<i>Culex spp.</i>	39	Negative	RT-PCR
	6/12/2017	Gravid Trap	6/13/2017	ICW-24-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		ICW-24-2.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		ICW-24-3.3-G	<i>Culex spp.</i>	29	Negative	RT-PCR
	6/19/2017	Gravid Trap		ICW-25-1.1-G	<i>Culex spp.</i>	50	Negative	RT-PCR
	7/5/2017	Gravid Trap	7/6/2017	ICW-27-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		ICW-27-2.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		ICW-27-3.3-G	<i>Culex spp.</i>	39	Negative	RT-PCR
	7/9/2017	Gravid Trap	7/12/2017	ICW-28-1.2-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		ICW-28-2.2-G	<i>Culex spp.</i>	19	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	ICW-29-1.4-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		ICW-29-2.4-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		ICW-29-3.4-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		ICW-29-4.4-G	<i>Culex spp.</i>	39	Negative	RT-PCR
	7/21/2017	Post-Spray Trap		ICW-PS-29-1.	<i>Culex spp.</i>	36	Negative	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	ICW-30-1.2-G	<i>Culex spp.</i>	50	Negative	LAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City West	7/24/2017	Gravid Trap	7/25/2017	iCW-30-2.2-G	<i>Culex spp.</i>	28	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	iCW-31-1.3-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		iCW-31-2.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		iCW-31-3.3-G	<i>Culex spp.</i>	10	Negative	RT-PCR
	8/7/2017	Gravid Trap	8/8/2017	iCW-32-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		iCW-32-2.3-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		iCW-32-3.3-G	<i>Culex spp.</i>	22	WNV+	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	iCW-33-1.3-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		iCW-33-2.3-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		iCW-33-3.3-G	<i>Culex spp.</i>	16	Negative	RT-PCR
	8/21/2017	Gravid Trap	8/23/2017	iCW-34-1.2-G	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		iCW-34-2.2-G	<i>Culex spp.</i>	38	Negative	RT-PCR
	8/28/2017	Gravid Trap	8/30/2017	iCW-35-1.2-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		iCW-35-2.2-G	<i>Culex spp.</i>	17	Negative	RT-PCR
	9/1/2017	Post-spray Trap		iCW-PS-35-1.	<i>Culex spp.</i>	3	Negative	RT-PCR
	9/5/2017	Gravid Trap	9/6/2017	iCW-36-1.1-G	<i>Culex spp.</i>	40	Negative	LAMP
	9/11/2017	Gravid Trap	9/12/2017	iCW-37-1.1-G	<i>Culex spp.</i>	19	Negative	RAMP
	9/18/2017	Gravid Trap		iCW-38-1.1-G	<i>Culex spp.</i>	9	Negative	RT-PCR
	9/25/2017	Gravid Trap		iCW-39-1.1-G	<i>Culex spp.</i>	15	Pending	RT-PCR
	Total Pools Tested: 40		Total Mosquitoes Tested: 1503		Total Pending: 1	Total RAMP: 8	Total Negative: 35	Total Positive: 4
Total Pools Tested: 126		Total Mosquitoes Tested: 4531		Total Pending: 1	Total RAMP: 20	Total Negative: 104	Total Positive: 21	

Groveport Test Results

Groveport	5/22/2017	Gravid Trap		GP-21-1.1-Gr	<i>Culex spp.</i>	20	Negative	RT-PCR
	5/30/2017	Gravid Trap		GP-22-1.1-Gr	<i>Culex spp.</i>	21	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Groveport	6/6/2017	Gravid Trap		GP-23-1.2-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GP-23-2.2-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	6/12/2017	Gravid Trap	6/13/2017	GP-24-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GP-24-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GP-24-3.3-Gr	<i>Culex spp.</i>	43	WNV+	RT-PCR
	6/19/2017	Gravid Trap		GP-25-1.1-Gr	<i>Culex spp.</i>	21	Negative	RT-PCR
	6/26/2017	Gravid Trap		GP-26-1.1-Gr	<i>Culex spp.</i>	27	Negative	RT-PCR
	7/5/2017	Gravid Trap	7/6/2017	GP-27-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GP-27-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GP-27-3.3-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR
	7/9/2017	Gravid Trap	7/12/2017	GP-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GP-28-2.2-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	7/11/2017	Post-spray Trap		GP-PS-28-1.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		P-PS-28-1.3-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-spray Trap		GP-PS-28-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		P-PS-28-2.3-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-spray Trap		GP-PS-28-3.3	<i>Culex spp.</i>	3	Negative	RT-PCR
		Gravid Trap		P-PS-28-3.3-C	<i>Culex spp.</i>	3	Negative	RT-PCR
	7/17/2017	Gravid Trap		GP-29-1.1-Gr	<i>Culex spp.</i>	30	Negative	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	GP-30-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		GP-30-2.2-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	GP-31-1.4-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		GP-31-2.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GP-31-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GP-31-4.4-Gr	<i>Culex spp.</i>	18	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Groveport	8/8/2017	Post-spray Trap		GP-PS-32-1.3	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Post-spray Trap		GP-PS-32-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Post-spray Trap		GP-PS-32-3.3	<i>Culex spp.</i>	30	Negative	RT-PCR	
	8/15/2017	Gravid Trap		GP-33-1.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		GP-33-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		GP-33-3.3-Gr	<i>Culex spp.</i>	39	WNV+	RT-PCR	
	8/21/2017	Gravid Trap	8/23/2017	GP-34-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP	
		Gravid Trap		GP-34-2.2-Gr	<i>Culex spp.</i>	9	WNV+	RT-PCR	
	8/28/2017	Gravid Trap	8/30/2017	GP-35-1.4-Gr	<i>Culex spp.</i>	50	WNV+	LAMP	
		Gravid Trap		GP-35-2.4-Gr	<i>Culex spp.</i>	50	Negative	LAMP	
		Gravid Trap		GP-35-3.4-Gr	<i>Culex spp.</i>	50	Negative	LAMP	
		Gravid Trap		GP-35-4.4-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR	
	9/5/2017	Gravid Trap		GP-36-1.2-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		GP-36-2.2-Gr	<i>Culex spp.</i>	15	Negative	RT-PCR	
	9/11/2017	Gravid Trap	9/12/2017	GP-37-1.1-Gr	<i>Culex spp.</i>	25	WNV+	RAMP	
	9/18/2017	Gravid Trap	9/19/2017	GP-38-1.1-Gr	<i>Culex spp.</i>	24	Negative	RAMP	
	9/25/2017	Gravid Trap		GP-39-1.1-Gr	<i>Culex spp.</i>	2	Pending	RT-PCR	
	Total Pools Tested: 44		Total Mosquitoes Tested: 1506		Total Pending: 1	Total RAMP: 5	Total Negative: 36	Total Positive: 7	
	Total Pools Tested: 44		Total Mosquitoes Tested: 1506		Total Pending: 1	Total RAMP: 5	Total Negative: 36	Total Positive: 7	

Hamilton Test Results

Hamilton	5/15/2017	Gravid Trap		HA-20-1.1-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
	5/22/2017	Gravid Trap		HA-21-1.1-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	5/30/2017	Gravid Trap		HA-22-1.1-Gr	<i>Culex spp.</i>	12	Negative	RT-PCR
	6/5/2017	Gravid Trap		HA-23-1.1-Gr	<i>Culex spp.</i>	24	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hamilton	6/12/2017	Gravid Trap	6/13/2017	HA-24-1.1-Gr	<i>Culex spp.</i>	20	Negative	RAMP
	6/19/2017	Gravid Trap	6/20/2017	HA-25-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HA-25-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HA-25-3.3-Gr	<i>Culex spp.</i>	42	Negative	RT-PCR
	6/26/2017	Gravid Trap		HA-26-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	7/5/2017	Gravid Trap		HA-27-1.1-Gr	<i>Culex spp.</i>	30	Negative	RT-PCR
	7/9/2017	Gravid Trap		HA-28-1.1-Gr	<i>Culex spp.</i>	17	Negative	RT-PCR
	7/17/2017	Gravid Trap		HA-29-1.1-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	HA-30-1.1-Gr	<i>Culex spp.</i>	40	Negative	LAMP
	7/31/2017	Gravid Trap	8/1/2017	HA-31-1.4-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		HA-31-2.4-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		HA-31-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HA-31-4.4-Gr	<i>Culex spp.</i>	22	Negative	RT-PCR
	8/4/2017	Post-spray Trap		HA-PS-31-1.1	<i>Culex spp.</i>	4	Negative	RT-PCR
	8/7/2017	Gravid Trap	8/10/2017	HA-32-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		HA-32-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HA-32-3.3-Gr	<i>Culex spp.</i>	22	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	HA-33-1.7-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		HA-33-2.7-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		HA-33-3.7-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		HA-33-4.7-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		HA-33-5.7-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		HA-33-6.7-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		HA-33-7.7-Gr	<i>Culex spp.</i>	2	Negative	RT-PCR
	8/21/2017	Gravid Trap		HA-34-1.1-Gr	<i>Culex spp.</i>	47	WNV+	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Hamilton	8/28/2017	Gravid Trap	8/30/2017	HA-35-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP	
		Gravid Trap		HA-35-2.2-Gr	<i>Culex spp.</i>	12	Negative	RT-PCR	
	9/5/2017	Gravid Trap	9/6/2017	HA-36-1.4-Gr	<i>Culex spp.</i>	50	WNV+	LAMP	
		Gravid Trap		HA-36-2.4-Gr	<i>Culex spp.</i>	50	Negative	LAMP	
		Gravid Trap		HA-36-3.4-Gr	<i>Culex spp.</i>	50	Negative	LAMP	
	9/8/2017	Post-Spray Trap		HA-36-4.4-Gr	<i>Culex spp.</i>	20	WNV+	RT-PCR	
				HA-PS-36-1.1	<i>Culex spp.</i>	11	Negative	RT-PCR	
				HA-37-1.1-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR	
	9/11/2017	Gravid Trap		HA-38-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR	
	9/18/2017	Gravid Trap		HA-39-1.1-Gr	<i>Culex spp.</i>	22	Negative	RAMP	
	9/25/2017	Gravid Trap	9/26/2017						
	Total Pools Tested: 39		Total Mosquitoes Tested: 1249		Total Pending: 0	Total RAMP: 3	Total Negative: 31	Total Positive: 8	
	Total Pools Tested: 39		Total Mosquitoes Tested: 1249		Total Pending: 0	Total RAMP: 3	Total Negative: 31	Total Positive: 8	

Hilliard Test Results

Hilliard Central	5/15/2017	Gravid Trap		HC-20-1.1-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR	
	5/22/2017	Gravid Trap		HC-21-1.1-Gr	<i>Culex spp.</i>	12	Negative	RT-PCR	
	5/30/2017	Gravid Trap		HC-22-1.1-Gr	<i>Culex spp.</i>	15	Negative	RT-PCR	
	6/5/2017	Gravid Trap		HC-23-1.1-Gr	<i>Culex spp.</i>	17	Negative	RT-PCR	
	6/12/2017	Gravid Trap			HC-24-1.1-Gr	<i>Culex spp.</i>	31	Negative	RT-PCR
					HC-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
	6/19/2017	Gravid Trap		6/20/2017	HC-25-2.2-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
					HC-26-1.1-Gr	<i>Culex spp.</i>	22	WNV+	RT-PCR
	7/6/2017	Gravid Trap		HC-27-1.1-Gr	<i>Culex spp.</i>	15	Negative	RT-PCR	
	7/9/2017	Gravid Trap		HC-28-1.1-Gr	<i>Culex spp.</i>	28	Negative	RAMP	
	7/17/2017	Gravid Trap		HC-29-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hilliard Central	7/17/2017	Gravid Trap		HC-29-2.2-Gr	<i>Culex spp.</i>	25	Negative	RT-PCR
	7/24/2017	Gravid Trap		HC-30-1.1-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	HC-31-1.1-Gr	<i>Culex spp.</i>	34	Negative	LAMP
	8/7/2017	Gravid Trap		HC-32-1.2-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HC-32-2.2-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	8/10/2017	Post-spray Trap		HC-PS-32-1.1	<i>Culex spp.</i>	35	WNV+	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	HC-33-1.1-Gr	<i>Culex spp.</i>	31	Negative	LAMP
	8/21/2017	Gravid Trap	8/23/2017	HC-34-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		HC-34-2.2-Gr	<i>Culex spp.</i>	9	WNV+	RT-PCR
	8/28/2017	Gravid Trap	8/30/2017	HC-35-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		HC-35-2.2-Gr	<i>Culex spp.</i>	47	WNV+	LAMP
	9/6/2017	Post-Spray Trap		HC-PS-36-1.1	<i>Culex spp.</i>	17	Negative	RT-PCR
	9/11/2017	Gravid Trap	9/12/2017	HC-37-1.1-Gr	<i>Culex spp.</i>	18	Negative	RAMP
	9/18/2017	Gravid Trap		HC-38-1.1-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR
	9/25/2017	Gravid Trap	9/26/2017	HC-39-1.1-Gr	<i>Culex spp.</i>	13	Negative	RAMP
Total Pools Tested: 26		Total Mosquitoes Tested: 697		Total Pending: 0	Total RAMP: 4	Total Negative: 21	Total Positive: 5	
Hilliard North	5/15/2017	Gravid Trap	5/16/2017	HN-20-1.1-Gr	<i>Culex spp.</i>	28	Negative	RAMP
	5/22/2017	Gravid Trap	5/23/2017	HN-21-1.1-Gr	<i>Culex spp.</i>	15	Negative	RAMP
	5/30/2017	Gravid Trap	5/31/2017	HN-22-1.1-Gr	<i>Culex spp.</i>	44	Negative	RAMP
	6/5/2017	Gravid Trap		HN-23-1.1-Gr	<i>Culex spp.</i>	45	Negative	RT-PCR
	6/12/2017	Gravid Trap	6/13/2017	HN-24-1.1-Gr	<i>Culex spp.</i>	30	Negative	RAMP
	6/19/2017	Gravid Trap		HN-25-1.1-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
	6/26/2017	Gravid Trap		HN-26-1.1-Gr	<i>Culex spp.</i>	28	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hilliard North	7/5/2017	Gravid Trap	7/6/2017	HN-27-1.5-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HN-27-2.5-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HN-27-3.5-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HN-27-4.5-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HN-27-5.5-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
	7/9/2017	Gravid Trap	7/12/2017	HN-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HN-28-2.2-Gr	<i>Culex spp.</i>	12	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	HN-29-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		HN-29-2.2-Gr	<i>Culex spp.</i>	34	Negative	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	HN-30-1.1-Gr	<i>Culex spp.</i>	30	Negative	LAMP
	7/31/2017	Gravid Trap	8/1/2017	HN-31-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		HN-31-2.2-Gr	<i>Culex spp.</i>	33	Negative	RT-PCR
	8/7/2017	Gravid Trap	8/10/2017	HN-32-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		HN-32-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		HN-32-3.3-Gr	<i>Culex spp.</i>	33	WNV+	RT-PCR
	8/10/2017	Post-spray Trap		HN-PS-32-1.1	<i>Culex spp.</i>	27	WNV+	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	HN-33-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		HN-33-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		HN-33-3.3-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	8/21/2017	Gravid Trap		HN-34-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		HN-34-2.2-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	8/28/2017	Gravid Trap	8/30/2017	HN-35-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		HN-35-2.2-Gr	<i>Culex spp.</i>	29	Negative	LAMP
	9/5/2017	Gravid Trap	9/6/2017	HN-36-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		HN-36-2.2-Gr	<i>Culex spp.</i>	12	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hilliard North	9/11/2017	Gravid Trap	9/12/2017	HN-37-1.1-Gr	<i>Culex spp.</i>	17	Negative	RAMP
	9/18/2017	Gravid Trap		HN-38-1.1-Gr	<i>Culex spp.</i>	1	WNV+	RT-PCR
	9/25/2017	Gravid Trap	9/26/2017	HN-39-1.1-Gr	<i>Culex spp.</i>	47	Negative	RAMP
	Total Pools Tested: 35		Total Mosquitoes Tested: 1205		Total Pending: 0	Total RAMP: 8	Total Negative: 27	Total Positive: 8
Hilliard South	5/15/2017	Gravid Trap		HS-20-1.1-Gr	<i>Culex spp.</i>	2	Negative	RT-PCR
	5/22/2017	Gravid Trap		HS-21-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
	5/30/2017	Gravid Trap	5/31/2017	HS-22-1.1-Gr	<i>Culex spp.</i>	35	Negative	RAMP
	6/5/2017	Gravid Trap	6/6/2017	HS-23-1.1-Gr	<i>Culex spp.</i>	40	Negative	RAMP
	6/12/2017	Gravid Trap		HS-24-1.1-Gr	<i>Culex spp.</i>	30	Negative	RT-PCR
	6/19/2017	Gravid Trap		HS-25-1.1-Gr	<i>Culex spp.</i>	49	Negative	RT-PCR
	6/26/2017	Gravid Trap	6/27/2017	HS-26-1.1-Gr	<i>Culex spp.</i>	24	Negative	RAMP
	7/5/2017	Gravid Trap	7/6/2017	HS-27-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HS-27-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HS-27-3.3-Gr	<i>Culex spp.</i>	41	Negative	RT-PCR
	7/9/2017	Gravid Trap		HS-28-1.1-Gr	<i>Culex spp.</i>	32	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	HS-29-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		HS-29-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HS-29-3.3-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR
	7/24/2017	Gravid Trap		HS-30-1.1-Gr	<i>Culex spp.</i>	36	Negative	RT-PCR
	7/31/2017	Gravid Trap		HS-31-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		HS-31-2.2-Gr	<i>Culex spp.</i>	20	Negative	RT-PCR
	8/7/2017	Gravid Trap	8/10/2017	HS-32-1.4-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		HS-32-2.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hilliard South	8/7/2017	Gravid Trap		HS-32-3.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		HS-32-4.4-Gr	<i>Culex spp.</i>	26	Negative	RT-PCR
	8/10/2017	Post-spray Trap		HS-PS-32-1.1	<i>Culex spp.</i>	32	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	HS-33-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		HS-33-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HS-33-3.3-Gr	<i>Culex spp.</i>	36	Negative	RT-PCR
	8/21/2017	Gravid Trap	8/23/2017	HS-34-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		HS-34-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		HS-34-3.3-Gr	<i>Culex spp.</i>	33	Negative	RT-PCR
	8/29/2017	Gravid Trap		HS-35-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		HS-35-2.2-Gr	<i>Culex spp.</i>	9	Negative	RT-PCR
	9/5/2017	Gravid Trap	9/6/2017	HS-36-1.1-Gr	<i>Culex spp.</i>	26	WNV+	LAMP
	9/11/2017	Gravid Trap		HS-37-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	9/18/2017	Gravid Trap		HS-38-1.1-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR
	9/25/2017	Gravid Trap	9/26/2017	HS-39-1.1-Gr	<i>Culex spp.</i>	18	Negative	RAMP
Total Pools Tested: 34		Total Mosquitoes Tested: 1159		Total Pending: 0	Total RAMP: 5	Total Negative: 28	Total Positive: 6	
Total Pools Tested: 95		Total Mosquitoes Tested: 3061		Total Pending: 0	Total RAMP: 17	Total Negative: 76	Total Positive: 19	

Jefferson Test Results

Jefferson	5/15/2017	Gravid Trap		JE-20-1.1-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	5/22/2017	Gravid Trap		JE-21-1.1-Gr	<i>Culex spp.</i>	26	Negative	RT-PCR
	6/1/2017	Gravid Trap		JE-22-1.1-Gr	<i>Culex spp.</i>	28	Negative	RT-PCR
	6/5/2017	Gravid Trap		JE-23-1.1-Gr	<i>Culex spp.</i>	24	Negative	RT-PCR
	6/12/2017	Gravid Trap		JE-24-1.1-Gr	<i>Culex spp.</i>	17	Negative	RT-PCR
	6/19/2017	Gravid Trap	6/20/2017	JE-25-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Jefferson	6/19/2017	Gravid Trap		JE-25-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JE-25-3.3-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
	6/26/2017	Gravid Trap		JE-26-1.1-Gr	<i>Culex spp.</i>	23	Negative	RT-PCR
	7/5/2017	Gravid Trap	7/6/2017	JE-27-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JE-27-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JE-27-3.3-Gr	<i>Culex spp.</i>	24	Negative	RT-PCR
	7/9/2017	Gravid Trap		JE-28-1.1-Gr	<i>Culex spp.</i>	34	WNV+	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	JE-29-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		JE-29-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JE-29-3.3-Gr	<i>Culex spp.</i>	40	WNV+	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	JE-30-1.4-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		JE-30-2.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		JE-30-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JE-30-4.4-Gr	<i>Culex spp.</i>	44	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	JE-31-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		JE-31-2.2-Gr	<i>Culex spp.</i>	48	WNV+	RT-PCR
	8/7/2017	Gravid Trap	8/10/2017	JE-32-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		JE-32-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JE-32-3.3-Gr	<i>Culex spp.</i>	49	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	JE-33-1.4-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		JE-33-2.4-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		JE-33-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JE-33-4.4-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR
	8/21/2017	Gravid Trap	8/23/2017	JE-34-1.2-Gr	<i>Culiseta spp.</i>	50	Negative	LAMP
		Gravid Trap		JE-34-2.2-Gr	<i>Culiseta spp.</i>	4	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay			
Jefferson	8/28/2017	Gravid Trap	8/30/2017	JE-35-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP			
		Gravid Trap		JE-35-2.2-Gr	<i>Culex spp.</i>	31	WNV+	LAMP			
	9/5/2017	Gravid Trap	9/6/2017	JE-36-1.1-Gr	<i>Culex spp.</i>	32	Negative	LAMP			
	9/11/2017	Gravid Trap	9/12/2017	JE-37-1.1-Gr	<i>Culex spp.</i>	26	Negative	RAMP			
	9/18/2017	Gravid Trap	9/19/2017	JE-38-1.1-Gr	<i>Culex spp.</i>	15	Negative	RAMP			
	9/20/2017	Post-spray Trap		JE-PS-38-1.1	<i>Culex spp.</i>	1	Pending	RT-PCR			
	9/25/2017	Gravid Trap	9/26/2017	JE-39-1.1-Gr	<i>Culex spp.</i>	13	Negative	RAMP			
Total Pools Tested:	38	Total Mosquitoes Tested:	1353	Total Pending:	1	Total RAMP:	5	Total Negative:	31	Total Positive:	6
Total Pools Tested:	38	Total Mosquitoes Tested:	1353	Total Pending:	1	Total RAMP:	5	Total Negative:	31	Total Positive:	6

Madison Test Results

Madison	5/22/2017	Gravid Trap		MA-21-1.1-G1	<i>Culex spp.</i>	21	Negative	RT-PCR
	5/30/2017	Gravid Trap	5/31/2017	MA-22-1.1-G1	<i>Culex spp.</i>	34	Negative	RAMP
	6/6/2017	Gravid Trap		MA-23-1.3-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MA-23-2.3-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MA-23-3.3-G1	<i>Culex spp.</i>	8	Negative	RT-PCR
	6/12/2017	Gravid Trap	6/13/2017	MA-24-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MA-24-2.3-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MA-24-3.3-G1	<i>Culex spp.</i>	39	Negative	RT-PCR
	6/19/2017	Gravid Trap		MA-25-1.2-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MA-25-2.2-G1	<i>Culex spp.</i>	3	Negative	RT-PCR
	7/5/2017	Gravid Trap	7/6/2017	MA-27-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MA-27-2.2-G1	<i>Culex spp.</i>	21	Negative	RT-PCR
	7/9/2017	Gravid Trap	7/12/2017	MA-28-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MA-28-2.2-G1	<i>Culex spp.</i>	6	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Madison	7/17/2017	Gravid Trap	7/18/2017	MA-29-1.2-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		MA-29-2.2-G1	<i>Culex spp.</i>	26	Negative	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	MA-30-1.2-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		MA-30-2.2-G1	<i>Culex spp.</i>	18	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	MA-31-1.3-G1	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		MA-31-2.3-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		MA-31-3.3-G1	<i>Culex spp.</i>	26	Negative	RT-PCR
	8/8/2017	Post-spray Trap		MA-PS-32-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-spray Trap		MA-PS-32-2.2	<i>Culex spp.</i>	15	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	MA-33-1.3-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		MA-33-2.3-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MA-33-3.3-G1	<i>Culex spp.</i>	19	Negative	RT-PCR
	8/21/2017	Gravid Trap	8/23/2017	MA-34-1.5-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		MA-34-2.5-G1	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		MA-34-3.5-G1	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		MA-34-4.5-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MA-34-5.5-G1	<i>Culex spp.</i>	26	Negative	RT-PCR
		Gravid Trap		MA-34-5.5-G1	<i>Culex spp.</i>	26	Negative	RT-PCR
	8/28/2017	Gravid Trap	8/30/2017	MA-35-1.3-G1	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		MA-35-2.3-G1	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		MA-35-3.3-G1	<i>Culex spp.</i>	4	Negative	RT-PCR
	9/5/2017	Gravid Trap	9/6/2017	MA-36-1.2-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		MA-36-2.2-G1	<i>Culex spp.</i>	7	Negative	RT-PCR
	9/11/2017	Gravid Trap	9/12/2017	MA-37-1.1-G1	<i>Culex spp.</i>	40	Negative	RAMP
	9/18/2017	Gravid Trap		MA-38-1.1-G1	<i>Culex spp.</i>	4	Negative	RT-PCR
	9/25/2017	Gravid Trap	9/26/2017	MA-39-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Madison	9/25/2017	Gravid Trap		MA-39-2.2-Gr	<i>Culex spp.</i>	30	Pending	RT-PCR
	Total Pools Tested: 40	Total Mosquitoes Tested: 1447		Total Pending: 1	Total RAMP: 6	Total Negative: 34	Total Positive: 5	
	Total Pools Tested: 40	Total Mosquitoes Tested: 1447		Total Pending: 1	Total RAMP: 6	Total Negative: 34	Total Positive: 5	

Mifflin Test Results

Mifflin	5/15/2017	Gravid Trap		MI-20-1.1-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR
	5/22/2017	Gravid Trap		MI-21-1.1-Gr	<i>Culex spp.</i>	14	Negative	RT-PCR
	5/30/2017	Gravid Trap		MI-22-1.1-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	6/5/2017	Gravid Trap	6/6/2017	MI-23-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MI-23-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-23-3.3-Gr	<i>Culex spp.</i>	38	Negative	RT-PCR
	6/12/2017	Gravid Trap		MI-24-1.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-24-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-24-3.3-Gr	<i>Culex spp.</i>	14	Negative	RT-PCR
	6/19/2017	Gravid Trap		MI-25-1.1-Gr	<i>Culex spp.</i>	16	Negative	RT-PCR
	6/26/2017	Gravid Trap	6/27/2017	MI-26-1.1-Gr	<i>Culex spp.</i>	37	Negative	RAMP
	7/5/2017	Gravid Trap	7/6/2017	MI-27-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MI-27-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-27-3.3-Gr	<i>Culex spp.</i>	22	Negative	RT-PCR
	7/9/2017	Gravid Trap		MI-28-1.1-Gr	<i>Culex spp.</i>	31	Negative	RT-PCR
	7/17/2017	Gravid Trap		MI-29-1.1-Gr	<i>Culex spp.</i>	26	WNV+	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	MI-30-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		MI-30-2.2-Gr	<i>Culex spp.</i>	30	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	MI-31-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		MI-31-2.2-Gr	<i>Culex spp.</i>	33	WNV+	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Mifflin	8/7/2017	Gravid Trap	8/10/2017	MI-32-1.4-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		MI-32-2.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		MI-32-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-32-4.4-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR
	8/11/2017	Post-spray Trap	MI-PS-32-1.1	<i>Culex spp.</i>	13	Negative	RT-PCR	
	8/14/2017	Gravid Trap	8/17/2017	MI-33-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		MI-33-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		MI-33-3.3-Gr	<i>Culex spp.</i>	9	Negative	RT-PCR
	8/21/2017	Gravid Trap	8/23/2017	MI-34-1.1-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
	8/29/2017	Post-spray Trap	MI-PS-35-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Post-spray Trap	MI-PS-35-2.2	<i>Culex spp.</i>	34	WNV+	RT-PCR	
	9/5/2017	Gravid Trap	9/6/2017	MI-36-1.1-Gr	<i>Culex spp.</i>	10	WNV+	LAMP
	9/18/2017	Gravid Trap		MI-38-1.1-Gr	<i>Culex spp.</i>	5	Pending	RT-PCR
	9/25/2017	Gravid Trap	9/26/2017	MI-39-1.1-Gr	<i>Culex spp.</i>	12	Negative	RAMP
	Total Pools Tested: 34		Total Mosquitoes Tested: 1111		Total Pending: 1	Total RAMP: 4	Total Negative: 25	Total Positive: 8
Total Pools Tested: 34		Total Mosquitoes Tested: 1111		Total Pending: 1	Total RAMP: 4	Total Negative: 25	Total Positive: 8	

New Albany Test Results

New Albany	5/15/2017	Gravid Trap	5/16/2017	NA-20-1.1-Gr	<i>Culex spp.</i>	11	Negative	RAMP
	5/22/2017	Gravid Trap	5/23/2017	NA-21-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NA-21-2.2-Gr	<i>Culex spp.</i>	19	Negative	RT-PCR
	5/30/2017	Gravid Trap		NA-22-1.1-Gr	<i>Culex spp.</i>	15	Negative	RT-PCR
	6/5/2017	Gravid Trap	6/6/2017	NA-23-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NA-23-2.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		NA-23-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
New Albany	6/5/2017	Gravid Trap		NA-23-4.4-Gr	<i>Culex spp.</i>	29	Negative	RT-PCR
	6/12/2017	Gravid Trap		NA-24-1.1-Gr	<i>Culex spp.</i>	33	Negative	RT-PCR
	6/19/2017	Gravid Trap		NA-25-1.1-Gr	<i>Culex spp.</i>	35	Negative	RT-PCR
	6/26/2017	Gravid Trap		NA-26-1.1-Gr	<i>Culex spp.</i>	14	Negative	RT-PCR
	7/5/2017	Gravid Trap	7/6/2017	NA-27-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NA-27-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		NA-27-3.3-Gr	<i>Culex spp.</i>	112	Negative	RT-PCR
	7/9/2017	Gravid Trap		NA-28-1.1-Gr	<i>Culex spp.</i>	26	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	NA-29-1.1-Gr	<i>Culex spp.</i>	44	Negative	LAMP
	7/24/2017	Gravid Trap		NA-30-1.1-Gr	<i>Culex spp.</i>	15	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	NA-31-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		NA-31-2.2-Gr	<i>Culex spp.</i>	27	Negative	RT-PCR
	8/7/2017	Gravid Trap	8/10/2017	NA-32-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		NA-32-2.2-Gr	<i>Culex spp.</i>	17	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	NA-33-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		NA-33-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		NA-33-3.3-Gr	<i>Culex spp.</i>	17	Negative	RT-PCR
	8/16/2017	Post-spray Trap		NA-PS-33-1.1	<i>Culex spp.</i>	47	Negative	RT-PCR
	8/21/2017	Gravid Trap	8/23/2017	NA-34-1.1-Gr	<i>Culex spp.</i>	44	Negative	LAMP
	8/28/2017	Gravid Trap	8/30/2017	NA-35-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		NA-35-2.2-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	9/5/2017	Gravid Trap		NA-36-1.1-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR
	9/11/2017	Gravid Trap		NA-37-1.1-Gr	<i>Culex spp.</i>	2	Negative	RT-PCR
	9/18/2017	Gravid Trap		NA-38-1.1-Gr	<i>Culex spp.</i>	2	Pending	RT-PCR
	9/25/2017	Gravid Trap	9/26/2017	NA-39-1.1-Gr	<i>Culex spp.</i>	27	WNV+	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Total Pools Tested: 32		Total Mosquitoes Tested: 1101		Total Pending: 1	Total RAMP: 5	Total Negative: 27	Total Positive: 4	
Total Pools Tested: 32		Total Mosquitoes Tested: 1101		Total Pending: 1	Total RAMP: 5	Total Negative: 27	Total Positive: 4	

Norwich Test Results

Norwich	5/15/2017	Gravid Trap		NO-20-1.1-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	5/22/2017	Gravid Trap		NO-21-1.1-Gr	<i>Culex spp.</i>	9	Negative	RT-PCR
	5/30/2017	Gravid Trap		NO-22-1.1-Gr	<i>Culex spp.</i>	28	Negative	RT-PCR
	6/5/2017	Gravid Trap	6/6/2017	NO-23-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		NO-23-2.2-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	6/12/2017	Gravid Trap	6/13/2017	NO-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NO-24-2.2-Gr	<i>Culex spp.</i>	29	Negative	RT-PCR
	6/19/2017	Gravid Trap		NO-25-1.1-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	6/26/2017	Gravid Trap	6/27/2017	NO-26-1.1-Gr	<i>Culex spp.</i>	28	Negative	RAMP
	7/5/2017	Gravid Trap	7/6/2017	NO-27-1.6-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NO-27-2.6-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NO-27-3.6-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		NO-27-4.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		NO-27-5.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		NO-27-6.6-Gr	<i>Culex spp.</i>	34	Negative	RT-PCR
	7/9/2017	Gravid Trap	7/12/2017	NO-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NO-28-2.2-Gr	<i>Culex spp.</i>	16	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	NO-29-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		NO-29-2.2-Gr	<i>Culex spp.</i>	30	Negative	LAMP
	7/20/2017	Post-Spray Trap		NO-PS-29-1.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		NO-PS-29-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Norwich	7/20/2017	Post-Spray Trap		NO-PS-29-3.3	<i>Culex spp.</i>	7	Negative	RT-PCR	
	7/24/2017	Gravid Trap	7/25/2017	NO-30-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP	
		Gravid Trap		NO-30-2.2-Gr	<i>Culex spp.</i>	9	Negative	RT-PCR	
	7/31/2017	Gravid Trap	8/1/2017	NO-31-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP	
		Gravid Trap		NO-31-2.2-Gr	<i>Culex spp.</i>	39	Negative	RT-PCR	
	8/7/2017	Gravid Trap	8/10/2017	NO-32-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP	
		Gravid Trap		NO-32-2.2-Gr	<i>Culex spp.</i>	12	Negative	RT-PCR	
	8/14/2017	Gravid Trap	8/17/2017	NO-33-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP	
		Gravid Trap		NO-33-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		NO-33-3.3-Gr	<i>Culex spp.</i>	44	Negative	RT-PCR	
	8/21/2017	Gravid Trap	8/23/2017	NO-34-1.1-Gr	<i>Culex spp.</i>	47	Negative	LAMP	
	8/28/2017	Gravid Trap	8/30/2017	NO-35-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP	
		Gravid Trap		NO-35-2.2-Gr	<i>Culex spp.</i>	39	Negative	LAMP	
	9/5/2017	Gravid Trap	9/6/2017	NO-36-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP	
		Gravid Trap		NO-36-2.2-Gr	<i>Culex spp.</i>	31	Negative	LAMP	
	9/12/2017	Post-spray Trap		NO-PS-37-1.1	<i>Culex spp.</i>	1	Negative	RT-PCR	
	9/18/2017	Gravid Trap		NO-38-1.1-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR	
	9/25/2017	Gravid Trap		NO-39-1.1-Gr	<i>Culex spp.</i>	8	Pending	RT-PCR	
	Total Pools Tested: 39		Total Mosquitoes Tested: 1345		Total Pending: 1	Total RAMP: 6	Total Negative: 33	Total Positive: 5	
	Total Pools Tested: 39		Total Mosquitoes Tested: 1345		Total Pending: 1	Total RAMP: 6	Total Negative: 33	Total Positive: 5	

Obetz Test Results

Obetz	5/22/2017	Gravid Trap		OB-21-1.1-Gr	<i>Culex spp.</i>	19	Negative	RT-PCR
	5/31/2017	Gravid Trap		OB-22-1.1-Gr	<i>Culex spp.</i>	26	Negative	RT-PCR
	6/5/2017	Gravid Trap		OB-23-1.1-Gr	<i>Culex spp.</i>	16	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Obetz	6/12/2017	Gravid Trap	6/13/2017	OB-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		OB-24-2.2-Gr	<i>Culex spp.</i>	4	Negative	RT-PCR
	6/19/2017	Gravid Trap		OB-25-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	7/5/2017	Gravid Trap	7/6/2017	OB-27-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		OB-27-2.2-Gr	<i>Culex spp.</i>	13	Negative	RT-PCR
	7/9/2017	Gravid Trap		OB-28-1.1-Gr	<i>Culex spp.</i>	12	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	OB-29-1.1-Gr	<i>Culex spp.</i>	37	Negative	LAMP
	7/24/2017	Gravid Trap	7/25/2017	OB-30-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		OB-30-2.2-Gr	<i>Culex spp.</i>	27	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	OB-31-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		OB-31-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		OB-31-3.3-Gr	<i>Culex spp.</i>	23	WNV+	RT-PCR
	8/7/2017	Gravid Trap	8/10/2017	OB-32-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		OB-32-2.2-Gr	<i>Culex spp.</i>	42	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	OB-33-1.3-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		OB-33-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		OB-33-3.3-Gr	<i>Culex spp.</i>	29	WNV+	RT-PCR
	8/21/2017	Gravid Trap	8/23/2017	OB-34-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		OB-34-2.2-Gr	<i>Culex spp.</i>	16	WNV+	RT-PCR
	8/29/2017	Gravid Trap		OB-35-1.1-Gr	<i>Culex spp.</i>	31	WNV+	RT-PCR
	9/5/2017	Gravid Trap	9/6/2017	OB-36-1.1-Gr	<i>Culex spp.</i>	48	Negative	LAMP
	9/11/2017	Gravid Trap		OB-37-1.1-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	9/18/2017	Gravid Trap		OB-38-1.1-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR
	9/25/2017	Gravid Trap	9/26/2017	OB-39-1.1-Gr	<i>Culex spp.</i>	32	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Total Pools Tested: 27		Total Mosquitoes Tested: 848		Total Pending: 0	Total RAMP: 3	Total Negative: 21	Total Positive: 6	
Total Pools Tested: 27		Total Mosquitoes Tested: 848		Total Pending: 0	Total RAMP: 3	Total Negative: 21	Total Positive: 6	

Perry Test Results

Perry	5/15/2017	Gravid Trap		PE-20-1.1-Gr	<i>Culex spp.</i>	2	Negative	RT-PCR
	5/22/2017	Gravid Trap	5/23/2017	PE-21-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-21-2.2-Gr	<i>Culex spp.</i>	27	Negative	RT-PCR
	5/30/2017	Gravid Trap	5/31/2017	PE-22-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-22-2.2-Gr	<i>Culex spp.</i>	18	Negative	RT-PCR
	6/5/2017	Gravid Trap	6/6/2017	PE-23-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-23-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PE-23-3.3-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	6/19/2017	Gravid Trap		PE-25-1.1-Gr	<i>Culex spp.</i>	13	Negative	RT-PCR
	6/26/2017	Gravid Trap		PE-26-1.1-Gr	<i>Culex spp.</i>	26	Negative	RT-PCR
	7/5/2017	Gravid Trap	7/6/2017	PE-27-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-27-2.2-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	7/9/2017	Gravid Trap		PE-28-1.1-Gr	<i>Culex spp.</i>	19	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	PE-29-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		PE-29-2.2-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	PE-30-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		PE-30-2.2-Gr	<i>Culex spp.</i>	15	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	PE-31-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		PE-31-2.2-Gr	<i>Culex spp.</i>	19	Negative	RT-PCR
	8/7/2017	Gravid Trap	8/10/2017	PE-32-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		PE-32-2.2-Gr	<i>Culex spp.</i>	35	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Perry	8/15/2017	Post-spray Trap		PE-PS-33-1.2	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-spray Trap		PE-PS-33-2.2	<i>Culex spp.</i>	19	Negative	RT-PCR
	8/28/2017	Gravid Trap	8/30/2017	PE-35-1.1-Gr	<i>Culex spp.</i>	20	WNV+	LAMP
	9/5/2017	Gravid Trap	9/6/2017	PE-36-1.1-Gr	<i>Culex spp.</i>	16	WNV+	LAMP
	9/11/2017	Gravid Trap	9/12/2017	PE-37-1.1-Gr	<i>Culex spp.</i>	12	Negative	RAMP
	9/19/2017	Post-spray Trap		PE-PS-38-1.1	<i>Culex spp.</i>	10	Pending	RT-PCR
	9/25/2017	Gravid Trap	9/26/2017	PE-39-1.1-Gr	<i>Culex spp.</i>	15	Negative	RAMP
Total Pools Tested: 28		Total Mosquitoes Tested: 783		Total Pending: 1	Total RAMP: 6	Total Negative: 23	Total Positive: 4	
Total Pools Tested: 28		Total Mosquitoes Tested: 783		Total Pending: 1	Total RAMP: 6	Total Negative: 23	Total Positive: 4	

Pleasant Test Results

Pleasant North	5/15/2017	Gravid Trap		PN-20-1.1-Gr	<i>Culex spp.</i>	4	Negative	RT-PCR
	5/22/2017	Gravid Trap		PN-21-1.1-Gr	<i>Culex spp.</i>	12	Negative	RT-PCR
	5/30/2017	Gravid Trap	5/31/2017	PN-22-1.1-Gr	<i>Culex spp.</i>	34	Negative	RAMP
	6/5/2017	Gravid Trap		PN-23-1.1-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR
	6/12/2017	Gravid Trap		PN-24-1.1-Gr	<i>Culex spp.</i>	46	Negative	RT-PCR
	6/19/2017	Gravid Trap		PN-25-1.1-Gr	<i>Culex spp.</i>	16	Negative	RT-PCR
	6/26/2017	Gravid Trap		PN-26-1.1-Gr	<i>Culex spp.</i>	4	Negative	RT-PCR
	7/5/2017	Gravid Trap	7/6/2017	PN-27-1.1-Gr	<i>Culex spp.</i>	40	WNV+	RAMP
	7/9/2017	Gravid Trap	7/12/2017	PN-28-1.1-Gr	<i>Culex spp.</i>	13	Negative	RAMP
	7/11/2017	Post-spray Trap		PN-PS-28-1.1	<i>Culex spp.</i>	46	Negative	RT-PCR
		Gravid Trap		N-PS-28-1.1-C	<i>Culex spp.</i>	46	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	PN-29-1.1-Gr	<i>Culex spp.</i>	42	Negative	LAMP
	7/24/2017	Gravid Trap		PN-30-1.1-Gr	<i>Culex spp.</i>	16	Negative	RT-PCR
	7/31/2017	Gravid Trap		PN-31-1.1-Gr	<i>Culex spp.</i>	23	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Pleasant North	8/7/2017	Gravid Trap		PN-32-1.1-Gr	<i>Culex spp.</i>	15	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	PN-33-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		PN-33-2.2-Gr	<i>Culex spp.</i>	27	Negative	RT-PCR
	8/22/2017	Gravid Trap		PN-34-1.1-Gr	<i>Culex spp.</i>	17	Negative	RT-PCR
	8/28/2017	Gravid Trap	8/30/2017	PN-35-1.1-Gr	<i>Culex spp.</i>	31	Negative	LAMP
	9/5/2017	Gravid Trap	9/6/2017	PN-36-1.1-Gr	<i>Culex spp.</i>	36	WNV+	LAMP
	9/11/2017	Gravid Trap		PN-37-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
	9/18/2017	Gravid Trap		PN-38-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
	9/25/2017	Gravid Trap	9/26/2017	PN-39-1.1-Gr	<i>Culex spp.</i>	28	WNV+	RAMP
Total Pools Tested: 23		Total Mosquitoes Tested: 554		Total Pending: 0	Total RAMP: 4	Total Negative: 20	Total Positive: 3	
Pleasant South	5/15/2017	Gravid Trap		PS-20-1.1-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR
	5/22/2017	Gravid Trap	5/23/2017	PS-21-1.1-Gr	<i>Culex spp.</i>	18	Negative	RAMP
	5/30/2017	Gravid Trap		PS-22-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	6/5/2017	Gravid Trap	6/6/2017	PS-23-1.1-Gr	<i>Culex spp.</i>	45	Negative	RAMP
	6/12/2017	Gravid Trap	6/13/2017	PS-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PS-24-2.2-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR
	6/19/2017	Gravid Trap		PS-25-1.1-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	6/26/2017	Gravid Trap		PS-26-1.1-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR
	7/5/2017	Gravid Trap		PS-27-1.1-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	7/9/2017	Gravid Trap		PS-28-1.1-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	7/17/2017	Gravid Trap		PS-29-1.1-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	PS-30-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		PS-30-2.2-Gr	<i>Culex spp.</i>	36	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Pleasant South	7/31/2017	Gravid Trap	8/1/2017	PS-31-1.1-Gr	<i>Culex spp.</i>	43	Negative	LAMP
	8/7/2017	Gravid Trap	8/10/2017	PS-32-1.1-Gr	<i>Culex spp.</i>	49	WNV+	LAMP
	8/14/2017	Gravid Trap	8/17/2017	PS-33-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		PS-33-2.2-Gr	<i>Culex spp.</i>	22	Negative	RT-PCR
	8/18/2017	Post-Spray Trap		PS-PS-33-1.1	<i>Culex spp.</i>	29	WNV+	RT-PCR
	8/21/2017	Gravid Trap	8/23/2017	PS-34-1.1-Gr	<i>Culex spp.</i>	28	Negative	LAMP
	8/28/2017	Gravid Trap	8/30/2017	PS-35-1.1-Gr	<i>Culex spp.</i>	31	WNV+	LAMP
	9/5/2017	Gravid Trap	9/6/2017	PS-36-1.1-Gr	<i>Culex spp.</i>	52	WNV+	LAMP
	9/11/2017	Gravid Trap		PS-37-1.1-Gr	<i>Culex spp.</i>	2	Negative	RT-PCR
	9/15/2017	Post-spray Trap		PS-PS-37-1.1	<i>Culex spp.</i>	9	Negative	RT-PCR
	9/18/2017	Gravid Trap		PS-38-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
Total Pools Tested: 24		Total Mosquitoes Tested: 578		Total Pending: 0	Total RAMP: 3	Total Negative: 20	Total Positive: 4	
Total Pools Tested: 47		Total Mosquitoes Tested: 1132		Total Pending: 0	Total RAMP: 7	Total Negative: 40	Total Positive: 7	

Prairie Test Results

Prairie North	5/15/2017	Gravid Trap	5/16/2017	PRN-20-1.1-G	<i>Culex spp.</i>	15	Negative	RAMP
	5/22/2017	Gravid Trap	5/23/2017	PRN-21-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-21-2.2-G	<i>Culex spp.</i>	21	Negative	RT-PCR
	5/30/2017	Gravid Trap	5/31/2017	PRN-22-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-22-2.2-G	<i>Culex spp.</i>	13	Negative	RT-PCR
	6/5/2017	Gravid Trap		PRN-23-1.1-G	<i>Culex spp.</i>	30	Negative	RT-PCR
	6/12/2017	Gravid Trap		PRN-24-1.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PRN-24-2.3-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
	6/19/2017	Gravid Trap		PRN-24-3.3-G	<i>Culex spp.</i>	27	Negative	RT-PCR
		Gravid Trap	6/20/2017	PRN-25-1.1-G	<i>Culex spp.</i>	49	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie North	6/26/2017	Gravid Trap	6/27/2017	PRN-26-1.1-G	<i>Culex spp.</i>	40	Negative	RAMP
	7/5/2017	Gravid Trap		PRN-27-1.1-G	<i>Culex spp.</i>	1	Negative	RT-PCR
	7/9/2017	Gravid Trap		PRN-28-1.2-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PRN-28-2.2-G	<i>Culex spp.</i>	3	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	PRN-29-1.5-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		PRN-29-2.5-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PRN-29-3.5-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PRN-29-4.5-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		PRN-29-5.5-G	<i>Culex spp.</i>	33	Negative	RT-PCR
	7/20/2017	Post-Spray Trap		PRN-PS-29-1.	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		PRN-PS-29-2.	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		PRN-PS-29-3.	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		PRN-PS-29-4.	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		PRN-PS-29-5.	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		PRN-PS-29-6.	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		PRN-PS-29-7.	<i>Culex spp.</i>	3	Negative	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	PRN-30-1.3-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		PRN-30-2.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PRN-30-3.3-G	<i>Culex spp.</i>	25	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	PRN-31-1.3-G	<i>Culex spp.</i>	50	Negative	LAMP
	Gravid Trap		PRN-31-2.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR	
	Gravid Trap		PRN-31-3.3-G	<i>Culex spp.</i>	6	Negative	RT-PCR	
8/7/2017	Gravid Trap	8/10/2017	PRN-32-1.3-G	<i>Culex spp.</i>	50	WNV+	LAMP	
	Gravid Trap		PRN-32-2.3-G	<i>Culex spp.</i>	50	WNV+	RT-PCR	
	Gravid Trap		PRN-32-3.3-G	<i>Culex spp.</i>	10	Negative	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie North	8/16/2017	Post-spray Trap		PRN-PS-33-1-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-spray Trap		PRN-PS-33-2-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-spray Trap		PRN-PS-33-3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-spray Trap		PRN-PS-33-4-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-spray Trap		PRN-PS-33-5-G	<i>Culex spp.</i>	29	WNV+	RT-PCR
	8/21/2017	Gravid Trap	8/23/2017	PRN-34-1.4-G	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		PRN-34-2.4-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PRN-34-3.4-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		PRN-34-4.4-G	<i>Culex spp.</i>	43	WNV+	RT-PCR
	8/29/2017	Post-spray Trap		PRN-PS-35-1-G	<i>Culex spp.</i>	40	WNV+	RT-PCR
	9/5/2017	Gravid Trap	9/6/2017	PRN-36-1.2-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		PRN-36-2.2-G	<i>Culex spp.</i>	34	WNV+	LAMP
	9/11/2017	Gravid Trap	9/12/2017	PRN-37-1.1-G	<i>Culex spp.</i>	15	Negative	RAMP
	9/18/2017	Gravid Trap		PRN-38-1.1-G	<i>Culex spp.</i>	10	Negative	RT-PCR
	9/25/2017	Gravid Trap	9/26/2017	PRN-39-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
Gravid Trap			PRN-39-2.2-G	<i>Culex spp.</i>	50	Negative	RAMP	
Total Pools Tested: 51		Total Mosquitoes Tested: 1997		Total Pending: 0	Total RAMP: 8	Total Negative: 36	Total Positive: 15	
Prairie South	5/15/2017	Gravid Trap	5/16/2017	PRS-20-1.1-G	<i>Culex spp.</i>	22	Negative	RAMP
	5/22/2017	Gravid Trap		PRS-21-1.1-G	<i>Culex spp.</i>	21	Negative	RT-PCR
	6/5/2017	Gravid Trap	6/6/2017	PRS-23-1.1-G	<i>Culex spp.</i>	42	Negative	RAMP
	6/12/2017	Gravid Trap	6/13/2017	PRS-24-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-24-2.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PRS-24-3.3-G	<i>Culex spp.</i>	31	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie South	6/19/2017	Gravid Trap		PRS-25-1.1-G1	<i>Culex spp.</i>	10	Negative	RT-PCR
	6/26/2017	Gravid Trap		PRS-26-1.1-G1	<i>Culex spp.</i>	21	Negative	RT-PCR
	7/5/2017	Gravid Trap	7/6/2017	PRS-27-1.4-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-27-2.4-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PRS-27-3.4-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PRS-27-4.4-G1	<i>Culex spp.</i>	30	Negative	RT-PCR
	7/9/2017	Gravid Trap	7/12/2017	PRS-28-1.1-G1	<i>Culex spp.</i>	49	Negative	RAMP
	7/17/2017	Gravid Trap	7/18/2017	PRS-29-1.2-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		PRS-29-2.2-G1	<i>Culex spp.</i>	6	Negative	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	PRS-30-1.2-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		PRS-30-2.2-G1	<i>Culex spp.</i>	13	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	PRS-31-1.2-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		PRS-31-2.2-G1	<i>Culex spp.</i>	19	Negative	RT-PCR
	8/7/2017	Gravid Trap	8/8/2017	PRS-32-1.4-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-32-2.4-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PRS-32-3.4-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PRS-32-4.4-G1	<i>Culex spp.</i>	12	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	PRS-33-1.6-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		PRS-33-2.6-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		PRS-33-3.6-G1	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		PRS-33-4.6-G1	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		PRS-33-5.6-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PRS-33-6.6-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
	8/21/2017	Gravid Trap	8/23/2017	PRS-34-1.3-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		PRS-34-2.3-G1	<i>Culex spp.</i>	50	WNV+	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie South	8/21/2017	Gravid Trap		PRS-34-3.3-G	<i>Culex spp.</i>	33	Negative	RT-PCR
	8/28/2017	Gravid Trap	8/30/2017	PRS-35-1.2-G	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		PRS-35-2.2-G	<i>Culex spp.</i>	26	Negative	RT-PCR
	9/5/2017	Gravid Trap	9/6/2017	PRS-36-1.3-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		PRS-36-2.3-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		PRS-36-3.3-G	<i>Culex spp.</i>	17	Negative	RT-PCR
	9/8/2017	Post-Spray Trap		PRS-PS-36-1.1	<i>Culex spp.</i>	23	Negative	RT-PCR
	9/11/2017	Gravid Trap		PRS-37-1.1-G	<i>Culex spp.</i>	8	Negative	RT-PCR
	9/18/2017	Gravid Trap		PRS-38-1.1-G	<i>Culex spp.</i>	5	Negative	RT-PCR
	Total Pools Tested: 40		Total Mosquitoes Tested: 1488		Total Pending: 0	Total RAMP: 6	Total Negative: 36	Total Positive: 4
Prairie West	5/15/2017	Gravid Trap		RW-20-1.1-G	<i>Culex spp.</i>	10	Negative	RT-PCR
	5/22/2017	Gravid Trap	5/23/2017	RW-21-1.1-G	<i>Culex spp.</i>	31	Negative	RAMP
	5/30/2017	Gravid Trap		RW-22-1.1-G	<i>Culex spp.</i>	7	Negative	RT-PCR
	6/5/2017	Gravid Trap		RW-23-1.1-G	<i>Culex spp.</i>	19	Negative	RT-PCR
	6/12/2017	Gravid Trap		RW-24-1.1-G	<i>Culex spp.</i>	23	Negative	RT-PCR
	6/19/2017	Gravid Trap		RW-25-1.1-G	<i>Culex spp.</i>	13	Negative	RT-PCR
	6/26/2017	Gravid Trap		RW-26-1.1-G	<i>Culex spp.</i>	14	Negative	RT-PCR
	7/5/2017	Gravid Trap		RW-27-1.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap	7/6/2017	RW-27-2.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-27-3.3-G	<i>Culex spp.</i>	14	Negative	RT-PCR
	7/9/2017	Gravid Trap		RW-28-1.1-G	<i>Culex spp.</i>	1	Negative	RT-PCR
	7/17/2017	Gravid Trap		RW-29-1.1-G	<i>Culex spp.</i>	29	Negative	RT-PCR
	7/24/2017	Gravid Trap		RW-30-1.1-G	<i>Culex spp.</i>	35	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie West	7/31/2017	Gravid Trap		'RW-31-1.1-G	<i>Culex spp.</i>	17	Negative	RT-PCR
	8/4/2017	Post-spray Trap		'RW-PS-31-1.	<i>Culex spp.</i>	2	Negative	RT-PCR
	8/7/2017	Gravid Trap		'RW-32-1.2-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		'RW-32-2.2-G	<i>Culex spp.</i>	8	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	'RW-33-1.3-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		'RW-33-2.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		'RW-33-3.3-G	<i>Culex spp.</i>	42	Negative	RT-PCR
	8/21/2017	Gravid Trap		'RW-34-1.1-G	<i>Culex spp.</i>	2	Negative	RT-PCR
	8/28/2017	Gravid Trap	8/30/2017	'RW-35-1.2-G	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		'RW-35-2.2-G	<i>Culex spp.</i>	43	WNV+	LAMP
	9/5/2017	Gravid Trap	9/6/2017	'RW-36-1.2-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		'RW-36-2.2-G	<i>Culex spp.</i>	26	Negative	LAMP
	9/12/2017	Post-spray Trap		'RW-PS-37-1.	<i>Culex spp.</i>	5	Negative	RT-PCR
	9/18/2017	Gravid Trap		'RW-38-1.1-G	<i>Culex spp.</i>	1	Negative	RT-PCR
	9/25/2017	Gravid Trap		'RW-39-1.1-G	<i>Culex spp.</i>	6	Pending	RT-PCR
Total Pools Tested: 28		Total Mosquitoes Tested: 698		Total Pending: 1	Total RAMP: 2	Total Negative: 24	Total Positive: 3	
Total Pools Tested: 119		Total Mosquitoes Tested: 4183		Total Pending: 1	Total RAMP: 16	Total Negative: 96	Total Positive: 22	

Reynoldsburg Test Results

Reynoldsburg East	5/22/2017	Gravid Trap	5/23/2017	RE-21-1.1-Gr	<i>Culex spp.</i>	28	Negative	RAMP
	5/30/2017	Gravid Trap		RE-22-1.1-Gr	<i>Culex spp.</i>	20	Negative	RT-PCR
	6/5/2017	Gravid Trap		RE-23-1.1-Gr	<i>Culex spp.</i>	15	Negative	RT-PCR
	6/12/2017	Gravid Trap	6/13/2017	RE-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RE-24-2.2-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
	6/19/2017	Gravid Trap		RE-25-1.1-Gr	<i>Culex spp.</i>	28	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg East	6/26/2017	Gravid Trap	6/27/2017	RE-26-1.1-Gr	<i>Culex spp.</i>	45	Negative	RAMP
	7/5/2017	Gravid Trap	7/6/2017	RE-27-1.1-Gr	<i>Culex spp.</i>	48	Negative	RAMP
	7/9/2017	Gravid Trap	7/12/2017	RE-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RE-28-2.2-Gr	<i>Culex spp.</i>	4	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	RE-29-1.4-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		RE-29-2.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		RE-29-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RE-29-4.4-Gr	<i>Culex spp.</i>	35	Negative	RT-PCR
	7/21/2017	Post-Spray Trap		RE-PS-29-1.2	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		RE-PS-29-2.2	<i>Culex spp.</i>	14	Negative	RT-PCR
	7/24/2017	Gravid Trap		RE-30-1.1-Gr	<i>Culex spp.</i>	31	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	RE-31-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		RE-31-2.2-Gr	<i>Culex spp.</i>	49	Negative	RT-PCR
	8/7/2017	Gravid Trap	8/10/2017	RE-32-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		RE-32-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RE-32-3.3-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	RE-33-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		RE-33-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RE-33-3.3-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
	8/21/2017	Gravid Trap	8/23/2017	RE-34-1.3-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		RE-34-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RE-34-3.3-Gr	<i>Culex spp.</i>	28	Negative	RT-PCR
	8/28/2017	Gravid Trap	8/30/2017	RE-35-1.4-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		RE-35-2.4-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		RE-35-3.4-Gr	<i>Culex spp.</i>	50	WNV+	LAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg East	8/28/2017	Gravid Trap		RE-35-4.4-Gr	<i>Culex spp.</i>	9	Negative	RT-PCR
	8/31/2017	Post-spray Trap		RE-PS-35-1.1	<i>Culex spp.</i>	6	Negative	RT-PCR
	9/5/2017	Gravid Trap		RE-36-1.1-Gr	<i>Culex spp.</i>	9	Negative	RT-PCR
	9/11/2017	Gravid Trap		RE-37-1.1-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	9/18/2017	Gravid Trap		RE-38-1.1-Gr	<i>Culex spp.</i>	4	Negative	RT-PCR
	9/25/2017	Gravid Trap	9/26/2017	RE-39-1.1-Gr	<i>Culex spp.</i>	16	Negative	RAMP
Total Pools Tested: 37		Total Mosquitoes Tested: 1268		Total Pending: 0	Total RAMP: 6	Total Negative: 32	Total Positive: 5	
Reynoldsburg South	5/15/2017	Gravid Trap		RS-20-1.1-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR
	5/22/2017	Gravid Trap		RS-21-1.1-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR
	5/30/2017	Gravid Trap		RS-22-1.1-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	6/6/2017	Gravid Trap		RS-23-1.1-Gr	<i>Culex spp.</i>	21	Negative	RT-PCR
	6/12/2017	Gravid Trap		RS-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RS-24-2.2-Gr	<i>Culex spp.</i>	16	Negative	RT-PCR
	6/19/2017	Gravid Trap		RS-25-1.1-Gr	<i>Culex spp.</i>	24	Negative	RT-PCR
	6/26/2017	Gravid Trap		RS-26-1.1-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR
	7/5/2017	Gravid Trap	7/6/2017	RS-27-1.1-Gr	<i>Culex spp.</i>	44	Negative	RAMP
	7/9/2017	Gravid Trap		RS-28-1.1-Gr	<i>Culex spp.</i>	13	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	RE-29-1.1-Gr	<i>Culex spp.</i>	33	Negative	LAMP
	7/24/2017	Gravid Trap		RS-30-1.1-Gr	<i>Culex spp.</i>	32	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	RS-31-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		RS-31-2.2-Gr	<i>Culex spp.</i>	22	Negative	RT-PCR
	8/7/2017	Gravid Trap		RS-32-1.1-Gr	<i>Culex spp.</i>	49	Negative	RT-PCR
8/14/2017	Gravid Trap	8/17/2017	RS-33-1.1-Gr	<i>Culex spp.</i>	50	Negative	LAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Reynoldsburg South	8/21/2017	Gravid Trap	8/23/2017	RS-34-1.1-Gr	<i>Culex spp.</i>	21	WNV+	LAMP	
	8/28/2017	Gravid Trap	8/30/2017	RS-35-1.1-Gr	<i>Culex spp.</i>	26	Negative	LAMP	
	8/31/2017	Post-spray Trap		RS-PS-35-1.1	<i>Culex spp.</i>	7	WNV+	RT-PCR	
	9/5/2017	Gravid Trap	9/6/2017	RS-36-1.1-Gr	<i>Culex spp.</i>	17	Negative	LAMP	
	9/11/2017	Gravid Trap		RS-37-1.1-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR	
	9/18/2017	Gravid Trap		RS-38-1.1-Gr	<i>Culex spp.</i>	2	Negative	RT-PCR	
	9/25/2017	Gravid Trap		RS-39-1.1-Gr	<i>Culex spp.</i>	4	Pending	RT-PCR	
Total Pools Tested: 23		Total Mosquitoes Tested: 512		Total Pending: 1		Total RAMP: 1		Total Negative: 20	Total Positive: 2
Reynoldsburg West	5/15/2017	Gravid Trap	5/16/2017	RW-20-1.1-G1	<i>Culex spp.</i>	13	Negative	RAMP	
	5/22/2017	Gravid Trap		RW-21-1.1-G1	<i>Culex spp.</i>	19	Negative	RT-PCR	
	5/31/2017	Gravid Trap		RW-22-1.5-G1	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		RW-22-2.5-G1	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		RW-22-3.5-G1	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		RW-22-4.5-G1	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		RW-22-5.5-G1	<i>Culex spp.</i>	1	Negative	RT-PCR	
	6/5/2017	Gravid Trap	6/6/2017	RW-23-1.4-G1	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		RW-23-2.4-G1	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		RW-23-3.4-G1	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		RW-23-4.4-G1	<i>Culex spp.</i>	12	Negative	RT-PCR	
	6/12/2017	Gravid Trap	6/13/2017	RW-24-1.6-G1	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		RW-24-2.6-G1	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		RW-24-3.6-G1	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		RW-24-4.6-G1	<i>Culex spp.</i>	50	Negative	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg West	6/12/2017	Gravid Trap		RW-24-5.6-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RW-24-6.6-G1	<i>Culex spp.</i>	30	Negative	RT-PCR
	6/19/2017	Gravid Trap	6/20/2017	RW-25-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-25-2.2-G1	<i>Culex spp.</i>	10	WNV+	RT-PCR
	6/26/2017	Gravid Trap		RW-26-1.1-G1	<i>Culex spp.</i>	21	Negative	RT-PCR
	7/5/2017	Gravid Trap	7/6/2017	RW-27-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-27-2.2-G1	<i>Culex spp.</i>	18	Negative	RT-PCR
	7/9/2017	Gravid Trap	7/12/2017	RW-28-1.1-G1	<i>Culex spp.</i>	39	WNV+	RAMP
	7/18/2017	Post-spray Trap		RW-PS-29-1.4	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-spray Trap		RW-PS-29-2.4	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-spray Trap		RW-PS-29-3.4	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-spray Trap		RW-PS-29-4.4	<i>Culex spp.</i>	27	WNV+	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	RW-30-1.2-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		RW-30-2.2-G1	<i>Culex spp.</i>	32	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	RW-31-1.3-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		RW-31-2.3-G1	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		RW-31-3.3-G1	<i>Culex spp.</i>	11	Negative	RT-PCR
	8/7/2017	Gravid Trap	8/10/2017	RW-32-1.3-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		RW-32-2.3-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RW-32-3.3-G1	<i>Culex spp.</i>	43	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	RW-33-1.3-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		RW-33-2.3-G1	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		RW-33-3.3-G1	<i>Culex spp.</i>	7	Negative	RT-PCR
	8/21/2017	Gravid Trap	8/23/2017	RW-34-1.2-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		RW-34-2.2-G1	<i>Culex spp.</i>	16	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg West	8/28/2017	Gravid Trap	8/30/2017	RW-35-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		RW-35-2.2-Gr	<i>Culex spp.</i>	26	Negative	LAMP
	9/5/2017	Gravid Trap	9/6/2017	RW-36-1.1-Gr	<i>Culex spp.</i>	31	Negative	LAMP
	9/11/2017	Gravid Trap	9/12/2017	RW-37-1.1-Gr	<i>Culex spp.</i>	11	Negative	RAMP
	9/18/2017	Gravid Trap		RW-38-1.1-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR
	9/25/2017	Gravid Trap	9/26/2017	RW-39-1.1-Gr	<i>Culex spp.</i>	11	WNV+	RAMP
Total Pools Tested: 46		Total Mosquitoes Tested: 1684		Total Pending: 0	Total RAMP: 8	Total Negative: 37	Total Positive: 9	
Total Pools Tested: 106		Total Mosquitoes Tested: 3464		Total Pending: 1	Total RAMP: 15	Total Negative: 89	Total Positive: 16	

Sharon Test Results

Sharon North	5/15/2017	Gravid Trap		SN-20-1.1-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	5/22/2017	Gravid Trap		SN-21-1.1-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	5/30/2017	Gravid Trap		SN-22-1.1-Gr	<i>Culex spp.</i>	32	Negative	RT-PCR
	6/5/2017	Gravid Trap		SN-23-1.1-Gr	<i>Culex spp.</i>	29	Negative	RT-PCR
	6/12/2017	Gravid Trap		SN-24-1.1-Gr	<i>Culex spp.</i>	30	Negative	RT-PCR
	6/19/2017	Gravid Trap		SN-25-1.1-Gr	<i>Culex spp.</i>	18	Negative	RT-PCR
	6/26/2017	Gravid Trap		SN-26-1.1-Gr	<i>Culex spp.</i>	17	Negative	RT-PCR
	7/5/2017	Gravid Trap		SN-27-1.2-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		SN-27-2.2-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR
	7/9/2017	Gravid Trap		SN-28-1.1-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
	7/17/2017	Gravid Trap		SN-29-1.1-Gr	<i>Culex spp.</i>	18	Negative	RT-PCR
	7/24/2017	Gravid Trap		SN-30-1.1-Gr	<i>Culex spp.</i>	29	Negative	RT-PCR
	7/31/2017	Gravid Trap		SN-31-1.1-Gr	<i>Culex spp.</i>	12	Negative	RT-PCR
	8/7/2017	Gravid Trap		SN-32-1.1-Gr	<i>Culex spp.</i>	26	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	SN-33-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Sharon North	8/14/2017	Gravid Trap		SN-33-2.2-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
	8/22/2017	Post-spray Trap		SN-PS-34-1.1	<i>Culex spp.</i>	43	WNV+	RT-PCR
	8/28/2017	Gravid Trap	8/30/2017	SN-35-1.1-Gr	<i>Culex spp.</i>	35	Negative	LAMP
	9/5/2017	Gravid Trap		SN-36-1.1-Gr	<i>Culex spp.</i>	4	Negative	RT-PCR
	9/11/2017	Gravid Trap		SN-37-1.1-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR
	9/18/2017	Gravid Trap		SN-38-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
	9/25/2017	Gravid Trap		SN-39-1.1-Gr	<i>Culex spp.</i>	1	Pending	RT-PCR
Total Pools Tested: 22		Total Mosquitoes Tested: 442		Total Pending: 1		Total RAMP: 0	Total Negative: 19	Total Positive: 2
Sharon South	5/15/2017	Gravid Trap		SS-20-1.1-Gr	<i>Culex spp.</i>	4	Negative	RT-PCR
	5/22/2017	Gravid Trap		SS-21-1.1-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	5/30/2017	Gravid Trap	5/31/2017	SS-22-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-22-2.2-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR
	6/5/2017	Gravid Trap	6/6/2017	SS-23-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-23-2.2-Gr	<i>Culex spp.</i>	38	Negative	RT-PCR
	6/12/2017	Gravid Trap	6/13/2017	SS-24-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-24-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		SS-24-3.3-Gr	<i>Culex spp.</i>	46	Negative	RT-PCR
	6/19/2017	Gravid Trap		SS-25-1.1-Gr	<i>Culex spp.</i>	48	Negative	RT-PCR
	7/5/2017	Gravid Trap	7/6/2017	SS-27-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-27-2.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		SS-27-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
	7/9/2017	Gravid Trap		SS-27-4.4-Gr	<i>Culex spp.</i>	14	Negative	RT-PCR
Gravid Trap		7/12/2017	SS-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Sharon South	7/9/2017	Gravid Trap		SS-28-2.2-Gr	<i>Culex spp.</i>	26	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	SS-29-1.5-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		SS-29-2.5-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		SS-29-3.5-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		SS-29-4.5-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		SS-29-5.5-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR
	7/21/2017	Post-Spray Trap		SS-PS-29-1.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		SS-PS-29-2.3	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		SS-PS-29-3.3	<i>Culex spp.</i>	37	Negative	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	SS-30-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		SS-30-2.2-Gr	<i>Culex spp.</i>	46	WNV+	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	SS-31-1.4-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		SS-31-2.4-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		SS-31-3.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		SS-31-4.4-Gr	<i>Culex spp.</i>	14	Negative	RT-PCR
	8/7/2017	Gravid Trap	8/10/2017	SS-32-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		SS-32-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		SS-32-3.3-Gr	<i>Culex spp.</i>	34	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	SS-33-1.7-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		SS-33-2.7-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		SS-33-3.7-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		SS-33-4.7-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		SS-33-5.7-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
	Gravid Trap		SS-33-6.7-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR	
	Gravid Trap		SS-33-7.7-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Sharon South	8/21/2017	Gravid Trap	8/23/2017	SS-34-1.4-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		SS-34-2.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		SS-34-3.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		SS-34-4.4-Gr	<i>Culex spp.</i>	9	WNV+	RT-PCR
	8/28/2017	Gravid Trap	8/30/2017	SS-35-1.3-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		SS-35-2.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		SS-35-3.3-Gr	<i>Culex spp.</i>	25	WNV+	LAMP
	9/5/2017	Gravid Trap	9/6/2017	SS-36-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		SS-36-2.2-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	9/12/2017	Post-spray Trap		SS-PS-37-1.1	<i>Culex spp.</i>	5	Negative	RT-PCR
	9/18/2017	Gravid Trap		SS-38-1.1-Gr	<i>Culex spp.</i>	10	WNV+	RT-PCR
	9/25/2017	Gravid Trap	9/26/2017	SS-39-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-39-2.2-Gr	<i>Culex spp.</i>	7	Pending	RT-PCR
	Total Pools Tested: 53		Total Mosquitoes Tested: 2037		Total Pending: 1	Total RAMP: 6	Total Negative: 40	Total Positive: 12
Total Pools Tested: 75		Total Mosquitoes Tested: 2479		Total Pending: 2	Total RAMP: 6	Total Negative: 59	Total Positive: 14	

Upper Arlington Test Results

Upper Arlington North	5/15/2017	Gravid Trap	5/16/2017	JAN-20-1.1-G	<i>Culex spp.</i>	16	Negative	RAMP
	5/22/2017	Gravid Trap	5/23/2017	JAN-21-1.1-G	<i>Culex spp.</i>	34	Negative	RAMP
	5/30/2017	Gravid Trap	5/31/2017	JAN-22-1.1-G	<i>Culex spp.</i>	33	Negative	RAMP
	6/5/2017	Gravid Trap		JAN-23-1.2-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JAN-23-2.2-G	<i>Culex spp.</i>	10	Negative	RT-PCR
	6/12/2017	Gravid Trap		JAN-24-1.1-G	<i>Culex spp.</i>	47	Negative	RT-PCR
	6/19/2017	Gravid Trap		JAN-25-1.1-G	<i>Culex spp.</i>	2	Negative	RT-PCR
	6/26/2017	Gravid Trap	6/27/2017	JAN-26-1.1-G	<i>Culex spp.</i>	43	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Upper Arlington North	7/5/2017	Gravid Trap	7/6/2017	JAN-27-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JAN-27-2.2-G	<i>Culex spp.</i>	15	Negative	RT-PCR
	7/9/2017	Gravid Trap		JAN-28-1.1-G	<i>Culex spp.</i>	9	Negative	RT-PCR
	7/17/2017	Gravid Trap		JAN-29-1.1-G	<i>Culex spp.</i>	26	WNV+	RT-PCR
	7/24/2017	Gravid Trap		JAN-30-1.1-G	<i>Culex spp.</i>	24	Negative	RT-PCR
	7/31/2017	Gravid Trap		JAN-31-1.1-G	<i>Culex spp.</i>	15	Negative	RT-PCR
	8/7/2017	Gravid Trap		JAN-32-1.1-G	<i>Culex spp.</i>	25	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	JAN-33-1.2-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		JAN-33-2.2-G	<i>Culex spp.</i>	16	WNV+	RT-PCR
	8/21/2017	Gravid Trap	8/23/2017	JAN-34-1.1-G	<i>Culex spp.</i>	26	Negative	LAMP
	8/28/2017	Gravid Trap	8/30/2017	JAN-35-1.1-G	<i>Culex spp.</i>	22	Negative	LAMP
	9/5/2017	Gravid Trap	9/6/2017	JAN-36-1.1-G	<i>Culex spp.</i>	20	Negative	LAMP
	9/11/2017	Gravid Trap		JAN-37-1.1-G	<i>Culex spp.</i>	6	WNV+	RT-PCR
	9/18/2017	Gravid Trap		JAN-38-1.1-G	<i>Culex spp.</i>	2	Negative	RT-PCR
	9/25/2017	Gravid Trap		JAN-39-1.1-G	<i>Culex spp.</i>	6	Pending	RT-PCR
Total Pools Tested: 23		Total Mosquitoes Tested: 547		Total Pending: 1	Total RAMP: 5	Total Negative: 19	Total Positive: 3	
Upper Arlington South	5/15/2017	Gravid Trap		JAS-20-1.1-G	<i>Culex spp.</i>	6	Negative	RT-PCR
	5/22/2017	Gravid Trap		JAS-21-1.1-G	<i>Culex spp.</i>	19	Negative	RT-PCR
	5/30/2017	Gravid Trap		JAS-22-1.1-G	<i>Culex spp.</i>	12	Negative	RT-PCR
	6/5/2017	Gravid Trap	6/6/2017	JAS-23-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JAS-23-2.2-G	<i>Culex spp.</i>	39	Negative	RT-PCR
	6/12/2017	Gravid Trap		JAS-24-1.1-G	<i>Culex spp.</i>	12	Negative	RT-PCR
	6/19/2017	Gravid Trap		JAS-25-1.1-G	<i>Culex spp.</i>	5	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Upper Arlington South	6/26/2017	Gravid Trap		JAS-26-1.1-G	<i>Culex spp.</i>	19	Negative	RT-PCR	
	7/6/2017	Gravid Trap		JAS-27-1.1-G	<i>Culex spp.</i>	35	Negative	RT-PCR	
	7/9/2017	Gravid Trap	7/12/2017	JAS-28-1.1-G	<i>Culex spp.</i>	50	Negative	RAMP	
	7/17/2017	Gravid Trap	7/18/2017	JAS-29-1.4-G	<i>Culex spp.</i>	50	Negative	LAMP	
			Gravid Trap		JAS-29-2.4-G	<i>Culex spp.</i>	50	Negative	LAMP
			Gravid Trap		JAS-29-3.4-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
			Gravid Trap		JAS-29-4.4-G	<i>Culex spp.</i>	36	Negative	RT-PCR
	7/25/2017	Post-Spray Trap		JAS-PS-30-1.	<i>Culex spp.</i>	33	Negative	RT-PCR	
	7/31/2017	Gravid Trap	8/1/2017	JAS-31-1.2-G	<i>Culex spp.</i>	50	Negative	LAMP	
			Gravid Trap		JAS-31-2.2-G	<i>Culex spp.</i>	50	Negative	RT-PCR
	8/7/2017	Gravid Trap	8/10/2017	JAS-32-1.1-G	<i>Culex spp.</i>	50	WNV+	LAMP	
	8/14/2017	Gravid Trap	8/17/2017	JAS-33-1.1-G	<i>Culex spp.</i>	47	Negative	LAMP	
	8/18/2017	Post-Spray Trap		JAS-PS-33-1.	<i>Culex spp.</i>	50	Negative	RT-PCR	
			Post-Spray Trap		JAS-PS-33-2.	<i>Culex spp.</i>	6	Negative	RT-PCR
	8/21/2017	Gravid Trap	8/23/2017	JAS-34-1.2-G	<i>Culex spp.</i>	50	Negative	LAMP	
			Gravid Trap		JAS-34-2.2-G	<i>Culex spp.</i>	12	Negative	RT-PCR
	8/28/2017	Gravid Trap	8/30/2017	JAS-35-1.2-G	<i>Culex spp.</i>	50	Negative	LAMP	
			Gravid Trap		JAS-35-2.2-G	<i>Culex spp.</i>	28	Negative	LAMP
	9/5/2017	Gravid Trap	9/6/2017	JAS-36-1.1-G	<i>Culex spp.</i>	48	WNV+	LAMP	
	9/11/2017	Gravid Trap	9/12/2017	JAS-37-1.1-G	<i>Culex spp.</i>	17	WNV+	RAMP	
	9/18/2017	Gravid Trap		JAS-38-1.1-G	<i>Culex spp.</i>	3	Negative	RT-PCR	
	9/22/2017	Post-spray Trap		JAS-PS-38-1.	<i>Culex spp.</i>	6	Pending	RT-PCR	
	9/25/2017	Gravid Trap	9/26/2017	JAS-39-1.1-G	<i>Culex spp.</i>	21	Negative	RAMP	
	Total Pools Tested: 30		Total Mosquitoes Tested: 954		Total Pending: 1	Total RAMP: 4	Total Negative: 25	Total Positive: 4	
	Total Pools Tested: 53		Total Mosquitoes Tested: 1501		Total Pending: 2	Total RAMP: 9	Total Negative: 44	Total Positive: 7	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Urbancrest Test Results								
Urbancrest	5/15/2017	Gravid Trap		UR-20-1.1-Gr	<i>Culex spp.</i>	15	Negative	RT-PCR
	5/22/2017	Gravid Trap		UR-21-1.1-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
	5/31/2017	Gravid Trap		UR-22-1.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		UR-22-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		UR-22-3.3-Gr	<i>Culex spp.</i>	14	Negative	RT-PCR
	6/5/2017	Gravid Trap	6/6/2017	UR-23-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-23-2.2-Gr	<i>Culex spp.</i>	29	Negative	RT-PCR
	6/12/2017	Gravid Trap		UR-24-1.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		UR-24-2.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		UR-24-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		UR-24-4.4-Gr	<i>Culex spp.</i>	20	Negative	RT-PCR
	6/19/2017	Gravid Trap	6/20/2017	UR-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-25-2.2-Gr	<i>Culex spp.</i>	42	Negative	RT-PCR
	6/26/2017	Gravid Trap	6/27/2017	UR-26-1.1-Gr	<i>Culex spp.</i>	27	Negative	RAMP
	7/5/2017	Gravid Trap	7/6/2017	UR-27-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-27-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		UR-27-3.3-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
	7/9/2017	Gravid Trap		UR-28-1.1-Gr	<i>Culex territans</i>	28	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	UR-29-1.6-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		UR-29-2.6-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		UR-29-3.6-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		UR-29-4.6-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		UR-29-5.6-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Urbancrest	7/17/2017	Gravid Trap		UR-29-6.6-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR
	7/19/2017	Post-spray Trap		UR-PS-29-1.4	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-spray Trap		UR-PS-29-2.4	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-spray Trap		UR-PS-29-3.4	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-spray Trap		UR-PS-29-4.4	<i>Culex spp.</i>	44	WNV+	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	UR-30-1.2-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		UR-30-2.2-Gr	<i>Culex spp.</i>	17	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	UR-31-1.9-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		UR-31-2.9-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		UR-31-3.9-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		UR-31-4.9-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		UR-31-5.9-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		UR-31-6.9-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		UR-31-7.9-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		UR-31-8.9-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		UR-31-9.9-Gr	<i>Culex spp.</i>	30	Negative	RT-PCR
	8/4/2017	Post-spray Trap		UR-PS-31-1.1	<i>Culex spp.</i>	5	Negative	RT-PCR
	8/7/2017	Gravid Trap	8/10/2017	UR-32-1.4-Gr	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		UR-32-2.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		UR-32-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		UR-32-4.4-Gr	<i>Culex spp.</i>	43	Negative	RT-PCR
	8/21/2017	Gravid Trap	8/23/2017	UR-34-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		UR-34-2.2-Gr	<i>Culex spp.</i>	22	WNV+	RT-PCR
	8/28/2017	Gravid Trap	8/30/2017	UR-35-1.3-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		UR-35-2.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Urbancrest	8/28/2017	Gravid Trap		UR-35-3.3-Gr	<i>Culex spp.</i>	13	Negative	RT-PCR
	9/1/2017	Post-spray Trap		UR-PS-35-1.1	<i>Culex spp.</i>	2	Negative	RT-PCR
	9/5/2017	Gravid Trap	9/6/2017	UR-36-1.2-Gr	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		UR-36-2.2-Gr	<i>Culex spp.</i>	7	WNV+	RT-PCR
	9/11/2017	Gravid Trap		UR-37-1.1-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	9/18/2017	Gravid Trap		UR-38-1.1-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR
	9/25/2017	Gravid Trap	9/26/2017	UR-39-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-39-2.2-Gr	<i>Culex spp.</i>	16	Pending	RT-PCR
Total Pools Tested: 56		Total Mosquitoes Tested: 2111		Total Pending: 1	Total RAMP: 5	Total Negative: 38	Total Positive: 17	
Total Pools Tested: 56		Total Mosquitoes Tested: 2111		Total Pending: 1	Total RAMP: 5	Total Negative: 38	Total Positive: 17	

Westerville Test Results

Westerville Central	5/15/2017	Gravid Trap	5/16/2017	WC-20-1.1-G1	<i>Culex spp.</i>	6	Negative	RAMP
	5/22/2017	Gravid Trap	5/23/2017	WC-21-1.1-G1	<i>Culex spp.</i>	41	Negative	RAMP
	5/30/2017	Gravid Trap	5/31/2017	WC-22-1.1-G1	<i>Culex spp.</i>	33	Negative	RAMP
	6/5/2017	Gravid Trap	6/6/2017	WC-23-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WC-23-2.2-G1	<i>Culex spp.</i>	8	Negative	RAMP
	6/12/2017	Gravid Trap	6/13/2017	WC-24-1.6-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WC-24-2.6-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WC-24-3.6-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WC-24-4.6-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WC-24-5.6-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WC-24-6.6-G1	<i>Culex spp.</i>	5	Negative	RAMP
	6/19/2017	Gravid Trap	6/20/2017	WC-25-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WC-25-2.2-G1	<i>Culex spp.</i>	19	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville Central	6/26/2017	Gravid Trap	6/27/2017	WC-26-1.1-G1	<i>Culex spp.</i>	36	Negative	RAMP
	7/5/2017	Gravid Trap	7/6/2017	WC-27-1.5-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WC-27-2.5-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WC-27-3.5-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WC-27-4.5-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WC-27-5.5-G1	<i>Culex spp.</i>	50	Negative	RAMP
	7/9/2017	Gravid Trap	7/12/2017	WC-28-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WC-28-2.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WC-28-3.3-G1	<i>Culex spp.</i>	15	Negative	RAMP
	7/17/2017	Gravid Trap	7/18/2017	WC-29-1.2-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		WC-29-2.2-G1	<i>Culex spp.</i>	44	Negative	LAMP
	7/24/2017	Gravid Trap	7/25/2017	WC-30-1.4-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		WC-30-2.4-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		WC-30-3.4-G1	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		WC-30-4.4-G1	<i>Culex spp.</i>	14	Negative	LAMP
	7/31/2017	Gravid Trap	8/1/2017	WC-31-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WC-31-2.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WC-31-3.3-G1	<i>Culex spp.</i>	5	Negative	RAMP
	8/7/2017	Gravid Trap	8/8/2017	WC-32-1.5-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WC-32-2.5-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WC-32-3.5-G1	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		WC-32-4.5-G1	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		WC-32-5.5-G1	<i>Culex spp.</i>	14	Negative	RAMP
	8/15/2017	Post-spray Trap	8/18/2017	WC-PS-33-1.3	<i>Culex spp.</i>	50	WNV+	RAMP
		Post-spray Trap		WC-PS-33-2.3	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville Central	8/15/2017	Post-spray Trap	8/18/2017	WC-PS-33-3.3	<i>Culex spp.</i>	21	Negative	RAMP
	8/21/2017	Gravid Trap	8/22/2017	WC-34-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WC-34-2.2-G1	<i>Culex spp.</i>	33	WNV+	RAMP
	8/25/2017	Post-spray Trap	8/26/2017	WC-PS-34-1.1	<i>Culex spp.</i>	14	Negative	RAMP
	8/28/2017	Gravid Trap	8/29/2017	WC-35-1.2-G1	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		WC-35-2.2-G1	<i>Culex spp.</i>	46	Negative	RAMP
	9/5/2017	Gravid Trap	9/6/2017	WC-36-1.2-G1	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		WC-36-2.2-G1	<i>Culex spp.</i>	7	Negative	RAMP
	9/7/2017	Post-Spray Trap	9/8/2017	WC-PS-36-1.1	<i>Culex spp.</i>	14	WNV+	RAMP
	9/11/2017	Gravid Trap	9/12/2017	WC-37-1.1-G1	<i>Culex spp.</i>	8	Negative	RAMP
	9/18/2017	Gravid Trap	9/19/2017	WC-38-1.1-G1	<i>Culex spp.</i>	7	Negative	RAMP
	9/25/2017	Gravid Trap	9/26/2017	WC-39-1.1-G1	<i>Culex spp.</i>	27	Negative	RAMP
	Total Pools Tested: 50		Total Mosquitoes Tested: 1867		Total Pending: 0	Total RAMP: 44	Total Negative: 43	Total Positive: 7
Westerville East	5/15/2017	Gravid Trap	5/16/2017	WE-20-1.1-G1	<i>Culex spp.</i>	12	Negative	RAMP
	5/22/2017	Gravid Trap	5/23/2017	WE-21-1.1-G1	<i>Culex spp.</i>	9	Negative	RAMP
	5/30/2017	Gravid Trap	5/31/2017	WE-22-1.1-G1	<i>Culex spp.</i>	6	Negative	RAMP
	6/5/2017	Gravid Trap	6/6/2017	WE-23-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-23-2.2-G1	<i>Culex spp.</i>	17	Negative	RAMP
	6/12/2017	Gravid Trap	6/13/2017	WE-24-1.4-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-24-2.4-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-24-3.4-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-24-4.4-G1	<i>Culex spp.</i>	10	Negative	RAMP
	6/19/2017	Gravid Trap	6/20/2017	WE-25-1.1-G1	<i>Culex spp.</i>	24	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Westerville East	6/26/2017	Gravid Trap	6/27/2017	WE-26-1.1-Gr	<i>Culex spp.</i>	17	Negative	RAMP	
	7/5/2017	Gravid Trap	7/6/2017	WE-27-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		WE-27-2.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
	7/9/2017	Gravid Trap	7/12/2017	WE-28-1.1-Gr	<i>Culex spp.</i>	43	WNV+	RAMP	
	7/18/2017	Post-spray Trap	7/20/2017	WE-PS-29-1.3	<i>Culex spp.</i>	50	Negative	RAMP	
		Post-spray Trap		WE-PS-29-2.3	<i>Culex spp.</i>	50	Negative	RAMP	
		Post-spray Trap		WE-PS-29-3.3	<i>Culex spp.</i>	27	Negative	RAMP	
	7/24/2017	Gravid Trap	7/25/2017	WE-30-1.1-Gr	<i>Culex spp.</i>	33	Negative	LAMP	
	7/31/2017	Gravid Trap	8/1/2017	WE-31-1.1-Gr	<i>Culex spp.</i>	51	Negative	RAMP	
	8/7/2017	Gravid Trap	8/8/2017	WE-32-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		WE-32-2.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
	8/14/2017	Gravid Trap	8/15/2017	WE-33-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		WE-33-2.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		WE-33-3.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		WE-33-4.4-Gr	<i>Culex spp.</i>	29	Negative	RAMP	
	8/21/2017	Gravid Trap	8/22/2017	WE-34-1.1-Gr	<i>Culex spp.</i>	33	Negative	RAMP	
	8/28/2017	Gravid Trap	8/29/2017	WE-35-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		WE-35-2.2-Gr	<i>Culex spp.</i>	22	Negative	RAMP	
	9/5/2017	Gravid Trap	9/6/2017	WE-36-1.1-Gr	<i>Culex spp.</i>	35	WNV+	RAMP	
	9/11/2017	Gravid Trap	9/12/2017	WE-37-1.1-Gr	<i>Culex spp.</i>	6	Negative	RAMP	
	9/18/2017	Gravid Trap	9/19/2017	WE-38-1.1-Gr	<i>Culex spp.</i>	10	Negative	RAMP	
	9/21/2017	Post-spray Trap	9/22/2017	WE-PS-38-1.1	<i>Culex spp.</i>	5	Negative	RAMP	
	9/25/2017	Gravid Trap	9/26/2017	WE-39-1.1-Gr	<i>Culex spp.</i>	24	Negative	RAMP	
	Total Pools Tested: 33		Total Mosquitoes Tested: 1113		Total Pending: 0	Total RAMP: 32	Total Negative: 31	Total Positive: 2	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Westerville North	5/15/2017	Gravid Trap	5/16/2017	WN-20-1.1-G1	<i>Culex spp.</i>	2	Negative	RAMP	
	5/22/2017	Gravid Trap	5/23/2017	WN-21-1.1-G1	<i>Culex spp.</i>	12	Negative	RAMP	
	5/30/2017	Gravid Trap	5/31/2017	WN-22-1.1-G1	<i>Culex spp.</i>	10	Negative	RAMP	
	6/5/2017	Gravid Trap	6/6/2017	WN-23-1.1-G1	<i>Culex spp.</i>	10	Negative	RAMP	
	6/12/2017	Gravid Trap		6/13/2017	WN-24-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
					WN-24-2.2-G1	<i>Culex spp.</i>	18	Negative	RAMP
	6/19/2017	Gravid Trap	6/20/2017	WN-25-1.1-G1	<i>Culex spp.</i>	23	Negative	RAMP	
	6/26/2017	Gravid Trap	6/27/2017	WN-26-1.1-G1	<i>Culex spp.</i>	16	Negative	RAMP	
	7/5/2017	Gravid Trap		7/6/2017	WN-27-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
					WN-27-2.2-G1	<i>Culex spp.</i>	33	Negative	RAMP
	7/9/2017	Gravid Trap		7/12/2017	WN-28-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
					WN-28-2.2-G1	<i>Culex spp.</i>	17	Negative	RAMP
	7/17/2017	Gravid Trap		7/18/2017	WN-29-1.2-G1	<i>Culex spp.</i>	50	Negative	LAMP
					WN-29-2.2-G1	<i>Culex spp.</i>	16	Negative	LAMP
	7/24/2017	Gravid Trap		7/25/2017	WN-30-1.2-G1	<i>Culex spp.</i>	50	WNV+	LAMP
					WN-30-2.2-G1	<i>Culex spp.</i>	4	Negative	LAMP
	7/31/2017	Gravid Trap		8/1/2017	WN-31-1.1-G1	<i>Culex spp.</i>	41	WNV+	RAMP
	8/3/2017	Post-spray Trap		8/7/2017	WN-PS-31-1.1	<i>Culex spp.</i>	12	Negative	RAMP
	8/7/2017	Gravid Trap		8/8/2017	WN-32-1.1-G1	<i>Culex spp.</i>	32	Negative	RAMP
	8/14/2017	Gravid Trap		8/15/2017	WN-33-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
					WN-33-2.2-G1	<i>Culex spp.</i>	42	Negative	RAMP
	8/21/2017	Gravid Trap		8/22/2017	WN-34-1.2-G1	<i>Culex spp.</i>	50	WNV+	RAMP
					WN-34-2.2-G1	<i>Culex spp.</i>	16	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville North	8/28/2017	Gravid Trap	8/29/2017	WN-35-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WN-35-2.2-Gr	<i>Culex spp.</i>	26	Negative	RAMP
	9/5/2017	Gravid Trap	9/6/2017	WN-36-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		WN-36-2.2-Gr	<i>Culex spp.</i>	7	Negative	RAMP
	9/11/2017	Gravid Trap	9/12/2017	WN-37-1.1-Gr	<i>Culex spp.</i>	3	Negative	RAMP
	9/18/2017	Gravid Trap	9/19/2017	WN-38-1.1-Gr	<i>Culex spp.</i>	3	Negative	RAMP
	9/21/2017	Post-spray Trap	9/22/2017	WN-PS-38-1.1	<i>Culex spp.</i>	3	Negative	RAMP
	9/25/2017	Gravid Trap	9/26/2017	WN-39-1.1-Gr	<i>Culex spp.</i>	5	Negative	RAMP
Total Pools Tested: 31		Total Mosquitoes Tested: 801		Total Pending: 0	Total RAMP: 27	Total Negative: 27	Total Positive: 4	
Westerville South	5/15/2017	Gravid Trap	5/16/2017	WS-20-1.1-Gr	<i>Culex spp.</i>	13	Negative	RAMP
	5/22/2017	Gravid Trap	5/23/2017	WS-21-1.1-Gr	<i>Culex spp.</i>	8	Negative	RAMP
	5/30/2017	Gravid Trap	5/31/2017	WS-22-1.1-Gr	<i>Culex spp.</i>	24	Negative	RAMP
	6/5/2017	Gravid Trap	6/6/2017	WS-23-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-23-2.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-23-3.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-23-4.4-Gr	<i>Culex spp.</i>	13	Negative	RAMP
	6/12/2017	Gravid Trap	6/13/2017	WS-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-24-2.2-Gr	<i>Culex spp.</i>	48	Negative	RAMP
	6/19/2017	Gravid Trap	6/20/2017	WS-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-25-2.2-Gr	<i>Culex spp.</i>	31	Negative	RAMP
	6/26/2017	Gravid Trap	6/27/2017	WS-26-1.1-Gr	<i>Culex spp.</i>	33	Negative	RAMP
	7/5/2017	Gravid Trap	7/6/2017	WS-27-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
	Gravid Trap		WS-27-2.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Westerville South	7/5/2017	Gravid Trap	7/6/2017	WS-27-3.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
	7/9/2017	Gravid Trap	7/12/2017	WS-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
			Gravid Trap		WS-28-2.2-Gr	<i>Culex spp.</i>	12	Negative	RAMP
	7/17/2017	Gravid Trap	7/18/2017	WS-29-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP	
			Gravid Trap		WS-29-2.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
			Gravid Trap		WS-29-3.3-Gr	<i>Culex spp.</i>	44	Negative	LAMP
	7/24/2017	Gravid Trap	7/25/2017	WS-30-1.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP	
			Gravid Trap		WS-30-2.3-Gr	<i>Culex spp.</i>	50	Negative	LAMP
			Gravid Trap		WS-30-3.3-Gr	<i>Culex spp.</i>	32	Negative	LAMP
	7/31/2017	Gravid Trap	8/1/2017	WS-31-1.3-Gr	<i>Culex spp.</i>	50	WNV+	RAMP	
			Gravid Trap		WS-31-2.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		WS-31-3.3-Gr	<i>Culex spp.</i>	4	Negative	RAMP
	8/3/2017	Post-spray Trap	8/7/2017	WS-PS-31-1.2	<i>Culex spp.</i>	50	Negative	RAMP	
		Post-spray Trap		WS-PS-31-2.2	<i>Culex spp.</i>	5	Negative	RAMP	
	8/7/2017	Gravid Trap	8/8/2017	WS-32-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		WS-32-2.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		WS-32-3.3-Gr	<i>Culex spp.</i>	13	Negative	RAMP	
	8/14/2017	Gravid Trap	8/15/2017	WS-33-1.6-Gr	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		WS-33-2.6-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		WS-33-3.6-Gr	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		WS-33-4.6-Gr	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		WS-33-5.6-Gr	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		WS-33-6.6-Gr	<i>Culex spp.</i>	3	Negative	RAMP	
	8/18/2017	Post-Spray Trap	8/22/2017	WS-PS-33-1.1	<i>Culex spp.</i>	30	Negative	RAMP	
	8/21/2017	Gravid Trap		WS-34-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville South	8/21/2017	Gravid Trap	8/22/2017	WS-34-2.2-Gr	<i>Culex spp.</i>	8	Negative	RAMP
	8/28/2017	Gravid Trap	8/29/2017	WS-35-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-35-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		WS-35-3.3-Gr	<i>Culex spp.</i>	19	WNV+	RAMP
	9/5/2017	Gravid Trap	9/6/2017	WS-36-1.1-Gr	<i>Culex spp.</i>	44	WNV+	RAMP
	9/7/2017	Post-Spray Trap	9/8/2017	WS-PS-36-1.1	<i>Culex spp.</i>	37	Negative	RAMP
	9/11/2017	Gravid Trap	9/12/2017	WS-37-1.1-Gr	<i>Culex spp.</i>	6	Negative	RAMP
	9/18/2017	Gravid Trap	9/19/2017	WS-38-1.1-Gr	<i>Culex spp.</i>	6	Negative	RAMP
	9/25/2017	Gravid Trap	9/26/2017	WS-39-1.1-Gr	<i>Culex spp.</i>	5	Negative	RAMP
Total Pools Tested: 48		Total Mosquitoes Tested: 1738		Total Pending: 0	Total RAMP: 42	Total Negative: 39	Total Positive: 9	
Westerville West	5/15/2017	Gravid Trap	5/16/2017	NW-20-1.1-G	<i>Culex spp.</i>	17	Negative	RAMP
	5/22/2017	Gravid Trap	5/23/2017	NW-21-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-21-2.2-G	<i>Culex spp.</i>	24	Negative	RAMP
	5/30/2017	Gravid Trap	5/31/2017	NW-22-1.1-G	<i>Culex spp.</i>	48	Negative	RAMP
	6/5/2017	Gravid Trap	6/6/2017	NW-23-1.1-G	<i>Culex spp.</i>	17	Negative	RAMP
	6/12/2017	Gravid Trap	6/13/2017	NW-24-1.4-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-24-2.4-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-24-3.4-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-24-4.4-G	<i>Culex spp.</i>	13	Negative	RAMP
	6/19/2017	Gravid Trap	6/20/2017	NW-25-1.1-G	<i>Culex spp.</i>	19	Negative	RAMP
	6/26/2017	Gravid Trap	6/27/2017	NW-26-1.1-G	<i>Culex spp.</i>	18	Negative	RAMP
	7/5/2017	Gravid Trap	7/6/2017	NW-27-1.5-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-27-2.5-G	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay		
Westerville West	7/5/2017	Gravid Trap	7/6/2017	NW-27-3.5-G	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		NW-27-4.5-G	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		NW-27-5.5-G	<i>Culex spp.</i>	30	Negative	RAMP		
	7/9/2017	Gravid Trap	7/12/2017	NW-28-1.2-G	<i>Culex spp.</i>	50	WNV+	RAMP		
		Gravid Trap		NW-28-2.2-G	<i>Culex spp.</i>	25	Negative	RAMP		
	7/18/2017	Post-spray Trap	7/20/2017	NW-PS-29-1.4	<i>Culex spp.</i>	50	Negative	RAMP		
		Post-spray Trap		NW-PS-29-2.4	<i>Culex spp.</i>	50	Negative	RAMP		
		Post-spray Trap		NW-PS-29-3.4	<i>Culex spp.</i>	50	Negative	RAMP		
		Post-spray Trap		NW-PS-29-4.4	<i>Culex spp.</i>	28	Negative	RAMP		
	7/24/2017	Gravid Trap	7/25/2017	NW-30-1.3-G	<i>Culex spp.</i>	50	Negative	LAMP		
		Gravid Trap		NW-30-2.3-G	<i>Culex spp.</i>	50	Negative	LAMP		
		Gravid Trap		NW-30-3.3-G	<i>Culex spp.</i>	19	Negative	LAMP		
	7/31/2017	Gravid Trap	8/1/2017	NW-31-1.7-G	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		NW-31-2.7-G	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		NW-31-3.7-G	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		NW-31-4.7-G	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		NW-31-5.7-G	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		NW-31-6.7-G	<i>Culex spp.</i>	50	WNV+	RAMP		
		Gravid Trap		NW-31-7.7-G	<i>Culex spp.</i>	20	Negative	RAMP		
		8/3/2017		Post-spray Trap	8/7/2017	NW-PS-31-1.1	<i>Culex spp.</i>	36	Negative	RAMP
		8/7/2017		Gravid Trap	8/8/2017	NW-32-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
	Gravid Trap		NW-32-2.3-G	<i>Culex spp.</i>		50	Negative	RAMP		
	Gravid Trap		NW-32-3.3-G	<i>Culex spp.</i>		6	Negative	RAMP		
8/14/2017	Gravid Trap	8/15/2017	NW-33-1.5-G	<i>Culex spp.</i>	50	WNV+	RAMP			
	Gravid Trap		NW-33-2.5-G	<i>Culex spp.</i>	50	Negative	RAMP			

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Westerville West	8/14/2017	Gravid Trap	8/15/2017	NW-33-3.5-G	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		NW-33-4.5-G	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		NW-33-5.5-G	<i>Culex spp.</i>	48	Negative	RAMP	
	8/18/2017	Post-Spray Trap	8/22/2017	NW-PS-33-1.1	<i>Culex spp.</i>	25	Negative	RAMP	
	8/21/2017	Gravid Trap		NW-34-1.2-G	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		NW-34-2.2-G	<i>Culex spp.</i>	50	WNV+	RAMP	
	8/25/2017	Post-spray Trap	8/26/2017	NW-PS-34-1.1	<i>Culex spp.</i>	13	WNV+	RAMP	
	8/28/2017	Gravid Trap		NW-35-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		NW-35-2.3-G	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		NW-35-3.3-G	<i>Culex spp.</i>	36	Negative	RAMP	
	9/5/2017	Gravid Trap	9/6/2017	NW-36-1.1-G	<i>Culex spp.</i>	52	Negative	RAMP	
	9/7/2017	Post-Spray Trap	9/8/2017	NW-PS-36-1.1	<i>Culex spp.</i>	50	Negative	RAMP	
		Post-Spray Trap		NW-PS-36-2.1	<i>Culex spp.</i>	6	Negative	RAMP	
	9/11/2017	Gravid Trap	9/12/2017	NW-37-1.1-G	<i>Culex spp.</i>	8	Negative	RAMP	
	9/18/2017	Gravid Trap	9/19/2017	NW-38-1.1-G	<i>Culex spp.</i>	13	Negative	RAMP	
	9/25/2017	Gravid Trap	9/26/2017	NW-39-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		NW-39-2.2-G	<i>Culex spp.</i>	8	Negative	RAMP	
	Total Pools Tested: 55		Total Mosquitoes Tested: 2129		Total Pending: 0	Total RAMP: 52	Total Negative: 47	Total Positive: 8	
	Total Pools Tested: 217		Total Mosquitoes Tested: 7648		Total Pending: 0	Total RAMP: 197	Total Negative: 187	Total Positive: 30	

Whitehall Test Results

Whitehall East	5/15/2017	Gravid Trap		VHE-20-1.1-G	<i>Culex spp.</i>	10	Negative	RT-PCR
	5/22/2017	Gravid Trap		VHE-21-1.1-G	<i>Culex spp.</i>	29	Negative	RT-PCR
	5/30/2017	Gravid Trap		VHE-22-1.1-G	<i>Culex spp.</i>	11	Negative	RT-PCR
	6/6/2017	Gravid Trap		VHE-23-1.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Whitehall East	6/6/2017	Gravid Trap		VHE-23-2.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		VHE-23-3.3-G	<i>Culex spp.</i>	33	Negative	RT-PCR
	6/12/2017	Gravid Trap		VHE-24-1.1-G	<i>Culex spp.</i>	24	Negative	RT-PCR
	6/19/2017	Gravid Trap	6/20/2017	VHE-25-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VHE-25-2.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		VHE-25-3.3-G	<i>Culex spp.</i>	7	Negative	RT-PCR
	6/26/2017	Gravid Trap		VHE-26-1.1-G	<i>Culex spp.</i>	17	Negative	RT-PCR
	7/5/2017	Gravid Trap		VHE-27-1.1-G	<i>Culex spp.</i>	22	Negative	RT-PCR
	7/9/2017	Gravid Trap	7/12/2017	VHE-28-1.2-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		VHE-28-2.2-G	<i>Culex spp.</i>	50	Negative	RT-PCR
	7/13/2017	Post-spray Trap		VHE-PS-28-1.	<i>Culex spp.</i>	14	Negative	RT-PCR
		Gravid Trap		HE-PS-28-1.1-	<i>Culex spp.</i>	14	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	VHE-29-1.2-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		VHE-29-2.2-G	<i>Culex spp.</i>	46	Negative	RT-PCR
	7/24/2017	Gravid Trap		VHE-30-1.1-G	<i>Culex spp.</i>	30	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	VHE-31-1.2-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		VHE-31-2.2-G	<i>Culex spp.</i>	17	Negative	RT-PCR
	8/7/2017	Gravid Trap	8/10/2017	VHE-32-1.3-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		VHE-32-2.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		VHE-32-3.3-G	<i>Culex spp.</i>	28	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	VHE-33-1.2-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		VHE-33-2.2-G	<i>Culex spp.</i>	26	WNV+	RT-PCR
	8/21/2017	Gravid Trap		VHE-34-1.1-G	<i>Culex spp.</i>	37	Negative	RT-PCR
	8/28/2017	Gravid Trap	8/30/2017	VHE-35-1.2-G	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		VHE-35-2.2-G	<i>Culex spp.</i>	46	Negative	LAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Whitehall East	9/5/2017	Gravid Trap	9/6/2017	VHE-36-1.1-G	<i>Culex spp.</i>	37	Negative	LAMP
	9/11/2017	Gravid Trap	9/12/2017	VHE-37-1.1-G	<i>Culex spp.</i>	48	Negative	RAMP
	9/18/2017	Gravid Trap		VHE-38-1.1-G	<i>Culex spp.</i>	12	Negative	RT-PCR
	9/25/2017	Gravid Trap	9/26/2017	VHE-39-1.1-G	<i>Culex spp.</i>	24	Negative	RAMP
Total Pools Tested: 33		Total Mosquitoes Tested: 1132		Total Pending: 0	Total RAMP: 4	Total Negative: 31	Total Positive: 2	
Whitehall West	5/15/2017	Gravid Trap	5/16/2017	/HW-20-1.2-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		/HW-20-2.2-C	<i>Culex spp.</i>	15	Negative	RT-PCR
	5/22/2017	Gravid Trap	5/23/2017	/HW-21-1.2-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		/HW-21-2.2-C	<i>Culex spp.</i>	14	Negative	RT-PCR
	5/31/2017	Gravid Trap		/HW-22-1.3-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		/HW-22-2.3-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		/HW-22-3.3-C	<i>Culex spp.</i>	25	Negative	RT-PCR
	6/5/2017	Gravid Trap	6/6/2017	/HW-23-1.4-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		/HW-23-2.4-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		/HW-23-3.4-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		/HW-23-4.4-C	<i>Culex spp.</i>	7	Negative	RT-PCR
	6/12/2017	Gravid Trap	6/13/2017	/HW-24-1.4-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		/HW-24-2.4-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		/HW-24-3.4-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		/HW-24-4.4-C	<i>Culex spp.</i>	23	Negative	RT-PCR
	6/19/2017	Gravid Trap		/HW-25-1.2-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		/HW-25-2.2-C	<i>Culex spp.</i>	39	Negative	RT-PCR
	6/26/2017	Gravid Trap	6/27/2017	/HW-26-1.1-C	<i>Culex spp.</i>	49	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Whitehall West	7/5/2017	Gravid Trap	7/6/2017	/HW-27-1.2-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		/HW-27-2.2-C	<i>Culex spp.</i>	25	Negative	RT-PCR
	7/9/2017	Gravid Trap		/HW-28-1.1-C	<i>Culex spp.</i>	13	Negative	RT-PCR
	7/17/2017	Gravid Trap	7/18/2017	/HW-29-1.3-C	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		/HW-29-2.3-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		/HW-29-3.3-C	<i>Culex spp.</i>	42	Negative	RT-PCR
	7/24/2017	Gravid Trap	7/25/2017	/HW-30-1.2-C	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		/HW-30-2.2-C	<i>Culex spp.</i>	10	Negative	RT-PCR
	7/31/2017	Gravid Trap	8/1/2017	/HW-31-1.2-C	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		/HW-31-2.2-C	<i>Culex spp.</i>	40	WNV+	RT-PCR
	8/7/2017	Gravid Trap	8/10/2017	/HW-32-1.6-C	<i>Culex spp.</i>	50	Negative	LAMP
		Gravid Trap		/HW-32-2.6-C	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		/HW-32-3.6-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		/HW-32-4.6-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		/HW-32-5.6-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		/HW-32-6.6-C	<i>Culex spp.</i>	2	Negative	RT-PCR
	8/14/2017	Gravid Trap	8/17/2017	/HW-33-1.3-C	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		/HW-33-2.3-C	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		/HW-33-3.3-C	<i>Culex spp.</i>	24	Negative	RT-PCR
	8/21/2017	Gravid Trap		/HW-34-1.1-C	<i>Culex spp.</i>	27	Negative	RT-PCR
	8/24/2017	Post-spray Trap		/HW-PS-34-1	<i>Culex spp.</i>	10	Negative	RT-PCR
	8/28/2017	Gravid Trap	8/30/2017	/HW-35-1.2-C	<i>Culex spp.</i>	50	WNV+	LAMP
		Gravid Trap		/HW-35-2.2-C	<i>Culex spp.</i>	7	WNV+	RT-PCR
	9/5/2017	Gravid Trap	9/6/2017	/HW-36-1.1-C	<i>Culex spp.</i>	26	WNV+	LAMP
	9/11/2017	Gravid Trap	9/12/2017	/HW-37-1.1-C	<i>Culex spp.</i>	16	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay			
Whitehall West	9/19/2017	Post-spray Trap		7HW-PS-38-1	<i>Culex spp.</i>	5	Pending	RT-PCR			
	9/25/2017	Gravid Trap	9/26/2017	7HW-39-1.1-C	<i>Culex spp.</i>	21	Negative	RAMP			
Total Pools Tested:	45	Total Mosquitoes Tested:	1640	Total Pending:	1	Total RAMP:	8	Total Negative:	37	Total Positive:	7
Total Pools Tested:	78	Total Mosquitoes Tested:	2772	Total Pending:	1	Total RAMP:	12	Total Negative:	68	Total Positive:	9
Total Pools Tested: 1744		Total Mosquitoes Tested: 57202		Total Pending: 20	Total RAMP: 495	Total Negative: 1,435	Total Positive: 289				