



Arboviral Surveillance Results

Start Date: 1/1/2018 End Date: 12/31/2018

Franklin County Public Health

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Bexley Test Results								
Bexley	5/14/2018	Gravid Trap		BE-20-1.1-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	5/21/2018	Gravid Trap		BE-21-1.1-Gr	<i>Culex spp.</i>	4	Negative	RT-PCR
	5/29/2018	Gravid Trap		BE-22-1.1-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	6/4/2018	Gravid Trap		BE-23-1.1-Gr	<i>Culex spp.</i>	19	Negative	RT-PCR
	6/11/2018	Gravid Trap		BE-24-1.1-GR	<i>Culex spp.</i>	25	Negative	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	BE-25-1.1-Gr	<i>Culex spp.</i>	36	Negative	RAMP
	6/25/2018	Gravid Trap	6/26/2018	BE-26-1.1-Gr	<i>Culex spp.</i>	49	Negative	RAMP
	7/2/2018	Gravid Trap	7/3/2018	BE-27-1.1-Gr	<i>Culex spp.</i>	28	Negative	RAMP
	7/9/2018	Gravid Trap		BE-28-1.1-Gr	<i>Culex spp.</i>	18	Negative	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	BE-29-1.1-Gr	<i>Culex spp.</i>	21	Negative	RAMP
	7/30/2018	Gravid Trap		BE-31-1.1-GR	<i>Culex spp.</i>	1	Negative	RT-PCR
	8/6/2018	Gravid Trap		BE-32-1.1-GR	<i>Culex spp.</i>	5	Negative	RT-PCR
	8/13/2018	Gravid Trap	8/14/2018	BE-33-1.2-GR	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		BE-33-2.2-GR	<i>Culex spp.</i>	11	WNV+	RT-PCR
	8/21/2018	Post-Spray Trap		BE-34-1.1-PS	<i>Culex spp.</i>	35	Negative	RT-PCR
	8/27/2018	Gravid Trap	8/28/2018	BE-35-1.1-GR	<i>Culex spp.</i>	37	Negative	RAMP
	9/4/2018	Gravid Trap	9/5/2018	BE-36-1.1-GR	<i>Culex spp.</i>	25	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Bexley	9/10/2018	Gravid Trap	9/11/2018	BE-37-1.2-GR	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BE-37-2.2-GR	<i>Culex spp.</i>	10	WNV+	RT-PCR
	9/17/2018	Gravid Trap	BE-38-1.1-GR	<i>Culex spp.</i>	7	Negative	RT-PCR	
	9/21/2018	Post-Spray Trap	BE-39-1.1-PS	<i>Culex spp.</i>	37	Negative	RT-PCR	
	9/24/2018	Gravid Trap	BE-39-1.1-GR	<i>Culex spp.</i>	1	Negative	RT-PCR	
Total Pools Tested: 22		Total Mosquitoes Tested: 489		Total Pending: 0	Total RAMP: 8	Total Negative: 19	Total Positive: 3	
Total Pools Tested: 22		Total Mosquitoes Tested: 489		Total Pending: 0	Total RAMP: 8	Total Negative: 19	Total Positive: 3	

Brown Test Results

Brown	5/14/2018	Gravid Trap	5/15/2018	BR-20-1.6-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-20-2.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		BR-20-3.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		BR-20-4.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		BR-20-5.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		BR-20-6.6-Gr	<i>Culex spp.</i>	38	Negative	RT-PCR
	5/21/2018	Gravid Trap	BR-21-1.1-Gr	<i>Culex spp.</i>	28	Negative	RT-PCR	
	5/29/2018	Gravid Trap	BR-22-1.1-Gr	<i>Culex spp.</i>	28	Negative	RT-PCR	
	6/4/2018	Gravid Trap	6/5/2018	BR-23-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-23-2.2-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR
	6/11/2018	Gravid Trap	BR-24-1.1-Gr	<i>Culex spp.</i>	17	Negative	RT-PCR	
	6/18/2018	Gravid Trap	6/19/2018	BR-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-25-2.2-Gr	<i>Culex spp.</i>	27	Negative	RT-PCR
	6/25/2018	Gravid Trap	6/26/2018	BR-26-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-26-2.2-Gr	<i>Culex spp.</i>	43	Negative	RT-PCR
	7/2/2018	Gravid Trap	BR-27-1.1-Gr	<i>Culex spp.</i>	48	Negative	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Brown	7/9/2018	Gravid Trap	7/10/2018	BR-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-28-2.2-Gr	<i>Culex spp.</i>	12	Negative	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	BR-29-1.3-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		BR-29-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		BR-29-3.3-Gr	<i>Culex spp.</i>	17	Negative	RT-PCR
	7/23/2018	Gravid Trap	7/24/2018	BR-30-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-30-2.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		BR-30-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		BR-30-4.4-Gr	<i>Culex spp.</i>	17	WNV+	RT-PCR
	7/31/2018	Post-Spray Trap	7/31/2018	BR-31-1.1-PS	<i>Culex spp.</i>	25	Negative	RAMP
	8/6/2018	Gravid Trap		BR-32-1.1-GR	<i>Culex spp.</i>	5	Negative	RT-PCR
	8/13/2018	Gravid Trap		BR-33-1.1-GR	<i>Culex spp.</i>	15	Negative	RT-PCR
	8/20/2018	Gravid Trap	8/21/2018	BR-34-1.2-GR	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-34-2.2-GR	<i>Culex spp.</i>	10	Negative	RT-PCR
	8/27/2018	Gravid Trap	8/28/2018	BR-35-1.6-GR	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-35-2.6-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		BR-35-3.6-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		BR-35-4.6-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		BR-35-5.6-GR	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		BR-35-6.6-GR	<i>Culex spp.</i>	5	Negative	RT-PCR
	9/4/2018	Gravid Trap	9/5/2018	BR-36-1.2-GR	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-36-2.2-GR	<i>Culex spp.</i>	30	Negative	RT-PCR
	9/10/2018	Gravid Trap	9/11/2018	BR-37-1.2-GR	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		BR-37-2.2-GR	<i>Culex spp.</i>	13	Negative	RT-PCR
	9/12/2018	Post-Spray Trap		BR-37-1.1-PS	<i>Culex spp.</i>	7	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Brown	9/17/2018	Gravid Trap	9/18/2018	BR-38-1.2-GR	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		BR-38-2.2-GR	<i>Culex spp.</i>	12	WNV+	RT-PCR
	9/24/2018	Gravid Trap		BR-39-1.1-GR	<i>Culex spp.</i>	3	Negative	RT-PCR
	9/27/2018	Post-Spray Trap		BR-39-1.1-PS	<i>Culex spp.</i>	7	Pending	RT-PCR
Total Pools Tested: 45		Total Mosquitoes Tested: 1562		Total Pending: 1	Total RAMP: 13	Total Negative: 35	Total Positive: 9	
Total Pools Tested: 45		Total Mosquitoes Tested: 1562		Total Pending: 1	Total RAMP: 13	Total Negative: 35	Total Positive: 9	

Canal Winchester Test Results

Canal Winchester	5/14/2018	Gravid Trap		CW-20-1.1-G1	<i>Culex spp.</i>	9	Negative	RT-PCR
	5/29/2018	Gravid Trap		CW-22-1.1-G1	<i>Culex spp.</i>	4	Negative	RT-PCR
	6/4/2018	Gravid Trap		CW-23-1.1-G1	<i>Culex spp.</i>	2	Negative	RT-PCR
	6/11/2018	Gravid Trap	6/12/2018	CW-24-1.1-G1	<i>Culex spp.</i>	36	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	CW-25-1.2-G1	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		CW-25-2.2-G1	<i>Culex spp.</i>	24	WNV+	RT-PCR
	6/25/2018	Gravid Trap		CW-26-1.1-G1	<i>Culex spp.</i>	17	Negative	RT-PCR
	6/27/2018	Post-spray Trap		CW-26-1.2-PS	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-spray Trap		CW-26-2.2-PS	<i>Culex spp.</i>	29	Negative	RT-PCR
	7/2/2018	Gravid Trap	7/3/2018	CW-27-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
				CW-27-2.3-G1	<i>Culex spp.</i>	50	WNV+	RT-PCR
				CW-27-3.3-G1	<i>Culex spp.</i>	1	Negative	RT-PCR
	7/9/2018	Gravid Trap	7/10/2018	CW-28-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CW-28-2.2-G1	<i>Culex spp.</i>	24	WNV+	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	CW-29-1.1-G1	<i>Culex spp.</i>	44	Negative	RAMP
	7/23/2018	Gravid Trap		CW-30-1.1-G1	<i>Culex spp.</i>	3	Negative	RT-PCR
	7/26/2018	Post-spray Trap		CW-30-1.1-PS	<i>Culex spp.</i>	17	WNV+	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Canal Winchester	8/6/2018	Gravid Trap		ƆW-32-1.1-GI	<i>Culex spp.</i>	2	Negative	RT-PCR
	8/13/2018	Gravid Trap	8/14/2018	ƆW-33-1.3-GI	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		ƆW-33-2.3-GI	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		ƆW-33-3.3-GI	<i>Culex spp.</i>	19	WNV+	RT-PCR
	8/20/2018	Gravid Trap		ƆW-34-1.1-GI	<i>Culex spp.</i>	7	Negative	RT-PCR
	8/27/2018	Gravid Trap	8/28/2018	ƆW-35-1.2-GI	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		ƆW-35-2.2-GI	<i>Culex spp.</i>	37	WNV+	RT-PCR
	9/4/2018	Gravid Trap		ƆW-36-1.1-GI	<i>Culex spp.</i>	2	Negative	RT-PCR
	9/6/2018	Post-Spray Trap		ƆW-36-1.1-PS	<i>Culex spp.</i>	3	Negative	RT-PCR
	9/10/2018	Gravid Trap	9/11/2018	ƆW-37-1.1-GI	<i>Culex spp.</i>	15	Negative	RAMP
	9/17/2018	Gravid Trap		ƆW-38-1.1-GI	<i>Culex spp.</i>	1	Negative	RT-PCR
	9/24/2018	Gravid Trap		ƆW-39-1.1-GI	<i>Culex spp.</i>	1	Negative	RT-PCR
	Total Pools Tested: 29		Total Mosquitoes Tested: 697		Total Pending: 0	Total RAMP: 8	Total Negative: 20	Total Positive: 9
Total Pools Tested: 29		Total Mosquitoes Tested: 697		Total Pending: 0	Total RAMP: 8	Total Negative: 20	Total Positive: 9	

Clinton Test Results

Clinton	5/14/2018	Gravid Trap	5/15/2018	CT-20-1.1-Gr	<i>Culex spp.</i>	28	Negative	RAMP
	5/21/2018	Gravid Trap		CT-21-1.1-Gr	<i>Culex spp.</i>	4	Negative	RT-PCR
	5/29/2018	Gravid Trap		CT-22-1.1-Gr	<i>Culex spp.</i>	9	Negative	RT-PCR
	6/4/2018	Gravid Trap	6/5/2018	CT-23-1.1-Gr	<i>Culex spp.</i>	38	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	CT-24-1.1-GR	<i>Culex spp.</i>	48	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	CT-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-25-2.2-Gr	<i>Culex spp.</i>	36	Negative	RT-PCR
	6/25/2018	Gravid Trap	6/26/2018	CT-26-1.3-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		CT-26-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Clinton	6/25/2018	Gravid Trap		CT-26-3.3-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	7/2/2018	Gravid Trap	7/3/2018	CT-27-1.1-Gr	<i>Culex spp.</i>	45	Negative	RAMP
	7/9/2018	Gravid Trap	7/10/2018	CT-28-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-28-2.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		CT-28-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		CT-28-4.4-Gr	<i>Culex spp.</i>	36	Negative	RT-PCR
		Post-Spray Trap		CT-28-1.5-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR
	7/12/2018	Post-Spray Trap		CT-28-2.5-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		CT-28-3.5-PS	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		CT-28-4.5-PS	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		CT-28-5.5-PS	<i>Culex spp.</i>	15	Negative	RT-PCR
		Gravid Trap	7/17/2018	CT-29-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
	7/16/2018	Gravid Trap		CT-29-2.2-Gr	<i>Culex spp.</i>	23	Negative	RT-PCR
		Gravid Trap		CT-30-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
	7/23/2018	Gravid Trap		CT-30-2.2-Gr	<i>Culex spp.</i>	37	WNV+	RT-PCR
		Post-Spray Trap		CT-30-1.1-PS	<i>Culex spp.</i>	34	WNV+	RT-PCR
	7/25/2018	Post-Spray Trap		CT-30-1.1-PS	<i>Culex spp.</i>	34	WNV+	RT-PCR
	7/30/2018	Gravid Trap	7/31/2018	CT-31-1.1-GR	<i>Culex spp.</i>	21	Negative	RAMP
	8/6/2018	Gravid Trap	8/7/2018	CT-32-1.1-GR	<i>Culex spp.</i>	35	WNV+	RAMP
	8/10/2018	Post-Spray Trap		CT-33-1.1-PS	<i>Culex spp.</i>	33	WNV+	RT-PCR
	8/13/2018	Gravid Trap	8/14/2018	CT-33-1.2-GR	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		CT-33-2.2-GR	<i>Culex spp.</i>	1	Negative	RT-PCR
	8/24/2018	Post-Spray Trap		CT-35-1.1-PS	<i>Culex spp.</i>	35	WNV+	RT-PCR
8/27/2018	Gravid Trap	8/28/2018	CT-35-1.1-GR	<i>Culex spp.</i>	28	WNV+	RAMP	
9/4/2018	Gravid Trap	9/5/2018	CT-36-1.1-GR	<i>Culex spp.</i>	24	Negative	RAMP	
9/10/2018	Gravid Trap	9/11/2018	CT-37-1.2-GR	<i>Culex spp.</i>	50	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Clinton	9/10/2018	Gravid Trap		CT-37-2.2-GR	<i>Culex spp.</i>	47	Negative	RT-PCR
	9/17/2018	Gravid Trap	9/18/2018	CT-38-1.1-GR	<i>Culex spp.</i>	47	Negative	RAMP
	9/24/2018	Gravid Trap		CT-39-1.1-GR	<i>Culex spp.</i>	3	Negative	RT-PCR
Total Pools Tested: 37		Total Mosquitoes Tested: 1337		Total Pending: 0	Total RAMP: 15	Total Negative: 24	Total Positive: 13	
Total Pools Tested: 37		Total Mosquitoes Tested: 1337		Total Pending: 0	Total RAMP: 15	Total Negative: 24	Total Positive: 13	

Dublin Test Results

Dublin Central	5/14/2018	Gravid Trap	5/15/2018	DC-20-1.1-Gr	<i>Culex spp.</i>	9	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	DC-23-1.1-Gr	<i>Culex spp.</i>	14	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	DC-24-1.1-GF	<i>Culex spp.</i>	16	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	DC-25-1.1-Gr	<i>Culex spp.</i>	25	Negative	RAMP
	6/25/2018	Gravid Trap	6/26/2018	DC-26-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DC-26-2.2-Gr	<i>Culex spp.</i>	6	Negative	RAMP
	7/2/2018	Gravid Trap	7/3/2018	DC-27-1.1-GF	<i>Culex spp.</i>	22	Negative	RAMP
	7/9/2018	Gravid Trap	7/10/2018	DC-28-1.1-Gr	<i>Culex spp.</i>	26	WNV+	RAMP
	7/16/2018	Gravid Trap	7/17/2018	DC-29-1.1-Gr	<i>Culex spp.</i>	24	Negative	RAMP
	7/19/2018	Post-Spray Trap	7/20/2018	DC-29-1.1-PS	<i>Culex spp.</i>	2	Negative	RAMP
	7/23/2018	Gravid Trap	7/24/2018	DC-30-1.1-Gr	<i>Culex spp.</i>	31	Negative	RAMP
	7/30/2018	Gravid Trap	7/31/2018	DC-31-1.1-GF	<i>Culex spp.</i>	3	Negative	RAMP
	8/6/2018	Gravid Trap	8/7/2018	DC-32-1.1-GF	<i>Culex spp.</i>	7	Negative	RAMP
	8/13/2018	Gravid Trap	8/14/2018	DC-33-1.1-GF	<i>Culex spp.</i>	25	Negative	RAMP
	8/20/2018	Gravid Trap	8/21/2018	DC-34-1.1-GF	<i>Culex spp.</i>	9	Negative	RAMP
	8/28/2018	Gravid Trap	8/29/2018	DC-35-1.1-GF	<i>Culex spp.</i>	1	Negative	RAMP
	9/4/2018	Gravid Trap	9/5/2018	DC-36-1.1-GF	<i>Culex spp.</i>	5	Negative	RAMP
	9/10/2018	Gravid Trap	9/11/2018	DC-37-1.2-GF	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin Central	9/10/2018	Gravid Trap	9/11/2018	DC-37-2.2-GF	<i>Culex spp.</i>	7	Negative	RAMP
	9/17/2018	Gravid Trap	9/18/2018	DC-38-1.1-GF	<i>Culex spp.</i>	10	Negative	RAMP
	9/24/2018	Gravid Trap	9/25/2018	DC-39-1.1-GF	<i>Culex spp.</i>	6	Negative	RAMP
	Total Pools Tested: 21		Total Mosquitoes Tested: 348		Total Pending: 0	Total RAMP: 21	Total Negative: 20	Total Positive: 1
Dublin East	5/14/2018	Gravid Trap	5/15/2018	DE-20-1.1-Gr	<i>Culex spp.</i>	6	Negative	RAMP
	5/21/2018	Gravid Trap	5/22/2018	DE-21-1.1-Gr	<i>Culex spp.</i>	3	Negative	RAMP
	5/29/2018	Gravid Trap	5/30/2018	DE-22-1.1-Gr	<i>Culex spp.</i>	4	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	DE-23-1.1-Gr	<i>Culex spp.</i>	4	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	DE-24-1.1-GR	<i>Culex spp.</i>	17	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	DE-25-1.1-Gr	<i>Culex spp.</i>	5	Negative	RAMP
	6/25/2018	Gravid Trap	6/26/2018	DE-26-1.1-Gr	<i>Culex spp.</i>	36	Negative	RAMP
	7/2/2018	Gravid Trap	7/3/2018	DE-27-1.1-GR	<i>Culex spp.</i>	20	Negative	RAMP
	7/9/2018	Gravid Trap	7/10/2018	DE-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DE-28-2.2-Gr	<i>Culex spp.</i>	3	Negative	RAMP
	7/16/2018	Gravid Trap	7/17/2018	DE-29-1.1-Gr	<i>Culex spp.</i>	16	Negative	RAMP
	7/23/2018	Gravid Trap	7/24/2018	DE-30-1.1-Gr	<i>Culex spp.</i>	22	Negative	RAMP
	7/30/2018	Gravid Trap	7/31/2018	DE-31-1.1-GR	<i>Culex spp.</i>	2	Negative	RAMP
	8/6/2018	Gravid Trap	8/7/2018	DE-32-1.1-GR	<i>Culex spp.</i>	9	Negative	RAMP
	8/13/2018	Gravid Trap	8/14/2018	DE-33-1.1-GR	<i>Culex spp.</i>	25	Negative	RAMP
	8/20/2018	Gravid Trap	8/21/2018	DE-34-1.1-GR	<i>Culex spp.</i>	5	Negative	RAMP
		Gravid Trap	8/28/2018	DE-35-1.3-GR	<i>Culex spp.</i>	50	Negative	RAMP
Gravid Trap			DE-35-2.3-GR	<i>Culex spp.</i>	50	Negative	RAMP	
	Gravid Trap		DE-35-3.3-GR	<i>Culex spp.</i>	8	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin East	9/4/2018	Gravid Trap	9/5/2018	DE-36-1.1-GR	<i>Culex spp.</i>	15	Negative	RAMP
	9/10/2018	Gravid Trap	9/11/2018	DE-37-1.1-GR	<i>Culex spp.</i>	50	WNV+	RAMP
	9/17/2018	Gravid Trap	9/18/2018	DE-38-1.1-GR	<i>Culex spp.</i>	7	Negative	RAMP
	9/19/2018	Post-Spray Trap	9/20/2018	DE-38-1.1-PS	<i>Culex spp.</i>	25	Negative	RAMP
	9/24/2018	Gravid Trap	9/25/2018	DE-39-1.1-GR	<i>Culex spp.</i>	5	Negative	RAMP
Total Pools Tested: 24		Total Mosquitoes Tested: 437		Total Pending: 0	Total RAMP: 24	Total Negative: 23	Total Positive: 1	
Dublin North	5/14/2018	Gravid Trap	5/15/2018	DN-20-1.1-Gr	<i>Culex spp.</i>	2	Negative	RAMP
	5/29/2018	Gravid Trap	5/30/2018	DN-22-1.1-Gr	<i>Culex spp.</i>	1	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	DN-23-1.1-Gr	<i>Culex spp.</i>	4	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	DN-24-1.1-GF	<i>Culex spp.</i>	11	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	DN-25-1.1-Gr	<i>Culex spp.</i>	9	Negative	RAMP
	6/25/2018	Gravid Trap	6/26/2018	DN-26-1.1-Gr	<i>Culex spp.</i>	14	Negative	RAMP
	7/2/2018	Gravid Trap	7/3/2018	DN-27-1.1-GF	<i>Culex spp.</i>	10	Negative	RAMP
	7/9/2018	Gravid Trap	7/10/2018	DN-28-1.1-Gr	<i>Culex spp.</i>	11	Negative	RAMP
	7/16/2018	Gravid Trap	7/17/2018	DN-29-1.1-Gr	<i>Culex spp.</i>	11	Negative	RAMP
	7/23/2018	Gravid Trap	7/24/2018	DN-30-1.1-Gr	<i>Culex spp.</i>	19	Negative	RAMP
	7/30/2018	Gravid Trap	7/31/2018	DN-31-1.1-GF	<i>Culex spp.</i>	2	Negative	RAMP
	8/6/2018	Gravid Trap	8/7/2018	DN-32-1.1-GF	<i>Culex spp.</i>	38	Negative	RAMP
	8/13/2018	Gravid Trap	8/14/2018	DN-33-1.1-GF	<i>Culex spp.</i>	31	Negative	RAMP
	8/20/2018	Gravid Trap	8/21/2018	DN-34-1.1-GF	<i>Culex spp.</i>	7	Negative	RAMP
	8/27/2018	Gravid Trap	8/28/2018	DN-35-1.1-GF	<i>Culex spp.</i>	38	Negative	RAMP
	9/4/2018	Gravid Trap	9/5/2018	DN-36-1.1-GF	<i>Culex spp.</i>	8	Negative	RAMP
	9/10/2018	Gravid Trap	9/11/2018	DN-37-1.1-GF	<i>Culex spp.</i>	20	WNV+	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin North	9/17/2018	Gravid Trap	9/18/2018	DN-38-1.1-GF	<i>Culex spp.</i>	27	Negative	RAMP
	9/19/2018	Post-Spray Trap	9/20/2018	DN-38-1.1-PS	<i>Culex pipiens</i>	21	Negative	RAMP
	9/24/2018	Gravid Trap	9/25/2018	DN-39-1.1-GF	<i>Culex spp.</i>	1	Negative	RAMP
	Total Pools Tested: 20		Total Mosquitoes Tested: 285		Total Pending: 0	Total RAMP: 20	Total Negative: 19	Total Positive: 1
Dublin Northeast	5/14/2018	Gravid Trap	5/15/2018	NE-20-1.1-G	<i>Culex spp.</i>	2	Negative	RAMP
	5/21/2018	Gravid Trap	5/22/2018	NE-21-1.1-G	<i>Culex spp.</i>	2	Negative	RAMP
	5/29/2018	Gravid Trap	5/30/2018	NE-22-1.1-G	<i>Culex spp.</i>	1	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	NE-23-1.1-G	<i>Culex spp.</i>	31	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	NE-24-1.1-G	<i>Culex spp.</i>	21	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	NE-25-1.1-G	<i>Culex spp.</i>	32	Negative	RAMP
	6/25/2018	Gravid Trap	6/26/2018	NE-26-1.1-G	<i>Culex spp.</i>	40	Negative	RAMP
	7/2/2018	Gravid Trap	7/3/2018	NE-27-1.1-G	<i>Culex spp.</i>	5	Negative	RAMP
	7/9/2018	Gravid Trap	7/10/2018	NE-28-1.1-G	<i>Culex spp.</i>	9	Negative	RAMP
	7/16/2018	Gravid Trap	7/17/2018	NE-29-1.1-G	<i>Culex spp.</i>	33	WNV+	RAMP
	7/23/2018	Gravid Trap	7/24/2018		<i>Culex spp.</i>	26	Negative	RAMP
		Gravid Trap		NE-30-1.1-G	<i>Culex spp.</i>	26	Negative	RAMP
	7/31/2018	Post-Spray Trap	7/31/2018	NE-31-1.1-P	<i>Culex spp.</i>	22	Negative	RAMP
	8/6/2018	Gravid Trap	8/7/2018	NE-32-1.1-G	<i>Culex spp.</i>	7	Negative	RAMP
	8/14/2018	Gravid Trap	8/15/2018	NE-33-1.1-G	<i>Culex spp.</i>	12	Negative	RAMP
	8/20/2018	Gravid Trap	8/21/2018	NE-34-1.1-G	<i>Culex spp.</i>	10	Negative	RAMP
	8/27/2018	Gravid Trap	8/28/2018	NE-35-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NE-35-2.2-G	<i>Culex spp.</i>	12	Negative	RAMP
9/4/2018	Gravid Trap	9/5/2018	NE-36-1.1-G	<i>Culex spp.</i>	7	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin Northeast	9/11/2018	Gravid Trap	9/12/2018	0NE-37-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		0NE-37-2.2-G	<i>Culex spp.</i>	5	Negative	RAMP
	9/17/2018	Gravid Trap	9/18/2018	0NE-38-1.1-G	<i>Culex spp.</i>	12	Negative	RAMP
	Total Pools Tested: 22	Total Mosquitoes Tested: 415	Total Pending: 0	Total RAMP: 22	Total Negative: 21	Total Positive: 1		
Dublin West	5/14/2018	Gravid Trap	5/15/2018	DW-20-1.1-G	<i>Culex spp.</i>	3	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	DW-23-1.1-G	<i>Culex spp.</i>	33	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	DW-24-1.1-G	<i>Culex spp.</i>	14	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	DW-25-1.1-G	<i>Culex spp.</i>	30	Negative	RAMP
	6/25/2018	Gravid Trap	6/26/2018	DW-26-1.1-G	<i>Culex spp.</i>	36	Negative	RAMP
	7/2/2018	Gravid Trap	7/3/2018	DW-27-1.1-G	<i>Culex spp.</i>	38	WNV+	RAMP
	7/10/2018	Post-Spray Trap	7/11/2018	DW-28-1.3-P	<i>Culex spp.</i>	50	WNV+	RAMP
		Post-Spray Trap		DW-28-2.3-P	<i>Culex spp.</i>	50	WNV+	RAMP
		Post-Spray Trap		DW-28-3.3-P	<i>Culex spp.</i>	6	Negative	RAMP
	7/16/2018	Gravid Trap	7/17/2018	DW-29-1.1-G	<i>Culex spp.</i>	16	Negative	RAMP
	7/23/2018	Gravid Trap	7/24/2018	DW-30-1.3-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		DW-30-2.3-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		DW-30-3.3-G	<i>Culex spp.</i>	5	Negative	RAMP
	7/27/2018	Post-Spray Trap	7/30/2018	DW-31-1.2-P	<i>Culex spp.</i>	50	WNV+	RAMP
		Post-Spray Trap		DW-31-2.2-P	<i>Culex spp.</i>	17	Negative	RAMP
	7/30/2018	Gravid Trap	7/31/2018	DW-31-1.1-G	<i>Culex spp.</i>	7	Negative	RAMP
	8/6/2018	Gravid Trap	8/7/2018	DW-32-1.1-G	<i>Culex spp.</i>	21	WNV+	RAMP
	8/13/2018	Gravid Trap	8/14/2018	DW-33-1.1-G	<i>Culex spp.</i>	30	Negative	RAMP
	8/20/2018	Gravid Trap	8/21/2018	DW-34-1.1-G	<i>Culex spp.</i>	13	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin West	8/27/2018	Gravid Trap	8/28/2018	DW-35-1.2-GI	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		DW-35-2.2-GI	<i>Culex spp.</i>	17	WNV+	RAMP
	9/5/2018	Post-Spray Trap	9/6/2018	DW-36-1.1-PS	<i>Culex spp.</i>	22	Negative	RAMP
	9/10/2018	Gravid Trap	9/11/2018	DW-37-1.1-GI	<i>Culex spp.</i>	22	WNV+	RAMP
	9/17/2018	Gravid Trap	9/18/2018	DW-38-1.1-GI	<i>Culex spp.</i>	24	WNV+	RAMP
	9/19/2018	Post-Spray Trap	9/20/2018	DW-38-1.1-PS	<i>Culex spp.</i>	52	WNV+	RAMP
	9/24/2018	Gravid Trap	9/25/2018	DW-39-1.1-GI	<i>Culex spp.</i>	1	Negative	RAMP
Total Pools Tested: 26		Total Mosquitoes Tested: 707		Total Pending: 0	Total RAMP: 26	Total Negative: 15	Total Positive: 11	
Total Pools Tested: 113		Total Mosquitoes Tested: 2192		Total Pending: 0	Total RAMP: 113	Total Negative: 98	Total Positive: 15	

Franklin Test Results

Franklin North	5/14/2018	Gravid Trap		FN-20-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	5/21/2018	Gravid Trap		FN-21-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
	5/29/2018	Gravid Trap		FN-22-1.1-Gr	<i>Culex spp.</i>	20	Negative	RT-PCR
	6/11/2018	Gravid Trap	6/12/2018	FN-24-1.2-GR	<i>Culex spp.</i>	50	Negative	RAMP
	6/18/2018	Gravid Trap		FN-25-1.1-Gr	<i>Culex spp.</i>	16	Negative	RT-PCR
	6/25/2018	Gravid Trap	6/26/2018	FN-26-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-26-2.2-Gr	<i>Culex spp.</i>	44	Negative	RT-PCR
	7/2/2018	Gravid Trap		FN-27-1.1-Gr	<i>Culex spp.</i>	33	Negative	RT-PCR
	7/9/2018	Gravid Trap	7/10/2018	FN-28-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FN-28-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		FN-28-3.3-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	FN-29-1.4-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		FN-29-2.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		FN-29-3.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Franklin North	7/16/2018	Gravid Trap		FN-29-4.4-Gr	<i>Culex spp.</i>	24	WNV+	RT-PCR
	7/24/2018	Post-Spray Trap	7/25/2018	FN-30-1.2-PS	<i>Culex spp.</i>	50	WNV+	RAMP
		Post-Spray Trap		FN-30-2.2-PS	<i>Culex spp.</i>	47	Negative	RT-PCR
	7/30/2018	Gravid Trap	7/31/2018	FN-31-1.1-GR	<i>Culex spp.</i>	26	Negative	RAMP
	8/6/2018	Gravid Trap	8/7/2018	FN-32-1.1-GR	<i>Culex spp.</i>	39	WNV+	RAMP
	8/9/2018	Post-Spray Trap		FN-32-1.3-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		FN-32-2.3-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		FN-32-3.3-PS	<i>Culex spp.</i>	35	WNV+	RT-PCR
	8/13/2018	Gravid Trap	8/14/2018	FN-33-1.1-GR	<i>Culex spp.</i>	47	WNV+	RAMP
	8/21/2018	Gravid Trap		FN-34-1.1-GR	<i>Culex spp.</i>	18	Negative	RT-PCR
	8/24/2018	Post-Spray Trap		FN-35-1.2-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		FN-35-2.2-PS	<i>Culex spp.</i>	17	Negative	RT-PCR
	8/27/2018	Gravid Trap	8/28/2018	FN-35-1.1-GR	<i>Culex spp.</i>	44	Negative	RAMP
	9/4/2018	Gravid Trap		FN-36-1.1-GR	<i>Culex spp.</i>	3	Negative	RT-PCR
	9/10/2018	Gravid Trap		FN-37-1.2-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		FN-37-2.2-GR	<i>Culex spp.</i>	32	WNV+	RT-PCR
	9/14/2018	Post-Spray Trap		FN-38-1.1-PS	<i>Culex spp.</i>	10	Negative	RT-PCR
	9/17/2018	Gravid Trap		FN-38-1.1-GR	<i>Culex spp.</i>	9	Negative	RT-PCR
	9/24/2018	Gravid Trap		FN-39-1.1-GR	<i>Culex spp.</i>	5	Negative	RT-PCR
	Total Pools Tested: 33		Total Mosquitoes Tested: 1085		Total Pending: 0	Total RAMP: 9	Total Negative: 20	Total Positive: 13
Franklin South	5/14/2018	Gravid Trap		FS-20-1.1-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
	5/21/2018	Gravid Trap		FS-21-1.1-Gr	<i>Culex spp.</i>	14	Negative	RT-PCR
	5/29/2018	Gravid Trap		FS-22-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Franklin South	6/4/2018	Gravid Trap		FS-23-1.1-Gr	<i>Culex spp.</i>	32	Negative	RT-PCR
	6/11/2018	Gravid Trap		FS-24-1.1-GR	<i>Culex spp.</i>	25	Negative	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	FS-25-1.1-Gr	<i>Culex spp.</i>	43	Negative	RAMP
	6/25/2018	Gravid Trap		FS-26-1.1-Gr	<i>Culex spp.</i>	19	Negative	RT-PCR
	7/2/2018	Gravid Trap	7/3/2018	FS-27-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FS-27-2.2-Gr	<i>Culex spp.</i>	14	Negative	RT-PCR
	7/9/2018	Gravid Trap	7/10/2018	FS-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FS-28-2.2-Gr	<i>Culex spp.</i>	23	Negative	RT-PCR
	7/16/2018	Gravid Trap		FS-29-1.1-Gr	<i>Culex spp.</i>	18	WNV+	RT-PCR
	7/23/2018	Gravid Trap	7/24/2018	FS-30-1.1-Gr	<i>Culex spp.</i>	25	Negative	RAMP
	7/30/2018	Gravid Trap		FS-31-1.1-GR	<i>Culex spp.</i>	20	WNV+	RT-PCR
	8/3/2018	Post-Spray Trap		FS-32-1.1-PS	<i>Culex spp.</i>	7	WNV+	RT-PCR
	8/6/2018	Gravid Trap	8/7/2018	FS-32-1.1-GR	<i>Culex spp.</i>	15	Negative	RAMP
	8/13/2018	Gravid Trap	8/14/2018	FS-33-1.2-GR	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		FS-33-2.2-GR	<i>Culex spp.</i>	29	WNV+	RT-PCR
	8/21/2018	Gravid Trap		FS-34-1.2-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		FS-34-2.2-GR	<i>Culex spp.</i>	27	WNV+	RT-PCR
	8/24/2018	Post-Spray Trap		FS-35-1.1-PS	<i>Culex spp.</i>	35	Negative	RT-PCR
	8/27/2018	Gravid Trap	8/28/2018	FS-35-1.2-GR	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		FS-35-2.2-GR	<i>Culex spp.</i>	47	WNV+	RT-PCR
	9/4/2018	Gravid Trap	9/5/2018	FS-36-1.1-GR	<i>Culex spp.</i>	23	WNV+	RAMP
	9/10/2018	Gravid Trap		FS-37-1.1-GR	<i>Culex spp.</i>	41	WNV+	RT-PCR
	9/14/2018	Post-Spray Trap		FS-38-1.1-PS	<i>Culex spp.</i>	20	Negative	RT-PCR
	9/17/2018	Gravid Trap		FS-38-1.1-GR	<i>Culex spp.</i>	8	Negative	RT-PCR
	9/24/2018	Gravid Trap		FS-39-1.1-GR	<i>Culex spp.</i>	1	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Total Pools Tested: 28		Total Mosquitoes Tested: 748		Total Pending: 0	Total RAMP: 8	Total Negative: 18	Total Positive: 10	
Total Pools Tested: 61		Total Mosquitoes Tested: 1833		Total Pending: 0	Total RAMP: 17	Total Negative: 38	Total Positive: 23	

Gahanna Test Results

Gahanna North	5/14/2018	Gravid Trap		GN-20-1.1-Gr	<i>Culex spp.</i>	15	Negative	RT-PCR
	5/21/2018	Gravid Trap		GN-21-1.1-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
	5/29/2018	Gravid Trap		GN-22-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
	6/4/2018	Gravid Trap	6/5/2018	GN-23-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GN-23-2.2-Gr	<i>Culex spp.</i>	46	Negative	RT-PCR
	6/11/2018	Gravid Trap	6/12/2018	GN-24-1.1-GF	<i>Culex spp.</i>	50	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	GN-25-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GN-25-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
	6/25/2018	Gravid Trap	6/26/2018	GN-25-3.3-Gr	<i>Culex spp.</i>	28	Negative	RT-PCR
		Gravid Trap		GN-26-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GN-26-2.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GN-26-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
	7/2/2018	Gravid Trap	7/3/2018	GN-26-4.4-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR
		Gravid Trap		GN-27-1.5-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GN-27-2.5-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		GN-27-3.5-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		GN-27-4.5-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GN-27-5.5-Gr	<i>Culex spp.</i>	26	Negative	RT-PCR
	7/10/2018	Gravid Trap	7/11/2018	GN-28-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GN-28-2.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
	Gravid Trap		GN-28-3.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Gahanna North	7/10/2018	Gravid Trap		GN-28-4.4-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR
	7/16/2018	Gravid Trap		GN-29-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
	7/18/2018	Post-Spray Trap	7/18/2018	GN-29-1.1-PS	<i>Culex spp.</i>	43	WNV+	RAMP
	7/23/2018	Gravid Trap		GN-30-1.1-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR
	7/30/2018	Gravid Trap		GN-31-1.1-GF	<i>Culex spp.</i>	15	Negative	RT-PCR
	8/6/2018	Gravid Trap	8/7/2018	GN-32-1.1-GF	<i>Culex spp.</i>	15	Negative	RAMP
	8/13/2018	Gravid Trap	8/14/2018	GN-33-1.2-GF	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GN-33-2.2-GF	<i>Culex spp.</i>	4	Negative	RT-PCR
	8/20/2018	Gravid Trap	8/21/2018	GN-34-1.1-GF	<i>Culex spp.</i>	47	Negative	RAMP
	8/27/2018	Gravid Trap	8/28/2018	GN-35-1.3-GF	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		GN-35-2.3-GF	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		GN-35-3.3-GF	<i>Culex spp.</i>	41	Negative	RT-PCR
	9/5/2018	Post-Spray Trap		GN-36-1.1-PS	<i>Culex spp.</i>	16	Negative	RT-PCR
	9/10/2018	Gravid Trap		GN-37-1.1-GF	<i>Culex spp.</i>	15	WNV+	RT-PCR
	9/17/2018	Gravid Trap	9/18/2018	GN-38-1.1-GF	<i>Culex spp.</i>	22	Negative	RAMP
	9/24/2018	Gravid Trap		GN-39-1.1-GF	<i>Culex spp.</i>	8	Negative	RT-PCR
	Total Pools Tested: 37		Total Mosquitoes Tested: 1220		Total Pending: 0	Total RAMP: 12	Total Negative: 29	Total Positive: 8
Gahanna South	5/14/2018	Gravid Trap		GS-20-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	5/21/2018	Gravid Trap		GS-21-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	5/29/2018	Gravid Trap		GS-22-1.1-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR
	6/4/2018	Gravid Trap		GS-23-1.1-Gr	<i>Culex spp.</i>	43	Negative	RT-PCR
	6/11/2018	Gravid Trap		GS-24-1.1-Gr	<i>Culex spp.</i>	26	Negative	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	GS-25-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Gahanna South	6/18/2018	Gravid Trap		GS-25-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		GS-25-3.3-Gr	<i>Culex spp.</i>	2	Negative	RT-PCR	
	6/25/2018	Gravid Trap	6/26/2018	GS-26-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GS-26-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		GS-26-3.3-Gr	<i>Culex spp.</i>	26	Negative	RT-PCR	
	7/2/2018	Gravid Trap		GS-27-1.2-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		GS-27-2.2-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR	
	7/9/2018	Gravid Trap	7/10/2018	GS-28-1.6-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GS-28-2.6-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		GS-28-3.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		GS-28-4.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		GS-28-5.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		GS-28-6.6-Gr	<i>Culex spp.</i>	2	Negative	RT-PCR	
		7/16/2018	Gravid Trap	7/17/2018	GS-29-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
			Gravid Trap		GS-29-2.2-Gr	<i>Culex spp.</i>	41	Negative	RT-PCR
		7/23/2018	Gravid Trap		GS-30-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
		7/25/2018	Post-Spray Trap		GS-30-1.1-PS	<i>Culex spp.</i>	15	WNV+	RT-PCR
	7/30/2018	Gravid Trap		GS-31-1.1-GR	<i>Culex spp.</i>	4	Negative	RT-PCR	
	8/6/2018	Gravid Trap	8/7/2018	GS-32-1.1-GR	<i>Culex spp.</i>	13	WNV+	RAMP	
	8/13/2018	Gravid Trap		GS-33-1.3-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR	
Gravid Trap			GS-33-2.3-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR		
Gravid Trap			GS-33-3.3-GR	<i>Culex spp.</i>	50	Negative	RT-PCR		
8/15/2018	Post-Spray Trap		GS-33-1.1-PS	<i>Culex spp.</i>	14	Negative	RT-PCR		
8/20/2018	Gravid Trap	8/21/2018	GS-34-1.2-GR	<i>Culex spp.</i>	50	Negative	RAMP		
	Gravid Trap		GS-34-2.2-GR	<i>Culex spp.</i>	15	Negative	RT-PCR		

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Gahanna South	8/27/2018	Gravid Trap	8/28/2018	GS-35-1.6-GR	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GS-35-2.6-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		GS-35-3.6-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		GS-35-4.6-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		GS-35-5.6-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		GS-35-6.6-GR	<i>Culex spp.</i>	45	Negative	RT-PCR	
	9/4/2018	Gravid Trap	9/5/2018	GS-36-1.1-GR	<i>Culex spp.</i>	8	Negative	RAMP	
	9/10/2018	Gravid Trap	9/11/2018	GS-37-1.1-GR	<i>Culex spp.</i>	47	WNV+	RAMP	
	9/17/2018	Gravid Trap	9/18/2018	GS-38-1.1-GR	<i>Culex spp.</i>	9	Negative	RAMP	
	9/21/2018	Post-Spray Trap		GS-39-1.1-PS	<i>Culex spp.</i>	39	WNV+	RT-PCR	
	9/24/2018	Gravid Trap		GS-39-1.1-GR	<i>Culex spp.</i>	1	Negative	RT-PCR	
	Total Pools Tested: 42		Total Mosquitoes Tested: 1373		Total Pending: 0	Total RAMP: 10	Total Negative: 30	Total Positive: 12	
	Gahanna West	5/14/2018	Gravid Trap		GW-20-1.1-GI	<i>Culex spp.</i>	19	Negative	RT-PCR
		5/21/2018	Gravid Trap	5/22/2018	GW-21-1.1-GI	<i>Culex spp.</i>	31	Negative	RAMP
5/29/2018		Gravid Trap		GW-22-1.1-GI	<i>Culex spp.</i>	15	Negative	RT-PCR	
6/4/2018		Gravid Trap	6/5/2018	GW-23-1.2-GI	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		GW-23-2.2-GI	<i>Culex spp.</i>	11	Negative	RT-PCR	
6/11/2018		Gravid Trap	6/12/2018	GW-24-1.1-GI	<i>Culex spp.</i>	38	Negative	RAMP	
6/18/2018		Gravid Trap		GW-25-1.1-GI	<i>Culex spp.</i>	41	Negative	RT-PCR	
6/25/2018		Gravid Trap	6/26/2018	GW-26-1.8-GI	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GW-26-2.8-GI	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GW-26-3.8-GI	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		GW-26-4.8-GI	<i>Culex spp.</i>	50	Negative	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Gahanna West	6/25/2018	Gravid Trap		3W-26-5.8-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		3W-26-6.8-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		3W-26-7.8-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		3W-26-8.8-G1	<i>Culex spp.</i>	30	Negative	RT-PCR
	6/29/2018	Post-Spray Trap		3W-27-1.2-P5	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		3W-27-2.2-P5	<i>Culex spp.</i>	37	Negative	RT-PCR
	7/2/2018	Gravid Trap	7/3/2018	3W-27-1.3-G1	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		3W-27-2.3-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		3W-27-3.3-G1	<i>Culex spp.</i>	14	Negative	RT-PCR
	7/9/2018	Gravid Trap	7/10/2018	3W-28-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		3W-28-2.2-G1	<i>Culex spp.</i>	22	Negative	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	3W-29-1.4-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		3W-29-2.4-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		3W-29-3.4-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		3W-29-4.4-G1	<i>Culex spp.</i>	11	WNV+	RT-PCR
	7/23/2018	Gravid Trap	7/24/2018	3W-30-1.1-G1	<i>Culex spp.</i>	50	Negative	RAMP
	7/30/2018	Gravid Trap	7/31/2018	3W-31-1.1-G1	<i>Culex spp.</i>	21	WNV+	RAMP
	8/7/2018	Post-Spray Trap	8/8/2018	3W-32-1.3-P5	<i>Culex spp.</i>	50	WNV+	RAMP
		Post-Spray Trap		3W-32-2.3-P5	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		3W-32-3.3-P5	<i>Culex spp.</i>	9	Negative	RT-PCR
	8/13/2018	Gravid Trap	8/14/2018	3W-33-1.5-G1	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		3W-33-2.5-G1	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		3W-33-3.5-G1	<i>Culex spp.</i>	50	WNV+	RT-PCR
Gravid Trap			3W-33-4.5-G1	<i>Culex spp.</i>	50	WNV+	RT-PCR	
Gravid Trap			3W-33-5.5-G1	<i>Culex spp.</i>	11	Negative	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Gahanna West	8/20/2018	Gravid Trap		3W-34-1.3-GI	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		3W-34-2.3-GI	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		3W-34-3.3-GI	<i>Culex spp.</i>	45	WNV+	RT-PCR	
	8/22/2018	Post-Spray Trap		3W-34-1.1-PS	<i>Culex spp.</i>	11	Negative	RT-PCR	
	8/27/2018	Gravid Trap	8/28/2018	3W-35-1.6-GI	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		3W-35-2.6-GI	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		3W-35-3.6-GI	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		3W-35-4.6-GI	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		3W-35-5.6-GI	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		3W-35-6.6-GI	<i>Culex spp.</i>	47	WNV+	RT-PCR	
		9/5/2018	Post-Spray Trap		3W-36-1.1-PS	<i>Culex spp.</i>	18	WNV+	RT-PCR
		9/10/2018	Gravid Trap	9/11/2018	3W-37-1.2-GI	<i>Culex spp.</i>	50	WNV+	RAMP
	Gravid Trap			3W-37-2.2-GI	<i>Culex spp.</i>	34	Negative	RT-PCR	
	9/17/2018	Gravid Trap	9/18/2018	3W-38-1.1-GI	<i>Culex spp.</i>	8	Negative	RAMP	
	9/24/2018	Gravid Trap	9/25/2018	3W-39-1.1-GI	<i>Culex spp.</i>	17	Negative	RAMP	
	Total Pools Tested: 51		Total Mosquitoes Tested: 1990		Total Pending: 0	Total RAMP: 16	Total Negative: 31	Total Positive: 20	
	Total Pools Tested: 130		Total Mosquitoes Tested: 4583		Total Pending: 0	Total RAMP: 38	Total Negative: 90	Total Positive: 40	

Grandview Heights Test Results

Grandview	5/14/2018	Gravid Trap		GV-20-1.1-Gr	<i>Culex spp.</i>	17	Negative	RT-PCR
	5/21/2018	Gravid Trap		GV-21-1.1-Gr	<i>Culex spp.</i>	2	Negative	RT-PCR
	5/29/2018	Gravid Trap	6/12/2018	3V-24-1.1-GF	<i>Culex spp.</i>	25	Negative	RAMP
	6/4/2018	Gravid Trap		GV-23-1.1-Gr	<i>Culex spp.</i>	26	Negative	RT-PCR
	6/11/2018	Gravid Trap	6/12/2018	3V-24-2.2-GF	<i>Culex spp.</i>	25	Negative	RAMP
	6/18/2018	Gravid Trap		GV-25-1.1-Gr	<i>Culex spp.</i>	20	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Grandview	6/25/2018	Gravid Trap	6/26/2018	GV-26-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GV-26-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		GV-26-3.3-Gr	<i>Culex spp.</i>	19	Negative	RT-PCR	
	7/2/2018	Gravid Trap	7/3/2018	GV-27-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GV-27-2.2-Gr	<i>Culex spp.</i>	28	Negative	RT-PCR	
	7/9/2018	Gravid Trap	7/10/2018	GV-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GV-28-2.2-Gr	<i>Culex spp.</i>	32	Negative	RT-PCR	
	7/16/2018	Gravid Trap	7/17/2018	GV-29-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GV-29-2.2-Gr	<i>Culex spp.</i>	27	WNV+	RT-PCR	
	7/23/2018	Gravid Trap	7/24/2018	GV-30-1.1-Gr	<i>Culex spp.</i>	30	Negative	RAMP	
	7/30/2018	Gravid Trap		3V-31-1.1-GF	<i>Culex spp.</i>	3	Negative	RT-PCR	
	8/3/2018	Post-Spray Trap		GV-32-1.1-PS	<i>Culex spp.</i>	47	WNV+	RT-PCR	
	8/6/2018	Gravid Trap	8/7/2018	3V-32-1.1-GF	<i>Culex spp.</i>	34	Negative	RAMP	
	8/13/2018	Gravid Trap	8/14/2018	3V-33-1.1-GF	<i>Culex spp.</i>	44	Negative	RAMP	
	8/20/2018	Gravid Trap	8/21/2018	3V-34-1.1-GF	<i>Culex spp.</i>	16	Negative	RAMP	
	8/24/2018	Post-Spray Trap		GV-35-1.1-PS	<i>Culex spp.</i>	24	WNV+	RT-PCR	
		Gravid Trap	8/28/2018	3V-35-1.2-GF	<i>Culex spp.</i>	50	WNV+	RAMP	
	Gravid Trap	3V-35-2.2-GF		<i>Culex spp.</i>	50	WNV+	RT-PCR		
	9/4/2018	Gravid Trap	9/5/2018	3V-36-1.1-GF	<i>Culex spp.</i>	16	Negative	RAMP	
	9/10/2018	Gravid Trap	9/11/2018	3V-37-1.1-GF	<i>Culex spp.</i>	37	WNV+	RAMP	
	9/14/2018	Post-Spray Trap		GV-38-1.1-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR	
	9/17/2018	Gravid Trap	9/18/2018	3V-38-1.1-GF	<i>Culex spp.</i>	23	Negative	RAMP	
	9/24/2018	Gravid Trap		3V-39-1.1-GF	<i>Culex spp.</i>	1	Negative	RT-PCR	
	Total Pools Tested: 29		Total Mosquitoes Tested: 896		Total Pending: 0	Total RAMP: 14	Total Negative: 22	Total Positive: 7	
	Total Pools Tested: 29		Total Mosquitoes Tested: 896		Total Pending: 0	Total RAMP: 14	Total Negative: 22	Total Positive: 7	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City Test Results								
Grove City North	5/14/2018	Gravid Trap		ICN-20-1.1-G	<i>Culex spp.</i>	1	Negative	RT-PCR
	5/21/2018	Gravid Trap		ICN-21-1.1-G	<i>Culex spp.</i>	2	Negative	RT-PCR
	5/29/2018	Gravid Trap		ICN-22-1.1-G	<i>Culex spp.</i>	8	Negative	RT-PCR
		Gravid Trap		GV-22-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	6/4/2018	Gravid Trap		ICN-23-1.1-G	<i>Culex spp.</i>	11	Negative	RT-PCR
	6/11/2018	Gravid Trap		ICN-24-1.1-G	<i>Culex spp.</i>	25	Negative	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	ICN-25-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		ICN-25-2.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		ICN-25-3.3-G	<i>Culex spp.</i>	35	Negative	RT-PCR
	6/26/2018	Gravid Trap		ICN-26-1.2-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		ICN-26-2.2-G	<i>Culex spp.</i>	12	Negative	RT-PCR
	7/2/2018	Gravid Trap	7/3/2018	ICN-27-1.3-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		ICN-27-2.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		ICN-27-3.3-G	<i>Culex spp.</i>	45	Negative	RT-PCR
	7/9/2018	Gravid Trap		ICN-28-1.2-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		ICN-28-2.2-G	<i>Culex spp.</i>	34	Negative	RT-PCR
	7/13/2018	Post-Spray Trap		ICN-29-1.1-P	<i>Culex spp.</i>	18	Negative	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	ICN-29-1.2-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		ICN-29-2.2-G	<i>Culex spp.</i>	19	WNV+	RT-PCR
	7/24/2018	Post-Spray Trap	7/25/2018	ICN-30-1.4-P	<i>Culex spp.</i>	50	WNV+	RAMP
		Post-Spray Trap		ICN-30-2.4-P	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		ICN-30-3.4-P	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		ICN-30-4.4-P	<i>Culex spp.</i>	31	WNV+	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City North	7/30/2018	Gravid Trap	7/31/2018	HCN-31-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HCN-31-2.2-G	<i>Culex spp.</i>	12	Negative	RT-PCR
	8/6/2018	Gravid Trap	8/7/2018	HCN-32-1.1-G	<i>Culex spp.</i>	30	WNV+	RAMP
	8/9/2018	Post-Spray Trap		HCN-32-1.1-P	<i>Culex spp.</i>	40	WNV+	RT-PCR
	8/13/2018	Gravid Trap	8/14/2018	HCN-33-1.1-G	<i>Culex spp.</i>	27	Negative	RAMP
	8/20/2018	Gravid Trap	8/21/2018	HCN-34-1.2-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		HCN-34-2.2-G	<i>Culex spp.</i>	7	WNV+	RT-PCR
	8/27/2018	Gravid Trap	8/28/2018	HCN-35-1.2-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		HCN-35-2.2-G	<i>Culex spp.</i>	22	Negative	RT-PCR
	8/30/2018	Post-Spray Trap		HCN-35-1.4-P	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		HCN-35-2.4-P	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		HCN-35-3.4-P	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		HCN-35-4.4-P	<i>Culex spp.</i>	43	Negative	RT-PCR
	9/10/2018	Gravid Trap	9/11/2018	HCN-37-1.5-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		HCN-37-2.5-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		HCN-37-3.5-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		HCN-37-4.5-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		HCN-37-5.5-G	<i>Culex spp.</i>	47	WNV+	RT-PCR
	9/17/2018	Gravid Trap	9/18/2018	HCN-38-1.1-G	<i>Culex spp.</i>	29	Negative	RAMP
	Total Pools Tested: 42		Total Mosquitoes Tested: 1506		Total Pending: 0	Total RAMP: 11	Total Negative: 22	Total Positive: 20
Grove City South	5/14/2018	Gravid Trap		HCS-20-1.1-G	<i>Culex spp.</i>	42	Negative	RT-PCR
	5/21/2018	Gravid Trap		HCS-21-1.1-G	<i>Culex spp.</i>	4	Negative	RT-PCR
	5/29/2018	Gravid Trap		HCS-22-1.1-G	<i>Culex spp.</i>	5	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Grove City South	6/4/2018	Gravid Trap		3CS-23-1.1-G	<i>Culex spp.</i>	6	Negative	RT-PCR	
	6/11/2018	Gravid Trap		3CS-24-1.1-G	<i>Culex spp.</i>	2	Negative	RT-PCR	
	6/12/2018	Gravid Trap		CS-24.2-1.1-C	<i>Culex spp.</i>	13	Negative	RT-PCR	
	6/18/2018	Gravid Trap		3CS-25-1.2-G	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		3CS-25-2.2-G	<i>Culex spp.</i>	21	Negative	RT-PCR	
	6/25/2018	Gravid Trap		3CS-26-1.1-G	<i>Culex spp.</i>	42	Negative	RT-PCR	
	7/2/2018	Gravid Trap		7/3/2018	3CS-27-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap			3CS-27-2.3-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap			3CS-27-3.3-G	<i>Culex spp.</i>	32	Negative	RT-PCR
	7/9/2018	Gravid Trap		7/10/2018	3CS-28-1.3-G	<i>Culex pipiens</i>	50	Negative	RAMP
		Gravid Trap			3CS-28-2.3-G	<i>Culex pipiens</i>	50	WNV+	RT-PCR
		Gravid Trap			3CS-28-3.3-G	<i>Culex pipiens</i>	21	Negative	RT-PCR
	7/16/2018	Gravid Trap			3CS-29-1.3-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap			3CS-29-2.3-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap			3CS-29-3.3-G	<i>Culex spp.</i>	14	WNV+	RT-PCR
	7/19/2018	Post-Spray Trap		7/20/2018	3CS-29-1.1-P	<i>Culex spp.</i>	20	Negative	RAMP
	7/23/2018	Gravid Trap			3CS-30-1.1-G	<i>Culex spp.</i>	21	Negative	RT-PCR
	7/30/2018	Gravid Trap		7/31/2018	3CS-31-1.1-G	<i>Culex spp.</i>	40	WNV+	RAMP
	8/6/2018	Gravid Trap			3CS-32-1.1-G	<i>Culex spp.</i>	24	WNV+	RT-PCR
	8/8/2018	Post-Spray Trap			3CS-32-1.1-P	<i>Culex spp.</i>	31	Negative	RT-PCR
	8/13/2018	Gravid Trap			3CS-33-1.1-G	<i>Culex spp.</i>	13	Negative	RT-PCR
	8/20/2018	Gravid Trap		8/21/2018	3CS-34-1.2-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap			3CS-34-2.2-G	<i>Culex spp.</i>	10	Negative	RT-PCR
	8/27/2018	Gravid Trap		8/28/2018	3CS-35-1.9-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap			3CS-35-2.9-G	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Grove City South	8/27/2018	Gravid Trap		iCS-35-3.9-GI	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		iCS-35-4.9-GI	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		iCS-35-5.9-GI	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		iCS-35-6.9-GI	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		iCS-35-7.9-GI	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		iCS-35-8.9-GI	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		iCS-35-9.9-GI	<i>Culex spp.</i>	31	WNV+	RT-PCR	
	9/4/2018	Gravid Trap		iCS-36-1.1-GI	<i>Culex spp.</i>	26	WNV+	RT-PCR	
	9/7/2018	Post-Spray Trap		iCS-37-1.1-P	<i>Culex spp.</i>	15	WNV+	RT-PCR	
	9/10/2018	Gravid Trap	9/11/2018	iCS-37-1.2-GI	<i>Culex spp.</i>	50	WNV+	RAMP	
				iCS-37-2.2-GI	<i>Culex spp.</i>	31	Negative	RT-PCR	
	9/17/2018	Gravid Trap	9/18/2018	iCS-38-1.1-GI	<i>Culex spp.</i>	37	WNV+	RAMP	
	9/24/2018	Gravid Trap		iCS-39-1.1-GI	<i>Culex spp.</i>	1	Negative	RT-PCR	
	Total Pools Tested: 41		Total Mosquitoes Tested: 1352		Total Pending: 0	Total RAMP: 9	Total Negative: 25	Total Positive: 16	
	Grove City West	5/14/2018	Gravid Trap	5/15/2018	iCW-20-1.1-C	<i>Culex spp.</i>	48	Negative	RAMP
5/21/2018		Gravid Trap		iCW-21-1.1-C	<i>Culex spp.</i>	13	Negative	RT-PCR	
5/29/2018		Gravid Trap	5/30/2018	iCW-22-1.2-C	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		iCW-22-2.2-C	<i>Culex spp.</i>	13	Negative	RT-PCR	
6/4/2018		Gravid Trap		iCW-23-1.1-C	<i>Culex spp.</i>	27	Negative	RT-PCR	
6/11/2018		Gravid Trap		CW-24-1.1-G	<i>Culex spp.</i>	18	Negative	RT-PCR	
6/18/2018		Gravid Trap	6/19/2018	iCW-25-1.4-C	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		iCW-25-2.4-C	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		iCW-25-3.4-C	<i>Culex spp.</i>	50	Negative	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City West	6/18/2018	Gravid Trap		iCW-25-4.4-C	<i>Culex spp.</i>	11	Negative	RT-PCR
	6/25/2018	Gravid Trap	6/26/2018	iCW-26-1.3-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		iCW-26-2.3-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		iCW-26-3.3-C	<i>Culex spp.</i>	42	Negative	RT-PCR
	7/2/2018	Gravid Trap	7/3/2018	iCW-27-1.3-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		iCW-27-2.3-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		iCW-27-3.3-C	<i>Culex spp.</i>	17	Negative	RT-PCR
	7/9/2018	Gravid Trap	7/10/2018	iCW-28-1.4-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		iCW-28-2.4-C	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		iCW-28-3.4-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		iCW-28-4.4-C	<i>Culex spp.</i>	43	Negative	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	iCW-29-1.6-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		iCW-29-2.6-C	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		iCW-29-3.6-C	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		iCW-29-4.6-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		iCW-29-5.6-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		iCW-29-6.6-C	<i>Culex spp.</i>	18	Negative	RT-PCR
	7/23/2018	Gravid Trap	7/24/2018	iCW-30-1.2-C	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		iCW-30-2.2-C	<i>Culex spp.</i>	18	Negative	RT-PCR
	7/30/2018	Gravid Trap	7/31/2018	CW-31-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CW-31-2.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		CW-31-3.3-G	<i>Culex spp.</i>	7	Negative	RT-PCR
	8/2/2018	Post-Spray Trap	8/2/2018	iCW-31-1.1-P	<i>Culex spp.</i>	34	Negative	RAMP
8/6/2018	Gravid Trap	8/7/2018	CW-32-1.1-G	<i>Culex spp.</i>	16	Negative	RAMP	
8/13/2018	Gravid Trap	8/14/2018	CW-33-1.1-G	<i>Culex spp.</i>	35	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City West	8/20/2018	Gravid Trap	8/21/2018	CW-34-1.1-G	<i>Culex spp.</i>	45	WNV+	RAMP
	8/27/2018	Gravid Trap	8/28/2018	CW-35-1.3-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		CW-35-2.3-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		CW-35-3.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
	8/30/2018	Post-Spray Trap		iCW-35-1.3-P	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		iCW-35-2.3-P	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		iCW-35-3.3-P	<i>Culex spp.</i>	5	Negative	RT-PCR
	9/4/2018	Gravid Trap	9/5/2018	CW-36-1.1-G	<i>Culex spp.</i>	36	WNV+	RAMP
	9/10/2018	Gravid Trap	9/11/2018	CW-37-1.3-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		CW-37-2.3-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		CW-37-3.3-G	<i>Culex spp.</i>	16	Negative	RT-PCR
	9/17/2018	Gravid Trap	9/18/2018	CW-38-1.1-G	<i>Culex spp.</i>	39	Negative	RAMP
	9/24/2018	Gravid Trap		CW-39-1.1-G	<i>Culex spp.</i>	4	WNV+	RT-PCR
	9/27/2018	Post-Spray Trap		iCW-39-1.1-P	<i>Culex spp.</i>	19	Pending	RT-PCR
	Total Pools Tested: 48		Total Mosquitoes Tested: 1824		Total Pending: 1	Total RAMP: 17	Total Negative: 35	Total Positive: 12
Total Pools Tested: 131		Total Mosquitoes Tested: 4682		Total Pending: 1	Total RAMP: 37	Total Negative: 82	Total Positive: 48	

Groveport Test Results

Groveport	5/14/2018	Gravid Trap		GP-20-1.1-Gr	<i>Culex spp.</i>	22	Negative	RT-PCR
	5/21/2018	Gravid Trap		GP-21-1.1-Gr	<i>Culex spp.</i>	2	Negative	RT-PCR
	5/29/2018	Gravid Trap	5/30/2018	GP-22-1.1-Gr	<i>Culex spp.</i>	21	Negative	RAMP
	6/4/2018	Gravid Trap		GP-23-1.1-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR
	6/12/2018	Gravid Trap		GP-24-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	GP-25-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GP-25-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Groveport	6/18/2018	Gravid Trap		GP-25-3.3-Gr	<i>Culex spp.</i>	28	Negative	RT-PCR
	6/25/2018	Gravid Trap	6/26/2018	GP-26-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GP-26-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GP-26-3.3-Gr	<i>Culex spp.</i>	42	Negative	RT-PCR
	7/2/2018	Gravid Trap	7/3/2018	GP-27-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GP-27-2.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GP-27-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GP-27-4.4-Gr	<i>Culex spp.</i>	31	Negative	RT-PCR
	7/9/2018	Gravid Trap	7/10/2018	GP-28-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GP-28-2.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		GP-28-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GP-28-4.4-Gr	<i>Culex spp.</i>	31	Negative	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	GP-29-1.5-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GP-29-2.5-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		GP-29-3.5-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GP-29-4.5-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		GP-29-5.5-Gr	<i>Culex spp.</i>	14	Negative	RT-PCR
	7/23/2018	Gravid Trap	7/24/2018	GP-30-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GP-30-2.2-Gr	<i>Culex spp.</i>	36	Negative	RT-PCR
	7/26/2018	Post-spray Trap		GP-30-1.1-PS	<i>Culex spp.</i>	26	Negative	RT-PCR
	7/30/2018	Gravid Trap	7/31/2018	GP-31-1.1-GR	<i>Culex spp.</i>	30	WNV+	RAMP
	8/6/2018	Gravid Trap		GP-32-1.1-GR	<i>Culex spp.</i>	12	Negative	RT-PCR
	8/8/2018	Post-Spray Trap		GP-32-1.2-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		GP-32-2.2-PS	<i>Culex spp.</i>	38	Negative	RT-PCR
	8/13/2018	Gravid Trap	8/14/2018	GP-33-1.1-GR	<i>Culex spp.</i>	35	WNV+	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Groveport	8/20/2018	Gravid Trap		GP-34-1.1-GR	<i>Culex spp.</i>	46	WNV+	RT-PCR
	8/22/2018	Post-Spray Trap		GP-34-1.1-PS	<i>Culex spp.</i>	17	Negative	RT-PCR
	8/27/2018	Gravid Trap	8/28/2018	GP-35-1.2-GR	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		GP-35-2.2-GR	<i>Culex spp.</i>	18	WNV+	RT-PCR
	9/4/2018	Gravid Trap		GP-36-1.1-GR	<i>Culex spp.</i>	29	WNV+	RT-PCR
	9/6/2018	Post-Spray Trap		GP-36-1.1-PS	<i>Culex spp.</i>	29	WNV+	RT-PCR
	9/10/2018	Gravid Trap	9/11/2018	GP-37-1.2-GR	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GP-37-2.2-GR	<i>Culex spp.</i>	8	Negative	RT-PCR
	9/17/2018	Gravid Trap		GP-38-1.1-GR	<i>Culex spp.</i>	2	Negative	RT-PCR
	9/24/2018	Gravid Trap		GP-39-1.1-GR	<i>Culex spp.</i>	3	Negative	RT-PCR
Total Pools Tested: 42		Total Mosquitoes Tested: 1426		Total Pending: 0	Total RAMP: 11	Total Negative: 32	Total Positive: 10	
Total Pools Tested: 42		Total Mosquitoes Tested: 1426		Total Pending: 0	Total RAMP: 11	Total Negative: 32	Total Positive: 10	

Hamilton Test Results

Hamilton	5/14/2018	Gravid Trap		HA-20-1.1-Gr	<i>Culex spp.</i>	2	Negative	RT-PCR
	5/21/2018	Gravid Trap		HA-21-1.1-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR
	5/29/2018	Gravid Trap		HA-22-1.1-Gr	<i>Culex spp.</i>	4	Negative	RT-PCR
	6/4/2018	Gravid Trap		HA-23-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	6/11/2018	Gravid Trap		HA-24-1.1-GF	<i>Culex spp.</i>	3	Negative	RT-PCR
	6/12/2018	Gravid Trap	6/13/2018	HA-24.2-1.1-G	<i>Culex spp.</i>	47	Negative	RAMP
	6/18/2018	Gravid Trap		HA-25-1.1-Gr	<i>Culex spp.</i>	45	Negative	RT-PCR
	6/25/2018	Gravid Trap		HA-26-1.1-Gr	<i>Culex spp.</i>	31	Negative	RT-PCR
	7/2/2018	Gravid Trap		HA-27-1.1-Gr	<i>Culex spp.</i>	24	Negative	RT-PCR
	7/9/2018	Gravid Trap	7/10/2018	HA-28-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
Gravid Trap			HA-28-2.2-Gr	<i>Culex spp.</i>	18	Negative	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hamilton	7/16/2018	Gravid Trap	7/17/2018	HA-29-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HA-29-2.2-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR
	7/23/2018	Gravid Trap	7/24/2018	HA-30-1.1-Gr	<i>Culex spp.</i>	33	WNV+	RAMP
	7/30/2018	Gravid Trap	7/31/2018	HA-31-1.2-GF	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		HA-31-2.2-GF	<i>Culex spp.</i>	4	Negative	RT-PCR
	8/2/2018	Post-Spray Trap	8/2/2018	HA-31-1.2-PS	<i>Culex spp.</i>	50	Negative	RAMP
		Post-Spray Trap		HA-31-2.2-PS	<i>Culex spp.</i>	11	WNV+	RT-PCR
	8/6/2018	Gravid Trap	8/7/2018	HA-32-1.1-GF	<i>Culex spp.</i>	13	WNV+	RAMP
	8/9/2018	Post-Spray Trap		HA-32-1.1-PS	<i>Culex spp.</i>	12	WNV+	RT-PCR
	8/13/2018	Gravid Trap	8/14/2018	HA-33-1.2-GF	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		HA-33-2.2-GF	<i>Culex spp.</i>	18	WNV+	RT-PCR
	8/20/2018	Gravid Trap	8/21/2018	HA-34-1.1-GF	<i>Culex spp.</i>	34	Negative	RAMP
	8/23/2018	Post-Spray Trap		HA-34-1.1-PS	<i>Culex spp.</i>	40	WNV+	RT-PCR
	8/27/2018	Gravid Trap	8/28/2018	HA-35-1.1-GF	<i>Culex spp.</i>	24	Negative	RAMP
	9/4/2018	Gravid Trap	9/5/2018	HA-36-1.1-GF	<i>Culex spp.</i>	28	Negative	RAMP
	9/10/2018	Gravid Trap	9/11/2018	HA-37-1.3-GF	<i>Culex spp.</i>	50	WNV+	RAMP
				HA-37-2.3-GF	<i>Culex spp.</i>	50	WNV+	RT-PCR
				HA-37-3.3-GF	<i>Culex spp.</i>	20	Negative	RT-PCR
	9/13/2018	Post-Spray Trap		HA-37-1.1-PS	<i>Culex spp.</i>	14	Negative	RT-PCR
	9/17/2018	Gravid Trap		HA-38-1.1-GF	<i>Culex spp.</i>	9	WNV+	RT-PCR
Total Pools Tested: 31		Total Mosquitoes Tested: 800		Total Pending: 0	Total RAMP: 12	Total Negative: 20	Total Positive: 11	
Total Pools Tested: 31		Total Mosquitoes Tested: 800		Total Pending: 0	Total RAMP: 12	Total Negative: 20	Total Positive: 11	

Hilliard Test Results

Hilliard Central	5/14/2018	Gravid Trap		HC-20-1.1-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
------------------	-----------	-------------	--	--------------	-------------------	----	----------	--------

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hilliard Central	5/29/2018	Gravid Trap		HC-22-1.1-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR
	6/4/2018	Gravid Trap		HC-23-1.1-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR
	6/11/2018	Gravid Trap	6/12/2018	HC-24-1.1-Gr	<i>Culex spp.</i>	38	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	HC-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HC-25-2.2-Gr	<i>Culex spp.</i>	31	Negative	RT-PCR
	6/25/2018	Gravid Trap	6/26/2018	HC-26-1.1-Gr	<i>Culex spp.</i>	50	Negative	RAMP
	7/2/2018	Gravid Trap	7/3/2018	HC-27-1.3-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		HC-27-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HC-27-3.3-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
	7/9/2018	Gravid Trap		HC-28-1.1-Gr	<i>Culex spp.</i>	38	Negative	RT-PCR
	7/13/2018	Post-Spray Trap		HC-29-1.1-PS	<i>Culex spp.</i>	35	WNV+	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	HC-29-1.4-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		HC-29-2.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		HC-29-3.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		HC-29-4.4-Gr	<i>Culex spp.</i>	24	WNV+	RT-PCR
	7/23/2018	Gravid Trap		HC-30-1.1-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	7/31/2018	Post-Spray Trap	7/31/2018	HC-31-1.1-PS	<i>Culex spp.</i>	41	WNV+	RAMP
	8/6/2018	Gravid Trap	8/7/2018	HC-32-1.1-Gr	<i>Culex spp.</i>	12	WNV+	RAMP
	8/10/2018	Post-Spray Trap		HC-33-1.1-PS	<i>Culex spp.</i>	19	Negative	RT-PCR
	8/14/2018	Gravid Trap	8/15/2018	HC-33-1.1-Gr	<i>Culex spp.</i>	40	WNV+	RAMP
	8/21/2018	Gravid Trap		HC-34-1.1-Gr	<i>Culex spp.</i>	46	WNV+	RT-PCR
	8/24/2018	Post-Spray Trap		HC-35-1.1-PS	<i>Culex spp.</i>	10	Negative	RT-PCR
	8/27/2018	Gravid Trap	8/28/2018	HC-35-1.1-Gr	<i>Culex spp.</i>	28	WNV+	RAMP
	9/4/2018	Gravid Trap		HC-36-1.1-Gr	<i>Culex spp.</i>	4	Negative	RT-PCR
	9/10/2018	Gravid Trap	9/11/2018	HC-37-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hilliard Central	9/10/2018	Gravid Trap		HC-37-2.2-GF	<i>Culex spp.</i>	16	WNV+	RT-PCR
	9/14/2018	Post-Spray Trap		HC-38-1.1-PS	<i>Culex spp.</i>	10	WNV+	RT-PCR
	9/17/2018	Gravid Trap	9/18/2018	HC-38-1.1-GF	<i>Culex spp.</i>	25	WNV+	RAMP
	9/24/2018	Gravid Trap		HC-39-1.1-GF	<i>Culex spp.</i>	9	Negative	RT-PCR
Total Pools Tested: 30		Total Mosquitoes Tested: 857		Total Pending: 0	Total RAMP: 11	Total Negative: 15	Total Positive: 15	
Hilliard North	5/14/2018	Gravid Trap		HN-20-1.1-Gr	<i>Culex spp.</i>	18	Negative	RT-PCR
	5/21/2018	Gravid Trap		HN-21-1.1-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
	5/29/2018	Gravid Trap		HN-22-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	6/4/2018	Gravid Trap		HN-23-1.1-Gr	<i>Culex spp.</i>	25	Negative	RT-PCR
	6/11/2018	Gravid Trap		HN-24-1.1-GF	<i>Culex spp.</i>	37	Negative	RT-PCR
	6/18/2018	Gravid Trap		HN-25-1.1-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
	6/19/2018	Gravid Trap	6/20/2018	HN-25-1.1-G	<i>Culex spp.</i>	40	Negative	RAMP
	6/27/2018	Gravid Trap	6/28/2018	HN-26-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HN-26-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HN-26-3.3-Gr	<i>Culex spp.</i>	23	Negative	RT-PCR
		7/2/2018	Gravid Trap	7/3/2018	HN-27-1.3-Gr	<i>Culex spp.</i>	50	Negative
		Gravid Trap		HN-27-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		HN-27-3.3-Gr	<i>Culex spp.</i>	27	Negative	RT-PCR
	7/9/2018	Gravid Trap	7/10/2018	HN-28-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HN-28-2.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HN-28-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HN-28-4.4-Gr	<i>Culex spp.</i>	44	Negative	RT-PCR
7/16/2018	Gravid Trap		HN-29-1.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Hilliard North	7/16/2018	Gravid Trap		HN-29-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		HN-29-3.3-Gr	<i>Culex spp.</i>	20	WNV+	RT-PCR	
	7/20/2018	Post-Spray Trap		HN-29-1.1-PS	<i>Culex spp.</i>	9	Negative	RT-PCR	
	7/23/2018	Gravid Trap	7/24/2018	HN-30-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		HN-30-2.2-Gr	<i>Culex spp.</i>	26	Negative	RT-PCR	
	7/30/2018	Gravid Trap		HN-31-1.1-GF	<i>Culex spp.</i>	10	Negative	RT-PCR	
	8/6/2018	Gravid Trap	8/7/2018	HN-32-1.1-GF	<i>Culex spp.</i>	22	Negative	RAMP	
	8/13/2018	Gravid Trap	8/14/2018	HN-33-1.1-GF	<i>Culex spp.</i>	23	WNV+	RAMP	
	8/20/2018	Gravid Trap	8/21/2018	HN-34-1.1-GF	<i>Culex spp.</i>	20	WNV+	RAMP	
	8/28/2018	Post-Spray Trap		HN-35-1.3-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Post-Spray Trap		HN-35-2.3-PS	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Post-Spray Trap		HN-35-3.3-PS	<i>Culex spp.</i>	8	Negative	RT-PCR	
	9/4/2018	Gravid Trap	9/5/2018	HN-36-1.1-GF	<i>Culex spp.</i>	22	Negative	RAMP	
	9/10/2018	Gravid Trap	9/11/2018	HN-37-1.2-GF	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		HN-37-2.2-GF	<i>Culex spp.</i>	19	WNV+	RT-PCR	
	9/17/2018	Gravid Trap	9/18/2018	HN-38-1.1-GF	<i>Culex spp.</i>	33	WNV+	RAMP	
	9/24/2018	Gravid Trap	9/25/2018	HN-39-1.1-GF	<i>Culex spp.</i>	16	WNV+	RAMP	
	9/27/2018	Post-Spray Trap		HN-39-1.1-PS	<i>Culex spp.</i>	31	Pending	RT-PCR	
	Total Pools Tested: 36		Total Mosquitoes Tested: 1192		Total Pending: 1	Total RAMP: 12	Total Negative: 24	Total Positive: 11	
	Hilliard South	5/14/2018	Gravid Trap		HS-20-1.1-Gr	<i>Culex spp.</i>	16	Negative	RT-PCR
5/21/2018		Gravid Trap		HS-21-1.1-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR	
5/29/2018		Gravid Trap		HS-22-1.1-Gr	<i>Culex spp.</i>	16	Negative	RT-PCR	
6/4/2018		Gravid Trap		HS-23-1.1-Gr	<i>Culex spp.</i>	2	Negative	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hilliard South	6/11/2018	Gravid Trap		HS-24-1.1-GR	<i>Culex spp.</i>	27	Negative	RT-PCR
	6/18/2018	Gravid Trap		HS-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HS-25-2.2-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	6/27/2018	Gravid Trap	6/28/2018	HS-26-1.6-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HS-26-2.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HS-26-3.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HS-26-4.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HS-26-5.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HS-26-6.6-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR
	7/2/2018	Gravid Trap		HS-27-1.2-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		HS-27-2.2-Gr	<i>Culex spp.</i>	38	Negative	RT-PCR
	7/9/2018	Gravid Trap		HS-28-1.1-Gr	<i>Culex spp.</i>	49	Negative	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	HS-29-1.3-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		HS-29-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		HS-29-3.3-Gr	<i>Culex spp.</i>	15	WNV+	RT-PCR
	7/24/2018	Post-Spray Trap	7/25/2018	HS-30-1.3-PS	<i>Culex spp.</i>	50	Negative	RAMP
		Post-Spray Trap		HS-30-2.3-PS	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		HS-30-3.3-PS	<i>Culex spp.</i>	21	Negative	RT-PCR
	7/30/2018	Gravid Trap		HS-31-1.1-GR	<i>Culex spp.</i>	24	Negative	RT-PCR
	8/6/2018	Gravid Trap	8/7/2018	HS-32-1.1-GR	<i>Culex spp.</i>	16	Negative	RAMP
	8/13/2018	Gravid Trap		HS-33-1.1-GR	<i>Culex spp.</i>	6	WNV+	RT-PCR
	8/20/2018	Gravid Trap	8/21/2018	HS-34-1.1-GR	<i>Culex spp.</i>	29	Negative	RAMP
	8/28/2018	Post-Spray Trap		HS-35-1.2-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		HS-35-2.2-PS	<i>Culex spp.</i>	37	WNV+	RT-PCR
	9/4/2018	Gravid Trap	9/5/2018	HS-36-1.1-GR	<i>Culex spp.</i>	33	WNV+	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hilliard South	9/10/2018	Gravid Trap	9/11/2018	HS-37-1.1-GR	<i>Culex spp.</i>	46	Negative	RAMP
	9/17/2018	Gravid Trap	9/18/2018	HS-38-1.1-GR	<i>Culex spp.</i>	15	Negative	RAMP
	9/24/2018	Gravid Trap		HS-39-1.1-GR	<i>Culex spp.</i>	9	Negative	RT-PCR
Total Pools Tested: 32		Total Mosquitoes Tested: 1019		Total Pending: 0	Total RAMP: 8	Total Negative: 25	Total Positive: 7	
Total Pools Tested: 98		Total Mosquitoes Tested: 3068		Total Pending: 1	Total RAMP: 31	Total Negative: 64	Total Positive: 33	

Jefferson Test Results

Jefferson	5/21/2018	Gravid Trap		JE-21-1.1-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR
	5/29/2018	Gravid Trap		JE-22-1.1-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR
	6/4/2018	Gravid Trap	6/5/2018	JE-23-1.1-Gr	<i>Culex spp.</i>	42	Negative	RAMP
	6/12/2018	Gravid Trap		JE-24-1.1-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	JE-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JE-25-2.2-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
	6/25/2018	Gravid Trap	6/26/2018	JE-26-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JE-26-2.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JE-26-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JE-26-4.4-Gr	<i>Culex spp.</i>	34	Negative	RT-PCR
	7/2/2018	Gravid Trap	7/3/2018	JE-27-1.1-Gr	<i>Culex spp.</i>	48	Negative	RAMP
	7/9/2018	Gravid Trap	7/10/2018	JE-28-1.9-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		JE-28-2.9-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		JE-28-3.9-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		JE-28-4.9-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JE-28-5.9-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JE-28-6.9-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JE-28-7.9-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Jefferson	7/9/2018	Gravid Trap		JE-28-8.9-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JE-28-9.9-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	7/16/2018	Gravid Trap		JE-29-1.5-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		JE-29-2.5-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		JE-29-3.5-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JE-29-4.5-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JE-29-5.5-Gr	<i>Culex spp.</i>	29	Negative	RT-PCR
		7/18/2018	Post-Spray Trap		JE-29-1.2-PS	<i>Culex spp.</i>	50	Negative
	Post-Spray Trap			JE-29-2.2-PS	<i>Culex spp.</i>	22	WNV+	RT-PCR
	7/23/2018	Gravid Trap	7/24/2018	JE-30-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
				JE-30-2.2-Gr	<i>Culex spp.</i>	46	Negative	RT-PCR
	7/30/2018	Gravid Trap		JE-31-1.2-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		JE-31-2.2-GR	<i>Culex spp.</i>	5	Negative	RT-PCR
	8/1/2018	Post-Spray Trap	8/1/2018	JE-31-1.2-PS	<i>Culex spp.</i>	50	Negative	RAMP
		Post-Spray Trap		JE-31-2.2-PS	<i>Culex spp.</i>	20	WNV+	RT-PCR
	8/6/2018	Gravid Trap	8/7/2018	JE-32-1.1-GR	<i>Culex spp.</i>	23	Negative	RAMP
	8/10/2018	Post-Spray Trap		JE-33-1.2-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		JE-33-2.2-PS	<i>Culex spp.</i>	33	Negative	RT-PCR
	8/13/2018	Gravid Trap	8/14/2018	JE-33-1.2-GR	<i>Culex spp.</i>	50	WNV+	RAMP
				JE-33-2.2-GR	<i>Culex spp.</i>	42	WNV+	RT-PCR
8/20/2018	Gravid Trap		JE-34-1.1-GR	<i>Culex spp.</i>	17	Negative	RT-PCR	
8/27/2018	Gravid Trap		JE-35-1.1-GR	<i>Culex spp.</i>	30	Negative	RT-PCR	
9/4/2018	Gravid Trap		JE-36-1.1-GR	<i>Culex spp.</i>	12	Negative	RT-PCR	
9/10/2018	Gravid Trap		JE-37-1.1-GR	<i>Culex spp.</i>	4	Negative	RT-PCR	
9/17/2018	Gravid Trap		JE-38-1.1-GR	<i>Culex spp.</i>	14	Negative	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Jefferson	9/24/2018	Gravid Trap	9/25/2018	JE-39-1.1-GR	<i>Culex spp.</i>	10	Negative	RAMP
	Total Pools Tested: 44	Total Mosquitoes Tested: 1606	Total Pending: 0	Total RAMP: 10	Total Negative: 32	Total Positive: 12		
	Total Pools Tested: 44	Total Mosquitoes Tested: 1606	Total Pending: 0	Total RAMP: 10	Total Negative: 32	Total Positive: 12		

Madison Test Results

Madison	5/14/2018	Gravid Trap		MA-20-1.1-G1	<i>Culex spp.</i>	12	Negative	RT-PCR
	5/21/2018	Gravid Trap		MA-21-1.1-G1	<i>Culex spp.</i>	9	Negative	RT-PCR
	5/29/2018	Gravid Trap		MA-22-1.1-G1	<i>Culex spp.</i>	9	Negative	RT-PCR
	6/4/2018	Gravid Trap	6/5/2018	MA-23-1.1-G1	<i>Culex spp.</i>	43	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	MA-24-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
	6/18/2018	Gravid Trap		MA-25-1.1-G1	<i>Culex spp.</i>	25	Negative	RT-PCR
	6/25/2018	Gravid Trap	6/26/2018	MA-26-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MA-26-2.2-G1	<i>Culex spp.</i>	21	WNV+	RT-PCR
	7/2/2018	Gravid Trap	7/3/2018	MA-27-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MA-27-2.3-G1	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		MA-27-3.3-G1	<i>Culex spp.</i>	8	Negative	RT-PCR
	7/9/2018	Gravid Trap	7/10/2018	MA-28-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MA-28-2.3-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MA-28-3.3-G1	<i>Culex spp.</i>	11	Negative	RT-PCR
	7/12/2018	Post-Spray Trap		MA-28-1.1-PS	<i>Culex spp.</i>	8	Negative	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	MA-29-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MA-29-2.3-G1	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		MA-29-3.3-G1	<i>Culex spp.</i>	42	Negative	RT-PCR
	7/23/2018	Gravid Trap	7/24/2018	MA-30-1.1Gr	<i>Culex spp.</i>	38	Negative	RAMP
	7/30/2018	Gravid Trap	7/31/2018	MA-31-1.1-G1	<i>Culex spp.</i>	44	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Madison	8/2/2018	Post-Spray Trap		MA-31-1.1-PS	<i>Culex spp.</i>	48	WNV+	RT-PCR
	8/6/2018	Gravid Trap		MA-32-1.1-GI	<i>Culex spp.</i>	4	Negative	RT-PCR
	8/13/2018	Gravid Trap	8/14/2018	MA-33-1.4-GI	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MA-33-2.4-GI	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		MA-33-3.4-GI	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MA-33-4.4-GI	<i>Culex spp.</i>	4	Negative	RT-PCR
	8/20/2018	Gravid Trap	8/21/2018	MA-34-1.2-GI	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		MA-34-2.2-GI	<i>Culex spp.</i>	13	Negative	RT-PCR
	8/27/2018	Gravid Trap	8/28/2018	MA-35-1.4-GI	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MA-35-2.4-GI	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MA-35-3.4-GI	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MA-35-4.4-GI	<i>Culex spp.</i>	6	Negative	RT-PCR
	9/4/2018	Gravid Trap		MA-36-1.2-GI	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		MA-36-2.2-GI	<i>Culex spp.</i>	7	WNV+	RT-PCR
	9/6/2018	Post-Spray Trap		MA-36-1.1-PS	<i>Culex spp.</i>	16	WNV+	RT-PCR
	9/10/2018	Gravid Trap	9/11/2018	MA-37-1.2-GI	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		MA-37-2.2-GI	<i>Culex spp.</i>	26	WNV+	RT-PCR
	9/17/2018	Gravid Trap	9/18/2018	MA-38-1.1-GI	<i>Culex spp.</i>	16	Negative	RAMP
	9/24/2018	Gravid Trap	9/25/2018	MA-39-1.1-GI	<i>Culex spp.</i>	17	Negative	RAMP
	Total Pools Tested: 39		Total Mosquitoes Tested: 1277		Total Pending: 0	Total RAMP: 14	Total Negative: 28	Total Positive: 11
Total Pools Tested: 39		Total Mosquitoes Tested: 1277		Total Pending: 0	Total RAMP: 14	Total Negative: 28	Total Positive: 11	

Mifflin Test Results

Mifflin	5/14/2018	Gravid Trap	5/15/2018	MI-20-1.5-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MI-20-2.5-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Mifflin	5/14/2018	Gravid Trap		MI-20-3.5-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-20-4.5-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-20-5.5-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR
	5/21/2018	Gravid Trap		MI-21-1.1-Gr	<i>Culex spp.</i>	39	Negative	RT-PCR
	5/29/2018	Gravid Trap	5/30/2018	MI-22-1.1-Gr	<i>Culex spp.</i>	47	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	MI-23-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MI-23-2.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-23-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
	Gravid Trap		MI-23-4.4-Gr	<i>Culex spp.</i>	22	Negative	RT-PCR	
	6/11/2018	Gravid Trap	6/12/2018	MI-24-1.3-GR	<i>Culex spp.</i>	50	Negative	RAMP
	6/18/2018	Gravid Trap		MI-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-25-2.2-Gr	<i>Culex spp.</i>	38	Negative	RT-PCR
	6/25/2018	Gravid Trap	6/26/2018	MI-26-1.6-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MI-26-2.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-26-3.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-26-4.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-26-5.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-26-6.6-Gr	<i>Culex spp.</i>	26	Negative	RT-PCR
	7/2/2018	Gravid Trap	7/3/2018	MI-27-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MI-27-2.2-Gr	<i>Culex spp.</i>	41	Negative	RT-PCR
7/9/2018	Gravid Trap		MI-28-1.1-Gr	<i>Culex spp.</i>	12	Negative	RT-PCR	
7/10/2018	Gravid Trap	7/10/2018	MI-28-1.12-G	<i>Culex spp.</i>	50	Negative	RAMP	
	Gravid Trap		MI-28-10.12-G	<i>Culex spp.</i>	50	Negative	RT-PCR	
	Gravid Trap		MI-28-11.12-G	<i>Culex spp.</i>	50	Negative	RT-PCR	
	Gravid Trap		MI-28-12.12-G	<i>Culex spp.</i>	28	Negative	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Mifflin	7/10/2018	Gravid Trap		MI-28-2.12-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		MI-28-3.12-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		MI-28-4.12-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		MI-28-5.12-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		MI-28-6.12-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-28-7.12-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-28-8.12-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-28-9.12-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		7/16/2018	Gravid Trap	7/17/2018	MI-29-1.6-Gr	<i>Culex spp.</i>	50	WNV+
	Gravid Trap			MI-29-2.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
	Gravid Trap			MI-29-3.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
	Gravid Trap			MI-29-4.6-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
	Gravid Trap			MI-29-5.6-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
	Gravid Trap			MI-29-6.6-Gr	<i>Culex spp.</i>	27	WNV+	RT-PCR
	7/23/2018	Gravid Trap	7/24/2018	MI-30-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MI-30-2.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-30-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-30-4.4-Gr	<i>Culex spp.</i>	12	Negative	RT-PCR
	7/25/2018	Post-Spray Trap		MI-30-1.2-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		MI-30-2.2-PS	<i>Culex spp.</i>	44	WNV+	RT-PCR
7/30/2018	Gravid Trap		MI-31-1.1-GR	<i>Culex spp.</i>	18	Negative	RT-PCR	
8/6/2018	Gravid Trap	8/7/2018	MI-32-1.1-GR	<i>Culex spp.</i>	28	WNV+	RAMP	
8/13/2018	Gravid Trap		MI-33-1.3-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR	
	Gravid Trap		MI-33-2.3-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR	
	Gravid Trap		MI-33-3.3-GR	<i>Culex spp.</i>	31	Negative	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Mifflin	8/15/2018	Post-Spray Trap		MI-33-1.1-PS	<i>Culex spp.</i>	28	WNV+	RT-PCR	
	8/20/2018	Gravid Trap	8/21/2018	MI-34-1.3-GR	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		MI-34-2.3-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		MI-34-3.3-GR	<i>Culex spp.</i>	47	WNV+	RT-PCR	
	8/27/2018	Gravid Trap		MI-35-1.6-GR	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		MI-35-2.6-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		MI-35-3.6-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		MI-35-4.6-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		MI-35-5.6-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		MI-35-6.6-GR	<i>Culex spp.</i>	36	WNV+	RT-PCR	
	9/4/2018	Gravid Trap	9/5/2018	MI-36-1.2-GR	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		MI-36-2.2-GR	<i>Culex spp.</i>	3	Negative	RT-PCR	
	9/10/2018	Gravid Trap	9/11/2018	MI-37-1.3-GR	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		MI-37-2.3-GR	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		MI-37-3.3-GR	<i>Culex spp.</i>	18	WNV+	RT-PCR	
	9/17/2018	Gravid Trap	9/18/2018	MI-38-1.1-GR	<i>Culex spp.</i>	36	WNV+	RAMP	
	9/24/2018	Gravid Trap		MI-39-1.1-GR	<i>Culex spp.</i>	8	Negative	RT-PCR	
	Total Pools Tested: 69	Total Mosquitoes Tested: 2945	Total Pending: 0	Total RAMP: 14	Total Negative: 43	Total Positive: 26			
	Total Pools Tested: 69	Total Mosquitoes Tested: 2945	Total Pending: 0	Total RAMP: 14	Total Negative: 43	Total Positive: 26			

New Albany Test Results

New Albany	5/14/2018	Gravid Trap		NA-20-1.1-Gr	<i>Culex spp.</i>	21	Negative	RT-PCR
	5/21/2018	Gravid Trap		NA-21-1.1-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	5/29/2018	Gravid Trap		NA-22-1.1-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	6/4/2018	Gravid Trap		NA-23-1.1-Gr	<i>Culex spp.</i>	19	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
New Albany	6/11/2018	Gravid Trap	6/12/2018	NA-24-1.3-GF	<i>Culex spp.</i>	50	Negative	RAMP	
	6/18/2018	Gravid Trap	6/19/2018	NA-25-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP	
	6/25/2018	Gravid Trap			NA-25-2.2-Gr	<i>Culex spp.</i>	49	Negative	RT-PCR
		Gravid Trap	6/26/2018		NA-26-1.7-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap			NA-26-2.7-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap			NA-26-3.7-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap			NA-26-4.7-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap			NA-26-5.7-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap			NA-26-6.7-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap			NA-26-7.7-Gr	<i>Culex spp.</i>	25	Negative	RT-PCR
		7/2/2018	Gravid Trap	7/3/2018	IA-27-1.20-GI	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap			IA-27-10.20-C	<i>Culex spp.</i>	50	WNV+	RT-PCR
	Gravid Trap			IA-27-11.20-C	<i>Culex spp.</i>	50	Negative	RT-PCR	
	Gravid Trap			IA-27-12.20-C	<i>Culex spp.</i>	50	Negative	RT-PCR	
	Gravid Trap			IA-27-13.20-C	<i>Culex spp.</i>	50	Negative	RT-PCR	
	Gravid Trap			IA-27-14.20-C	<i>Culex spp.</i>	50	Negative	RT-PCR	
	Gravid Trap			IA-27-15.20-C	<i>Culex spp.</i>	50	Negative	RT-PCR	
	Gravid Trap			IA-27-16.20-C	<i>Culex spp.</i>	50	Negative	RT-PCR	
	Gravid Trap			IA-27-17.20-C	<i>Culex spp.</i>	50	Negative	RT-PCR	
	Gravid Trap			IA-27-18.20-C	<i>Culex spp.</i>	50	Negative	RT-PCR	
	Gravid Trap			IA-27-19.20-C	<i>Culex spp.</i>	50	Negative	RT-PCR	
	Gravid Trap		7/3/2018		IA-27-2.20-GI	<i>Culex spp.</i>	50	WNV+	RAMP
	Gravid Trap				IA-27-20.20-C	<i>Culex spp.</i>	49	WNV+	RT-PCR
Gravid Trap		7/3/2018		IA-27-3.20-GI	<i>Culex spp.</i>	50	Negative	RAMP	
Gravid Trap				IA-27-4.20-G	<i>Culex spp.</i>	50	WNV+	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
New Albany	7/2/2018	Gravid Trap		NA-27-5.20-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		NA-27-6.20-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		NA-27-7.20-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		NA-27-8.20-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		NA-27-9.20-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
	7/9/2018	Gravid Trap	7/10/2018	NA-28-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NA-28-2.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		NA-28-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		NA-28-4.4-Gr	<i>Culex spp.</i>	23	WNV+	RT-PCR
	7/11/2018	Post-Spray Trap		NA-28-1.4-PS	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		NA-28-2.4-PS	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		NA-28-3.4-PS	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		NA-28-4.4-PS	<i>Culex spp.</i>	26	Negative	RT-PCR
	7/17/2018	Gravid Trap	7/18/2018	NA-29-1.10-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		NA-29-10.10-C	<i>Culex spp.</i>	18	Negative	RT-PCR
		Gravid Trap		NA-29-2.10-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		NA-29-3.10-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		NA-29-4.10-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		NA-29-5.10-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		NA-29-6.10-G	<i>Culex spp.</i>	50	Negative	RT-PCR
Gravid Trap			NA-29-7.10-G	<i>Culex spp.</i>	50	Negative	RT-PCR	
Gravid Trap			NA-29-8.10-G	<i>Culex spp.</i>	50	Negative	RT-PCR	
Gravid Trap			NA-29-9.10-G	<i>Culex spp.</i>	50	Negative	RT-PCR	
7/23/2018	Gravid Trap	7/24/2018	NA-30-1.1-Gr	<i>Culex spp.</i>	22	Negative	RAMP	
7/31/2018	Post-Spray Trap	7/31/2018	NA-31-1.2-PS	<i>Culex spp.</i>	50	WNV+	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
New Albany	7/31/2018	Post-Spray Trap		NA-31-2.2-PS	<i>Culex spp.</i>	17	WNV+	RT-PCR
	8/6/2018	Gravid Trap		NA-32-1.1-GF	<i>Culex spp.</i>	8	Negative	RT-PCR
	8/14/2018	Post-Spray Trap		NA-33-1.1-PS	<i>Culex spp.</i>	2	Negative	RT-PCR
	8/20/2018	Gravid Trap	8/21/2018	NA-34-1.2-GF	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NA-34-2.2-GF	<i>Culex spp.</i>	21	Negative	RT-PCR
	8/27/2018	Gravid Trap	8/28/2018	NA-35-1.3-GF	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		NA-35-2.3-GF	<i>Culex spp.</i>	50	WNV+	RT-PCR
	9/4/2018	Gravid Trap		NA-35-3.3-GF	<i>Culex spp.</i>	5	Negative	RT-PCR
		Gravid Trap	9/5/2018	NA-36-1.3-GF	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		NA-36-2.3-GF	<i>Culex spp.</i>	50	Negative	RT-PCR
	9/10/2018	Gravid Trap		NA-36-3.3-GF	<i>Culex spp.</i>	19	WNV+	RT-PCR
		Gravid Trap	9/11/2018	NA-37-1.1-GF	<i>Culex spp.</i>	50	WNV+	RAMP
	9/14/2018	Post-Spray Trap		NA-38-1.2-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		NA-38-2.2-PS	<i>Culex spp.</i>	48	WNV+	RT-PCR
	9/17/2018	Gravid Trap	9/18/2018	NA-38-1.1-GF	<i>Culex spp.</i>	10	WNV+	RAMP
	9/24/2018	Gravid Trap		NA-39-1.1-GF	<i>Culex spp.</i>	5	Negative	RT-PCR
	Total Pools Tested: 70		Total Mosquitoes Tested: 2904		Total Pending: 0	Total RAMP: 15	Total Negative: 42	Total Positive: 28
Total Pools Tested: 70		Total Mosquitoes Tested: 2904		Total Pending: 0	Total RAMP: 15	Total Negative: 42	Total Positive: 28	

Norwich Test Results

Norwich	5/14/2018	Gravid Trap		NO-20-1.1-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	5/29/2018	Gravid Trap		NO-22-1.1-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	6/4/2018	Gravid Trap	6/5/2018	NO-23-1.1-Gr	<i>Culex spp.</i>	42	Negative	RAMP
	6/11/2018	Gravid Trap		NO-24-1.1-GF	<i>Culex spp.</i>	25	Negative	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	NO-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Norwich	6/18/2018	Gravid Trap		NO-25-2.2-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR
	6/25/2018	Gravid Trap	6/26/2018	NO-26-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NO-26-2.2-Gr	<i>Culex spp.</i>	18	Negative	RT-PCR
	7/2/2018	Gravid Trap	7/3/2018	NO-27-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		NO-27-2.2-Gr	<i>Culex spp.</i>	32	WNV+	RT-PCR
	7/10/2018	Post-Spray Trap		NO-28-1.3-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		NO-28-2.3-PS	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		NO-28-3.3-PS	<i>Culex spp.</i>	24	Negative	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	NO-29-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NO-29-2.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		NO-29-3.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		NO-29-4.4-Gr	<i>Culex spp.</i>	26	WNV+	RT-PCR
	7/23/2018	Gravid Trap	7/24/2018	NO-30-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NO-30-2.2-Gr	<i>Culex spp.</i>	18	WNV+	RT-PCR
	7/30/2018	Gravid Trap		NO-31-1.1-GF	<i>Culex spp.</i>	16	Negative	RT-PCR
	8/6/2018	Gravid Trap		NO-32-1.1-GF	<i>Culex spp.</i>	12	WNV+	RT-PCR
	8/8/2018	Post-Spray Trap		NO-32-1.1-PS	<i>Culex spp.</i>	41	WNV+	RT-PCR
	8/13/2018	Gravid Trap		NO-33-1.1-GF	<i>Culex spp.</i>	2	Negative	RT-PCR
	8/20/2018	Gravid Trap	8/21/2018	NO-34-1.1-GF	<i>Culex spp.</i>	36	WNV+	RAMP
	8/28/2018	Gravid Trap	8/29/2018	NO-35-1.5-GF	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		NO-35-2.5-GF	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		NO-35-3.5-GF	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		NO-35-4.5-GF	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		NO-35-5.5-GF	<i>Culex spp.</i>	20	Negative	RT-PCR
	9/4/2018	Gravid Trap		NO-36-1.2-GF	<i>Culex spp.</i>	50	WNV+	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Norwich	9/4/2018	Gravid Trap		NO-36-2.2-GF	<i>Culex spp.</i>	6	Negative	RT-PCR
	9/7/2018	Post-Spray Trap		NO-37-1.1-PS	<i>Culex spp.</i>	9	Negative	RT-PCR
	9/10/2018	Gravid Trap	9/11/2018	NO-37-1.1-GF	<i>Culex spp.</i>	32	WNV+	RAMP
	9/17/2018	Gravid Trap		NO-38-1.1-GF	<i>Culex spp.</i>	7	Negative	RT-PCR
	9/24/2018	Gravid Trap		NO-39-1.1-GF	<i>Culex spp.</i>	3	Negative	RT-PCR
Total Pools Tested: 35		Total Mosquitoes Tested: 1092		Total Pending: 0	Total RAMP: 9	Total Negative: 21	Total Positive: 14	
Total Pools Tested: 35		Total Mosquitoes Tested: 1092		Total Pending: 0	Total RAMP: 9	Total Negative: 21	Total Positive: 14	

Obetz Test Results

Obetz	5/14/2018	Gravid Trap		OB-20-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	5/21/2018	Gravid Trap		OB-21-1.1-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR
	6/4/2018	Gravid Trap		OB-23-1.1-Gr	<i>Culex spp.</i>	7	WNV+	RT-PCR
	6/11/2018	Gravid Trap		OB-24-1.1-GF	<i>Culex spp.</i>	12	Negative	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	OB-25-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		OB-25-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		OB-25-3.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
	6/25/2018	Gravid Trap		OB-26-1.1-Gr	<i>Culex spp.</i>	15	Negative	RT-PCR
	7/2/2018	Gravid Trap	7/3/2018	OB-27-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		OB-27-2.2-Gr	<i>Culex spp.</i>	37	Negative	RT-PCR
	7/9/2018	Gravid Trap		OB-28-1.1-Gr	<i>Culex spp.</i>	14	Negative	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	OB-29-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		OB-29-2.2-Gr	<i>Culex spp.</i>	45	WNV+	RT-PCR
	7/23/2018	Gravid Trap		OB-30-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
	7/25/2018	Post-Spray Trap		OB-30-1.1-PS	<i>Culex spp.</i>	11	Negative	RT-PCR
	7/30/2018	Gravid Trap		OB-31-1.1-GF	<i>Culex spp.</i>	5	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Obetz	8/6/2018	Gravid Trap		OB-32-1.1-GF	<i>Culex spp.</i>	1	Negative	RT-PCR
	8/13/2018	Gravid Trap	8/14/2018	OB-33-1.1-GF	<i>Culex spp.</i>	44	Negative	RAMP
	8/20/2018	Gravid Trap	8/21/2018	OB-34-1.1-GF	<i>Culex spp.</i>	15	Negative	RAMP
	8/27/2018	Gravid Trap	8/28/2018	OB-35-1.3-GF	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		OB-35-2.3-GF	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		OB-35-3.3-GF	<i>Culex spp.</i>	29	WNV+	RT-PCR
		Gravid Trap		OB-36-1.1-GF	<i>Culex spp.</i>	9	Negative	RT-PCR
	9/4/2018	Gravid Trap		OB-36-1.1-GF	<i>Culex spp.</i>	9	Negative	RT-PCR
	9/7/2018	Post-Spray Trap		OB-37-1.1-PS	<i>Culex spp.</i>	6	Negative	RT-PCR
	9/10/2018	Gravid Trap	9/11/2018	OB-37-1.1-GF	<i>Culex spp.</i>	40	WNV+	RAMP
	9/17/2018	Gravid Trap	9/18/2018	OB-38-1.1-GF	<i>Culex spp.</i>	11	Negative	RAMP
	9/24/2018	Gravid Trap		OB-39-1.1-GF	<i>Culex spp.</i>	1	Negative	RT-PCR
	Total Pools Tested: 27		Total Mosquitoes Tested: 666		Total Pending: 0	Total RAMP: 8	Total Negative: 21	Total Positive: 6
Total Pools Tested: 27		Total Mosquitoes Tested: 666		Total Pending: 0	Total RAMP: 8	Total Negative: 21	Total Positive: 6	

Perry Test Results

Perry	5/14/2018	Gravid Trap		PE-20-1.1-Gr	<i>Culex spp.</i>	25	Negative	RT-PCR
	5/21/2018	Gravid Trap		PE-21-1.1-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR
	5/29/2018	Gravid Trap	5/30/2018	PE-22-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-22-2.2-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	6/4/2018	Gravid Trap		PE-23-1.1-Gr	<i>Culex spp.</i>	40	Negative	RT-PCR
	6/11/2018	Gravid Trap	6/12/2018	PE-24-1.2-GR	<i>Culex spp.</i>	50	Negative	RAMP
	6/18/2018	Gravid Trap		PE-25-1.1-Gr	<i>Culex spp.</i>	32	Negative	RT-PCR
	6/25/2018	Gravid Trap	6/26/2018	PE-26-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-26-2.2-Gr	<i>Culex spp.</i>	13	Negative	RT-PCR
	7/2/2018	Gravid Trap		PE-27-1.1-Gr	<i>Culex spp.</i>	35	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Perry	7/9/2018	Gravid Trap	7/10/2018	PE-28-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-28-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PE-28-3.3-Gr	<i>Culex spp.</i>	17	Negative	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	PE-29-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-29-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		PE-29-3.3-Gr	<i>Culex spp.</i>	10	WNV+	RT-PCR
	7/23/2018	Gravid Trap	7/24/2018	PE-30-1.1-Gr	<i>Culex spp.</i>	32	Negative	RAMP
	8/3/2018	Post-Spray Trap		PE-32-1.1-PS	<i>Culex spp.</i>	38	WNV+	RT-PCR
	8/6/2018	Gravid Trap	8/7/2018	PE-32-1.1-GR	<i>Culex spp.</i>	38	Negative	RAMP
	8/13/2018	Gravid Trap	8/14/2018	PE-33-1.2-GR	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-33-2.2-GR	<i>Culex spp.</i>	7	Negative	RT-PCR
	8/20/2018	Gravid Trap	8/21/2018	PE-34-1.2-GR	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-34-2.2-GR	<i>Culex spp.</i>	30	WNV+	RT-PCR
	8/27/2018	Gravid Trap	8/28/2018	PE-35-1.4-GR	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PE-35-2.4-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		PE-35-3.4-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		PE-35-4.4-GR	<i>Culex spp.</i>	33	WNV+	RT-PCR
	9/4/2018	Gravid Trap	9/5/2018	PE-36-1.1-GR	<i>Culex spp.</i>	15	Negative	RAMP
	9/10/2018	Gravid Trap		PE-37-1.1-GR	<i>Culex spp.</i>	5	Negative	RT-PCR
	9/12/2018	Post-Spray Trap		PE-37-1.1-PS	<i>Culex spp.</i>	8	Negative	RT-PCR
9/17/2018	Gravid Trap		PE-38-1.1-GR	<i>Culex spp.</i>	7	Negative	RT-PCR	
9/24/2018	Gravid Trap		PE-39-1.1-GR	<i>Culex spp.</i>	6	Negative	RT-PCR	
Total Pools Tested: 32		Total Mosquitoes Tested: 1004		Total Pending: 0	Total RAMP: 11	Total Negative: 25	Total Positive: 7	
Total Pools Tested: 32		Total Mosquitoes Tested: 1004		Total Pending: 0	Total RAMP: 11	Total Negative: 25	Total Positive: 7	

Pleasant Test Results

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Pleasant North	5/14/2018	Gravid Trap		PN-20-1.1-Gr	<i>Culex spp.</i>	2	Negative	RT-PCR
	5/29/2018	Gravid Trap		PN-22-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	6/4/2018	Gravid Trap		PN-23-1.1-Gr	<i>Culex spp.</i>	9	Negative	RT-PCR
	6/11/2018	Gravid Trap		PN-24-1.1-GR	<i>Culex spp.</i>	4	Negative	RT-PCR
	6/12/2018	Gravid Trap		PN-24-2-1.1-G	<i>Culex spp.</i>	3	Negative	RT-PCR
	6/18/2018	Gravid Trap		PN-25-1.1-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	6/25/2018	Gravid Trap		PN-26-1.1-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	7/2/2018	Gravid Trap	7/3/2018	PN-27-1.1-Gr	<i>Culex spp.</i>	23	Negative	RAMP
	7/9/2018	Gravid Trap	7/10/2018	PN-28-1.1-Gr	<i>Culex spp.</i>	41	Negative	RAMP
	7/16/2018	Gravid Trap		PN-29-1.1-Gr	<i>Culex spp.</i>	32	Negative	RT-PCR
	7/23/2018	Gravid Trap		PN-30-1.1-Gr	<i>Culex spp.</i>	13	Negative	RT-PCR
	7/30/2018	Gravid Trap		PN-31-1.1-GR	<i>Culex spp.</i>	6	Negative	RT-PCR
	8/6/2018	Gravid Trap	8/7/2018	PN-32-1.1-GR	<i>Culex spp.</i>	16	WNV+	RAMP
	8/13/2018	Gravid Trap		PN-33-1.1-GR	<i>Culex spp.</i>	11	Negative	RT-PCR
	8/15/2018	Post-Spray Trap		PN-33-1.1-PS	<i>Culex spp.</i>	2	Negative	RT-PCR
	8/20/2018	Gravid Trap	8/21/2018	PN-34-1.2-GR	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PN-34-2.2-GR	<i>Culex spp.</i>	3	Negative	RT-PCR
	8/27/2018	Gravid Trap		PN-35-1.3-GR	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PN-35-2.3-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		PN-35-3.3-GR	<i>Culex spp.</i>	26	WNV+	RT-PCR
8/30/2018	Post-Spray Trap		PN-35-1.2-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR	
	Post-Spray Trap		PN-35-2.2-PS	<i>Culex spp.</i>	45	Negative	RT-PCR	
9/4/2018	Gravid Trap	9/5/2018	PN-36-1.1-GR	<i>Culex spp.</i>	24	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Pleasant North	9/10/2018	Gravid Trap	9/11/2018	PN-37-1.1-GR	<i>Culex spp.</i>	49	WNV+	RAMP
	9/17/2018	Gravid Trap	9/18/2018	PN-38-1.1-GR	<i>Culex spp.</i>	18	Negative	RAMP
	9/24/2018	Gravid Trap		PN-39-1.1-GR	<i>Culex spp.</i>	7	Negative	RT-PCR
Total Pools Tested: 26		Total Mosquitoes Tested: 559		Total Pending: 0	Total RAMP: 7	Total Negative: 21	Total Positive: 5	
Pleasant South	5/21/2018	Gravid Trap		PS-21-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
	5/29/2018	Gravid Trap		PS-22-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	6/4/2018	Gravid Trap		PS-23-1.1-Gr	<i>Culex spp.</i>	17	Negative	RT-PCR
	6/11/2018	Gravid Trap		PS-24-1.1-GR	<i>Culex spp.</i>	13	Negative	RT-PCR
	6/18/2018	Gravid Trap		PS-25-1.1-Gr	<i>Culex spp.</i>	15	Negative	RT-PCR
	6/25/2018	Gravid Trap		PS-26-1.1-Gr	<i>Culex spp.</i>	36	Negative	RT-PCR
	7/2/2018	Gravid Trap		PS-27-1.1-Gr	<i>Culex spp.</i>	14	Negative	RT-PCR
	7/9/2018	Gravid Trap	7/10/2018	PS-28-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PS-28-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		PS-28-3.3-Gr	<i>Culex spp.</i>	23	Negative	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	PS-29-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PS-29-2.2-Gr	<i>Culex spp.</i>	47	Negative	RT-PCR
	7/23/2018	Gravid Trap	7/24/2018	PS-30-1.1-Gr	<i>Culex spp.</i>	38	Negative	RAMP
	7/30/2018	Gravid Trap	7/31/2018	PS-31-1.1-GR	<i>Culex spp.</i>	9	Negative	RAMP
	8/6/2018	Gravid Trap	8/7/2018	PS-32-1.1-GR	<i>Culex spp.</i>	22	Negative	RAMP
	8/13/2018	Gravid Trap		PS-33-1.1-GR	<i>Culex spp.</i>	32	WNV+	RT-PCR
	8/20/2018	Gravid Trap	8/21/2018	PS-34-1.2-GR	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		PS-34-2.2-GR	<i>Culex spp.</i>	38	Negative	RT-PCR
8/27/2018	Gravid Trap		PS-35-1.5-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Pleasant South	8/27/2018	Gravid Trap		PS-35-2.5-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		PS-35-3.5-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		PS-35-4.5-GR	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PS-35-5.5-GR	<i>Culex spp.</i>	27	Negative	RT-PCR
	8/30/2018	Post-Spray Trap		PS-35-1.2-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		PS-35-2.2-PS	<i>Culex spp.</i>	47	Negative	RT-PCR
	9/4/2018	Gravid Trap	9/5/2018	PS-36-1.1-GR	<i>Culex spp.</i>	21	Negative	RAMP
	9/10/2018	Gravid Trap	9/11/2018	PS-37-1.1-GR	<i>Culex spp.</i>	46	WNV+	RAMP
	9/17/2018	Gravid Trap		PS-38-1.1-GR	<i>Culex spp.</i>	9	Negative	RT-PCR
	Total Pools Tested: 28		Total Mosquitoes Tested: 913		Total Pending: 0	Total RAMP: 8	Total Negative: 20	Total Positive: 8
Total Pools Tested: 54		Total Mosquitoes Tested: 1472		Total Pending: 0	Total RAMP: 15	Total Negative: 41	Total Positive: 13	

Prairie Test Results

Prairie North	5/14/2018	Gravid Trap	5/15/2018	PRN-20-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-20-2.2-G	<i>Culex spp.</i>	20	Negative	RT-PCR
	5/21/2018	Gravid Trap		PRN-21-1.1-G	<i>Culex spp.</i>	10	Negative	RT-PCR
	5/29/2018	Gravid Trap		PRN-22-1.1-G	<i>Culex spp.</i>	15	Negative	RT-PCR
	6/4/2018	Gravid Trap	6/5/2018	PRN-23-1.1-G	<i>Culex spp.</i>	43	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	RN-24-1.1-G	<i>Culex spp.</i>	41	Negative	RAMP
	6/18/2018	Gravid Trap		PRN-25-1.2-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PRN-25-2.2-G	<i>Culex spp.</i>	38	Negative	RT-PCR
	6/25/2018	Gravid Trap	6/26/2018	PRN-26-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-26-2.2-G	<i>Culex spp.</i>	45	Negative	RT-PCR
	7/2/2018	Gravid Trap	7/3/2018	PRN-27-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-27-2.2-G	<i>Culex spp.</i>	8	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay		
Prairie North	7/9/2018	Gravid Trap	7/10/2018	PRN-28-1.4-G	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		PRN-28-2.4-G	<i>Culex spp.</i>	50	WNV+	RT-PCR		
		Gravid Trap		PRN-28-3.4-G	<i>Culex spp.</i>	50	Negative	RT-PCR		
		Gravid Trap		PRN-28-4.4-G	<i>Culex spp.</i>	21	Negative	RT-PCR		
	7/16/2018	Gravid Trap	7/17/2018	PRN-29-1.5-G	<i>Culex spp.</i>	50	WNV+	RAMP		
		Gravid Trap		PRN-29-2.5-G	<i>Culex spp.</i>	50	WNV+	RT-PCR		
		Gravid Trap		PRN-29-3.5-G	<i>Culex spp.</i>	50	WNV+	RT-PCR		
		Gravid Trap		PRN-29-4.5-G	<i>Culex spp.</i>	50	WNV+	RT-PCR		
		Gravid Trap		PRN-29-5.5-G	<i>Culex spp.</i>	10	WNV+	RT-PCR		
		7/24/2018		Post-Spray Trap	7/25/2018	PRN-30-1.2-P	<i>Culex spp.</i>	50	WNV+	RAMP
				Post-Spray Trap		PRN-30-2.2-G	<i>Culex spp.</i>	8	WNV+	RT-PCR
	7/30/2018	Gravid Trap	7/31/2018	RN-31-1.1-G	<i>Culex spp.</i>	15	WNV+	RAMP		
	8/6/2018	Gravid Trap	8/7/2018	RN-32-1.1-G	<i>Culex spp.</i>	38	WNV+	RAMP		
	8/14/2018	Post-Spray Trap	8/15/2018	PRN-33-1.2-P	<i>Culex spp.</i>	50	Negative	RAMP		
		Post-Spray Trap		PRN-33-2.2-P	<i>Culex spp.</i>	8	WNV+	RT-PCR		
	8/20/2018	Gravid Trap	8/21/2018	RN-34-1.1-G	<i>Culex spp.</i>	25	Negative	RAMP		
	8/28/2018	Gravid Trap	8/29/2018	RN-35-1.6-G	<i>Culex spp.</i>	50	Negative	RAMP		
		Gravid Trap		RN-35-2.6-G	<i>Culex spp.</i>	50	WNV+	RT-PCR		
		Gravid Trap		RN-35-3.6-G	<i>Culex spp.</i>	50	WNV+	RT-PCR		
		Gravid Trap		RN-35-4.6-G	<i>Culex spp.</i>	50	WNV+	RT-PCR		
		Gravid Trap		RN-35-5.6-G	<i>Culex spp.</i>	50	WNV+	RT-PCR		
		Gravid Trap		RN-35-6.6-G	<i>Culex spp.</i>	50	Negative	RT-PCR		
		9/4/2018		Gravid Trap	9/5/2018	RN-36-1.2-G	<i>Culex spp.</i>	50	WNV+	RAMP
	Gravid Trap		RN-36-2.2-G	<i>Culex spp.</i>		16	Negative	RT-PCR		
	9/10/2018	Gravid Trap		RN-37-1.1-G	<i>Culex spp.</i>	33	Negative	RT-PCR		

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie North	9/12/2018	Post-Spray Trap		PRN-37-1.1-P	<i>Culex spp.</i>	11	WNV+	RT-PCR
	9/17/2018	Gravid Trap	9/18/2018	RN-38-1.1-G	<i>Culex spp.</i>	11	Negative	RAMP
	9/24/2018	Gravid Trap		RN-39-1.1-G	<i>Culex spp.</i>	2	Negative	RT-PCR
	Total Pools Tested: 40		Total Mosquitoes Tested: 1418		Total Pending: 0	Total RAMP: 15	Total Negative: 23	Total Positive: 17
Prairie South	5/14/2018	Gravid Trap		PRS-20-1.1-G	<i>Culex spp.</i>	46	Negative	RT-PCR
	5/21/2018	Gravid Trap		PRS-21-1.1-G	<i>Culex spp.</i>	5	Negative	RT-PCR
	5/29/2018	Gravid Trap		PRS-22-1.1-G	<i>Culex spp.</i>	20	Negative	RT-PCR
	6/4/2018	Gravid Trap	6/5/2018	PRS-23-1.1-G	<i>Culex spp.</i>	45	Negative	RAMP
	6/11/2018	Gravid Trap		PRS-24-1.1-G	<i>Culex spp.</i>	36	Negative	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	PRS-25-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-25-2.2-G	<i>Culex spp.</i>	29	Negative	RT-PCR
	6/25/2018	Gravid Trap	6/26/2018	PRS-26-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-26-2.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PRS-26-3.3-G	<i>Culex spp.</i>	20	Negative	RT-PCR
	7/2/2018	Gravid Trap		PRS-27-1.1-G	<i>Culex spp.</i>	25	Negative	RT-PCR
	7/9/2018	Gravid Trap	7/10/2018	PRS-28-1.4-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-28-2.4-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PRS-28-3.4-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PRS-28-4.4-G	<i>Culex spp.</i>	6	Negative	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	PRS-29-1.5-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		PRS-29-2.5-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
Gravid Trap			PRS-29-3.5-G	<i>Culex spp.</i>	50	Negative	RT-PCR	
Gravid Trap			PRS-29-4.5-G	<i>Culex spp.</i>	50	Negative	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie South	7/16/2018	Gravid Trap		PRS-29-5.5-G	<i>Culex spp.</i>	3	Negative	RT-PCR
	7/23/2018	Gravid Trap	7/24/2018	PRS-30-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRS-30-2.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		PRS-30-3.3-G	<i>Culex spp.</i>	40	WNV+	RT-PCR
	7/26/2018	Post-spray Trap		PRS-30-1.1-P	<i>Culex spp.</i>	41	WNV+	RT-PCR
	7/30/2018	Gravid Trap		RS-31-1.1-GI	<i>Culex spp.</i>	13	Negative	RT-PCR
	8/6/2018	Gravid Trap	8/7/2018	RS-32-1.1-GI	<i>Culex spp.</i>	14	Negative	RAMP
	8/13/2018	Gravid Trap	8/14/2018	RS-33-1.1-GI	<i>Culex spp.</i>	22	Negative	RAMP
	8/21/2018	Gravid Trap		RS-34-1.1-GI	<i>Culex spp.</i>	46	WNV+	RT-PCR
	8/27/2018	Gravid Trap		RS-35-1.1-GI	<i>Culex spp.</i>	34	Negative	RT-PCR
	9/4/2018	Gravid Trap		RS-36-1.1-GI	<i>Culex spp.</i>	9	Negative	RT-PCR
	9/6/2018	Post-Spray Trap		RS-36-1.1-P	<i>Culex spp.</i>	29	Negative	RT-PCR
	9/10/2018	Gravid Trap	9/11/2018	RS-37-1.2-GI	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		RS-37-2.2-GI	<i>Culex spp.</i>	38	WNV+	RT-PCR
	9/17/2018	Gravid Trap	9/18/2018	RS-38-1.1-GI	<i>Culex spp.</i>	16	Negative	RAMP
9/24/2018	Gravid Trap	9/25/2018	RS-39-1.1-GI	<i>Culex spp.</i>	19	Negative	RAMP	
Total Pools Tested: 35		Total Mosquitoes Tested: 1206		Total Pending: 0	Total RAMP: 11	Total Negative: 28	Total Positive: 7	
Prairie West	5/14/2018	Gravid Trap		RW-20-1.1-G	<i>Culex spp.</i>	11	Negative	RT-PCR
	5/21/2018	Gravid Trap		RW-21-1.1-G	<i>Culex spp.</i>	1	Negative	RT-PCR
	5/29/2018	Gravid Trap		RW-22-1.1-G	<i>Culex spp.</i>	15	Negative	RT-PCR
	6/4/2018	Gravid Trap		RW-23-1.1-G	<i>Culex spp.</i>	7	Negative	RT-PCR
	6/11/2018	Gravid Trap		RW-24-1.1-G	<i>Culex spp.</i>	16	Negative	RT-PCR
	6/18/2018	Gravid Trap		RW-25-1.2-G	<i>Culex spp.</i>	50	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie West	6/18/2018	Gravid Trap		'RW-25-2.2-G	<i>Culex spp.</i>	4	Negative	RT-PCR
	6/25/2018	Gravid Trap	6/26/2018	'RW-26-1.4-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		'RW-26-2.4-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		'RW-26-3.4-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		'RW-26-4.4-G	<i>Culex spp.</i>	20	Negative	RT-PCR
	7/2/2018	Gravid Trap	7/3/2018	'RW-27-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		'RW-27-2.2-G	<i>Culex spp.</i>	37	Negative	RT-PCR
	7/9/2018	Gravid Trap	7/10/2018	'RW-28-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		'RW-28-2.2-G	<i>Culex spp.</i>	49	Negative	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	'RW-29-1.3-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		'RW-29-2.3-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		'RW-29-3.3-G	<i>Culex spp.</i>	14	WNV+	RT-PCR
	7/23/2018	Gravid Trap	7/24/2018	'RW-30-1.1-G	<i>Culex spp.</i>	43	WNV+	RAMP
	7/26/2018	Post-spray Trap		'RW-30-1.1-P	<i>Culex spp.</i>	47	WNV+	RT-PCR
	7/30/2018	Gravid Trap		RW-31-1.1-G	<i>Culex spp.</i>	2	Negative	RT-PCR
	8/6/2018	Gravid Trap		RW-32-1.1-G	<i>Culex spp.</i>	10	WNV+	RT-PCR
	8/13/2018	Gravid Trap		RW-33-1.1-G	<i>Culex spp.</i>	2	Negative	RT-PCR
	8/20/2018	Gravid Trap	8/21/2018	RW-34-1.1-G	<i>Culex spp.</i>	21	Negative	RAMP
	8/28/2018	Gravid Trap	8/29/2018	RW-35-1.2-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		RW-35-2.2-G	<i>Culex spp.</i>	33	WNV+	RT-PCR
	9/4/2018	Gravid Trap	9/5/2018	RW-36-1.1-G	<i>Culex spp.</i>	25	WNV+	RAMP
	9/10/2018	Gravid Trap		RW-37-1.1-G	<i>Culex spp.</i>	46	Negative	RT-PCR
	9/12/2018	Post-Spray Trap		'RW-37-1.1-P	<i>Culex spp.</i>	17	WNV+	RT-PCR
	9/24/2018	Gravid Trap		RW-39-1.1-G	<i>Culex spp.</i>	3	Negative	RT-PCR
	9/28/2018	Post-Spray Trap		'RW-40-1.3-P	<i>Culex spp.</i>	50	Pending	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie West	9/28/2018	Post-Spray Trap		RW-40-2.3-P	<i>Culex spp.</i>	50	Pending	RT-PCR
		Post-Spray Trap		RW-40-3.3-P	<i>Culex spp.</i>	6	Pending	RT-PCR
Total Pools Tested: 33		Total Mosquitoes Tested: 979		Total Pending: 3	Total RAMP: 8	Total Negative: 21	Total Positive: 9	
Total Pools Tested: 108		Total Mosquitoes Tested: 3603		Total Pending: 3	Total RAMP: 34	Total Negative: 72	Total Positive: 33	

Reynoldsburg Test Results

Reynoldsburg East	5/14/2018	Gravid Trap	5/15/2018	RE-20-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RE-20-2.2-Gr	<i>Culex spp.</i>	27	Negative	RT-PCR
	5/21/2018	Gravid Trap		RE-21-1.1-Gr	<i>Culex spp.</i>	31	Negative	RT-PCR
	5/29/2018	Gravid Trap	5/30/2018	RE-22-1.1-Gr	<i>Culex spp.</i>	41	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	RE-23-1.1-Gr	<i>Culex spp.</i>	42	Negative	RAMP
	6/11/2018	Gravid Trap		RE-24-1.1-GR	<i>Culex spp.</i>	25	Negative	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	RE-25-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RE-25-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RE-25-3.3-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR
	6/25/2018	Gravid Trap	6/26/2018	RE-26-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RE-26-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		RE-26-3.3-Gr	<i>Culex spp.</i>	35	Negative	RT-PCR
	7/2/2018	Gravid Trap	7/3/2018	RE-27-1.19-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		RE-27-10.19-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RE-27-11.19-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RE-27-12.19-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RE-27-13.19-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RE-27-14.19-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RE-27-15.19-G	<i>Culex spp.</i>	50	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay		
Reynoldsburg East	7/2/2018	Gravid Trap		E-27-16.19-G	<i>Culex spp.</i>	50	Negative	RT-PCR		
		Gravid Trap		E-27-17.19-G	<i>Culex spp.</i>	50	Negative	RT-PCR		
		Gravid Trap		E-27-18.19-G	<i>Culex spp.</i>	50	Negative	RT-PCR		
		Gravid Trap		E-27-19.19-G	<i>Culex spp.</i>	4	Negative	RT-PCR		
		7/3/2018	Gravid Trap		RE-27-2.19-G	<i>Culex spp.</i>	50	Negative	RAMP	
	Gravid Trap			RE-27-3.19-G	<i>Culex spp.</i>	50	WNV+	RT-PCR		
	Gravid Trap			RE-27-4.19-G	<i>Culex spp.</i>	50	WNV+	RT-PCR		
	Gravid Trap			RE-27-5.19-G	<i>Culex spp.</i>	50	WNV+	RT-PCR		
	Gravid Trap			RE-27-6.19-G	<i>Culex spp.</i>	50	WNV+	RT-PCR		
	Gravid Trap			RE-27-7.19-G	<i>Culex spp.</i>	50	WNV+	RT-PCR		
	Gravid Trap			RE-27-8.19-G	<i>Culex spp.</i>	50	Negative	RT-PCR		
	Gravid Trap			RE-27-9.19-G	<i>Culex spp.</i>	50	Negative	RT-PCR		
			7/6/2018	Post-Spray Trap		RE-27-1.7-PS	<i>Culex spp.</i>	50	Negative	RT-PCR
	Post-Spray Trap				RE-27-2.7-PS	<i>Culex spp.</i>	50	Negative	RT-PCR	
Post-Spray Trap		RE-27-3.7-PS		<i>Culex spp.</i>	50	Negative	RT-PCR			
Post-Spray Trap		RE-27-4.7-PS		<i>Culex spp.</i>	50	Negative	RT-PCR			
Post-Spray Trap		RE-27-5.7-PS		<i>Culex spp.</i>	50	Negative	RT-PCR			
Post-Spray Trap		RE-27-6.7-PS		<i>Culex spp.</i>	50	Negative	RT-PCR			
		Post-Spray Trap		RE-27-7.7-PS	<i>Culex spp.</i>	9	Negative	RT-PCR		
	7/9/2018	Gravid Trap	7/10/2018	RE-28-1.4-Gr	<i>Culex spp.</i>	50	WNV+	RAMP		
Gravid Trap			RE-28-2.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR			
Gravid Trap			RE-28-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR			
Gravid Trap			RE-28-4.4-Gr	<i>Culex spp.</i>	29	Negative	RT-PCR			
	7/16/2018	Gravid Trap		RE-29-1.11-G	<i>Culex spp.</i>	50	Negative	RT-PCR		
Gravid Trap				E-29-10.11-G	<i>Culex spp.</i>	50	WNV+	RT-PCR		

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg East	7/16/2018	Gravid Trap		RE-29-11.11-G	<i>Culex spp.</i>	17	WNV+	RT-PCR
		Gravid Trap		RE-29-2.11-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RE-29-3.11-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		RE-29-4.11-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		RE-29-5.11-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		RE-29-6.11-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		RE-29-7.11-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		RE-29-8.11-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		RE-29-9.11-G	<i>Culex spp.</i>	50	WNV+	RT-PCR
	7/18/2018	Post-Spray Trap	7/19/2018	RE-29-1.4-PS	<i>Culex spp.</i>	50	WNV+	RAMP
		Post-Spray Trap		RE-29-2.4-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		RE-29-3.4-PS	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		RE-29-4.4-PS	<i>Culex spp.</i>	8	Negative	RT-PCR
	7/23/2018	Gravid Trap	7/24/2018	RE-30-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RE-30-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		RE-30-3.3-Gr	<i>Culex spp.</i>	18	Negative	RT-PCR
	7/30/2018	Gravid Trap	7/31/2018	RE-31-1.1-GR	<i>Culex spp.</i>	24	WNV+	RAMP
	8/7/2018	Post-Spray Trap	8/8/2018	RE-32-1.2-PS	<i>Culex spp.</i>	50	WNV+	RAMP
		Post-Spray Trap		RE-32-2.2-PS	<i>Culex spp.</i>	28	WNV+	RT-PCR
	8/13/2018	Gravid Trap		RE-33-1.1-GR	<i>Culex spp.</i>	11	Negative	RT-PCR
	8/20/2018	Gravid Trap	8/21/2018	RE-34-1.1-GR	<i>Culex spp.</i>	48	WNV+	RAMP
	8/27/2018	Gravid Trap		RE-35-1.4-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		RE-35-2.4-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		RE-35-3.4-GR	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RE-35-4.4-GR	<i>Culex spp.</i>	4	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg East	8/31/2018	Post-Spray Trap		RE-36-1.2-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		RE-36-2.2-PS	<i>Culex spp.</i>	41	Negative	RT-PCR
	9/4/2018	Gravid Trap	9/5/2018	RE-36-1.1-GR	<i>Culex spp.</i>	49	Negative	RAMP
	9/10/2018	Gravid Trap	9/11/2018	RE-37-1.4-GR	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RE-37-2.4-GR	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		RE-37-3.4-GR	<i>Culex spp.</i>	50	Negative	RT-PCR
	9/17/2018	Gravid Trap	9/18/2018	RE-37-4.4-GR	<i>Culex spp.</i>	2	Negative	RT-PCR
		Gravid Trap		RE-38-1.1-GR	<i>Culex spp.</i>	17	Negative	RAMP
	9/24/2018	Gravid Trap		RE-39-1.1-GR	<i>Culex spp.</i>	6	Negative	RT-PCR
	Total Pools Tested: 78		Total Mosquitoes Tested: 3272		Total Pending: 0	Total RAMP: 17	Total Negative: 50	Total Positive: 28
Reynoldsburg South	5/14/2018	Gravid Trap		RS-20-1.1-Gr	<i>Culex spp.</i>	35	Negative	RT-PCR
	5/21/2018	Gravid Trap		RS-21-1.1-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR
	5/29/2018	Gravid Trap		RS-22-1.1-Gr	<i>Culex spp.</i>	16	Negative	RT-PCR
	6/4/2018	Gravid Trap		RS-23-1.1-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
	6/11/2018	Gravid Trap		RS-24-1.1-GR	<i>Culex spp.</i>	14	Negative	RT-PCR
	6/18/2018	Gravid Trap		RS-25-1.1-Gr	<i>Culex spp.</i>	39	Negative	RT-PCR
	6/25/2018	Gravid Trap		RS-26-1.2-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RS-26-2.2-Gr	<i>Culex spp.</i>	4	Negative	RT-PCR
	7/2/2018	Gravid Trap		RS-27-1.1-Gr	<i>Culex spp.</i>	35	Negative	RT-PCR
	7/9/2018	Gravid Trap		RS-28-1.1-Gr	<i>Culex spp.</i>	2	Negative	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	RS-29-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RS-29-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RS-29-3.3-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg South	7/23/2018	Gravid Trap	7/24/2018	RS-30-1.1-Gr	<i>Culex spp.</i>	20	Negative	RAMP
	7/30/2018	Gravid Trap		RS-31-1.1-GR	<i>Culex spp.</i>	21	WNV+	RT-PCR
	8/6/2018	Gravid Trap		RS-32-1.1-GR	<i>Culex spp.</i>	11	WNV+	RT-PCR
	8/13/2018	Gravid Trap	8/14/2018	RS-33-1.1-GR	<i>Culex spp.</i>	48	Negative	RAMP
	8/20/2018	Gravid Trap	8/21/2018	RS-34-1.2-GR	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		RS-34-2.2-GR	<i>Culex spp.</i>	10	Negative	RT-PCR
	8/24/2018	Post-Spray Trap		RS-35-1.1-PS	<i>Culex spp.</i>	32	Negative	RT-PCR
	8/27/2018	Gravid Trap		RS-35-1.2-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		RS-35-2.2-GR	<i>Culex spp.</i>	7	Negative	RT-PCR
	8/31/2018	Post-Spray Trap		RS-36-1.2-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		RS-36-2.2-PS	<i>Culex spp.</i>	1	Negative	RT-PCR
	9/4/2018	Gravid Trap	9/5/2018	RS-36-1.1-GR	<i>Culex spp.</i>	22	Negative	RAMP
	9/10/2018	Gravid Trap		RS-37-1.1-GR	<i>Culex spp.</i>	2	WNV+	RT-PCR
	9/17/2018	Gravid Trap	9/18/2018	RS-38-1.1-GR	<i>Culex spp.</i>	13	WNV+	RAMP
	9/24/2018	Gravid Trap	9/25/2018	RS-39-1.1-GR	<i>Culex spp.</i>	10	Negative	RAMP
Total Pools Tested: 28		Total Mosquitoes Tested: 663		Total Pending: 0	Total RAMP: 7	Total Negative: 21	Total Positive: 7	
Reynoldsburg West	5/14/2018	Gravid Trap		RW-20-1.1-G1	<i>Culex spp.</i>	40	Negative	RT-PCR
	5/21/2018	Gravid Trap	5/22/2018	RW-21-1.1-G1	<i>Culex spp.</i>	30	Negative	RAMP
	5/29/2018	Gravid Trap		RW-22-1.1-G1	<i>Culex spp.</i>	34	Negative	RT-PCR
	6/4/2018	Gravid Trap		RW-23-1.1-G1	<i>Culex spp.</i>	41	Negative	RT-PCR
	6/11/2018	Gravid Trap	6/12/2018	RW-24-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
	6/18/2018	Gravid Trap		RW-25-1.1-G1	<i>Culex spp.</i>	24	Negative	RT-PCR
	6/25/2018	Gravid Trap	6/26/2018	RW-26-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg West	6/25/2018	Gravid Trap		RW-26-2.2-G1	<i>Culex spp.</i>	39	Negative	RT-PCR
	7/2/2018	Gravid Trap	7/3/2018	RW-27-1.4-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-27-2.4-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RW-27-3.4-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RW-27-4.4-G1	<i>Culex spp.</i>	49	Negative	RT-PCR
	7/9/2018	Gravid Trap	7/10/2018	RW-28-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-28-2.3-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RW-3.3-Gr	<i>Culex spp.</i>	23	WNV+	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	RW-29-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RW-29-2.2-G1	<i>Culex spp.</i>	3	Negative	RT-PCR
	7/23/2018	Gravid Trap		RW-30-1.2-G1	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		RW-30-2.2-G1	<i>Culex spp.</i>	27	Negative	RT-PCR
	7/25/2018	Post-Spray Trap		RW-30-1.1-PS	<i>Culex spp.</i>	10	Negative	RT-PCR
	7/30/2018	Gravid Trap	7/31/2018	RW-31-1.1-G1	<i>Culex spp.</i>	29	Negative	RAMP
	8/6/2018	Gravid Trap	8/7/2018	RW-32-1.1-G1	<i>Culex spp.</i>	23	WNV+	RAMP
	8/9/2018	Post-Spray Trap		RW-32-1.1-PS	<i>Culex spp.</i>	8	Negative	RT-PCR
	8/13/2018	Gravid Trap	8/14/2018	RW-33-1.2-G1	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		RW-33-2.2-G1	<i>Culex spp.</i>	36	Negative	RT-PCR
	8/20/2018	Gravid Trap	8/21/2018	RW-34-1.1-G1	<i>Culex spp.</i>	23	Negative	RAMP
	8/28/2018	Post-Spray Trap		RW-35-1.3-PS	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		RW-35-2.3-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		RW-35-3.3-PS	<i>Culex spp.</i>	22	WNV+	RT-PCR
	9/4/2018	Gravid Trap	9/5/2018	RW-36-1.1-G1	<i>Culex spp.</i>	28	Negative	RAMP
	9/10/2018	Gravid Trap	9/11/2018	RW-37-1.2-G1	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		RW-37-2.2-G1	<i>Culex spp.</i>	44	WNV+	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg West	9/17/2018	Gravid Trap	9/18/2018	2W-38-1.1-GI	<i>Culex spp.</i>	26	Negative	RAMP
	9/20/2018	Post-Spray Trap		RW-38-1.1-PS	<i>Culex spp.</i>	45	WNV+	RT-PCR
	9/24/2018	Gravid Trap		2W-39-1.1-GI	<i>Culex spp.</i>	4	Negative	RT-PCR
Total Pools Tested: 35		Total Mosquitoes Tested: 1258		Total Pending: 0	Total RAMP: 13	Total Negative: 27	Total Positive: 8	
Total Pools Tested: 141		Total Mosquitoes Tested: 5193		Total Pending: 0	Total RAMP: 37	Total Negative: 98	Total Positive: 43	

Sharon Test Results

Sharon North	5/14/2018	Gravid Trap		SN-20-1.1-Gr	<i>Culex spp.</i>	45	Negative	RT-PCR
	5/21/2018	Gravid Trap		SN-21-1.1-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	5/29/2018	Gravid Trap		SN-22-1.1-Gr	<i>Culex spp.</i>	4	WNV+	RT-PCR
	6/4/2018	Gravid Trap		SN-23-1.1-Gr	<i>Culex spp.</i>	9	Negative	RT-PCR
	6/11/2018	Gravid Trap		SN-24-1.1-GR	<i>Culex spp.</i>	11	Negative	RT-PCR
	6/18/2018	Gravid Trap		SN-25-1.1-Gr	<i>Culex spp.</i>	17	Negative	RT-PCR
	6/25/2018	Gravid Trap		SN-26-1.1-Gr	<i>Culex spp.</i>	14	Negative	RT-PCR
	7/2/2018	Gravid Trap		SN-27-1.1-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
	7/9/2018	Gravid Trap	7/10/2018	SN-28-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SN-28-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		SN-28-3.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	SN-29-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SN-29-2.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		SN-29-3.4-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		SN-29-4.4-Gr	<i>Culex spp.</i>	25	WNV+	RT-PCR
	7/23/2018	Gravid Trap	7/24/2018	SN-30-1.1-Gr	<i>Culex spp.</i>	43	WNV+	RAMP
	7/27/2018	Post-Spray Trap		SN-31-1.2-PS	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		SN-31-2.2-PS	<i>Culex spp.</i>	10	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Sharon North	7/30/2018	Gravid Trap		SN-31-1.1-GR	<i>Culex spp.</i>	7	Negative	RT-PCR
	8/6/2018	Gravid Trap		SN-32-1.1-GR	<i>Culex spp.</i>	10	Negative	RT-PCR
	8/13/2018	Gravid Trap	8/14/2018	SN-331.2-GR	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		SN-33-2.2-GR	<i>Culex spp.</i>	36	WNV+	RT-PCR
	8/20/2018	Gravid Trap		SN-34-1.2-GR	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		SN-34-2.2-GR	<i>Culex spp.</i>	15	Negative	RT-PCR
	8/22/2018	Post-Spray Trap		SN-34-1.1-PS	<i>Culex spp.</i>	23	Negative	RT-PCR
	8/27/2018	Gravid Trap	8/28/2018	SN-35-1.3-GR	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		SN-35-2.3-GR	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		SN-35-3.3-GR	<i>Culex spp.</i>	17	Negative	RT-PCR
	9/4/2018	Gravid Trap		SN-36-1.1-GR	<i>Culex spp.</i>	3	Negative	RT-PCR
	9/10/2018	Gravid Trap		SN-37-1.1-GR	<i>Culex spp.</i>	34	Negative	RT-PCR
	9/17/2018	Gravid Trap		SN-38-1.1-GR	<i>Culex spp.</i>	9	Negative	RT-PCR
	9/24/2018	Gravid Trap		SN-39-1.1-GR	<i>Culex spp.</i>	1	Negative	RT-PCR
	Total Pools Tested: 32		Total Mosquitoes Tested: 904		Total Pending: 0	Total RAMP: 5	Total Negative: 22	Total Positive: 10
Sharon South	5/14/2018	Gravid Trap		SS-20-1.1-Gr	<i>Culex spp.</i>	19	Negative	RT-PCR
	5/21/2018	Gravid Trap		SS-21-1.1-Gr	<i>Culex spp.</i>	27	Negative	RT-PCR
	5/29/2018	Gravid Trap	5/30/2018	SS-22-1.1-Gr	<i>Culex spp.</i>	47	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	SS-23-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-23-2.2-Gr	<i>Culex spp.</i>	2	Negative	RT-PCR
	6/11/2018	Gravid Trap	6/12/2018	SS-24-1.2-GR	<i>Culex spp.</i>	50	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	SS-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-25-2.2-Gr	<i>Culex spp.</i>	40	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Sharon South	6/25/2018	Gravid Trap	6/26/2018	SS-26-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-26-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		SS-26-3.3-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	7/2/2018	Gravid Trap	7/3/2018	SS-27-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-27-2.2-Gr	<i>Culex spp.</i>	46	Negative	RT-PCR
	7/9/2018	Gravid Trap	7/10/2018	SS-28-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-28-2.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		SS-28-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		SS-28-4.4-Gr	<i>Culex spp.</i>	49	Negative	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	SS-29-1.5-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-29-2.5-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		SS-29-3.5-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		SS-29-4.5-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		SS-29-5.5-Gr	<i>Culex spp.</i>	11	WNV+	RT-PCR
	7/23/2018	Gravid Trap	7/24/2018	SS-30-1.3-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		SS-30-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		SS-30-3.3-Gr	<i>Culex spp.</i>	21	Negative	RT-PCR
	7/27/2018	Post-Spray Trap		SS-31-1.5-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		SS-31-2.5-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		SS-31-3.5-PS	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		SS-31-4.5-PS	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		SS-31-5.5-PS	<i>Culex spp.</i>	4	Negative	RT-PCR
	7/30/2018	Gravid Trap	7/31/2018	SS-31-1.1-GR	<i>Culex spp.</i>	33	Negative	RAMP
	8/6/2018	Gravid Trap	8/7/2018	SS-32-1.1-GR	<i>Culex spp.</i>	44	WNV+	RAMP
	8/10/2018	Post-Spray Trap		SS-33-1.3-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Sharon South	8/10/2018	Post-Spray Trap		SS-33-2.3-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		SS-33-3.3-PS	<i>Culex spp.</i>	37	WNV+	RT-PCR
	8/13/2018	Gravid Trap	8/14/2018	SS-33-1.3-GR	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		SS-33-2.3-GR	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		SS-33-3.3-GR	<i>Culex spp.</i>	20	Negative	RT-PCR
	8/20/2018	Gravid Trap		SS-34-1.3-GR	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		SS-34-2.3-GR	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		SS-34-3.3-GR	<i>Culex spp.</i>	9	Negative	RT-PCR
	8/22/2018	Post-Spray Trap		SS-34-1.2-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Post-Spray Trap		SS-34-2.2-PS	<i>Culex spp.</i>	25	Negative	RT-PCR
	8/27/2018	Gravid Trap	8/28/2018	SS-35-1.5-GR	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-35-2.5-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		SS-35-3.5-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		SS-35-4.5-GR	<i>Culex spp.</i>	50	WNV+	RT-PCR
		Gravid Trap		SS-35-5.5-GR	<i>Culex spp.</i>	45	Negative	RT-PCR
	9/4/2018	Gravid Trap	9/5/2018	SS-36-1.2-GR	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-36-2.2-GR	<i>Culex spp.</i>	15	Negative	RT-PCR
	9/10/2018	Gravid Trap	9/11/2018	SS-37-1.1-GR	<i>Culex spp.</i>	34	WNV+	RAMP
	9/18/2018	Post-Spray Trap		SS-38-1.2-PS	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		SS-38-2.2-PS	<i>Culex spp.</i>	43	WNV+	RT-PCR
	9/24/2018	Gravid Trap		SS-39-1.1-GR	<i>Culex spp.</i>	1	Negative	RT-PCR
	Total Pools Tested: 54		Total Mosquitoes Tested: 2182	Total Pending: 0	Total RAMP: 15	Total Negative: 35	Total Positive: 19	
	Total Pools Tested: 86		Total Mosquitoes Tested: 3086	Total Pending: 0	Total RAMP: 20	Total Negative: 57	Total Positive: 29	

Upper Arlington Test Results

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Upper Arlington North	6/4/2018	Gravid Trap		JAN-23-1.1-G	<i>Culex spp.</i>	25	Negative	RT-PCR
	6/11/2018	Gravid Trap	6/12/2018	JAN-24-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
	6/18/2018	Gravid Trap		JAN-25-1.1-G	<i>Culex spp.</i>	14	Negative	RT-PCR
	6/25/2018	Gravid Trap	6/26/2018	JAN-26-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JAN-26-2.2-G	<i>Culex spp.</i>	21	Negative	RT-PCR
	7/2/2018	Gravid Trap		JAN-27-1.1-G	<i>Culex spp.</i>	14	Negative	RT-PCR
	7/9/2018	Gravid Trap		JAN-28-1.1-G	<i>Culex spp.</i>	22	Negative	RT-PCR
	7/16/2018	Gravid Trap	7/17/2018	JAN-29-1.1-G	<i>Culex spp.</i>	11	Negative	RAMP
	7/23/2018	Gravid Trap	7/24/2018	JAN-30-1.1-G	<i>Culex spp.</i>	22	Negative	RAMP
	7/30/2018	Gravid Trap		JAN-31-1.1-G	<i>Culex spp.</i>	4	Negative	RT-PCR
	8/6/2018	Gravid Trap	8/7/2018	JAN-32-1.1-G	<i>Culex spp.</i>	23	Negative	RAMP
	8/13/2018	Gravid Trap	8/14/2018	JAN-33-1.1-G	<i>Culex spp.</i>	47	WNV+	RAMP
	8/20/2018	Gravid Trap		JAN-34-1.1-G	<i>Culex spp.</i>	6	Negative	RT-PCR
	8/23/2018	Post-Spray Trap		JAN-34-1.1-P	<i>Culex spp.</i>	7	Negative	RT-PCR
	8/27/2018	Gravid Trap		JAN-35-1.1-G	<i>Culex spp.</i>	18	Negative	RT-PCR
	9/4/2018	Gravid Trap		JAN-36-1.1-G	<i>Culex spp.</i>	4	Negative	RT-PCR
	9/10/2018	Gravid Trap	9/11/2018	JAN-37-1.2-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		JAN-37-2.2-G	<i>Culex spp.</i>	17	WNV+	RT-PCR
	9/17/2018	Gravid Trap	9/18/2018	JAN-38-1.1-G	<i>Culex spp.</i>	13	WNV+	RAMP
	Total Pools Tested: 19		Total Mosquitoes Tested: 418		Total Pending: 0	Total RAMP: 8	Total Negative: 15	Total Positive: 4
Upper Arlington South	5/14/2018	Gravid Trap		JAS-20-1.1-G	<i>Culex spp.</i>	23	Negative	RT-PCR
	5/21/2018	Gravid Trap		JAS-21-1.1-G	<i>Culex spp.</i>	2	Negative	RT-PCR
	5/29/2018	Gravid Trap		JAS-22-1.1-G	<i>Culex spp.</i>	4	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Upper Arlington South	6/4/2018	Gravid Trap		JAS-23-1.1-G	<i>Culex spp.</i>	20	Negative	RT-PCR
	6/11/2018	Gravid Trap		JAS-24-1.1-G	<i>Culex spp.</i>	22	Negative	RT-PCR
	6/18/2018	Gravid Trap		JAS-25-1.1-G	<i>Culex spp.</i>	14	Negative	RT-PCR
	6/25/2018	Gravid Trap	6/26/2018	JAS-26-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JAS-26-2.2-G	<i>Culex spp.</i>	12	Negative	RT-PCR
	7/2/2018	Gravid Trap	7/3/2018	JAS-27-1.1-G	<i>Culex spp.</i>	33	Negative	RAMP
	7/9/2018	Gravid Trap	7/10/2018	JAS-28-1.4-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		JAS-28-2.4-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		JAS-28-3.4-G	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JAS-28-4.4-G	<i>Culex spp.</i>	13	Negative	RT-PCR
	7/16/2018	Gravid Trap		JAS-29-1.1-G	<i>Culex spp.</i>	41	WNV+	RT-PCR
	7/20/2018	Post-Spray Trap		JAS-29-1.1-P	<i>Culex spp.</i>	12	Negative	RT-PCR
	7/23/2018	Gravid Trap		JAS-30-1.1-G	<i>Culex spp.</i>	14	Negative	RT-PCR
	7/30/2018	Gravid Trap		JAS-31-1.1-G	<i>Culex spp.</i>	8	Negative	RT-PCR
	8/6/2018	Gravid Trap	8/7/2018	JAS-32-1.1-G	<i>Culex spp.</i>	40	Negative	RAMP
	8/13/2018	Gravid Trap	8/14/2018	JAS-33-1.3-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		JAS-33-2.3-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		JAS-33-3.3-G	<i>Culex spp.</i>	25	WNV+	RT-PCR
	8/20/2018	Gravid Trap	8/21/2018	JAS-34-1.1-G	<i>Culex spp.</i>	31	Negative	RAMP
	8/23/2018	Post-Spray Trap		JAS-34-1.1-P	<i>Culex spp.</i>	7	Negative	RT-PCR
	8/27/2018	Gravid Trap	8/28/2018	JAS-35-1.1-G	<i>Culex spp.</i>	38	Negative	RAMP
	9/4/2018	Gravid Trap	9/5/2018	JAS-36-1.1-G	<i>Culex spp.</i>	27	Negative	RAMP
	9/10/2018	Gravid Trap	9/11/2018	JAS-37-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JAS-37-2.2-G	<i>Culex spp.</i>	12	Negative	RT-PCR
	9/17/2018	Gravid Trap	9/18/2018	JAS-38-1.1-G	<i>Culex spp.</i>	15	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Total Pools Tested: 28		Total Mosquitoes Tested: 763		Total Pending: 0	Total RAMP: 12	Total Negative: 22	Total Positive: 6	
Total Pools Tested: 47		Total Mosquitoes Tested: 1181		Total Pending: 0	Total RAMP: 20	Total Negative: 37	Total Positive: 10	

Urbancrest Test Results

Urbancrest	5/14/2018	Gravid Trap	5/15/2018	UR-20-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-20-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		UR-20-3.3-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR
	5/21/2018	Gravid Trap		UR-21-1.1-Gr	<i>Culex spp.</i>	17	Negative	RT-PCR
	5/29/2018	Gravid Trap	5/30/2018	UR-22-1.1-Gr	<i>Culex spp.</i>	32	Negative	RAMP
	6/5/2018	Gravid Trap		UR-23-1.1-Gr	<i>Culex spp.</i>	28	Negative	RT-PCR
	6/11/2018	Gravid Trap		JR-24-1.1-GF	<i>Culex spp.</i>	1	Negative	RT-PCR
	6/12/2018	Gravid Trap	6/13/2018	JR-24.2-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JR-24.2-2.2-G	<i>Culex spp.</i>	30	Negative	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	UR-25-1.7-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-25-2.7-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-25-3.7-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		UR-25-4.7-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		UR-25-5.7-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		UR-25-6.7-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		UR-25-7.7-Gr	<i>Culex spp.</i>	33	Negative	RT-PCR
	6/25/2018	Gravid Trap	6/26/2018	UR-26-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-26-2.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		UR-26-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		UR-26-4.4-Gr	<i>Culex spp.</i>	23	Negative	RT-PCR
6/27/2018	Post-spray Trap		UR-26-1.6-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Urbancrest	6/27/2018	Post-spray Trap		UR-26-2.6-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Post-spray Trap		UR-26-3.6-PS	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Post-spray Trap		UR-26-4.6-PS	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Post-spray Trap		UR-26-5.6-PS	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Post-spray Trap		UR-26-6.6-PS	<i>Culex spp.</i>	29	Negative	RT-PCR	
	7/2/2018	Gravid Trap	7/3/2018	UR-27-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		UR-27-2.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		UR-27-3.4-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		UR-27-4.4-Gr	<i>Culex spp.</i>	28	Negative	RT-PCR	
	7/9/2018	Gravid Trap		UR-28-1.9-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		UR-28-2.9-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		UR-28-3.9-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		UR-28-4.9-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		UR-28-5.9-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		UR-28-6.9-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		UR-28-7.9-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		UR-28-8.9-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		UR-28-9.9-Gr	<i>Culex spp.</i>	9	Negative	RT-PCR	
		7/13/2018	Post-Spray Trap		UR-29-1.2-PS	<i>Culex spp.</i>	50	WNV+	RT-PCR
			Post-Spray Trap		UR-29-2.2-PS	<i>Culex spp.</i>	28	Negative	RT-PCR
7/16/2018	Gravid Trap		UR-29-1.1-Gr	<i>Culex spp.</i>	44	Negative	RT-PCR		
7/23/2018	Gravid Trap	7/24/2018	UR-30-1.3-Gr	<i>Culex spp.</i>	50	WNV+	RAMP		
	Gravid Trap		UR-30-2.3-Gr	<i>Culex spp.</i>	50	WNV+	RT-PCR		
	Gravid Trap		UR-30-3.3-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR		
7/30/2018	Gravid Trap	7/31/2018	JR-31-1.2-GF	<i>Culex spp.</i>	50	WNV+	RAMP		

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Urbancrest	7/30/2018	Gravid Trap		JR-31-2.2-GF	<i>Culex spp.</i>	25	WNV+	RT-PCR
	8/2/2018	Post-Spray Trap		UR-31-1.1-PS	<i>Culex spp.</i>	13	Negative	RT-PCR
	8/6/2018	Gravid Trap		JR-32-1.1-GF	<i>Culex spp.</i>	13	Negative	RT-PCR
	8/13/2018	Gravid Trap	8/14/2018	JR-33-1.1-GF	<i>Culex spp.</i>	39	Negative	RAMP
	8/20/2018	Gravid Trap	8/21/2018	JR-34-1.3-GF	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		JR-34-2.3-GF	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		JR-34-3.3-GF	<i>Culex spp.</i>	29	WNV+	RT-PCR
	8/28/2018	Post-Spray Trap		UR-35-1.2-PS	<i>Culex spp.</i>	50	Negative	RT-PCR
		Post-Spray Trap		UR-35-2.2-PS	<i>Culex spp.</i>	9	Negative	RT-PCR
	9/4/2018	Gravid Trap		JR-36-1.1-GF	<i>Culex spp.</i>	13	Negative	RT-PCR
	9/10/2018	Gravid Trap	9/11/2018	JR-37-1.2-GF	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JR-37-2.2-GF	<i>Culex spp.</i>	40	WNV+	RT-PCR
	9/17/2018	Gravid Trap	9/18/2018	JR-38-1.1-GF	<i>Culex spp.</i>	11	WNV+	RAMP
	9/24/2018	Gravid Trap		JR-39-1.1-GF	<i>Culex spp.</i>	11	Negative	RT-PCR
	Total Pools Tested: 60		Total Mosquitoes Tested: 2314		Total Pending: 0	Total RAMP: 13	Total Negative: 48	Total Positive: 12
Total Pools Tested: 60		Total Mosquitoes Tested: 2314		Total Pending: 0	Total RAMP: 13	Total Negative: 48	Total Positive: 12	

Westerville Test Results

Westerville Central	5/14/2018	Gravid Trap	5/15/2018	WC-20-1.1-G1	<i>Culex spp.</i>	18	Negative	RAMP
	5/21/2018	Gravid Trap	5/22/2018	WC-21-1.1-G1	<i>Culex spp.</i>	6	Negative	RAMP
	5/29/2018	Gravid Trap	5/30/2018	WC-22-1.1-G1	<i>Culex spp.</i>	21	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	WC-23-1.1-G1	<i>Culex spp.</i>	40	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	WC-24-1.1-G1	<i>Culex spp.</i>	26	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	WC-25-1.1-G1	<i>Culex spp.</i>	46	Negative	RAMP
	6/25/2018	Gravid Trap	6/26/2018	WC-26-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville Central	6/25/2018	Gravid Trap	6/26/2018	WC-26-2.2-G1	<i>Culex spp.</i>	17	Negative	RAMP
	7/2/2018	Gravid Trap	7/3/2018	NC-27-1.2-GF	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NC-27-2.2-GF	<i>Culex spp.</i>	49	Negative	RAMP
	7/9/2018	Gravid Trap	7/10/2018	VC-28-1.12-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		VC-28-10.12-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VC-28-11.12-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VC-28-12.12-G	<i>Culex spp.</i>	17	Negative	RAMP
		Gravid Trap		VC-28-2.12-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VC-28-3.12-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VC-28-4.12-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VC-28-5.12-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VC-28-6.12-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		VC-28-7.12-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		VC-28-8.12-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VC-28-9.12-G	<i>Culex spp.</i>	50	Negative	RAMP
	7/17/2018	Post-Spray Trap	7/18/2018	WC-29-1.4-PS	<i>Culex spp.</i>	50	WNV+	RAMP
		Post-Spray Trap		WC-29-2.4-PS	<i>Culex spp.</i>	50	Negative	RAMP
		Post-Spray Trap		WC-29-3.4-PS	<i>Culex spp.</i>	50	Negative	RAMP
		Post-Spray Trap		WC-29-4.4-PS	<i>Culex spp.</i>	40	Negative	RAMP
	7/24/2018	Gravid Trap	7/25/2018	WC-30-1.5-G1	<i>Culex spp.</i>	50	Negative	RAMP
	Gravid Trap		WC-30-2.5-G1	<i>Culex spp.</i>	50	Negative	RAMP	
	Gravid Trap		WC-30-3.5-G1	<i>Culex spp.</i>	50	Negative	RAMP	
	Gravid Trap		WC-30-4.5-G1	<i>Culex spp.</i>	50	Negative	RAMP	
	Gravid Trap		WC-30-5.5-G1	<i>Culex spp.</i>	43	WNV+	RAMP	
7/30/2018	Gravid Trap	7/31/2018	NC-31-1.1-GF	<i>Culex spp.</i>	38	Negative	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville Central	8/1/2018	Post-Spray Trap	8/2/2018	WC-31-1.2-PS	<i>Culex spp.</i>	50	WNV+	RAMP
		Post-Spray Trap		WC-31-2.2-PS	<i>Culex spp.</i>	33	WNV+	RAMP
	8/6/2018	Gravid Trap	8/7/2018	NC-32-1.2-GI	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NC-32-2.2-GI	<i>Culex spp.</i>	15	Negative	RAMP
	8/14/2018	Post-Spray Trap	8/15/2018	WC-33-1.1-PS	<i>Culex spp.</i>	6	Negative	RAMP
	8/20/2018	Gravid Trap	8/21/2018	NC-34-1.2-GI	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		NC-34-2.2-GI	<i>Culex spp.</i>	16	WNV+	RAMP
	8/27/2018	Gravid Trap	8/28/2018	NC-35-1.3-GI	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		NC-35-2.3-GI	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		NC-35-3.3-GI	<i>Culex spp.</i>	45	Negative	RAMP
	8/29/2018	Post-Spray Trap	8/30/2018	WC-35-1.2-PS	<i>Culex spp.</i>	50	WNV+	RAMP
		Post-Spray Trap		WC-35-2.2-PS	<i>Culex spp.</i>	41	Negative	RAMP
	9/4/2018	Gravid Trap	9/5/2018	NC-36-1.2-GI	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NC-36-2.2-GI	<i>Culex spp.</i>	16	Negative	RAMP
	9/10/2018	Gravid Trap	9/11/2018	NC-37-1.2-GI	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NC-37-2.2-GI	<i>Culex spp.</i>	41	WNV+	RAMP
	9/18/2018	Post-Spray Trap	9/19/2018	WC-38-1.3-PS	<i>Culex spp.</i>	50	Negative	RAMP
		Post-Spray Trap		WC-38-2.3-PS	<i>Culex spp.</i>	50	Negative	RAMP
		Post-Spray Trap		WC-38-3.3-PS	<i>Culex spp.</i>	30	Negative	RAMP
	9/24/2018	Gravid Trap	9/25/2018	NC-39-1.1-GI	<i>Culex spp.</i>	5	WNV+	RAMP
Total Pools Tested: 52		Total Mosquitoes Tested: 2109		Total Pending: 0	Total RAMP: 52	Total Negative: 38	Total Positive: 14	
Westerville East	5/14/2018	Gravid Trap	5/15/2018	WE-20-1.1-GI	<i>Culex spp.</i>	3	Negative	RAMP
	5/21/2018	Gravid Trap	5/22/2018	WE-21-1.1-GI	<i>Culex spp.</i>	7	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville East	5/29/2018	Gravid Trap	5/30/2018	WE-22-1.1-G1	<i>Culex spp.</i>	3	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	WE-23-1.1-G1	<i>Culex spp.</i>	3	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	WE-24-1.1-G1	<i>Culex spp.</i>	35	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	WE-25-1.1-G1	<i>Culex spp.</i>	39	Negative	RAMP
	6/25/2018	Gravid Trap	6/26/2018	WE-26-1.1-G1	<i>Culex spp.</i>	30	Negative	RAMP
	7/2/2018	Gravid Trap	7/3/2018	WE-27-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-27-2.3-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-27-3.3-G1	<i>Culex spp.</i>	30	Negative	RAMP
	7/9/2018	Gravid Trap	7/10/2018	WE-28-1.5-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-28-2.5-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-28-3.5-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-28-4.5-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-28-5.5-G1	<i>Culex spp.</i>	47	WNV+	RAMP
	7/17/2018	Post-Spray Trap	7/18/2018	WE-29-1.4-PS	<i>Culex spp.</i>	50	Negative	RAMP
		Post-Spray Trap		WE-29-2.4-PS	<i>Culex spp.</i>	50	Negative	RAMP
		Post-Spray Trap		WE-29-3.4-PS	<i>Culex spp.</i>	50	Negative	RAMP
		Post-Spray Trap		WE-29-4.4-PS	<i>Culex spp.</i>	54	Negative	RAMP
	7/23/2018	Gravid Trap	7/24/2018	WE-30-1.1-G1	<i>Culex spp.</i>	32	Negative	RAMP
	7/30/2018	Gravid Trap	7/31/2018	WE-31-1.1-G1	<i>Culex spp.</i>	29	WNV+	RAMP
	8/7/2018	Post-Spray Trap	8/8/2018	WE-32-1.2-PS	<i>Culex spp.</i>	50	Negative	RAMP
		Post-Spray Trap		WE-32-2.2-PS	<i>Culex spp.</i>	45	Negative	RAMP
	8/13/2018	Gravid Trap	8/14/2018	WE-33-1.1-G1	<i>Culex spp.</i>	45	WNV+	RAMP
	8/16/2018	Post-Spray Trap	8/17/2018	WE-33-1.1-PS	<i>Culex spp.</i>	51	WNV+	RAMP
	8/20/2018	Gravid Trap	8/21/2018	WE-34-1.1-G1	<i>Culex spp.</i>	38	Negative	RAMP
	8/27/2018	Gravid Trap	8/28/2018	WE-35-1.3-G1	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville East	8/27/2018	Gravid Trap	8/28/2018	WE-35-2.3-GF	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WE-35-3.3-GF	<i>Culex spp.</i>	38	Negative	RAMP
	9/4/2018	Gravid Trap	9/5/2018	WE-36-1.1-GF	<i>Culex spp.</i>	13	Negative	RAMP
	9/11/2018	Gravid Trap	9/12/2018	WE-37-1.1-GF	<i>Culex spp.</i>	51	WNV+	RAMP
	9/18/2018	Post-Spray Trap	9/19/2018	WE-38-1.1-PS	<i>Culex spp.</i>	28	WNV+	RAMP
	9/24/2018	Gravid Trap	9/25/2018	WE-39-1.1-GF	<i>Culex spp.</i>	5	Negative	RAMP
	Total Pools Tested: 33		Total Mosquitoes Tested: 1226		Total Pending: 0	Total RAMP: 33	Total Negative: 27	Total Positive: 6
Westerville North	5/14/2018	Gravid Trap	5/15/2018	WN-20-1.1-GI	<i>Culex spp.</i>	7	Negative	RAMP
	5/21/2018	Gravid Trap	5/22/2018	WN-21-1.1-GI	<i>Culex spp.</i>	11	Negative	RAMP
	5/29/2018	Gravid Trap	5/30/2018	WN-22-1.1-GI	<i>Culex spp.</i>	10	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	WN-23-1.1-GI	<i>Culex spp.</i>	7	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	WN-24-1.1-GI	<i>Culex spp.</i>	20	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	WN-25-1.2-GI	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WN-25-2.2-GI	<i>Culex spp.</i>	13	Negative	RAMP
	6/25/2018	Gravid Trap	6/26/2018	WN-26-1.1-GI	<i>Culex spp.</i>	46	Negative	RAMP
	7/2/2018	Gravid Trap	7/3/2018	WN-27-1.2-GI	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WN-27-2.2-GI	<i>Culex spp.</i>	27	Negative	RAMP
	7/9/2018	Gravid Trap	7/10/2018	WN-28-1.1-GI	<i>Culex spp.</i>	38	Negative	RAMP
	7/16/2018	Gravid Trap	7/17/2018	WN-29-1.1-GI	<i>Culex spp.</i>	54	Negative	RAMP
	7/23/2018	Gravid Trap	7/24/2018	WN-30-1.2-GI	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		WN-30-2.2-GI	<i>Culex spp.</i>	39	Negative	RAMP
	7/31/2018	Post-Spray Trap	8/1/2018	WN-31-1.1-PS	<i>Culex spp.</i>	35	WNV+	RAMP
8/6/2018	Gravid Trap	8/7/2018	WN-32-1.1-GI	<i>Culex spp.</i>	32	WNV+	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville North	8/9/2018	Post-Spray Trap	8/10/2018	WN-32-1.2-PS	<i>Culex spp.</i>	50	WNV+	RAMP
		Post-Spray Trap		WN-32-2.2-PS	<i>Culex spp.</i>	47	Negative	RAMP
	8/13/2018	Gravid Trap	8/14/2018	WN-33-1.1-GI	<i>Culex spp.</i>	47	WNV+	RAMP
	8/16/2018	Post-Spray Trap	8/17/2018	WN-33-1.1-PS	<i>Culex spp.</i>	30	WNV+	RAMP
	8/20/2018	Gravid Trap	8/21/2018	WN-34-1.1-GI	<i>Culex spp.</i>	54	Negative	RAMP
	8/27/2018	Gravid Trap	8/28/2018	WN-35-1.1-GI	<i>Culex spp.</i>	30	WNV+	RAMP
	9/4/2018	Gravid Trap	9/5/2018	WN-36-1.1-GI	<i>Culex spp.</i>	19	Negative	RAMP
	9/11/2018	Post-Spray Trap	9/12/2018	WN-37-1.1-PS	<i>Culex spp.</i>	35	Negative	RAMP
	9/17/2018	Gravid Trap	9/18/2018	WN-38-1.1-GI	<i>Culex spp.</i>	11	Negative	RAMP
	9/24/2018	Gravid Trap	9/25/2018	WN-39-1.1-GI	<i>Culex spp.</i>	6	Negative	RAMP
Total Pools Tested: 26		Total Mosquitoes Tested: 818		Total Pending: 0	Total RAMP: 26	Total Negative: 19	Total Positive: 7	
Westerville South	5/14/2018	Gravid Trap	5/15/2018	WS-20-1.1-G1	<i>Culex spp.</i>	7	Negative	RAMP
	5/21/2018	Gravid Trap	5/22/2018	WS-21-1.1-G1	<i>Culex spp.</i>	3	Negative	RAMP
	5/29/2018	Gravid Trap	5/30/2018	WS-22-1.1-G1	<i>Culex spp.</i>	15	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	WS-23-1.1-G1	<i>Culex spp.</i>	15	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	WS-24-1.1-GF	<i>Culex spp.</i>	44	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	WS-25-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-25-2.2-G1	<i>Culex spp.</i>	54	Negative	RAMP
	6/25/2018	Gravid Trap	6/26/2018	WS-26-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-26-2.2-G1	<i>Culex spp.</i>	37	Negative	RAMP
	7/4/2018	Gravid Trap	7/5/2018	WS-27-1.2-G1	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-27-2.2-G1	<i>Culex spp.</i>	11	Negative	RAMP
	7/9/2018	Gravid Trap	7/10/2018	WS-28-1.3-G1	<i>Culex spp.</i>	50	WNV+	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville South	7/9/2018	Gravid Trap	7/10/2018	WS-28-2.3-G1	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		WS-28-3.3-G1	<i>Culex spp.</i>	21	WNV+	RAMP
	7/17/2018	Post-Spray Trap	7/18/2018	WS-29-1.3-PS	<i>Culex spp.</i>	50	Negative	RAMP
		Post-Spray Trap		WS-29-2.3-PS	<i>Culex spp.</i>	50	WNV+	RAMP
		Post-Spray Trap		WS-29-3.3-PS	<i>Culex spp.</i>	14	Negative	RAMP
	7/23/2018	Gravid Trap	7/24/2018	WS-30-1.2-G1	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		WS-30-2.2-G1	<i>Culex spp.</i>	5	Negative	RAMP
	7/30/2018	Gravid Trap	7/31/2018	WS-31-1.2-GF	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		WS-31-2.2-GF	<i>Culex spp.</i>	27	WNV+	RAMP
	8/3/2018	Post-Spray Trap	8/6/2018	WS-32-1.3-PS	<i>Culex spp.</i>	50	Negative	RAMP
		Post-Spray Trap		WS-32-2.3-PS	<i>Culex spp.</i>	50	WNV+	RAMP
		Post-Spray Trap		WS-32-3.3-PS	<i>Culex spp.</i>	26	WNV+	RAMP
	8/6/2018	Gravid Trap	8/7/2018	WS-32-1.1-GF	<i>Culex spp.</i>	7	Negative	RAMP
	8/13/2018	Gravid Trap	8/14/2018	WS-33-1.2-GF	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		WS-33-2.2-GF	<i>Culex spp.</i>	6	Negative	RAMP
	8/20/2018	Gravid Trap	8/21/2018	WS-34-1.3-GF	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		WS-34-2.3-GF	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-34-3.3-GF	<i>Culex spp.</i>	17	Negative	RAMP
	8/27/2018	Gravid Trap	8/28/2018	WS-35-1.2-GF	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		WS-35-2.2-GF	<i>Culex spp.</i>	11	Negative	RAMP
	8/29/2018	Post-Spray Trap	8/30/2018	WS-35-1.3-PS	<i>Culex spp.</i>	50	Negative	RAMP
		Post-Spray Trap		WS-35-2.3-PS	<i>Culex spp.</i>	50	Negative	RAMP
		Post-Spray Trap		WS-35-3.3-PS	<i>Culex spp.</i>	9	Negative	RAMP
	9/4/2018	Gravid Trap	9/5/2018	WS-36-1.1-GF	<i>Culex spp.</i>	10	WNV+	RAMP
	9/11/2018	Post-Spray Trap	9/12/2018	WS-37-1.1-PS	<i>Culex spp.</i>	45	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville South	9/17/2018	Gravid Trap	9/18/2018	WS-38-1.1-GF	<i>Culex spp.</i>	10	Negative	RAMP
	9/24/2018	Gravid Trap	9/25/2018	WS-39-1.1-GF	<i>Culex spp.</i>	4	Negative	RAMP
	Total Pools Tested: 39		Total Mosquitoes Tested: 1248		Total Pending: 0	Total RAMP: 39	Total Negative: 27	Total Positive: 12
Westerville West	5/14/2018	Gravid Trap	5/15/2018	NW-20-1.1-G	<i>Culex spp.</i>	22	Negative	RAMP
	5/21/2018	Gravid Trap	5/22/2018	NW-21-1.1-G	<i>Culex spp.</i>	10	Negative	RAMP
	5/29/2018	Gravid Trap	5/30/2018	NW-22-1.1-G	<i>Culex spp.</i>	10	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	NW-23-1.1-G	<i>Culex spp.</i>	3	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	VW-24-1.2-GI	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VW-24-2.2-GI	<i>Culex spp.</i>	3	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	NW-25-1.1-G	<i>Culex spp.</i>	50	WNV+	RAMP
	6/25/2018	Gravid Trap	6/26/2018	NW-26-1.1-G	<i>Culex spp.</i>	47	Negative	RAMP
	6/27/2018	Post-spray Trap	6/28/2018	NW-26-1.5-P!	<i>Culex spp.</i>	50	Negative	RAMP
		Post-spray Trap		NW-26-2.5-P!	<i>Culex spp.</i>	50	Negative	RAMP
		Post-spray Trap		NW-26-3.5-P!	<i>Culex spp.</i>	50	Negative	RAMP
		Post-spray Trap		NW-26-4.5-P!	<i>Culex spp.</i>	50	Negative	RAMP
		Post-spray Trap		NW-26-5.5-P!	<i>Culex spp.</i>	21	Negative	RAMP
		7/2/2018	Gravid Trap	7/3/2018	VW-27-1.4-GI	<i>Culex spp.</i>	50	Negative
		Gravid Trap		VW-27-2.4-GI	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VW-27-3.4-GI	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VW-27-4.4-GI	<i>Culex spp.</i>	36	Negative	RAMP
		7/9/2018	Gravid Trap	7/10/2018	VW-28-1.12-C	<i>Culex spp.</i>	50	WNV+
		Gravid Trap		VW-28-10.12-C	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		VW-28-11.12-C	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville West	7/9/2018	Gravid Trap	7/10/2018	VW-28-12.12-C	<i>Culex spp.</i>	30	WNV+	RAMP
		Gravid Trap		VW-28-2.12-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VW-28-3.12-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VW-28-4.12-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VW-28-5.12-C	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		VW-28-6.12-C	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		VW-28-7.12-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VW-28-8.12-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VW-28-9.12-C	<i>Culex spp.</i>	50	Negative	RAMP
	7/17/2018	Post-Spray Trap	7/18/2018	NW-29-1.5-P	<i>Culex spp.</i>	50	WNV+	RAMP
		Post-Spray Trap		NW-29-2.5-P	<i>Culex spp.</i>	50	Negative	RAMP
		Post-Spray Trap		NW-29-3.5-P	<i>Culex spp.</i>	50	Negative	RAMP
		Post-Spray Trap		NW-29-4.5-P	<i>Culex spp.</i>	50	Negative	RAMP
		Post-Spray Trap		NW-29-5.5-P	<i>Culex spp.</i>	17	Negative	RAMP
	7/23/2018	Gravid Trap	7/24/2018	NW-30-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		NW-30-2.2-G	<i>Culex spp.</i>	30	Negative	RAMP
	7/30/2018	Gravid Trap	7/31/2018	VW-31-1.1-G	<i>Culex spp.</i>	22	WNV+	RAMP
	8/7/2018	Post-Spray Trap	8/8/2018	NW-32-1.4-P	<i>Culex spp.</i>	50	WNV+	RAMP
		Post-Spray Trap		NW-32-2.4-P	<i>Culex spp.</i>	50	WNV+	RAMP
		Post-Spray Trap		NW-32-3.4-P	<i>Culex spp.</i>	50	WNV+	RAMP
Post-Spray Trap		NW-32-4.4-P		<i>Culex spp.</i>	11	WNV+	RAMP	
8/13/2018	Gravid Trap	8/14/2018	VW-33-1.3-G	<i>Culex spp.</i>	50	WNV+	RAMP	
	Gravid Trap		VW-33-2.3-G	<i>Culex spp.</i>	50	WNV+	RAMP	
	Gravid Trap		VW-33-3.3-G	<i>Culex spp.</i>	49	WNV+	RAMP	
8/16/2018	Post-Spray Trap	8/17/2018	NW-33-1.3-P	<i>Culex spp.</i>	50	WNV+	RAMP	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Westerville West	8/16/2018	Post-Spray Trap	8/17/2018	NW-33-2.3-P	<i>Culex spp.</i>	50	WNV+	RAMP	
		Post-Spray Trap		NW-33-3.3-P	<i>Culex spp.</i>	48	WNV+	RAMP	
	8/20/2018	Gravid Trap	8/21/2018	VW-34-1.1-G	<i>Culex spp.</i>	47	WNV+	RAMP	
	8/27/2018	Gravid Trap	8/28/2018	VW-35-1.5-G	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		VW-35-2.5-G	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		VW-35-3.5-G	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		VW-35-4.5-G	<i>Culex spp.</i>	50	Negative	RAMP	
	8/29/2018	Post-Spray Trap	8/30/2018	NW-35-1.1-P	<i>Culex spp.</i>	47	WNV+	RAMP	
		Gravid Trap		VW-36-1.1-G	<i>Culex spp.</i>	26	WNV+	RAMP	
	9/11/2018	Post-Spray Trap	9/12/2018	NW-37-1.2-P	<i>Culex spp.</i>	50	Negative	RAMP	
		Post-Spray Trap		NW-37-2.2-P	<i>Culex spp.</i>	11	Negative	RAMP	
	9/17/2018	Gravid Trap	9/18/2018	VW-38-1.1-G	<i>Culex spp.</i>	32	WNV+	RAMP	
	9/24/2018	Gravid Trap	9/25/2018	VW-39-1.1-G	<i>Culex spp.</i>	20	Negative	RAMP	
	Total Pools Tested: 59		Total Mosquitoes Tested: 2441		Total Pending: 0	Total RAMP: 59	Total Negative: 34	Total Positive: 25	
	Total Pools Tested: 209		Total Mosquitoes Tested: 7842		Total Pending: 0	Total RAMP: 209	Total Negative: 145	Total Positive: 64	

Whitehall Test Results

Whitehall East	5/21/2018	Gravid Trap		VHE-21-1.1-C	<i>Culex spp.</i>	12	Negative	RT-PCR
	5/29/2018	Gravid Trap	5/30/2018	VHE-22-1.1-C	<i>Culex spp.</i>	47	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	VHE-23-1.2-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VHE-23-2.2-C	<i>Culex spp.</i>	42	Negative	RT-PCR
	6/11/2018	Gravid Trap		VHE-24-1.1-G	<i>Culex spp.</i>	44	Negative	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	VHE-25-1.2-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VHE-25-2.2-C	<i>Culex spp.</i>	24	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Whitehall East	6/25/2018	Gravid Trap	6/26/2018	VHE-26-1.3-C	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		VHE-26-2.3-C	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		VHE-26-3.3-C	<i>Culex spp.</i>	47	WNV+	RT-PCR	
	7/2/2018	Gravid Trap		VHE-27-1.1-C	<i>Culex spp.</i>	29	Negative	RT-PCR	
	7/9/2018	Gravid Trap	7/10/2018	VHE-28-1.6-C	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		VHE-28-2.6-C	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		VHE-28-3.6-C	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		VHE-28-4.6-C	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		VHE-28-5.6-C	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		VHE-28-6.6-C	<i>Culex spp.</i>	40	Negative	RT-PCR	
		7/16/2018		Gravid Trap	VHE-29-1.3-C	<i>Culex spp.</i>	50	WNV+	RT-PCR
				Gravid Trap	VHE-29-2.3-C	<i>Culex spp.</i>	50	WNV+	RT-PCR
				Gravid Trap	VHE-29-3.3-C	<i>Culex spp.</i>	22	Negative	RT-PCR
	7/20/2018	Post-Spray Trap		VHE-29-1.1-P	<i>Culex spp.</i>	11	Negative	RT-PCR	
	7/23/2018	Gravid Trap	7/24/2018	VHE-30-1.1-C	<i>Culex spp.</i>	35	WNV+	RAMP	
	7/30/2018	Gravid Trap	7/31/2018	VHE-31-1.1-G	<i>Culex spp.</i>	50	Negative	RAMP	
	8/3/2018	Post-Spray Trap		VHE-32-1.1-P	<i>Culex spp.</i>	15	Negative	RT-PCR	
	8/6/2018	Gravid Trap		VHE-32-1.1-G	<i>Culex spp.</i>	7	Negative	RT-PCR	
	8/13/2018	Gravid Trap	8/14/2018	VHE-33-1.2-G	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		VHE-33-2.2-G	<i>Culex spp.</i>	14	Negative	RT-PCR	
	8/16/2018	Post-Spray Trap		VHE-33-1.1-P	<i>Culex spp.</i>	39	WNV+	RT-PCR	
	8/20/2018	Gravid Trap	8/21/2018	VHE-34-1.1-G	<i>Culex spp.</i>	31	WNV+	RAMP	
	8/27/2018	Gravid Trap		VHE-35-1.1-G	<i>Culex spp.</i>	17	Negative	RT-PCR	
	8/29/2018	Post-Spray Trap		VHE-35-1.2-P	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Post-Spray Trap		VHE-35-2.2-P	<i>Culex spp.</i>	5	Negative	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Whitehall East	9/4/2018	Gravid Trap	9/5/2018	7HE-36-1.2-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		7HE-36-2.2-G	<i>Culex spp.</i>	24	WNV+	RT-PCR
	9/10/2018	Gravid Trap	9/11/2018	7HE-37-1.2-G	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		7HE-37-2.2-G	<i>Culex spp.</i>	3	Negative	RT-PCR
	9/17/2018	Gravid Trap	9/18/2018	7HE-38-1.1-G	<i>Culex spp.</i>	7	Negative	RAMP
	9/20/2018	Post-Spray Trap		7HE-38-1.1-P	<i>Culex spp.</i>	6	Negative	RT-PCR
	9/24/2018	Gravid Trap		7HE-39-1.1-G	<i>Culex spp.</i>	1	Negative	RT-PCR
Total Pools Tested: 39		Total Mosquitoes Tested: 1322		Total Pending: 0	Total RAMP: 12	Total Negative: 27	Total Positive: 12	
Whitehall West	5/14/2018	Gravid Trap	5/15/2018	7HW-20-1.2-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		7HW-20-2.2-C	<i>Culex spp.</i>	28	Negative	RT-PCR
	5/21/2018	Gravid Trap		7HW-21-1.1-C	<i>Culex spp.</i>	31	Negative	RT-PCR
	5/29/2018	Gravid Trap		7HW-22-1.1-C	<i>Culex spp.</i>	45	Negative	RT-PCR
	6/4/2018	Gravid Trap	6/5/2018	7HW-23-1.4-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		7HW-23-2.4-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		7HW-23-3.4-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		7HW-23-4.4-C	<i>Culex spp.</i>	5	Negative	RT-PCR
	6/11/2018	Gravid Trap	6/12/2018	7HW-24-1.1-C	<i>Culex spp.</i>	50	Negative	RAMP
	6/18/2018	Gravid Trap		7HW-25-1.1-C	<i>Culex spp.</i>	37	Negative	RT-PCR
	6/25/2018	Gravid Trap		7HW-26-1.2-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		7HW-26-2.2-C	<i>Culex spp.</i>	47	Negative	RT-PCR
	7/2/2018	Gravid Trap	7/3/2018	7HW-27-1.3-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		7HW-27-2.3-C	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		7HW-27-3.3-C	<i>Culex spp.</i>	20	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Whitehall West	7/9/2018	Gravid Trap	7/10/2018	7HW-28-1.4-C	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		7HW-28-2.4-C	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		7HW-28-3.4-C	<i>Culex spp.</i>	50	WNV+	RT-PCR	
	7/16/2018	Gravid Trap	7/17/2018	7HW-28-4.4-C	<i>Culex spp.</i>	8	WNV+	RT-PCR	
		Gravid Trap		7HW-29-1.4-C	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		7HW-29-2.4-C	<i>Culex spp.</i>	50	Negative	RT-PCR	
		Gravid Trap		7HW-29-3.4-C	<i>Culex spp.</i>	50	WNV+	RT-PCR	
		Gravid Trap		7HW-29-4.4-C	<i>Culex spp.</i>	25	WNV+	RT-PCR	
		Gravid Trap		7HW-31-1.1-C	<i>Culex spp.</i>	19	Negative	RAMP	
		Gravid Trap		7HW-32-1.1-C	<i>Culex spp.</i>	28	Negative	RAMP	
	8/13/2018	Gravid Trap	8/14/2018	7HW-33-1.2-C	<i>Culex spp.</i>	50	WNV+	RAMP	
		Gravid Trap		7HW-33-2.2-C	<i>Culex spp.</i>	20	Negative	RT-PCR	
	8/16/2018	Post-Spray Trap		7HW-33-1.1-F	<i>Culex spp.</i>	32	WNV+	RT-PCR	
	8/20/2018	Gravid Trap	8/21/2018	7HW-34-1.1-C	<i>Culex spp.</i>	44	Negative	RAMP	
	8/27/2018	Gravid Trap		7HW-35-1.1-C	<i>Culex spp.</i>	14	WNV+	RT-PCR	
	9/4/2018	Gravid Trap	9/5/2018	7HW-36-1.1-C	<i>Culex spp.</i>	36	WNV+	RAMP	
	9/10/2018	Gravid Trap		7HW-37-1.1-C	<i>Culex spp.</i>	36	WNV+	RT-PCR	
	9/17/2018	Gravid Trap		7HW-38-1.1-C	<i>Culex spp.</i>	8	Negative	RT-PCR	
	9/20/2018	Post-Spray Trap		7HW-38-1.1-F	<i>Culex spp.</i>	3	Negative	RT-PCR	
	9/24/2018	Gravid Trap		7HW-39-1.1-C	<i>Culex spp.</i>	2	Negative	RT-PCR	
	Total Pools Tested: 35		Total Mosquitoes Tested: 1238		Total Pending: 0	Total RAMP: 11	Total Negative: 24	Total Positive: 11	
	Total Pools Tested: 74		Total Mosquitoes Tested: 2560		Total Pending: 0	Total RAMP: 23	Total Negative: 51	Total Positive: 23	
	Total Pools Tested: 1863		Total Mosquitoes Tested: 62310		Total Pending: 6	Total RAMP: 769	Total Negative: ###	Total Positive: 552	