



## Arboviral Surveillance Results

Start Date: 5/1/2018      End Date: 6/22/2018

### Franklin County Public Health

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
<b>Bexley Test Results</b>								
Bexley	5/14/2018	Gravid Trap		BE-20-1.1-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	5/21/2018	Gravid Trap		BE-21-1.1-Gr	<i>Culex spp.</i>	4	Negative	RT-PCR
	5/29/2018	Gravid Trap		BE-22-1.1-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	6/4/2018	Gravid Trap		BE-23-1.1-Gr	<i>Culex spp.</i>	19	Pending	RT-PCR
	6/11/2018	Gravid Trap		BE-24-1.1-GR	<i>Culex spp.</i>	25	Pending	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	BE-25-1.1-Gr	<i>Culex spp.</i>	36	Negative	RAMP
Total Pools Tested: 6		Total Mosquitoes Tested: 104		Total Pending: 2	Total RAMP: 1	Total Negative: 4	Total Positive: 0	
<b>Total Pools Tested: 6</b>		<b>Total Mosquitoes Tested: 104</b>		<b>Total Pending: 2</b>	<b>Total RAMP: 1</b>	<b>Total Negative: 4</b>	<b>Total Positive: 0</b>	

<b>Brown Test Results</b>								
Brown	5/14/2018	Gravid Trap	5/15/2018	BR-20-1.6-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-20-2.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		BR-20-3.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		BR-20-4.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		BR-20-5.6-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		BR-20-6.6-Gr	<i>Culex spp.</i>	38	Negative	RT-PCR
	5/21/2018	Gravid Trap		BR-21-1.1-Gr	<i>Culex spp.</i>	28	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Brown	5/29/2018	Gravid Trap		BR-22-1.1-Gr	<i>Culex spp.</i>	28	Negative	RT-PCR
	6/4/2018	Gravid Trap	6/5/2018	BR-23-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-23-2.2-Gr	<i>Culex spp.</i>	5	Pending	RT-PCR
	6/11/2018	Gravid Trap		BR-24-1.1-GR	<i>Culex spp.</i>	17	Pending	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	BR-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		BR-25-2.2-Gr	<i>Culex spp.</i>	27	Pending	RT-PCR
	Total Pools Tested: 13	Total Mosquitoes Tested: 493		Total Pending: 3	Total RAMP: 3	Total Negative: 10	Total Positive: 0	
	<b>Total Pools Tested: 13</b>	<b>Total Mosquitoes Tested: 493</b>		<b>Total Pending: 3</b>	<b>Total RAMP: 3</b>	<b>Total Negative: 10</b>	<b>Total Positive: 0</b>	

### Canal Winchester Test Results

Canal Winchester	5/14/2018	Gravid Trap		CW-20-1.1-Gr	<i>Culex spp.</i>	9	Negative	RT-PCR
	5/29/2018	Gravid Trap		CW-22-1.1-Gr	<i>Culex spp.</i>	4	Negative	RT-PCR
	6/4/2018	Gravid Trap		CW-23-1.1-Gr	<i>Culex spp.</i>	2	Pending	RT-PCR
	6/11/2018	Gravid Trap	6/12/2018	CW-24-1.1-Gr	<i>Culex spp.</i>	36	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	CW-25-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		CW-25-2.2-Gr	<i>Culex spp.</i>	24	WNV+	RT-PCR
	Total Pools Tested: 6	Total Mosquitoes Tested: 125		Total Pending: 1	Total RAMP: 2	Total Negative: 3	Total Positive: 2	
	<b>Total Pools Tested: 6</b>	<b>Total Mosquitoes Tested: 125</b>		<b>Total Pending: 1</b>	<b>Total RAMP: 2</b>	<b>Total Negative: 3</b>	<b>Total Positive: 2</b>	

### Clinton Test Results

Clinton	5/14/2018	Gravid Trap	5/15/2018	CT-20-1.1-Gr	<i>Culex spp.</i>	28	Negative	RAMP
	5/21/2018	Gravid Trap		CT-21-1.1-Gr	<i>Culex spp.</i>	4	Negative	RT-PCR
	5/29/2018	Gravid Trap		CT-22-1.1-Gr	<i>Culex spp.</i>	9	Negative	RT-PCR
	6/4/2018	Gravid Trap	6/5/2018	CT-23-1.1-Gr	<i>Culex spp.</i>	38	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	CT-24-1.1-GR	<i>Culex spp.</i>	48	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Clinton	6/18/2018	Gravid Trap	6/19/2018	CT-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		CT-25-2.2-Gr	<i>Culex spp.</i>	36	Pending	RT-PCR
Total Pools Tested: 7		Total Mosquitoes Tested: 213		Total Pending: 1	Total RAMP: 4	Total Negative: 6	Total Positive: 0	
<b>Total Pools Tested: 7</b>		<b>Total Mosquitoes Tested: 213</b>		<b>Total Pending: 1</b>	<b>Total RAMP: 4</b>	<b>Total Negative: 6</b>	<b>Total Positive: 0</b>	

### Dublin Test Results

Dublin Central	5/14/2018	Gravid Trap	5/15/2018	DC-20-1.1-Gr	<i>Culex spp.</i>	9	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	DC-23-1.1-Gr	<i>Culex spp.</i>	14	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	DC-24-1.1-GR	<i>Culex spp.</i>	16	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	DC-25-1.1-Gr	<i>Culex spp.</i>	25	Negative	RAMP
	Total Pools Tested: 4		Total Mosquitoes Tested: 64		Total Pending: 0	Total RAMP: 4	Total Negative: 4	Total Positive: 0
Dublin East	5/14/2018	Gravid Trap	5/15/2018	DE-20-1.1-Gr	<i>Culex spp.</i>	6	Negative	RAMP
	5/21/2018	Gravid Trap	5/22/2018	DE-21-1.1-Gr	<i>Culex spp.</i>	3	Negative	RAMP
	5/29/2018	Gravid Trap	5/30/2018	DE-22-1.1-Gr	<i>Culex spp.</i>	4	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	DE-23-1.1-Gr	<i>Culex spp.</i>	4	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	DE-24-1.1-GR	<i>Culex spp.</i>	17	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	DE-25-1.1-Gr	<i>Culex spp.</i>	5	Negative	RAMP
	Total Pools Tested: 6		Total Mosquitoes Tested: 39		Total Pending: 0	Total RAMP: 6	Total Negative: 6	Total Positive: 0
Dublin North	5/14/2018	Gravid Trap	5/15/2018	DN-20-1.1-Gr	<i>Culex spp.</i>	2	Negative	RAMP
	5/29/2018	Gravid Trap	5/30/2018	DN-22-1.1-Gr	<i>Culex spp.</i>	1	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	DN-23-1.1-Gr	<i>Culex spp.</i>	4	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	DN-24-1.1-GR	<i>Culex spp.</i>	11	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Dublin North	6/18/2018	Gravid Trap	6/19/2018	DN-25-1.1-Gr	<i>Culex spp.</i>	9	Negative	RAMP
	Total Pools Tested: 5	Total Mosquitoes Tested: 27		Total Pending: 0	Total RAMP: 5	Total Negative: 5	Total Positive: 0	
Dublin Northeast	5/14/2018	Gravid Trap	5/15/2018	DN-20-1.1-G	<i>Culex spp.</i>	2	Negative	RAMP
	5/21/2018	Gravid Trap	5/22/2018	DN-21-1.1-G	<i>Culex spp.</i>	2	Negative	RAMP
	5/29/2018	Gravid Trap	5/30/2018	DN-22-1.1-G	<i>Culex spp.</i>	1	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	DN-23-1.1-G	<i>Culex spp.</i>	31	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	DN-24-1.1-G	<i>Culex spp.</i>	21	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	DN-25-1.1-G	<i>Culex spp.</i>	32	Negative	RAMP
	Total Pools Tested: 6	Total Mosquitoes Tested: 89		Total Pending: 0	Total RAMP: 6	Total Negative: 6	Total Positive: 0	
Dublin West	5/14/2018	Gravid Trap	5/15/2018	DW-20-1.1-G	<i>Culex spp.</i>	3	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	DW-23-1.1-G	<i>Culex spp.</i>	33	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	DW-24-1.1-G	<i>Culex spp.</i>	14	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	DW-25-1.1-G	<i>Culex spp.</i>	30	Negative	RAMP
	Total Pools Tested: 4	Total Mosquitoes Tested: 80		Total Pending: 0	Total RAMP: 4	Total Negative: 4	Total Positive: 0	
	<b>Total Pools Tested: 25</b>	<b>Total Mosquitoes Tested: 299</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 25</b>	<b>Total Negative: 25</b>	<b>Total Positive: 0</b>	

### Franklin Test Results

Franklin North	5/14/2018	Gravid Trap		FN-20-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	5/21/2018	Gravid Trap		FN-21-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
	5/29/2018	Gravid Trap		FN-22-1.1-Gr	<i>Culex spp.</i>	20	Negative	RT-PCR
	6/11/2018	Gravid Trap	6/12/2018	FN-24-1.2-GR	<i>Culex spp.</i>	50	Negative	RAMP
	6/18/2018	Gravid Trap		FN-25-1.1-Gr	<i>Culex spp.</i>	16	Pending	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
Total Pools Tested: 5		Total Mosquitoes Tested: 95		Total Pending: 1		Total RAMP: 1		Total Negative: 4	Total Positive: 0
Franklin South	5/14/2018	Gravid Trap		FS-20-1.1-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR	
	5/21/2018	Gravid Trap		FS-21-1.1-Gr	<i>Culex spp.</i>	14	Negative	RT-PCR	
	5/29/2018	Gravid Trap		FS-22-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR	
	6/4/2018	Gravid Trap		FS-23-1.1-Gr	<i>Culex spp.</i>	32	Pending	RT-PCR	
	6/11/2018	Gravid Trap		FS-24-1.1-GR	<i>Culex spp.</i>	25	Pending	RT-PCR	
	6/18/2018	Gravid Trap	6/19/2018	FS-25-1.1-Gr	<i>Culex spp.</i>	43	Negative	RAMP	
Total Pools Tested: 6		Total Mosquitoes Tested: 126		Total Pending: 2		Total RAMP: 1		Total Negative: 4	Total Positive: 0
<b>Total Pools Tested: 11</b>		<b>Total Mosquitoes Tested: 221</b>		<b>Total Pending: 3</b>		<b>Total RAMP: 2</b>		<b>Total Negative: 8</b>	<b>Total Positive: 0</b>

### Gahanna Test Results

Gahanna North	5/14/2018	Gravid Trap		GN-20-1.1-Gr	<i>Culex spp.</i>	15	Negative	RT-PCR	
	5/21/2018	Gravid Trap		GN-21-1.1-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR	
	5/29/2018	Gravid Trap		GN-22-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR	
	6/4/2018	Gravid Trap	6/5/2018	GN-23-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GN-23-2.2-Gr	<i>Culex spp.</i>	46	Pending	RT-PCR	
	6/11/2018	Gravid Trap	6/12/2018	GN-24-1.1-GR	<i>Culex spp.</i>	50	Negative	RAMP	
	6/18/2018	Gravid Trap	6/19/2018	GN-25-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		GN-25-2.3-Gr	<i>Culex spp.</i>	50	Pending	RT-PCR	
	Gravid Trap		GN-25-3.3-Gr	<i>Culex spp.</i>	28	Pending	RT-PCR		
Total Pools Tested: 9		Total Mosquitoes Tested: 301		Total Pending: 3		Total RAMP: 3		Total Negative: 6	Total Positive: 0
Gahanna South	5/14/2018	Gravid Trap		GS-20-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Gahanna South	5/21/2018	Gravid Trap		GS-21-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	5/29/2018	Gravid Trap		GS-22-1.1-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR
	6/4/2018	Gravid Trap		GS-23-1.1-Gr	<i>Culex spp.</i>	43	Pending	RT-PCR
	6/11/2018	Gravid Trap		GS-24-1.1-Gr	<i>Culex spp.</i>	26	Pending	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	GS-25-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GS-25-2.3-Gr	<i>Culex spp.</i>	50	Pending	RT-PCR
		Gravid Trap		GS-25-3.3-Gr	<i>Culex spp.</i>	2	Pending	RT-PCR
	Total Pools Tested: 8	Total Mosquitoes Tested: 190		Total Pending: 4	Total RAMP: 1	Total Negative: 4	Total Positive: 0	
Gahanna West	5/14/2018	Gravid Trap		GW-20-1.1-Gr	<i>Culex spp.</i>	19	Negative	RT-PCR
	5/21/2018	Gravid Trap	5/22/2018	GW-21-1.1-Gr	<i>Culex spp.</i>	31	Negative	RAMP
	5/29/2018	Gravid Trap		GW-22-1.1-Gr	<i>Culex spp.</i>	15	Negative	RT-PCR
	6/4/2018	Gravid Trap	6/5/2018	GW-23-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		GW-23-2.2-Gr	<i>Culex spp.</i>	11	Pending	RT-PCR
	6/11/2018	Gravid Trap	6/12/2018	GW-24-1.1-GF	<i>Culex spp.</i>	38	Negative	RAMP
	6/18/2018	Gravid Trap		GW-25-1.1-Gr	<i>Culex spp.</i>	41	Pending	RT-PCR
	Total Pools Tested: 7	Total Mosquitoes Tested: 205		Total Pending: 2	Total RAMP: 3	Total Negative: 4	Total Positive: 1	
	<b>Total Pools Tested: 24</b>	<b>Total Mosquitoes Tested: 696</b>		<b>Total Pending: 9</b>	<b>Total RAMP: 7</b>	<b>Total Negative: 14</b>	<b>Total Positive: 1</b>	

### Grandview Heights Test Results

Grandview	5/14/2018	Gravid Trap		GV-20-1.1-Gr	<i>Culex spp.</i>	17	Negative	RT-PCR
	5/21/2018	Gravid Trap		GV-21-1.1-Gr	<i>Culex spp.</i>	2	Negative	RT-PCR
	5/29/2018	Gravid Trap	6/12/2018	GV-24-1.1-GF	<i>Culex spp.</i>	25	Negative	RAMP
	6/4/2018	Gravid Trap		GV-23-1.1-Gr	<i>Culex spp.</i>	26	Pending	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grandview	6/11/2018	Gravid Trap	6/12/2018	3V-24-2.2-GR	<i>Culex spp.</i>	25	Negative	RAMP
	6/18/2018	Gravid Trap		GV-25-1.1-Gr	<i>Culex spp.</i>	20	Pending	RT-PCR
	Total Pools Tested: 6	Total Mosquitoes Tested: 115	Total Pending: 2	Total RAMP: 2	Total Negative: 4	Total Positive: 0		
	<b>Total Pools Tested: 6</b>	<b>Total Mosquitoes Tested: 115</b>	<b>Total Pending: 2</b>	<b>Total RAMP: 2</b>	<b>Total Negative: 4</b>	<b>Total Positive: 0</b>		

### Grove City Test Results

Grove City North	5/14/2018	Gravid Trap		3CN-20-1.1-G	<i>Culex spp.</i>	1	Negative	RT-PCR
	5/21/2018	Gravid Trap		3CN-21-1.1-G	<i>Culex spp.</i>	2	Negative	RT-PCR
	5/29/2018	Gravid Trap		3CN-22-1.1-G	<i>Culex spp.</i>	8	Negative	RT-PCR
		Gravid Trap		GV-22-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	6/4/2018	Gravid Trap		3CN-23-1.1-G	<i>Culex spp.</i>	11	Pending	RT-PCR
	6/11/2018	Gravid Trap		3CN-24-1.1-G	<i>Culex spp.</i>	25	Pending	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	3CN-25-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		3CN-25-2.3-G	<i>Culex spp.</i>	50	Pending	RT-PCR
		Gravid Trap		3CN-25-3.3-G	<i>Culex spp.</i>	35	Pending	RT-PCR
	Total Pools Tested: 9	Total Mosquitoes Tested: 190	Total Pending: 4	Total RAMP: 1	Total Negative: 5	Total Positive: 0		
Grove City South	5/14/2018	Gravid Trap		3CS-20-1.1-G	<i>Culex spp.</i>	42	Negative	RT-PCR
	5/21/2018	Gravid Trap		3CS-21-1.1-G	<i>Culex spp.</i>	4	Negative	RT-PCR
	5/29/2018	Gravid Trap		3CS-22-1.1-G	<i>Culex spp.</i>	5	Negative	RT-PCR
	6/4/2018	Gravid Trap		3CS-23-1.1-G	<i>Culex spp.</i>	6	Pending	RT-PCR
	6/11/2018	Gravid Trap		3CS-24-1.1-G	<i>Culex spp.</i>	2	Pending	RT-PCR
	6/12/2018	Gravid Trap		CS-24.2-1.1-C	<i>Culex spp.</i>	13	Pending	RT-PCR
	6/18/2018	Gravid Trap		3CS-25-1.2-G	<i>Culex spp.</i>	50	Pending	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Grove City South	6/18/2018	Gravid Trap		ICS-25-2.2-G	<i>Culex spp.</i>	21	Pending	RT-PCR
	Total Pools Tested: 8		Total Mosquitoes Tested: 143		Total Pending: 5	Total RAMP: 0	Total Negative: 3	Total Positive: 0
Grove City West	5/14/2018	Gravid Trap	5/15/2018	iCW-20-1.1-G	<i>Culex spp.</i>	48	Negative	RAMP
	5/21/2018	Gravid Trap		iCW-21-1.1-G	<i>Culex spp.</i>	13	Negative	RT-PCR
	5/29/2018	Gravid Trap	5/30/2018	iCW-22-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		iCW-22-2.2-G	<i>Culex spp.</i>	13	Negative	RT-PCR
	6/4/2018	Gravid Trap		iCW-23-1.1-G	<i>Culex spp.</i>	27	Pending	RT-PCR
	6/11/2018	Gravid Trap		CW-24-1.1-G	<i>Culex spp.</i>	18	Pending	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	iCW-25-1.4-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		iCW-25-2.4-G	<i>Culex spp.</i>	50	Pending	RT-PCR
		Gravid Trap		iCW-25-3.4-G	<i>Culex spp.</i>	50	Pending	RT-PCR
		Gravid Trap		iCW-25-4.4-G	<i>Culex spp.</i>	11	Pending	RT-PCR
Total Pools Tested: 10		Total Mosquitoes Tested: 330		Total Pending: 5	Total RAMP: 3	Total Negative: 5	Total Positive: 0	
<b>Total Pools Tested: 27</b>		<b>Total Mosquitoes Tested: 663</b>		<b>Total Pending: 14</b>	<b>Total RAMP: 4</b>	<b>Total Negative: 13</b>	<b>Total Positive: 0</b>	

**Groveport Test Results**

Groveport	5/14/2018	Gravid Trap		GP-20-1.1-Gr	<i>Culex spp.</i>	22	Negative	RT-PCR
	5/21/2018	Gravid Trap		GP-21-1.1-Gr	<i>Culex spp.</i>	2	Negative	RT-PCR
	5/29/2018	Gravid Trap	5/30/2018	GP-22-1.1-Gr	<i>Culex spp.</i>	21	Negative	RAMP
	6/4/2018	Gravid Trap		GP-23-1.1-Gr	<i>Culex spp.</i>	5	Pending	RT-PCR
	6/12/2018	Gravid Trap		GP-24-1.1-Gr	<i>Culex spp.</i>	1	Pending	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	GP-25-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		GP-25-2.3-Gr	<i>Culex spp.</i>	50	Pending	RT-PCR



Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Groveport	6/18/2018	Gravid Trap		GP-25-3.3-Gr	<i>Culex spp.</i>	28	Pending	RT-PCR
	Total Pools Tested: 8	Total Mosquitoes Tested: 179		Total Pending: 4	Total RAMP: 2	Total Negative: 4	Total Positive: 0	
	<b>Total Pools Tested: 8</b>	<b>Total Mosquitoes Tested: 179</b>		<b>Total Pending: 4</b>	<b>Total RAMP: 2</b>	<b>Total Negative: 4</b>	<b>Total Positive: 0</b>	

### Hamilton Test Results

Hamilton	5/14/2018	Gravid Trap		HA-20-1.1-Gr	<i>Culex spp.</i>	2	Negative	RT-PCR
	5/21/2018	Gravid Trap		HA-21-1.1-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR
	5/29/2018	Gravid Trap		HA-22-1.1-Gr	<i>Culex spp.</i>	4	Negative	RT-PCR
	6/4/2018	Gravid Trap		HA-23-1.1-Gr	<i>Culex spp.</i>	8	Pending	RT-PCR
	6/11/2018	Gravid Trap		HA-24-1.1-Gr	<i>Culex spp.</i>	3	Pending	RT-PCR
	6/12/2018	Gravid Trap	6/13/2018	HA-24.2-1.1-G	<i>Culex spp.</i>	47	Negative	RAMP
	6/18/2018	Gravid Trap		HA-25-1.1-Gr	<i>Culex spp.</i>	45	Pending	RT-PCR
	Total Pools Tested: 7	Total Mosquitoes Tested: 112		Total Pending: 3	Total RAMP: 1	Total Negative: 4	Total Positive: 0	
	<b>Total Pools Tested: 7</b>	<b>Total Mosquitoes Tested: 112</b>		<b>Total Pending: 3</b>	<b>Total RAMP: 1</b>	<b>Total Negative: 4</b>	<b>Total Positive: 0</b>	

### Hilliard Test Results

Hilliard Central	5/14/2018	Gravid Trap		HC-20-1.1-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
	5/29/2018	Gravid Trap		HC-22-1.1-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR
	6/4/2018	Gravid Trap		HC-23-1.1-Gr	<i>Culex spp.</i>	6	Pending	RT-PCR
	6/11/2018	Gravid Trap	6/12/2018	HC-24-1.1-Gr	<i>Culex spp.</i>	38	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	HC-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		HC-25-2.2-Gr	<i>Culex spp.</i>	31	Pending	RT-PCR
	Total Pools Tested: 6	Total Mosquitoes Tested: 139		Total Pending: 2	Total RAMP: 2	Total Negative: 4	Total Positive: 0	
Hilliard North	5/14/2018	Gravid Trap		HN-20-1.1-Gr	<i>Culex spp.</i>	18	Negative	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Hilliard North	5/21/2018	Gravid Trap		HN-21-1.1-Gr	<i>Culex spp.</i>	11	Negative	RT-PCR
	5/29/2018	Gravid Trap		HN-22-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	6/4/2018	Gravid Trap		HN-23-1.1-Gr	<i>Culex spp.</i>	25	Pending	RT-PCR
	6/11/2018	Gravid Trap		HN-24-1.1-Gr	<i>Culex spp.</i>	37	Pending	RT-PCR
	6/18/2018	Gravid Trap		HN-25-1.1-Gr	<i>Culex spp.</i>	50	Pending	RT-PCR
Total Pools Tested: 6		Total Mosquitoes Tested: 149		Total Pending: 3	Total RAMP: 0	Total Negative: 3	Total Positive: 0	
Hilliard South	5/14/2018	Gravid Trap		HS-20-1.1-Gr	<i>Culex spp.</i>	16	Negative	RT-PCR
	5/21/2018	Gravid Trap		HS-21-1.1-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	5/29/2018	Gravid Trap		HS-22-1.1-Gr	<i>Culex spp.</i>	16	Negative	RT-PCR
	6/4/2018	Gravid Trap		HS-23-1.1-Gr	<i>Culex spp.</i>	2	Pending	RT-PCR
	6/11/2018	Gravid Trap		HS-24-1.1-Gr	<i>Culex spp.</i>	27	Pending	RT-PCR
	6/18/2018	Gravid Trap		HS-25-1.2-Gr	<i>Culex spp.</i>	50	Pending	RT-PCR
		Gravid Trap		HS-25-2.2-Gr	<i>Culex spp.</i>	7	Pending	RT-PCR
Total Pools Tested: 7		Total Mosquitoes Tested: 125		Total Pending: 4	Total RAMP: 0	Total Negative: 3	Total Positive: 0	
<b>Total Pools Tested: 19</b>		<b>Total Mosquitoes Tested: 413</b>		<b>Total Pending: 9</b>	<b>Total RAMP: 2</b>	<b>Total Negative: 10</b>	<b>Total Positive: 0</b>	

### Jefferson Test Results

Jefferson	5/21/2018	Gravid Trap		JE-21-1.1-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR
	5/29/2018	Gravid Trap		JE-22-1.1-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR
	6/4/2018	Gravid Trap	6/5/2018	JE-23-1.1-Gr	<i>Culex spp.</i>	42	Negative	RAMP
	6/12/2018	Gravid Trap		JE-24-1.1-Gr	<i>Culex spp.</i>	6	Pending	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	JE-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JE-25-2.2-Gr	<i>Culex spp.</i>	50	Pending	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay					
Total Pools Tested:		6	Total Mosquitoes Tested:		157	Total Pending:	2	Total RAMP:	2	Total Negative:	4	Total Positive:	0
<b>Total Pools Tested:</b>		<b>6</b>	<b>Total Mosquitoes Tested:</b>		<b>157</b>	<b>Total Pending:</b>	<b>2</b>	<b>Total RAMP:</b>	<b>2</b>	<b>Total Negative:</b>	<b>4</b>	<b>Total Positive:</b>	<b>0</b>

### Madison Test Results

Madison	5/14/2018	Gravid Trap		MA-20-1.1-Gr	<i>Culex spp.</i>	12	Negative	RT-PCR					
	5/21/2018	Gravid Trap		MA-21-1.1-Gr	<i>Culex spp.</i>	9	Negative	RT-PCR					
	5/29/2018	Gravid Trap		MA-22-1.1-Gr	<i>Culex spp.</i>	9	Negative	RT-PCR					
	6/4/2018	Gravid Trap	6/5/2018	MA-23-1.1-Gr	<i>Culex spp.</i>	43	Negative	RAMP					
	6/11/2018	Gravid Trap	6/12/2018	MA-24-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP					
	6/18/2018	Gravid Trap		MA-25-1.1-Gr	<i>Culex spp.</i>	25	Pending	RT-PCR					
	Total Pools Tested:		6	Total Mosquitoes Tested:		148	Total Pending:	1	Total RAMP:	2	Total Negative:	5	Total Positive:
<b>Total Pools Tested:</b>		<b>6</b>	<b>Total Mosquitoes Tested:</b>		<b>148</b>	<b>Total Pending:</b>	<b>1</b>	<b>Total RAMP:</b>	<b>2</b>	<b>Total Negative:</b>	<b>5</b>	<b>Total Positive:</b>	<b>0</b>

### Mifflin Test Results

Mifflin	5/14/2018	Gravid Trap	5/15/2018	MI-20-1.5-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MI-20-2.5-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-20-3.5-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-20-4.5-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		MI-20-5.5-Gr	<i>Culex spp.</i>	6	Negative	RT-PCR
	5/21/2018	Gravid Trap		MI-21-1.1-Gr	<i>Culex spp.</i>	39	Negative	RT-PCR
	5/29/2018	Gravid Trap	5/30/2018	MI-22-1.1-Gr	<i>Culex spp.</i>	47	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	MI-23-1.4-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		MI-23-2.4-Gr	<i>Culex spp.</i>	50	Pending	RT-PCR
		Gravid Trap		MI-23-3.4-Gr	<i>Culex spp.</i>	50	Pending	RT-PCR
		Gravid Trap		MI-23-4.4-Gr	<i>Culex spp.</i>	22	Pending	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Mifflin	6/11/2018	Gravid Trap	6/12/2018	MI-24-1.3-GR	<i>Culex spp.</i>	50	Negative	RAMP
	6/18/2018	Gravid Trap		MI-25-1.2-Gr	<i>Culex spp.</i>	50	Pending	RT-PCR
		Gravid Trap		MI-25-2.2-Gr	<i>Culex spp.</i>	38	Pending	RT-PCR
	Total Pools Tested: 14	Total Mosquitoes Tested: 602		Total Pending: 5	Total RAMP: 4	Total Negative: 9	Total Positive: 0	
	<b>Total Pools Tested: 14</b>	<b>Total Mosquitoes Tested: 602</b>		<b>Total Pending: 5</b>	<b>Total RAMP: 4</b>	<b>Total Negative: 9</b>	<b>Total Positive: 0</b>	

### New Albany Test Results

New Albany	5/14/2018	Gravid Trap		NA-20-1.1-Gr	<i>Culex spp.</i>	21	Negative	RT-PCR
	5/21/2018	Gravid Trap		NA-21-1.1-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	5/29/2018	Gravid Trap		NA-22-1.1-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	6/4/2018	Gravid Trap		NA-23-1.1-Gr	<i>Culex spp.</i>	19	Pending	RT-PCR
	6/11/2018	Gravid Trap	6/12/2018	NA-24-1.3-GR	<i>Culex spp.</i>	50	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	NA-25-1.2-Gr	<i>Culex spp.</i>	50	WNV+	RAMP
		Gravid Trap		NA-25-2.2-Gr	<i>Culex spp.</i>	49	Pending	RT-PCR
	Total Pools Tested: 7	Total Mosquitoes Tested: 206		Total Pending: 2	Total RAMP: 2	Total Negative: 4	Total Positive: 1	
	<b>Total Pools Tested: 7</b>	<b>Total Mosquitoes Tested: 206</b>		<b>Total Pending: 2</b>	<b>Total RAMP: 2</b>	<b>Total Negative: 4</b>	<b>Total Positive: 1</b>	

### Norwich Test Results

Norwich	5/14/2018	Gravid Trap		NO-20-1.1-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	5/29/2018	Gravid Trap		NO-22-1.1-Gr	<i>Culex spp.</i>	7	Negative	RT-PCR
	6/4/2018	Gravid Trap	6/5/2018	NO-23-1.1-Gr	<i>Culex spp.</i>	42	Negative	RAMP
	6/11/2018	Gravid Trap		NO-24-1.1-GR	<i>Culex spp.</i>	25	Pending	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	NO-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		NO-25-2.2-Gr	<i>Culex spp.</i>	6	Pending
	Total Pools Tested: 6	Total Mosquitoes Tested: 140		Total Pending: 2	Total RAMP: 2	Total Negative: 4	Total Positive: 0	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay	
<b>Total Pools Tested: 6</b>		<b>Total Mosquitoes Tested: 140</b>		<b>Total Pending: 2</b>		<b>Total RAMP: 2</b>		<b>Total Negative: 4</b>	<b>Total Positive: 0</b>

**Obetz Test Results**

Obetz	5/14/2018	Gravid Trap		OB-20-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR	
	5/21/2018	Gravid Trap		OB-21-1.1-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR	
	6/4/2018	Gravid Trap		OB-23-1.1-Gr	<i>Culex spp.</i>	7	WNV+	RT-PCR	
	6/11/2018	Gravid Trap		OB-24-1.1-GR	<i>Culex spp.</i>	12	Pending	RT-PCR	
	6/18/2018	Gravid Trap	6/19/2018	OB-25-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		OB-25-2.3-Gr	<i>Culex spp.</i>	50	Pending	RT-PCR	
		Gravid Trap		OB-25-3.3-Gr	<i>Culex spp.</i>	50	Pending	RT-PCR	
<b>Total Pools Tested: 7</b>		<b>Total Mosquitoes Tested: 182</b>		<b>Total Pending: 3</b>		<b>Total RAMP: 1</b>		<b>Total Negative: 3</b>	<b>Total Positive: 1</b>
<b>Total Pools Tested: 7</b>		<b>Total Mosquitoes Tested: 182</b>		<b>Total Pending: 3</b>		<b>Total RAMP: 1</b>		<b>Total Negative: 3</b>	<b>Total Positive: 1</b>

**Perry Test Results**

Perry	5/14/2018	Gravid Trap		PE-20-1.1-Gr	<i>Culex spp.</i>	25	Negative	RT-PCR	
	5/21/2018	Gravid Trap		PE-21-1.1-Gr	<i>Culex spp.</i>	5	Negative	RT-PCR	
	5/29/2018	Gravid Trap	5/30/2018	PE-22-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP	
		Gravid Trap		PE-22-2.2-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR	
	6/4/2018	Gravid Trap		PE-23-1.1-Gr	<i>Culex spp.</i>	40	Pending	RT-PCR	
	6/11/2018	Gravid Trap	6/12/2018	PE-24-1.2-GR	<i>Culex spp.</i>	50	Negative	RAMP	
	6/18/2018	Gravid Trap		PE-25-1.1-Gr	<i>Culex spp.</i>	32	Pending	RT-PCR	
<b>Total Pools Tested: 7</b>		<b>Total Mosquitoes Tested: 210</b>		<b>Total Pending: 2</b>		<b>Total RAMP: 2</b>		<b>Total Negative: 5</b>	<b>Total Positive: 0</b>
<b>Total Pools Tested: 7</b>		<b>Total Mosquitoes Tested: 210</b>		<b>Total Pending: 2</b>		<b>Total RAMP: 2</b>		<b>Total Negative: 5</b>	<b>Total Positive: 0</b>

**Pleasant Test Results**

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Pleasant North	5/14/2018	Gravid Trap		PN-20-1.1-Gr	<i>Culex spp.</i>	2	Negative	RT-PCR
	5/29/2018	Gravid Trap		PN-22-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	6/4/2018	Gravid Trap		PN-23-1.1-Gr	<i>Culex spp.</i>	9	Pending	RT-PCR
	6/11/2018	Gravid Trap		PN-24-1.1-GR	<i>Culex spp.</i>	4	Pending	RT-PCR
	6/12/2018	Gravid Trap		PN-24.2-1.1-G	<i>Culex spp.</i>	3	Pending	RT-PCR
	6/18/2018	Gravid Trap		PN-25-1.1-Gr	<i>Culex spp.</i>	7	Pending	RT-PCR
Total Pools Tested: 6		Total Mosquitoes Tested: 33		Total Pending: 4	Total RAMP: 0	Total Negative: 2	Total Positive: 0	
Pleasant South	5/21/2018	Gravid Trap		PS-21-1.1-Gr	<i>Culex spp.</i>	1	Negative	RT-PCR
	5/29/2018	Gravid Trap		PS-22-1.1-Gr	<i>Culex spp.</i>	8	Negative	RT-PCR
	6/4/2018	Gravid Trap		PS-23-1.1-Gr	<i>Culex spp.</i>	17	Pending	RT-PCR
	6/11/2018	Gravid Trap		PS-24-1.1-GR	<i>Culex spp.</i>	13	Pending	RT-PCR
	6/18/2018	Gravid Trap		PS-25-1.1-Gr	<i>Culex spp.</i>	15	Pending	RT-PCR
	Total Pools Tested: 5		Total Mosquitoes Tested: 54		Total Pending: 3	Total RAMP: 0	Total Negative: 2	Total Positive: 0
<b>Total Pools Tested: 11</b>		<b>Total Mosquitoes Tested: 87</b>		<b>Total Pending: 7</b>	<b>Total RAMP: 0</b>	<b>Total Negative: 4</b>	<b>Total Positive: 0</b>	

**Prairie Test Results**

Prairie North	5/14/2018	Gravid Trap	5/15/2018	PRN-20-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		PRN-20-2.2-G	<i>Culex spp.</i>	20	Negative	RT-PCR
	5/21/2018	Gravid Trap		PRN-21-1.1-G	<i>Culex spp.</i>	10	Negative	RT-PCR
	5/29/2018	Gravid Trap		PRN-22-1.1-G	<i>Culex spp.</i>	15	Negative	RT-PCR
	6/4/2018	Gravid Trap	6/5/2018	PRN-23-1.1-G	<i>Culex spp.</i>	43	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	PRN-24-1.1-GI	<i>Culex spp.</i>	41	Negative	RAMP
	6/18/2018	Gravid Trap		PRN-25-1.2-G	<i>Culex spp.</i>	50	Pending	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Prairie North	6/18/2018	Gravid Trap		PRN-25-2.2-G	<i>Culex spp.</i>	38	Pending	RT-PCR
	Total Pools Tested: 8		Total Mosquitoes Tested: 267		Total Pending: 2	Total RAMP: 3	Total Negative: 6	Total Positive: 0
Prairie South	5/14/2018	Gravid Trap		PRS-20-1.1-G	<i>Culex spp.</i>	46	Negative	RT-PCR
	5/21/2018	Gravid Trap		PRS-21-1.1-G	<i>Culex spp.</i>	5	Negative	RT-PCR
	5/29/2018	Gravid Trap		PRS-22-1.1-G	<i>Culex spp.</i>	20	Negative	RT-PCR
	6/4/2018	Gravid Trap	6/5/2018	PRS-23-1.1-G	<i>Culex spp.</i>	45	Negative	RAMP
	6/11/2018	Gravid Trap		PRS-24-1.1-G	<i>Culex spp.</i>	36	Pending	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	PRS-25-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		PRS-25-2.2-G	<i>Culex spp.</i>	29	Pending
Total Pools Tested: 7		Total Mosquitoes Tested: 231		Total Pending: 2	Total RAMP: 2	Total Negative: 5	Total Positive: 0	
Prairie West	5/14/2018	Gravid Trap		RW-20-1.1-G	<i>Culex spp.</i>	11	Negative	RT-PCR
	5/21/2018	Gravid Trap		RW-21-1.1-G	<i>Culex spp.</i>	1	Negative	RT-PCR
	5/29/2018	Gravid Trap		RW-22-1.1-G	<i>Culex spp.</i>	15	Negative	RT-PCR
	6/4/2018	Gravid Trap		RW-23-1.1-G	<i>Culex spp.</i>	7	Pending	RT-PCR
	6/11/2018	Gravid Trap		RW-24-1.1-G	<i>Culex spp.</i>	16	Pending	RT-PCR
	6/18/2018	Gravid Trap		RW-25-1.2-G	<i>Culex spp.</i>	50	Pending	RT-PCR
			Gravid Trap		RW-25-2.2-G	<i>Culex spp.</i>	4	Pending
Total Pools Tested: 7		Total Mosquitoes Tested: 104		Total Pending: 4	Total RAMP: 0	Total Negative: 3	Total Positive: 0	
<b>Total Pools Tested: 22</b>		<b>Total Mosquitoes Tested: 602</b>		<b>Total Pending: 8</b>	<b>Total RAMP: 5</b>	<b>Total Negative: 14</b>	<b>Total Positive: 0</b>	

### Reynoldsburg Test Results

Reynoldsburg East	5/14/2018	Gravid Trap	5/15/2018	RE-20-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
-------------------	-----------	-------------	-----------	--------------	-------------------	----	----------	------

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Reynoldsburg East	5/14/2018	Gravid Trap		RE-20-2.2-Gr	<i>Culex spp.</i>	27	Negative	RT-PCR
	5/21/2018	Gravid Trap		RE-21-1.1-Gr	<i>Culex spp.</i>	31	Negative	RT-PCR
	5/29/2018	Gravid Trap	5/30/2018	RE-22-1.1-Gr	<i>Culex spp.</i>	41	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	RE-23-1.1-Gr	<i>Culex spp.</i>	42	Negative	RAMP
	6/11/2018	Gravid Trap		RE-24-1.1-GR	<i>Culex spp.</i>	25	Pending	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	RE-25-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		RE-25-2.3-Gr	<i>Culex spp.</i>	50	Pending	RT-PCR
	Gravid Trap		RE-25-3.3-Gr	<i>Culex spp.</i>	6	Pending	RT-PCR	
Total Pools Tested: 9		Total Mosquitoes Tested: 322		Total Pending: 3	Total RAMP: 4	Total Negative: 6	Total Positive: 0	
Reynoldsburg South	5/14/2018	Gravid Trap		RS-20-1.1-Gr	<i>Culex spp.</i>	35	Negative	RT-PCR
	5/21/2018	Gravid Trap		RS-21-1.1-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR
	5/29/2018	Gravid Trap		RS-22-1.1-Gr	<i>Culex spp.</i>	16	Negative	RT-PCR
	6/4/2018	Gravid Trap		RS-23-1.1-Gr	<i>Culex spp.</i>	11	Pending	RT-PCR
	6/11/2018	Gravid Trap		RS-24-1.1-GR	<i>Culex spp.</i>	14	Pending	RT-PCR
	6/18/2018	Gravid Trap		RS-25-1.1-Gr	<i>Culex spp.</i>	39	Pending	RT-PCR
	Total Pools Tested: 6	Total Mosquitoes Tested: 118		Total Pending: 3	Total RAMP: 0	Total Negative: 3	Total Positive: 0	
Reynoldsburg West	5/14/2018	Gravid Trap		RW-20-1.1-G1	<i>Culex spp.</i>	40	Negative	RT-PCR
	5/21/2018	Gravid Trap	5/22/2018	RW-21-1.1-G1	<i>Culex spp.</i>	30	Negative	RAMP
	5/29/2018	Gravid Trap		RW-22-1.1-G1	<i>Culex spp.</i>	34	Negative	RT-PCR
	6/4/2018	Gravid Trap		RW-23-1.1-G1	<i>Culex spp.</i>	41	Pending	RT-PCR
	6/11/2018	Gravid Trap	6/12/2018	RW-24-1.2-GF	<i>Culex spp.</i>	50	Negative	RAMP
	6/18/2018	Gravid Trap		RW-25-1.1-G1	<i>Culex spp.</i>	24	Pending	RT-PCR



Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Total Pools Tested: 6		Total Mosquitoes Tested: 219		Total Pending: 2	Total RAMP: 2	Total Negative: 4	Total Positive: 0	
<b>Total Pools Tested: 21</b>		<b>Total Mosquitoes Tested: 659</b>		<b>Total Pending: 8</b>	<b>Total RAMP: 6</b>	<b>Total Negative: 13</b>	<b>Total Positive: 0</b>	

### Sharon Test Results

Sharon North	5/14/2018	Gravid Trap		SN-20-1.1-Gr	<i>Culex spp.</i>	45	Negative	RT-PCR
	5/21/2018	Gravid Trap		SN-21-1.1-Gr	<i>Culex spp.</i>	10	Negative	RT-PCR
	5/29/2018	Gravid Trap		SN-22-1.1-Gr	<i>Culex spp.</i>	4	WNV+	RT-PCR
	6/4/2018	Gravid Trap		SN-23-1.1-Gr	<i>Culex spp.</i>	9	Pending	RT-PCR
	6/11/2018	Gravid Trap		SN-24-1.1-GR	<i>Culex spp.</i>	11	Pending	RT-PCR
	6/18/2018	Gravid Trap		SN-25-1.1-Gr	<i>Culex spp.</i>	17	Pending	RT-PCR
Total Pools Tested: 6		Total Mosquitoes Tested: 96		Total Pending: 3	Total RAMP: 0	Total Negative: 2	Total Positive: 1	

Sharon South	5/14/2018	Gravid Trap		SS-20-1.1-Gr	<i>Culex spp.</i>	19	Negative	RT-PCR
	5/21/2018	Gravid Trap		SS-21-1.1-Gr	<i>Culex spp.</i>	27	Negative	RT-PCR
	5/29/2018	Gravid Trap	5/30/2018	SS-22-1.1-Gr	<i>Culex spp.</i>	47	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	SS-23-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-23-2.2-Gr	<i>Culex spp.</i>	2	Pending	RT-PCR
	6/11/2018	Gravid Trap	6/12/2018	SS-24-1.2-GR	<i>Culex spp.</i>	50	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	SS-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		SS-25-2.2-Gr	<i>Culex spp.</i>	40	Pending	RT-PCR
Total Pools Tested: 8		Total Mosquitoes Tested: 285		Total Pending: 2	Total RAMP: 4	Total Negative: 6	Total Positive: 0	
<b>Total Pools Tested: 14</b>		<b>Total Mosquitoes Tested: 381</b>		<b>Total Pending: 5</b>	<b>Total RAMP: 4</b>	<b>Total Negative: 8</b>	<b>Total Positive: 1</b>	

### Upper Arlington Test Results

Upper Arlington North	6/4/2018	Gravid Trap		JAN-23-1.1-G	<i>Culex spp.</i>	25	Pending	RT-PCR
-----------------------	----------	-------------	--	--------------	-------------------	----	---------	--------

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Upper Arlington North	6/11/2018	Gravid Trap	6/12/2018	JAN-24-1.3-G	<i>Culex spp.</i>	50	Negative	RAMP
	6/18/2018	Gravid Trap		JAN-25-1.1-G	<i>Culex spp.</i>	14	Pending	RT-PCR
	Total Pools Tested: 3		Total Mosquitoes Tested: 89		Total Pending: 2	Total RAMP: 1	Total Negative: 1	Total Positive: 0
Upper Arlington South	5/14/2018	Gravid Trap		JAS-20-1.1-G	<i>Culex spp.</i>	23	Negative	RT-PCR
	5/21/2018	Gravid Trap		JAS-21-1.1-G	<i>Culex spp.</i>	2	Negative	RT-PCR
	5/29/2018	Gravid Trap		JAS-22-1.1-G	<i>Culex spp.</i>	4	Negative	RT-PCR
	6/4/2018	Gravid Trap		JAS-23-1.1-G	<i>Culex spp.</i>	20	Pending	RT-PCR
	6/11/2018	Gravid Trap		JAS-24-1.1-GI	<i>Culex spp.</i>	22	Pending	RT-PCR
	6/18/2018	Gravid Trap		JAS-25-1.1-G	<i>Culex spp.</i>	14	Pending	RT-PCR
	Total Pools Tested: 6		Total Mosquitoes Tested: 85		Total Pending: 3	Total RAMP: 0	Total Negative: 3	Total Positive: 0
<b>Total Pools Tested: 9</b>		<b>Total Mosquitoes Tested: 174</b>		<b>Total Pending: 5</b>	<b>Total RAMP: 1</b>	<b>Total Negative: 4</b>	<b>Total Positive: 0</b>	

### Urbancrest Test Results

Urbancrest	5/14/2018	Gravid Trap	5/15/2018	UR-20-1.3-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-20-2.3-Gr	<i>Culex spp.</i>	50	Negative	RT-PCR
		Gravid Trap		UR-20-3.3-Gr	<i>Culex spp.</i>	3	Negative	RT-PCR
	5/21/2018	Gravid Trap		UR-21-1.1-Gr	<i>Culex spp.</i>	17	Negative	RT-PCR
	5/29/2018	Gravid Trap	5/30/2018	UR-22-1.1-Gr	<i>Culex spp.</i>	32	Negative	RAMP
	6/5/2018	Gravid Trap		UR-23-1.1-Gr	<i>Culex spp.</i>	28	Pending	RT-PCR
	6/11/2018	Gravid Trap		UR-24-1.1-GR	<i>Culex spp.</i>	1	Pending	RT-PCR
	6/12/2018	Gravid Trap	6/13/2018	JR-24.2-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		JR-24.2-2.2-G	<i>Culex spp.</i>	30	Pending	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	UR-25-1.7-Gr	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Urbancrest	6/18/2018	Gravid Trap	6/19/2018	UR-25-2.7-Gr	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		UR-25-3.7-Gr	<i>Culex spp.</i>	50	Pending	RT-PCR
		Gravid Trap		UR-25-4.7-Gr	<i>Culex spp.</i>	50	Pending	RT-PCR
		Gravid Trap		UR-25-5.7-Gr	<i>Culex spp.</i>	50	Pending	RT-PCR
		Gravid Trap		UR-25-6.7-Gr	<i>Culex spp.</i>	50	Pending	RT-PCR
		Gravid Trap		UR-25-7.7-Gr	<i>Culex spp.</i>	33	Pending	RT-PCR
	Total Pools Tested: 16	Total Mosquitoes Tested: 594		Total Pending: 8	Total RAMP: 5	Total Negative: 8	Total Positive: 0	
	<b>Total Pools Tested: 16</b>	<b>Total Mosquitoes Tested: 594</b>		<b>Total Pending: 8</b>	<b>Total RAMP: 5</b>	<b>Total Negative: 8</b>	<b>Total Positive: 0</b>	

### Westerville Test Results

Westerville Central	5/14/2018	Gravid Trap	5/15/2018	WC-20-1.1-Gr	<i>Culex spp.</i>	18	Negative	RAMP
	5/21/2018	Gravid Trap	5/22/2018	WC-21-1.1-Gr	<i>Culex spp.</i>	6	Negative	RAMP
	5/29/2018	Gravid Trap	5/30/2018	WC-22-1.1-Gr	<i>Culex spp.</i>	21	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	WC-23-1.1-Gr	<i>Culex spp.</i>	40	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	WC-24-1.1-GF	<i>Culex spp.</i>	26	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	WC-25-1.1-Gr	<i>Culex spp.</i>	46	Negative	RAMP
	Total Pools Tested: 6	Total Mosquitoes Tested: 157		Total Pending: 0	Total RAMP: 6	Total Negative: 6	Total Positive: 0	
Westerville East	5/14/2018	Gravid Trap	5/15/2018	WE-20-1.1-Gr	<i>Culex spp.</i>	3	Negative	RAMP
	5/29/2018	Gravid Trap	5/30/2018	WE-22-1.1-Gr	<i>Culex spp.</i>	3	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	WE-23-1.1-Gr	<i>Culex spp.</i>	3	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	WE-24-1.1-GF	<i>Culex spp.</i>	35	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	WE-25-1.1-Gr	<i>Culex spp.</i>	39	Negative	RAMP
	Total Pools Tested: 5	Total Mosquitoes Tested: 83		Total Pending: 0	Total RAMP: 5	Total Negative: 5	Total Positive: 0	

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville North	5/14/2018	Gravid Trap	5/15/2018	WN-20-1.1-Gr	<i>Culex spp.</i>	7	Negative	RAMP
	5/21/2018	Gravid Trap	5/22/2018	WN-21-1.1-Gr	<i>Culex spp.</i>	11	Negative	RAMP
	5/29/2018	Gravid Trap	5/30/2018	WN-22-1.1-Gr	<i>Culex spp.</i>	10	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	WN-23-1.1-Gr	<i>Culex spp.</i>	7	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	WN-24-1.1-Gr	<i>Culex spp.</i>	20	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	WN-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		WN-25-2.2-Gr	<i>Culex spp.</i>	13	Negative
Total Pools Tested: 7		Total Mosquitoes Tested: 118		Total Pending: 0	Total RAMP: 7	Total Negative: 7	Total Positive: 0	
Westerville South	5/14/2018	Gravid Trap	5/15/2018	WS-20-1.1-Gr	<i>Culex spp.</i>	7	Negative	RAMP
	5/21/2018	Gravid Trap	5/22/2018	WS-21-1.1-Gr	<i>Culex spp.</i>	3	Negative	RAMP
	5/29/2018	Gravid Trap	5/30/2018	WS-22-1.1-Gr	<i>Culex spp.</i>	15	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	WS-23-1.1-Gr	<i>Culex spp.</i>	15	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	WS-24-1.1-Gr	<i>Culex spp.</i>	44	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	WS-25-1.2-Gr	<i>Culex spp.</i>	50	Negative	RAMP
			Gravid Trap		WS-25-2.2-Gr	<i>Culex spp.</i>	54	Negative
Total Pools Tested: 7		Total Mosquitoes Tested: 188		Total Pending: 0	Total RAMP: 7	Total Negative: 7	Total Positive: 0	
Westerville West	5/14/2018	Gravid Trap	5/15/2018	WW-20-1.1-G	<i>Culex spp.</i>	22	Negative	RAMP
	5/21/2018	Gravid Trap	5/22/2018	WW-21-1.1-G	<i>Culex spp.</i>	10	Negative	RAMP
	5/29/2018	Gravid Trap	5/30/2018	WW-22-1.1-G	<i>Culex spp.</i>	10	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	WW-23-1.1-G	<i>Culex spp.</i>	3	Negative	RAMP
	6/11/2018	Gravid Trap	6/12/2018	WW-24-1.2-GI	<i>Culex spp.</i>	50	Negative	RAMP

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Westerville West	6/11/2018	Gravid Trap	6/12/2018	VW-24-2.2-GI	<i>Culex spp.</i>	3	Negative	RAMP
	6/18/2018	Gravid Trap	6/19/2018	NW-25-1.1-G	<i>Culex spp.</i>	50	WNV+	RAMP
	Total Pools Tested: 7		Total Mosquitoes Tested: 148		Total Pending: 0	Total RAMP: 7	Total Negative: 6	Total Positive: 1
Whitehall East	5/21/2018	Gravid Trap	5/22/2018	WE-21-1.1-Gr	<i>Culex spp.</i>	7	Negative	RAMP
	Total Pools Tested: 1		Total Mosquitoes Tested: 7		Total Pending: 0	Total RAMP: 1	Total Negative: 1	Total Positive: 0
	<b>Total Pools Tested: 33</b>		<b>Total Mosquitoes Tested: 701</b>		<b>Total Pending: 0</b>	<b>Total RAMP: 33</b>	<b>Total Negative: 32</b>	<b>Total Positive: 1</b>

### Whitehall Test Results

Whitehall East	5/21/2018	Gravid Trap		VHE-21-1.1-G	<i>Culex spp.</i>	12	Negative	RT-PCR
	5/29/2018	Gravid Trap	5/30/2018	VHE-22-1.1-G	<i>Culex spp.</i>	47	Negative	RAMP
	6/4/2018	Gravid Trap	6/5/2018	VHE-23-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VHE-23-2.2-G	<i>Culex spp.</i>	42	Pending	RT-PCR
	6/11/2018	Gravid Trap		VHE-24-1.1-G	<i>Culex spp.</i>	44	Pending	RT-PCR
	6/18/2018	Gravid Trap	6/19/2018	VHE-25-1.2-G	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VHE-25-2.2-G	<i>Culex spp.</i>	24	Pending	RT-PCR
	Total Pools Tested: 7		Total Mosquitoes Tested: 269		Total Pending: 3	Total RAMP: 3	Total Negative: 4	Total Positive: 0
Whitehall West	5/14/2018	Gravid Trap	5/15/2018	VHW-20-1.2-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VHW-20-2.2-C	<i>Culex spp.</i>	28	Negative	RT-PCR
	5/21/2018	Gravid Trap		VHW-21-1.1-C	<i>Culex spp.</i>	31	Negative	RT-PCR
	5/29/2018	Gravid Trap		VHW-22-1.1-C	<i>Culex spp.</i>	45	Negative	RT-PCR
	6/4/2018	Gravid Trap	6/5/2018	VHW-23-1.4-C	<i>Culex spp.</i>	50	Negative	RAMP
		Gravid Trap		VHW-23-2.4-C	<i>Culex spp.</i>	50	Pending	RT-PCR

Trap Location	Trap Date	Trap Type	Date Tested	Pool No.	Mosquito Species	Pool Size	Results	Assay
Whitehall West	6/4/2018	Gravid Trap		/HW-23-3.4-C	<i>Culex spp.</i>	50	Pending	RT-PCR
		Gravid Trap		/HW-23-4.4-C	<i>Culex spp.</i>	5	Pending	RT-PCR
	6/11/2018	Gravid Trap	6/12/2018	HW-24-1.1-G	<i>Culex spp.</i>	50	Negative	RAMP
	6/18/2018	Gravid Trap		/HW-25-1.1-C	<i>Culex spp.</i>	37	Pending	RT-PCR
Total Pools Tested: 10		Total Mosquitoes Tested: 396		Total Pending: 4	Total RAMP: 3	Total Negative: 6	Total Positive: 0	
<b>Total Pools Tested: 17</b>		<b>Total Mosquitoes Tested: 665</b>		<b>Total Pending: 7</b>	<b>Total RAMP: 6</b>	<b>Total Negative: 10</b>	<b>Total Positive: 0</b>	
<b>Total Pools Tested: 355</b>		<b>Total Mosquitoes Tested: 9141</b>		<b>Total Pending: 116</b>	<b>Total RAMP: 130</b>	<b>Total Negative: 232</b>	<b>Total Positive: 7</b>	